

# SAFETY DATA SHEET

## SECTION 1. IDENTIFICATION

### 1.1 Product Identifier

**Product Name:** Element Inks – Nighthawk Black

**Description:** Water Based Tattoo Ink

### 1.2 Recommended Use of Chemical and Restrictions on Use

**Use:** Water Based Tattoo Ink

### 1.3 Details of the Supplier of the Safety Data Sheet

**Manufacturer / Supplier:** Element Tattoo Supply Inc  
11552 Knott Street  
Suite C-1  
Garden Grove California USA

**Telephone:** (714) 788-6209

### 1.3 Emergency Telephone Number

**Emergency Telephone:** (714) 788-6209

## SECTION 2. HAZARD(S) IDENTIFICATION

### 2.1 Classification of the Chemical According to OSHA HAZCOM 2012

**Hazard Class:** Potentially Flammable Liquid

### 2.2 Label Elements According to OSHA HAZCOM 2012

**Hazard Pictogram:** N/A

**Signal Word:** N/A

**Hazard Statement:** Keep away from heat/sparks/open flames/hot surfaces.– No smoking. Keep container tightly closed. Do not handle until all safety precautions have been read and understood.

### 2.3 Additional Information

**Hazards Not Otherwise Classified:** Not applicable.

## SECTION 3. COMPOSITION / INFORMATION ON INGREDIENTS

### 3.1 Mixtures

Component	CAS#	Weight %
Isopropyl Alcohol	67-63-0	8 - 20%
Carbon Black	1333-86-4	5 - 15%
Deionized Water	7732-18-5	8 – 23%

The exact percentage (concentration) of composition has been withheld as a trade secret in accordance with paragraph (i) of §1910.1200.

# SAFETY DATA SHEET

---

## SECTION 4. FIRST AID MEASURES

---

### 4.1 Description of First Aid Measures

- Eyes Contact:** Hold eyes open and flush for at least 15 minutes with large amounts of water. Obtain medical attention if irritation persists.
- Skin Contact:** Remove contaminated clothing and shoes. Wash affected areas thoroughly with soap or mild detergent and large amounts of water. Get medical attention if irritation occurs.
- Inhalation:** Move to an area free from risk of further exposure. Administer oxygen or artificial respiration as needed. Obtain medical attention
- Ingestion:** DO NOT INDUCE VOMITING. Give two glasses of water to dilute stomach contents. DO NOT GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. Consult a physician immediately.

**4.2 Most Important Symptoms and Effects, Both Acute and Delayed:** May cause irritation and pain.

### 4.3 Indication of Any Immediate Medical Attention and Special Treatment Needed

- Note to Physician:** Symptoms may not appear immediately.
- Treatment:** In case of accident or if you feel unwell, seek medical advice immediately.

---

## SECTION 5. FIRE-FIGHTING MEASURES

---

### 5.1 Flammability

**Flammability:** Flammable by WHMIS/OSHA criteria.

### 5.2 Extinguishing Media

**Suitable Extinguishing Media:** Carbon dioxide, dry powder, foam, and water mist.

**Unsuitable Extinguishing Media:** None known.

### 5.3 Special Hazards From the Chemical

**Products of Combustion:** May include, and are not limited to: oxides of carbon.

### 5.4 Special Protective Equipment and Precautions for Fire Fighters

**Protective Equipment:** Full protective clothing with self-contained breathing apparatus should be worn. The use of SCBA is recommended.

---

## SECTION 6. ACCIDENTAL RELEASE MEASURES

---

### 6.1 Personal Precautions, Protective Equipment and Emergency Procedures

User personal protection as recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel.

### 6.2 Methods and Materials for Containment and Cleaning Up

Contain, or absorb with inert absorbent material. Collect spilled material in a salvage container. Prevent spill from entering sewers, drains, streams, waterways, or other bodies of water. Dispose of in accordance with all local, state and federal regulations.

# SAFETY DATA SHEET

## SECTION 7. HANDLING AND STORAGE

- 7.1 Precautions for Safe Handling:** DO NOT TAKE INTERNALLY. Avoid inhalation of excess vapors, ingestion, and unnecessary, prolonged, or repeated contact with skin. Change soiled work clothes frequently. Wash hands and other exposed body areas before eating. Eyewash fountains and safety showers must be easily accessible. KEEP OUT OF REACH OF CHILDREN.
- 7.2 Precautions for Safe Storage, including any incompatibilities:** Store closed containers at temperatures between 40°F and 110°F (4°C and 43°C) and away from heat sources. Keep containers tightly closed and store with adequate ventilation. DO NOT ALLOW TO FREEZE (product will coagulate).

## SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

### 8.1 Control Parameters Exposure Guidelines

Ingredient	Occupational Exposure Limits	
	OSHA-PEL	ACGIH-TLV
Not applicable		

### 8.2 Exposure Controls

**Engineering Controls:** Use local exhaust ventilation or respiratory protection adequate to maintain exposures (airborne levels of dust, fume, vapor, etc) below recommended exposure limits.

### 8.3 Individual Protective Measures

**Eye Protection:** OSHA approved safety glasses or goggles are recommended when using product.

**Skin Protection:** Wear suitable protective clothing to prevent unintended skin contact and use chemical-resistant rubber gloves.

**Respiratory Protection:** Not required under normal conditions. Provide sufficient ventilation to maintain constant fresh air in workspace. In case of insufficient ventilation, use NIOSH/MSHA approved organic vapor and mist, supplied air, or self-contained breathing apparatus. Avoid breathing sanding dust.

**General Health And Safety Measures:** Do not eat, drink, or smoke where material is handled, processed or stored. Wash hands carefully before eating or smoking. Wash contaminated clothing before reusing.

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

### 9.1 Information on Basic Physical and Chemical Properties

**Appearance:** Viscous liquid

**Color:** Black

**Odor:** Mild Odor

**Odor Threshold:** Not available.

**pH:** Not Available

**Melting Point / Freezing Point:** ~32° F (~0° C)

# SAFETY DATA SHEET

---

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

---

<b>Boiling Point:</b>	~212° F (~100° C)
<b>Flash Point:</b>	Not available.
<b>Evaporation Rate:</b>	Not available.
<b>Flammability:</b>	Potentially Flammable.
<b>Explosive Limits:</b>	Not available.
<b>Vapor Pressure:</b>	Not available.
<b>Vapor Density:</b>	Not available.
<b>Relative Density:</b>	Not available.
<b>Solubility:</b>	Not available.
<b>Partition Coefficient:</b>	Not available.
<b>Auto Ignition Temperature:</b>	Not available.
<b>Decomposition Temperature:</b>	Not available.
<b>Viscosity:</b>	Not available.
<b>VOC content (g/L):</b>	<100 g/L

---

## SECTION 10. STABILITY AND REACTIVITY

---

### 10.1 Reactivity:

No dangerous reaction known under normal storage and use conditions.

### 10.2 Chemical Stability:

This is a stable material under normal storage and use conditions.

### 10.3 Possibility of Hazardous Reactions:

No dangerous reaction known under normal storage and use conditions.

### 10.4 Conditions to Avoid:

High temperatures or freezing, phase separation and possible coagulation may occur.

### 10.5 Incompatible Materials:

None known.

### 10.6 Hazardous Decomposition Products:

May include, and are not limited to: oxides of carbon.

---

## SECTION 11. TOXICOLOGICAL INFORMATION

---

### 11.1 Information of Toxicological Effects

**Likely Routes Of Exposure:** Skin contact, eye contact, inhalation, and ingestion.

#### Symptoms Related To Physical, Chemical, And Toxicological Characteristics

**Eye:** Causes eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with possible redness and swelling.

# SAFETY DATA SHEET

## SECTION 11. TOXICOLOGICAL INFORMATION

**Skin:** May cause skin irritation.

**Ingestion:** May cause stomach distress, nausea, and vomiting.

**Inhalation:** May cause respiratory tract irritation.

**Symptoms Of Overexposure:** Prolonged or repeated contact may cause skin and eye irritation.

### Acute Toxicity:

Ingredient	LC50	LD50
Carbon Black	Not available.	Oral >15,400 mg/kg Dermal >3000 mg/kg

### Calculated overall Chemical Acute Toxicity Values

LC50 (inhalation)	LD50 (oral)	LD50 (dermal)
Not available.	>100 mg/kg	>100 mg/kg, rabbit

### Chemical Listed as Carcinogen or Potential Carcinogen (NTP, IARC, OSHA, ACGIH):

Ingredient	OSHA	ACGIH	IARC	CA Prop 65
Carbon Black	Not Listed	Not classifiable as a human carcinogen.	Possibly carcinogenic to humans; there is limited evidence of carcinogenicity in humans.	Listed

### 11.2 Delayed, Immediate, and Chronic Effects of Short- and Long-Term Exposure

**Skin Corrosion/Irritation:** May cause skin irritation

**Serious Eye Damage/Irritation:** Causes serious eye irritation.

## SECTION 12. ECOLOGICAL INFORMATION

### 12.1 Ecotoxicity

Not available

### 12.2 Persistence and Degradability

Not available.

### 12.3 Bioaccumulative Potential

Not available.

### 12.4 Mobility in Soil

Not available.

### 12.5 Other Adverse Effects

Not available.

## SECTION 13. DISPOSAL CONSIDERATIONS

### 13.1 Waste Treatment Methods

**Disposal Method:** Dispose of in accordance with federal, state and local regulations.

# SAFETY DATA SHEET

---

## SECTION 13. DISPOSAL CONSIDERATIONS

---

**Other Recommendations:** Not available.

---

## SECTION 14. TRANSPORT INFORMATION

---

### 14.1 Transport Information

**Land Transport - DOT:** Non-regulated

**Sea Transport - IMDG:** Non-regulated

**Air Transport - ICAO/IATA:** Non-regulated

---

## SECTION 15. REGULATORY INFORMATION

---

### 15.1 Safety, Health and Environmental Regulations / Legislations Specific for the Substance or Mixture

**TSCA Inventory Status and TSCA Information:** This material or its components are listed on or are in compliance with requirements of the TSCA Chemical Substance Inventory.

**TSCA 12(b) Export Notification:** This material does not contain any TSCA 12(b) regulated chemicals.

**CERCLA Regulated Chemicals:** This material does not contain any CERCLA regulated chemicals.

**SARA 302 EHS Chemicals:** This material does not contain any SARA extremely hazardous substances.

**SARA 311/312 Hazard Class:** This material does not present any SARA 311/312 hazards.

**SARA 313 Chemicals:** This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

**HAPS (Hazardous Air Pollutants):** None.

### 15.2 U.S. State Regulations

#### California Proposition 65:

WARNING! This product contains a chemical known to the State of California to cause cancer. The listing of carbon black is for "airborne, unbound particles of respirable size." The listing is not applicable to carbon black when it remains bound within a product matrix.

#### California Proposition 65 Reproductive Toxins:

This product contains no listed components.

#### Massachusetts Substance List:

The following components are listed: Carbon Black

#### New Jersey Right-To-Know Hazardous Substance List:

This product contains no listed components.

#### Pennsylvania Right-To-Know Hazardous Substance List:

The following components are listed: Carbon Black

**HMIS Hazard Code Ratings:** Health – 2

Flammability - 2

Reactivity - 0

Protective Equipment - Yes - S R

# SAFETY DATA SHEET

---

**HMIS Rating Scale:** 0 = Minimal, 1 = Slight, 2 = Moderate, 3 = Serious, 4 = Severe

**Personal Protective Equipment Key:** S = Splash goggles + synthetic apron + gloves  
R = Respirator in some circumstances

---

## SECTION 16. OTHER INFORMATION

---

**Date of Preparation:** January 16, 2015

**Version:** 1.0

**Revision Date:** January 01, 2020

**Disclaimer:** Element Tattoo Supply Inc believes the statements, technical information and recommendations contained herein are reliable to the best of our knowledge. They are given without warranty or guarantee of any kind, expressed or implied. Seller shall not be liable for any incidental, consequential or indirect use of this product. Data herein must be confirmed by Buyer by testing for its intended use.