

# APEX Rack

## ASSEMBLY INSTRUCTIONS


Tools Needed:

1 1/2" Wrench

**DISCLAIMER:**

RESISTANCE TRAINING, GYMNASTICS TRAINING, AND ACTIVITIES AT HEIGHT ARE POTENTIALLY DANGEROUS AND MAY LEAD TO SEVERE INJURY OR EVEN DEATH. THIS EQUIPMENT MUST BE USED BY COMPETENT AND RESPONSIBLE PERSONS OR UNDER THE GUIDANCE AND SUPERVISION OF COMPETENT PERSONS. BE SURE YOU ARE VERSED IN PROPER TECHNIQUE AND METHODS BEFORE USING ANY EQUIPMENT. THE USER ASSUMES ALL RISKS AND RESPONSIBILITIES FOR ALL DAMAGE, INJURY OR DEATH WHICH MAY OCCUR DURING INCORRECT USE OF THIS EQUIPMENT. SORINEX BEARS NO LIABILITY ABOVE REPLACEMENT VALUE OF THE EQUIPMENT IN QUESTION.

| ITEM NO. | PartNo | Part Name                          | QTY. |
|----------|--------|------------------------------------|------|
| 1        | 000368 | Base Camp - Full Arch              | 1    |
| 2        | 002988 | APEX - Rack Side                   | 2    |
| 3        | 003070 | APEX - Square Bar - 25" Tube       | 8    |
| 4        | 001780 | XL Series - 41" Standard Stall Bar | 3    |
| 5        | 001569 | XL Series - Sorinex Full Arch Logo | 1    |
| 6        | 003192 | APEX - Stability Foot - Set        | 1    |
| 7        | 000734 | XL Series - 8' Upright             | 2    |



1.


Start by laying both rack sides down. If ceiling height is less than 8 1/2" feet, assemble rack in standing position.

2.

Align Full Arch at the top of each rack side.


Sorinex Exercise Equipment | 193 Litton Drive | Lexington, SC 29073 | 1-877-SORINEX | info@sorinex.com  
 THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF SORINEX INC.  
 ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF SORINEX INC. IS PROHIBITED.

3.




Starting from the top, Align Square Bars with 22" spacing. Measurement is from top face of each tube (As shown)

4.




Align Stall Bars to the inside of the rack. Stall Bar should share the same hole as the bottom of the Square Bar.

5.




Align 8' Upright to the Square Bar. Feet should be flush with the feet on the rack side.

6.




Hand secure, with 1" hardware. Bolt heads should face outward.

7.



Team lift to standing standing position.

8.




Secure all hardware with 1 1/2" wrench.


Sorinex Exercise Equipment | 193 Litton Drive | Lexington, SC 29073 | 1-877-SORINEX | info@sorinex.com

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF SORINEX INC.


ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF SORINEX INC. IS PROHIBITED.




Install stabilizers by first removing spring collars. Remove by compressing spring.



Slide Stabilizers into rack side hole, then replace spring collars to end of stabilizer.



Stabilizers should be deployed before using rack.



Rack is fully assembled and ready for accessories.