## SOLUTIONS GUIDE 2021



SORINEX.
EXERCISE EQUIPMENT

#### SORINEX EXERCISE EQUIPMENT, INC.

SORINEX.COM
INFO@SORINEX.COM
1-877-SORINEX
193 LITTON DRIVE
LEXINGTON, SC 29073

SPECIFICATIONS AND PRODUCT AVAILABILITY SUBJECT TO CHANGE.
PLEASE SEE THE MOST RECENT VERSION OF OUR CATALOG ON SORINEX.COM

The trademarked logos & wordmarks depicted within the Sorinex Solutions Guide are protected, with all intellectual property rights belonging to the respected schools, institutions, organizations, and teams. Their use herein is not intended for reproduction/sale or to imply endorsement, but merely for illustrative purposes to showcase prior completed works/projects by Sorinex Exercise Equipment, Inc. and the innovative solutions we provide our customers.



"I LEARNED, DESIGNED, AND BUILT EQUIPMENT BECAUSE I HAD VERY LITTLE. WHEN YOU HAVE LITTLE TO WORK WITH, YOU LEARN TO BE CREATIVE." - RICHARD SORIN



## IT'S IN OUR BLOOD

1980 - A school teacher named Richard Sorin was sweating over a hot piece of hand-cut welded steel in a small 2 car garage. He had already taught the scholastic weightlifting club that morning, followed by AM bus duty, 8 hours of gym class, PM bus duty (for extra money that was used to eventually start his business), and then the jogging club for the teaching staff. Following the school day he would tear across town to make it to the steel yard before it closed. He would strap steel to the roof of a 1974 Toyota Land Cruiser and drive back across town to get started with his new business and dream...Sorin Exercise Equipment.

40 years later, Sorinex is still a family owned business and employs more people than ever. Sorinex is the most sought after strength brand for professional teams, colleges, high schools, and military bases. Some of our designs have changed the face of strength training forever, and can be found in most serious gyms worldwide. During this process of growth, our clients have become an extended family to us, part of our brotherhood. We realize we are still around because of our great customers and friends. We want to take the opportunity to thank YOU, our customers, supporters, vendors, and friends for being the foundation on which Sorinex is built. Without you, there is no Sorinex. We promise to do our best to serve you with the best strength training equipment and service in the industry.



RICHARD "POPS" SORIN
FOUNDER / OWNER



BERT SORIN
PRESIDENT / CO-OWNER

pth Both

#### **OVER 40 YEARS OF** BASEFIT™ / BASE CAMP™ SYSTEMS SORINEX IS AWARDED HALF OF THE WITH FIRST EVER 4-WAY HOLE DESIGN LARGEST FITNESS CONTRACT IN RELEASED AT CROSSFIT GAMES 2. HISTORY, THE U.S. ARMY ACFT KITS. SKIN IN THE IRON GAME THE REWARD THE RISK **SORINEX PAVES THEIR WAY BUILT TO LAST MODERNIZATION** TO BECOMING THE INDUSTRY POPS MORTGAGES HIS HOUSE FOR KENTUCKY LEADER IN QUALITY AND PRIOR TO A 13-0 SEASON. JOB WHICH BECAME THE BIGGEST CUSTOM INNOVATION WITH MAJOR **INSTALLED MIAMI SORINEX JAMMER ARMS™** WEIGHT ROOM IN NATION. **INSTALLS AT AUBURN AND HURRICANES FOOTBALL** RELEASED. FIRST EVER RACK PENN STATE. WEIGHT ROOM, PIVOTAL TO ATTACHED LEVER ARMS. CANES SUCCESS, SORINEX **BRANDED** THEN INSTALLED FIRST DEBUT TRADITION PORTABLE WEIGHT ROOM AT THE ROSE BOWL FOR THE COMPANY RENAMED NATIONAL CHAMPIONSHIP TO SORINEX EXERCISE SUMMERSTRONG™ 1 SUMMERSTRONG™ 10 GAME. EQUIPMENT®. O) N M 10 (J) O) N N N AFTER MAKING THE BIGGEST CUSTOM WEIGHT ROOM IN THE NATION. BRUNO PAULETTO AT THE UNIVERSITY **DEVELOPMENT EXPANSION** OF TENNESSEE DEMANDED ONE LARGER AND "BETTER". POPS DELIVERED, CREATING THE FIRST SUPER ROOM. BASE CAMP™ RACK EARLY ADOPTERS: - NICK GARCIA (NOTRE DAME HS) NEW HQ IN IRMO, SC SHOWING **UPGRADED HQ AND MANUFACTURING** THE CHALLENGE CRAIG FITZGERALD (USC FOOTBALL) **GROWTH AND PROGRESS.** FACILITY IN LEXINGTON. SC. - LUKE RICHESSON (JACKSONVILLE JAGS) - TOM MYSLINSKI (MEMPHIS) RICHARD SORIN STRIKES HIS FIRST **ESTABLISHED** 40+ YEARS IN SPARKS. SELF **BUSINESS WITH 40+** TAUGHT WELDING INNOVATION INDUSTRY FIRST AND DESIGN. DESIGNS TO DATE. SORIN EXERCISE SORINEX CREATES FIRST "LANDMINE", CREATED OUT EOUIPMENT OF A TRAINING NEED FOR BERT WHILE PREPARING FOR FOUNDED. LEGACY **OLYMPIC TRIALS IN HAMMER THROW. FOUNDED**

RECOGNITION

AWARDED

#### PROCESS

"THE LIGHTBULB MOMENT WAS WHEN WE WERE TRYING TO GET EVERYONE ELSE TO DO WHAT SORINEX DOES AND THEY JUST COULDN'T DO IT." - COACH JASON PULLARA

## $\mathsf{T} \mathsf{O} \mathsf{M}$

Since 1980, Sorinex has designed and built custom innovative training solutions of the highest standard. Custom isn't just picking your logos and colors. To us, custom means a hand-built solution from start to finish. Every situation is unique. We start by asking the right questions to co-create a one of a kind solution for each client. Because most of our products are made to order, fabrication time varies depending on the product scope. Our design process begins with a strong understanding of your needs and vision. Together, with your dedicated Solutions Specialist and CAD Designer, we analyze and brainstorm various concepts to ensure maximum potential. We will bring your concept to reality through a series of in-person and remote planning sessions where you will have the opportunity to view your room in 3D digital renders and virtual reality.

## MANUFACTURING



#### **BUILT TO LAST A LIFETIME**

Since 1980, our premise has been simple: Make functional strength training equipment that could be customized, and above all, BOMB PROOF. Sorinex equipment is backed by an industry leading LIFETIME STRUCTURAL WARRANTY.



#### AMERICAN CRAFTSMANSHIP

A simple look to ancient building techniques can and does give the answer of how to make things 'simple but strong'. Proven for thousands of years. No slots or 'cutting corners'.



#### **U.S. MADE RAW MATERIALS**

Built better because we have to. We build our equipment to the standards that we hold true to ourselves. We strive to source American Made raw materials and components whenever possible.



#### PRECISION LASER TECHNOLOGY

From complex branding elements to our iconic numbered tubing. Our one-of-a-kind components are expertly crafted with our Precision Laser Technologies.



#### **QUALITY CONTROL**

We ensure proper fit-and-finish from the first step in production to the last 1" Cold Rolled Steel Bolt tightened at installation.




#### PROTECTED INVESTMENT

We are always creating and improving. With consistent yearly innovation, improved intelligent design, and increasing functionality, we are the category leader in design and modular adaptability.

8 | SORINEX.COM SORINEX.COM | 9

#### INSTALL



We are dedicated to providing the highest level of customer satisfaction. We ensure proper fit-and-finish with every install. Every thought, design, weld, and detail is brought to reality during this process. Your Solutions Specialist will be present to ensure our LEGENDARY standards. Whether it is new construction, remodel, or simple replacement, we work directly with architects, builders, and administration to ensure satisfaction.

#### BUPPORT



Unlike most companies, our support does not end once the install is finished. Annual safety checks, equipment training, coaching consultations, and consistent visits are all included in the Sorinex package. When we say "Bosco Brotherhood", we mean it. This is a family business, and to us, that means being here to support you and your program.

#### P R O M O T E



In 2020, the digital media landscape is moving faster than ever. Proper branding, promotions, visual media, and messaging are key to stand above the crowds. We are a fully staffed media organization with the tools and social reach to create, support, and promote your efforts. Recruiting athletes, coaches, and clients to your program is our specialty. We are prepared to create industry leading video, photography, 3D imaging and VR/AR experiences to enhance your communities' understanding of who you are and the value you bring.

# PROFESSIONAL

# COLLEGIATE

























# HIGH SCHOOL

# **MILITARY**

























# PRIVATE TRAINING

# HOME FACILITY


























# R A C K S

Designed to maximize the versatility of your space, our racks provide the most training options per square foot. Sorinex racks are American made by professionals for professionals, and are built to last a lifetime.

# THE BASE CAMP™ SERIES

## THE MOST VERSATILE RACK ON THE MARKET

The Sorinex Base Camp™ rack is our premier rack offering, made by professionals for professionals. The Base Camp rack design and name represents the start of your training journey. An industry first 4-way hole design boasts 1,768 total holes offering limitless training opportunities. Built with expansion in mind, not replacement. As you grow, the Base Camp rack grows with you via new attachments, customizable storage, bridges, and outriggers. Long gone are the days of wasted iron and dollars simply because of changing training philosophies. The Base Camp rack is the most versatile rack ever created. Allowing more people than ever to train at one station, increasing the carrying capacity of your facility. The configurations and adjustments are endless, easily adaptable to your training program. Forever changed is the world available to strength practitioners.



NUMBERED HOLES



SANDWICH STYLE J-HOOK



SAFETY STRAP SYSTEM



BATWING CHIN BAR




CUSTOM LOGO ARCH



CUSTOMIZABLE STORAGE





RACKS | THE BASE CAMP™ SERIES | RACKS











## HALF RACK

| TUBING            | 3" x 3"                      |
|-------------------|------------------------------|
| DEPTH             | 64"                          |
| WIDTH             | 47"                          |
| HEIGHT            | 101.62"                      |
| WEIGHT            | 422 LB                       |
| NUMBERED<br>HOLES | YES                          |
| MATERIAL          | 11 GAUGE OR<br>7 GAUGE STEEL |



| TUBING            | 3" x 3"                      |
|-------------------|------------------------------|
| DEPTH             | 53.5"                        |
| WIDTH             | 47"                          |
| HEIGHT            | 101.62"                      |
| WEIGHT            | 328 LB                       |
| NUMBERED<br>HOLES | YES                          |
| MATERIAL          | 11 GAUGE OR<br>7 GAUGE STEEL |

POWER RACK

| TUBING            | 3" x 3"                      |
|-------------------|------------------------------|
| DEPTH             | 74.5"                        |
| WIDTH             | 47"                          |
| HEIGHT            | 101.62"                      |
| WEIGHT            | 561 LB                       |
| NUMBERED<br>HOLES | YES                          |
| MATERIAL          | 11 GAUGE OR<br>7 GAUGE STEEL |

DOUBLE HALF RACK

| TUBING            | 3" x 3"                      |
|-------------------|------------------------------|
| DEPTH             | 74.5"                        |
| WIDTH             | 47"                          |
| HEIGHT            | 101.62"                      |
| WEIGHT            | 657 LB                       |
| NUMBERED<br>HOLES | YES                          |
| MATERIAL          | 11 GAUGE OR<br>7 GAUGE STEEL |
|                   |                              |

RACK AND A HALF

| TUBING            | 3" x 3"                      |
|-------------------|------------------------------|
| DEPTH             | 100.88"                      |
| WIDTH             | 47"                          |
| HEIGHT            | 101.62"                      |
| WEIGHT            | 778 LB                       |
| NUMBERED<br>HOLES | YES                          |
| MATERIAL          | 11 GAUGE OR<br>7 GAUGE STEEL |
| ·                 |                              |

## DOUBLE FULL RACK

| TUBING            | 3" x 3"                      |
|-------------------|------------------------------|
| DEPTH             | 104.88"                      |
| WIDTH             | 47"                          |
| HEIGHT            | 101.62"                      |
| WEIGHT            | 837 LB                       |
| NUMBERED<br>HOLES | YES                          |
| MATERIAL          | 11 GAUGE OR<br>7 GAUGE STEEL |
| ·                 | ·                            |

## UBER PACKAGE UPGRADE










INDEXING CHIN



HALF SPOTTER BARS







# THE ARMORED BASE CAMP™

The Armored Base Camp™ rack features unrivaled versatility, training solutions, and storage capacity per square foot.

## FEATURES







HI/LO CABLE PULLEY SYSTEM



4-WAY RACK ACCESS



ARMOR PLATES



MULTI-STORAGE WINGS



2" FAT GRIP KNURLED CHIN BAR

# THE BASE CAMP 4 X 4™



The Base Camp  $4 \times 4^{m}$  is a heavy duty rack made for the big men in the trenches.

| TUBING   | 4" × 4"           |
|----------|-------------------|
| DEPTH    | 75.25"            |
| WIDTH    | 48"               |
| HEIGHT   | 101.375"          |
| MATERIAL | 11 GAUGE<br>STEEL |
| •        |                   |

## OFF-SET J-HOOK

\*PATENT PENDING





| 45.25"   | 9  |
|--|----|
|  |    |
| 39.25"   | ń  |
| *STANDARD 3" x 3" RACK IS 43.5"<br>BETWEEN J-HOOKS | W) |


## **FOLDING RACK SAFETY BARS**

\*PATENT PENDING



INTEGRATED SECONDARY
J-HOOK







# THE XL™ SERIES

## THE OPTIMAL SOLUTION

Custom made to fit any scenario, the XL Series rack is the evolution of our original Base Fit rig series. Originally titled "Base Fit XL" as we moved from 2" to 3" steel components, the Base Fit rig was the genesis of the modern day rig with modular pieces that are customizable to fit any space or application. All copies and other 4-way hole racks and rigs are based off this design. Today, the XL Series racks and rigs offer an optimized solution for the demands of modern strength coaches and athletes. High schools, colleges, and home gym owners look to the XL Series racks and rigs for an extremely high return on their investment. Expand or adjust as your program evolves. Custom branding options give you the look of our Base Camp rack series without the cost. Created with the same quality and dedication to innovative training solutions that you have come to expect from Sorinex.









DOUBLE CHIN


SINGLE CHIN





SINGLE BAR STORAGE XL SERIES STORAGE





RACKS | THE XL™ SERIES | THE XL™ SERIES | RACKS











## HALF RACK

| TUBING            | 3" x 3"           |
|-------------------|-------------------|
| DEPTH             | 64"               |
| WIDTH             | 47"               |
| HEIGHT            | 95.4"             |
| WEIGHT            | 423 LB            |
| NUMBERED<br>HOLES | OPTIONAL          |
| MATERIAL          | 11 GAUGE<br>STEEL |



| TUBING            | 3" x 3"           |
|-------------------|-------------------|
| DEPTH             | 52.5"             |
| WIDTH             | 47"               |
| HEIGHT            | 95.4"             |
| WEIGHT            | 317 LB            |
| NUMBERED<br>HOLES | OPTIONAL          |
| MATERIAL          | 11 GAUGE<br>STEEL |

POWER RACK

| TUBING            | 3" x 3"           |
|-------------------|-------------------|
| DEPTH             | 76.5"             |
| WIDTH             | 47"               |
| HEIGHT            | 95.4"             |
| WEIGHT            | 561 LB            |
| NUMBERED<br>HOLES | OPTIONAL          |
| MATERIAL          | 11 GAUGE<br>STEEL |

## DOUBLE HALF RACK

| TUBING            | 3" x 3"           |
|-------------------|-------------------|
| DEPTH             | 56.5"             |
| WIDTH             | 47"               |
| HEIGHT            | 95.4"             |
| WEIGHT            | 657.0 LB          |
| NUMBERED<br>HOLES | OPTIONAL          |
| MATERIAL          | 11 GAUGE<br>STEEL |

## RACK AND A HALF

| TUBING            | 3" x 3"           |
|-------------------|-------------------|
| DEPTH             | 100.5"            |
| WIDTH             | 47"               |
| HEIGHT            | 95.4"             |
| WEIGHT            | 782 LB            |
| NUMBERED<br>HOLES | OPTIONAL          |
| MATERIAL          | 11 GAUGE<br>STEEL |
|                   |                   |

## DOUBLE FULL RACK

| TUBING            | 3" x 3"           |
|-------------------|-------------------|
| DEPTH             | 144.5"            |
| WIDTH             | 47"               |
| HEIGHT            | 95.4"             |
| WEIGHT            | 926 LB            |
| NUMBERED<br>HOLES | OPTIONAL          |
| MATERIAL          | 11 GAUGE<br>STEEL |
|                   |                   |

## UBER PACKAGE UPGRADE INCLUDES:











LANDMINE

HALF SAFETY BARS

CUSTOM LOGO ARCH

**FULL SAFETY BARS** 







CUSTOMIZABLE STORAGE




SANDWICH STYLE J-HOOK



ROLLER PADS







## THE APEX™ RACK

## MOST TRAINING OPTIONS PER SQUARE FOOT

At only 18 sq/ft, The Apex™ rack offers more training options per square foot than any other system on the market. The low profile rack design with functional cable columns, lat pull-low rows, and integrated storage solutions gives you options in a compact space. This is not your simple rack. This is everything the modern training space needs with 25% less square footage than a normal power rack. Training requirements have changed. Strength and conditioning facility needs are greater than ever. Home gyms have evolved past a barbell and pull-up bar. This is an all-inclusive training system that can be customized to fit any room or application. The Sorinex Apex rack has changed the game. Bring the versatility of Sorinex training systems to your compact commercial space, large facility accessory stations or garage gym.



# TWO CABLE COLUMNS

| TUBING   | 3" x 3"           |
|----------|-------------------|
| DEPTH    | 28"               |
| WIDTH    | 104.5"            |
| HEIGHT   | 95.6"             |
| MATERIAL | 11 GAUGE<br>STEEL |
|          |                   |



# ONE CABLE COLUMN ONE LAT-PULL

| TUBING   | 3" x 3"           |
|----------|-------------------|
| DEPTH    | 28"               |
| WIDTH    | 121.5"            |
| HEIGHT   | 101"              |
| MATERIAL | 11 GAUGE<br>STEEL |
|          |                   |

## THE DARK HORSE™ RACK

## THE ECONOMICAL OPTION

The Sorinex Dark Horse rack is our most economical rack offering. Intentionally made to fit your budget while still offering the innovation, quality, and attachment options our Sorinex racks are known for. Appropriately named, the Dark Horse rack boasts a compact design with extreme versatility. Add plate storage, custom arch logos or our industry leading rack attachments to make this rack your own. Built for high schools, private training facilities or garage gym owners. Welded rack sides and a partial 4-way hole design will stand the test of time. This rack offers a durable, affordable and safe Sorinex training system.





## STANDARD

| TUBING   | 3" x 3"           |
|----------|-------------------|
| DEPTH    | 41.5"             |
| WIDTH    | 47"               |
| HEIGHT   | 89.6"             |
| MATERIAL | 11 GAUGE<br>STEEL |

## WITH PLATE STORAGE

| TUBING   | 3" x 3"           |
|----------|-------------------|
| DEPTH    | 63.88"            |
| WIDTH    | 47"               |
| HEIGHT   | 89.6"             |
| MATERIAL | 11 GAUGE<br>STEEL |
|          |                   |

\*Safety Systems Upgrade Available



# THE OFF GRID™ RACK


Created as a wartime solution for the COVID-19 pandemic, the OFF GRID™ rack is a minimalistic and cost effective solution to keep everyone training during a time of need. All profits on sales from the first two weeks were donated to fight COVID-19.



# \$98,013.16 DONATED

Thanks to you, we were able to donate \$98,013.16 to fight Covid-19 through the Center for Disease Philanthropy on behalf of the Coaches vs. Covid-19 Fund.

| HEIGHT        | 89"   |
|---------------|---|
| DEPTH         | 13.5"   |
| WIDTH         | 5"  |
| THICKNESS     | 3/8"  |
| COMPATABILITY | STANDARD OLYMPIC BARBELLS                                 |
| MATERIAL      | 3/8" LASER CUT STEEL, OPTIONAL<br>UMHW PLASTIC PROTECTION |








THE PEAK™ BAR STORAGE AND PULL UP SYSTEM



THE RIDGE™ WITH 14 BARBELL POSITIONS



24 CARABINER CLIP POINTS



# SQUAT STANDS



## SHORT

| TUBING   | 3" x 3"           |
|----------|-------------------|
| DEPTH    | 53"               |
| WIDTH    | 48"               |
| HEIGHT   | 74.5"             |
| MATERIAL | 11 GAUGE<br>STEEL |
|          |                   |



## TALL

| TUBING   | 3" x 3"           |
|----------|-------------------|
| DEPTH    | 53"               |
| WIDTH    | 48"               |
| HEIGHT   | 98.5"             |
| MATERIAL | 11 GAUGE<br>STEEL |
|          |                   |



| DEPTH  | 24"        |
|--------|------------|
| WIDTH  | 24" or 36" |
| HEIGHT | 24"        |

## THE SINGLE LEG SQUAT STAND

The Sorinex Single Leg Squat Stand is the industry standard. The easily adjustable squat stand comes with 9 different height options. Give your athletes the ability to move efficiently and develop unilateral leg strength & support with a lower risk. Load your movement with dumbbells, kettlebells, Center Mass Bells®, or barbells. Maximize your versatility with the 36" model by executing non-traditional movements like hip thrusts with your back on the rolling pad.







# C U S T O M R I G S

Work with our Sorinex Solutions Specialists to custom configure your rig to maximize the versatility of your room with training options specific to your needs. Our custom rigs give you the most training options per square foot, and more athletes in your line of sight.

#### C U S T O M R I G S



We look at the specific needs of our clients and their athletes to come up with innovative training solutions for their facility. To meet the needs of a UFC fighter, we combined form, function, and art to create the Heavy Bag Cloud™. The prime objective was to have heavy bags accessible when needed, unrestricted by any upright, and provide a free open area to train; the solution, remove the uprights entirely. Sorinex took on the challenge of carefully engineering a structure which could withstand the beating it would take by a UFC fighter. Additionally, there was a need to adjust different bags in place to allow for a variety of training all in the same area. The bags were mounted to adjustable and lockable fixtures that could be easily moved and provide versatility for the athlete.







# RACK ATTACHMENTS



# JAMMER ARMS<sup>™</sup>

An industry first, the Sorinex Jammer Arms were designed with future innovation in mind. In the late 2000's, Sorinex introduced the first ever rack attached Jammer Arms. Many coaches wanted to utilize traditional jammer press movements but did not want to sacrifice floor space in their weight rooms. Sorinex created an innovative training solution that has now evolved in to the Adjustable Jammer Arms. As coaching philosophies changed and new training environments evolved, the Jammer Arms found their home. Fast forward to 2020 and the Jammer Arms are replacing big clunky leverage pieces with modularity and functional safety. Your training options are limitless with standing or seated bilateral and unilateral movements, dynamic, variable, or isometric options, and the ability to press, row, squat, or pull.

## FIXED OR ADJUSTABLE

| LENGTH | 50" |
|--------|-----|
| WIDTH  | 3"  |
| HEIGHT | 3"  |





FIXED

ADJUSTABLE

## HANDLES







KNURLED HANDLES



SHOT HANDLES



## SAFETY STRAPS

| LENGTH | DH: 32"<br>XL: 42"<br>BC: 43" |
|--------|-------------------------------|
| WIDTH  | 3"                            |

The Safety Straps are another Sorinex Original and industry first. A deep understanding of load angles and force variation sparked this specific creation. The length of the straps creates slack at a very specific angle to absorb maximal load and force. Safer bench, squat, pulls and presses are must-have for the modern day training environment. Micro adjustments via 1" holes allow angled strap positioning to protect your neck while benching. Macro adjustments allow for all pulling and pressing to be performed inside the rack. Increase the longevity of your bars, minimize wear on the knurling and lower the risk in your training environment with our Safety Straps.





HALF SAFETY BARS

| LENGTH | 24" or 30" |
|--------|------------|
| WIDTH  | 3"         |
| HEIGHT | 12"        |




**FULL SAFETY** BARS

| LENGTH | XL: 41"<br>BC: 42" |
|--------|--------------------|
| WIDTH  | 3"                 |
| HEIGHT | 8"                 |



PIPE STYLE SPOTTER BARS

| LENGTH | 32"                       |
|--------|---------------------------|
| FITS   | Dark Horse™<br>Racks Only |



# M E G A B R I D G E <sup>™</sup>

Connect your racks with a custom Megabridge to create a unique functional and unique branding element in your facility. Go vertical and add versatility to your floor space by adding monkey bars, gymnastic rings, dip /chin ballpins, knurled chin bars, rock climbing boards, or other Sorinex attachments. The Megabridge is a one-of-a-kind solution that will function exactly how you need it. The University of Tennessee Jumbotron Megabridge (right) was made to dual function as an educational area for presentations, seminars, videos, product demonstrations, and team education, as well as a training space.



4-WAY HOLE DESIGN

UNLIMITED BOLT DESIGN

3" X 3" TUBING


11 GAUGE STEEL

CUSTOM LOGO OPTIONS









# LANDMINE™ RACK ATTACHMENT

The Landmine™ is a Sorinex Original design, developed in 1999 to help co-owner, Bert Sorin, train for Hammer throwing in preparation for the 2000 Olympic Trials. The Sorinex Landmine created an integrated system for safer and more efficient barbell movement. Presses, rows, rotational movements and more. It was the first product to allow angular barbell movements. Attach the Landmine directly to the side of your rack, Iron Bear™ Storage unit, or Low Bridge™. It brings the barbell inside a fixed yet adjustable position allowing the athlete to perform sport specific movements.

| LENGTH | 16.5"        |
|--------|--------------|
| WIDTH  | 2.5"         |
| WEIGHT | 10 LBS       |
| FITS   | OLYMPIC BARS |





SORINEX ORIGINAL DESIGN



**UNIVERSAL SWIVEL JOINT** 



**BRONZE OIL LITE BUSHINGS** 



LANDMINE™ DROP IN

| LENGTH   | 17.125"      |
|----------|--------------|
| DIAMETER | 2.5"         |
| WEIGHT   | 17 LBS       |
| FITS     | OLYMPIC BARS |



LANDMINE™ HOME BASE

| LENGTH   | 18"          |
|----------|--------------|
| DIAMETER | 2.5"         |
| WIDTH    | 16"          |
| WEIGHT   | 40 LBS       |
| FITS     | OLYMPIC BARS |



LANDMINE™ SINGLE HANDLE

| LENGTH | 6.25"        |
|--------|--------------|
| WEIGHT | 4 LBS        |
| FITS   | OLYMPIC BARS |
|        |              |



LANDMINE™ COMBAT HANDLE

| LENGTH | 20.5"        |
|--------|--------------|
| WIDTH  | 15"          |
| WEIGHT | 11 LBS       |
| FITS   | OLYMPIC BARS |



LANDMINE™ T-HANDLE

| LENGTH | 34.4"        |
|--------|--------------|
| WIDTH  | 10"          |
| WEIGHT | 11 LBS       |
| FITS   | OLYMPIC BARS |
|        |              |



LANDMINE™ GRIFF HANDLE

| LENGTH | 10"          |
|--------|--------------|
| WIDTH  | 9.8          |
| WEIGHT | 7 LBS        |
| FITS   | OLYMPIC BARS |
|        |              |

RACKS | ATTACHMENTS | RACKS



4"

LENGTH

WIDTH

HEIGHT

# BATWING BAR

The Sorinex Batwing Chin Bar is designed to bolt-on to any side of your rack, rig, or bridge. Wide and narrow grip pull-ups, chin-ups, and variable grip positions are integrated into an ergonomic system for safer and more efficient movement.






41"

GRIP DIAMETER 1-5/16"

LENGTH

STALL BAR KNURLED CHIN BAR

| LENGTH        | 55"    |
|---------------|--------|
| HEIGHT        | 3"     |
| GRIP DIAMETER | 1-3/8" |



FAT KNURLED CHIN BAR

| LENGT | н        | 41" |  |
|-------|----------|-----|--|
| HEIGH | Т        | 3"  |  |
| GRIP  | DIAMETER | 2"  |  |





INDEXING CHIN BAR

**GRIP DIAMETER** 1.25"

LENGTH

WIDTH



CLIFF HANGERS

| LENGTH        | 9" |
|---------------|----|
| WIDTH         | 3" |
| GRIP DIAMETER | 1" |
|               |    |



MONKEY CHIN BAR

| LENGTH | 41"  |
|--------|------|
| WIDTH  | 19"  |
| HEIGHT | 6.2" |



DIP / CHIN BALLPIN

| LENGTH        | 12" + ball size |
|---------------|-----------------|
| BALL DIAMETER | 3" or 4"        |



EL DIABLO DIP BAR

| LENGTH        | 30" |
|---------------|-----|
| WIDTH         | 27" |
| GRIP DIAMETER | 2"  |

FATWING BAR

| LENGTH        | 26.5" |
|---------------|-------|
| WIDTH         | 14.6" |
| GRIP DIAMETER | 2"    |



# $\boldsymbol{\mathsf{J}}^{\mathsf{X}}\boldsymbol{\mathsf{S}}$ Q U A T $^{\scriptscriptstyle{\mathsf{B}}}$

Introducing the Sorinex J<sup>x</sup>Squat<sup>®</sup> attachment. The first rack attached Jammer Arm belt squat. In 2012, Sorinex introduced the first ever rack attached Jammer Arms that then evolved into the Adjustable Jammer Arms. Attach your J<sup>x</sup>Squat<sup>®</sup> attachment to fixed or Adjustable Jammer Arms and replace your big clunky belt squat machines with a modular, functional, and safe design. The J<sup>x</sup>Squat is the most versatile belt squat on the market, with no platform required.

| LENGTH        | 50"      |
|---------------|----------|
| WIDTH         | 3"       |
| HEIGHT        | 27"      |
| SLEEVE LENGTH | 16"      |
| BELT          | INCLUDED |



## FREESTANDING J\*SQUAT

| SINGLE LENGTH | 68"                |
|---------------|--------------------|
| DOUBLE LENGTH | 106"               |
| STORED HEIGHT | 67"                |
| SLEEVE LENGTH | 16"                |
| FULCRUM POINT | 16" FROM<br>GROUND |
| -             |                    |







The Sorinex Utility Seat gives you options for multiple rack attached applications. Attach your Utility Seat to Full or Half Safety Bars for box squats or step ups. Attach to the front of your rack to create an integrated med ball wall. Attach to your Jammer Arms for seated leg presses or dynamic upper body presses. Securely store your Utility Seat vertically within your rack system when not in use via the 2-Bar Storage unit. Control the risk in your training environment and allow more athletes than ever to train at one station to increase the carrying capacity of your facility.

#### UTILITY SEAT

| LENGTH | 45.5" |
|--------|-------|
| WIDTH  | 13.5" |
| HEIGHT | 3"    |





## RACK ATTACHED KPULLEY™

| WIDTH  | 14.4"                                  |
|--------|--|
| DEPTH  | 13.4"                                  |
| WEIGHT | 22"                                    |
| WHEEL  | SMALL: 0.010 KGM²<br>LARGE: 0.050 KGM² |



VERTIMAX RAPTOR™

| WIDTH  | 40"                                  |
|--------|--------------------------------------|
| HEIGHT | 7"                                   |
| DEPTH  | 5.5"                                 |
| CORD   | 3/8"<br>(12-24 LBS<br>EXPECTED LOAD) |




ADJUSTABLE HEAVY BAG HANGER

| LENGTH               | 22" |
|----------------------|-----|
| WIDTH                | 8"  |
| HEIGHT               | 7"  |
| ADJUSTMENT<br>POINTS | 3   |



## MONOLIFT

| LENGTH       | 22"  |
|--------------|------|
| WIDTH        | 3.5" |
| HEIGHT       | 19"  |
| J-HOOK DEPTH | 2"   |



## HIGH BRIDGE

| LENGTH   | 6'-10'            |
|----------|-------------------|
| WIDTH    | 3"                |
| HEIGHT   | 3"                |
| MATERIAL | 11 GAUGE<br>STEEL |



## STRETCH LOOP

| LENGTH        | 14"  |
|---------------|------|
| WIDTH         | 8"   |
| HEIGHT        | 2.5" |
| PIPE DIAMETER | 1"   |
|               |      |




4-WAY NECK MACHINE

| LENGTH | 36" |
|--------|-----|
| WIDTH  | 3"  |
| HEIGHT | 24" |
|        |     |

The Sorinex High Bridge is a variable length rack connector that can be used in conjunction with a multitude of implements. An industry first, providing an integrated system for space saving efficiency between racks, rigs, or station-to-station. The Sorinex High Bridge brings the athlete outside the rack allowing them to perform specific movements utilizing various attachments, attachment points, and suspension tools between your Base Camp, XL Series, and Dark Horse Racks. Attach a TRX strap, another batwing bar, cable machines or storage solutions to utilize all of the space in your facility. Keep your athletes in a centralized location and control the risk in your training environment.







# CUSTOM LOGO ARCH

Our custom branded solutions for logo arches makes your rack a one-of-a-kind. It will catch the eye of anyone who walks into your facility. Our team of designers and craftsmen expertly combine multiple layers of laser cut American steel to bring the detail of your brand to life.

| WIDTH  | 41" |
|--------|-----|
| DEPTH  | 3"  |
| HEIGHT | 21" |









# TRIPHASIC BARS™

Inspired by the innovative training book, Triphasic Training by Cal Dietz and Ben Peterson, the Sorinex Triphasic Bars are another Sorinex Original and industry first. There are three phases to Triphasic Training: Eccentric, Isometric, and Concentric. It is widely considered one of the most scientifically advanced methods used for explosive power and strength development. The Triphasic Bars are used in the third, Concentric, phase of training.

Primarily used for over speed banded plyometric jumps, the bars can also be banded to Jammer Arms for dynamic push/pull movements. Utilize them as high attachment points for TRX straps, rings, heavy bags, and more.



| LENGTH    | 46"               |
|-----------|-------------------|
| WIDTH     | 3"                |
| HEIGHT    | 26.75"            |
| WEIGHT    | 32 LBS            |
| TUBE SIZE | 3" x 3"           |
| MATERIAL  | 11 GAUGE<br>STEEL |
|           |                   |




SECURED WITH 1" COLD ROLLED STEEL BOLTS




COMPATIBLE WITH MOST SORINEX RACKS



UPPER AND LOWER BODY MOVEMENT CAPABILITIES





# SANDWICH STYLE J-HOOK

The Sorinex Sandwich Style J-Hook is the industry standard for safety and versatility. It features replaceable HDPE plastic inserts and a curved design to increase safety and minimize the risk of the bar getting "caught" under a j-hook while benching and squatting. The Sorinex Sandwich Style J-Hooks utilize our 4-way hole design, and can be secured in any direction front to back or side to side. Custom color and logo options are available. The Sandwich Style J-Hook comes standard on all Base Camp™ Series racks.

| DEPTH  | 10.5" |
|--------|-------|
| WIDTH  | 3"    |
| HEIGHT | 10"   |











HDPE PLASTIC INSERTS (REPLACEABLE) LASER CUT AND FORMED AMERICAN STEEL

RACKS | ATTACHMENTS ATTACHMENTS | RACKS



THE MULE ™ RACK ATTACHED LEG CURL

| HEIGHT                 | 24"   |
|------------------------|-------|
| WIDTH                  | 33.5" |
| ROLLER PAD<br>LENGTH   | 16"   |
| FLAT TOP PAD<br>LENGTH | 18.5" |



XL SERIES™ J-CUPS

| LENGTH | 9.5"   |
|--------|--------|
| WIDTH  | 3.375" |
| HEIGHT | 10"    |



REMOVABLE THIGH PAD ATTACHMENT

| PAD WIDTH | 16" |
|-----------|-----|
| DEPTH     | 17" |
| WIDTH     | 28" |
| HEIGHT    | 9"  |



ROLLER PAD

| PAD LENGTH  | 16"   |
|-------------|-------|
| FULL LENGTH | 22"   |
| WIDTH       | 6"    |
| WEIGHT      | 8 LBS |
|             |       |




SHORT BAND PEGS

| LENGTH | 5.6"  |
|--------|-------|
| WEIGHT | 2 LBS |



HITCH PIN

| LENGTH       | 7.8"  |
|--------------|-------|
| WIDTH        | 3.5"  |
| WEIGHT       | 2 LBS |
| PIN DIAMETER | 1"    |
| ·            |       |



LONG SLIDING BAND PEGS

| LENGTH | 24"   |
|--------|-------|
| WEIGHT | 4 LBS |



JAMMER ARM BAND PEGS

| LENGTH | 9"    |
|--------|-------|
| WEIGHT | 2 LBS |



RACK ATTACHED CHALK BOWL

| LENGTH | 13.5" |
|--------|-------|
| WIDTH  | 12"   |
| HEIGHT | 11"   |



TRIGGER ROLLER

| LENGTH | 11.5"    |
|--------|----------|
| WIDTH  | 3.25"    |
| WHEELS | URETHANE |



TRIGGER BAR


| LENGTH | 24.125"  |
|--------|----------|
| WIDTH  | 4.75"    |
| WHEELS | URETHANE |



SLIDING FOOT BLOCKS

| LENGTH     | 11.625" |
|------------|---------|
| WIDTH      | 6"      |
| STEEL RODS | 16"     |

74 | SORINEX.COM SORINEX.COM | 75



# THE BULLDOG™ PAD

This patent pending rack attached chest supported row can be utilized for rows or flys using a barbell, dumbbells, Center Mass Bells®, kettlebells, sandbag, or cable machine. This unit has four adjustment angles and can support arms, legs, head, or back for added stability during a multitude of pressing and pulling movements. Space saving design compared to stand alone chest supported row machine. The Bulldog Pad comes standard with black/black naugahyde upholstery. Custom colors available.

| DEPTH  | 10.5" |
|--------|-------|
| WIDTH  | 3"    |
| HEIGHT | 10"   |










DOUBLE STITCHED PREMIUM NAUGAHYDE LEATHER



FOLDING DESIGN FOR EASY STORAGE



# MACHINES




# LAT PULL - LOW ROW

A super duty, oversized, seated lat pull-low row apparatus with an unbreakable 300 LB or 400 LB selectorized weight stack to accommodate athletes up to 7' tall. Adjustable band attachment points add an additional resistance option to the weight stack. Attach the lat pulldown to your Base Camp rack, XL Series rack/rig, Iron Bear™ storage unit, or high bridge using our 4-way hole design. Unlike other lat machines that use a one cable system that increases the load ratio to make the weight feel lighter, our lat pull-low row features a dual connection point cable system to maintain a 1:1 load ratio. Premium upholstery and logo options make this machine the most versatile unit on the market.

| DEPTH        | 51"                 |
|--------------|---------------------|
| WIDTH        | 30"                 |
| HEIGHT       | 101.125"            |
| WEIGHT STACK | 300 LB OR<br>400 LB |
| RATIO        | 1:1                 |







300 LB OR 400 LB WEIGHT STACK W/ ADJUSTABLE BAND ATTACHMENT POINTS



3/16" NYLON COATED AIRCRAFT CABLE



MODULAR KNURLED FOOT PEGS

# FUNCTIONAL CABLE COLUMN

A heavy duty functional cable column with an unbreakable 250 LB or 300 LB selectorized weight stack. Adjustable band attachment points add an additional resistance option to the weight stack. Attach the Sorinex Functional Cable Column to your Base Camp rack, XL Series rack/rig, Iron Bear™ storage unit, or high bridge using our 4-way hole design. This machine is the most versatile cable unit on the market.

| DEPTH        | 33"                 |
|--------------|---------------------|
| WIDTH        | 4"                  |
| HEIGHT       | 101.125"            |
| WEIGHT STACK | 250 LB OR<br>300 LB |
| RATIO        | 2:1                 |





250 LB OR 300 LB WEIGHT STACK W/ ADJUSTABLE BAND ATTACHMENT POINTS



3/16" NYLON COATED AIRCRAFT CABLE



ADJUSTABLE ATTACHMENT POINT



# LEG PRESS

The Sorinex Leg Press features a diamond plate foot platform, adjustable double-stitched premium naugahyde back pad, six 14" modular urethane utility storage pins, four 16" fixed pin sections for loading, and four band attachment points. Custom colors and branding options are available.

| DEPTH       | 104"    |
|-------------|---------|
| WIDTH       | 48"     |
| HEIGHT      | 60"     |
| FELT WEIGHT | 110 LBS |






DIAMOND PLATE FOOT PLATFORM AND DOUBLE-STITCHED PREMIUM NAUGAHYDE



SIX 14" FIXED URETHANE UTILITY PINS FOR STORAGE AND BAND ATTACHMENT POINTS



FOUR 16" SECTIONS FOR LOADING



| DEPTH        | 60"          |
|--------------|--------------|
| WIDTH        | 80"          |
| HEIGHT       | 66"          |
| WEIGHT STACK | PLATE LOADED |

#### BACK ATTACK™

This Sorinex original design was created over two decades ago. It is the secret training tool for some of the strongest gyms in the world. In 2000, Richard and Bert Sorin alongside Olympic Medalist Lance Deal, innovated a way to safely strengthen glutes and hamstrings without risk of injury to their arms and shoulders. Similar in movement pattern to a Good Morning, the Back Attack increasingly loads the posterior chain as the movement is performed. It is plate loaded with band attachment points for maximum versatility.



ADJUSTABLE HEIGHT



BAND ATTACHMENT POINTS



CHEST SUPPORTED ROW MACHINE

| LENGTH                      | 91.5" |
|-----------------------------|-------|
| WIDTH                       | 47"   |
| HEIGHT                      | 60"   |
| PAD WIDTH                   | 10"   |
| DIAMOND FOOT<br>PLATE WIDTH | 25"   |
|                             |       |



LEG EXTENSION / CURL MACHINE

| DEPTH        | 36"     |
|--------------|---------|
| WIDTH        | 36"     |
| HEIGHT       | 82"     |
| WEIGHT STACK | 300 LBS |
|              |         |



HURRICANE™

| LENGTH                       | 63" |
|------------------------------|-----|
| WIDTH                        | 47" |
| HEIGHT                       | 55" |
| MAX LENGTH W/<br>ATTACHMENTS | 74" |
| MAX HEIGHT W/<br>ATTACHMENTS | 90" |
|                              |     |

84 | SORINEX.COM | 85



# GLUTE HAM DEVELOPMENT

# FRANKENHYPER<sup>™</sup>


The Sorinex Original Frankenhyper was created in 2013. The "Franky" combines a glute ham developer with a pendulum hip extension to create a monster posterior chain training machine that only takes up a few square feet of space in your facility. The Frankenhyper allows for the entire rear of the body to be worked through contraction and decompression. The pendulum style weight arm is used for swinging hip extensions and can also be used for upper body movements like rows, face pulls, curls, pull thru's, presses, TKE's, and YTM's. Incorporate loaded abdominal movements in the supine position with integrated med ball storage. Each Frankenhyper comes standard with bumper weight plate storage and band attachment points.

| 72"      |
|----------|
| 36"      |
| 59"      |
| 400 LBS  |
| 36"      |
| 3"       |
| URETHANE |
|          |





COMBINATION GHD AND PENDULUM HIP EXTENSION




ADJUSTABLE PARALLEL FOOT LEVER



REMOVABLE "MAN CANYON" PAD





# COLLEGIATE GHD

The Sorinex Glute Ham Developer (GHD) has been completely redesigned for 2020. Utilizing our 4-way hole technology, the new GHD is multi-functional and accepts most Sorinex Rack Attachments. This is the most versatile GHD on the market. Like most Sorinex machines, the GHD will save you space and increase the adaptability of your weight room. The 3-Way Adjustable Foot Plate allows every size of athlete to move comfortably and securely. Utilize for glute ham raises, back extensions, abdominal work, and more.

| DEPTH      | 69"              |
|------------|------------------|
| WIDTH      | 36.5"            |
| HEIGHT     | 55.25"           |
| PAD WIDTH  | 11" EA. (2 PADS) |
| PAD HEIGHT | 10"              |
| WHEELS     | URETHANE         |





DIAMOND PLATE UTILITY STEP AND FOOT PLATE



INTEGRATED PLATE STORAGE AND BAND ATTACHMENT POINTS



3-WAY ADJUSTABLE FOOT PLATE WITH PARALLEL FOOT LEVER

#### GLUTE HAM DEVELOPMENT

# GLUTE HAM ROLLER

Sometimes the simplest solutions are the best. The Sorinex Original Glute Ham Roller is the definition of a simply designed, innovative training solution. Designed specifically to be the best hamstring curl unit possible, we quickly found that it was great for a variety of ab, shoulder, leg and chest exercises as well. The Glute Ham Roller allows you to add or subtract resistance easily and is perfect for large groups, tight budgets, or mobile training needs.

| LENGTH | 15.75" |
|--------|--------|
| WIDTH  | 25.25" |
| WEIGHT | 20 LBS |





V-SHAPE ANCHOR POINT FOR HEELS/TOES



BLACK URETHANE WHEELS WITH ABEC BEARINGS



10-PACK WITH ROLLING STORAGE AVAILABLE



HUNGARIAN CORE BLASTER

| HEIGHT        | 18"    |
|---------------|--------|
| WEIGHT        | 11 LBS |
| GRIP DIAMETER | 1"     |



HIP THRUSTER

| LENGTH | 56"   |
|--------|-------|
| WIDTH  | 33.5" |
| HEIGHT | 16"   |



MACH-II™ GHD

| LENGTH   | 66"       |
|----------|-----------|
| WIDTH    | 34"       |
| HEIGHT   | 50"       |
| PAD SIZE | 36" x 12" |
|          |           |



P3 POOR MAN™ GHD

| LENGTH | 57.5"  |
|--------|--------|
| WIDTH  | 22.25" |
| HEIGHT | 19"    |
|        |        |



**45 DEGREE HYPER** 

| DEPTH  | 70"    |
|--------|--------|
| WIDTH  | 29.50" |
| HEIGHT | 30.5"  |

92 | SORINEX.COM | 93



# 3 T O R A G E

# IRON BEAR™ MULTISTORAGE UNIT

The Sorinex Iron Bear™ is the ultimate storage unit. Configurations and options vary from simple dumbbell, kettlebell, and med ball storage to complex anchoring points and one-of-a-kind storage solutions. Heights vary from 4' to 8' depending on your configuration and can accept 3-6 levels of storage trays.

The Iron Bear is built with the same 3" x 3" materials as our Base Camp™ and XL Series™ racks. Attach a Jammer Arm™ for J×Squat™ Belt Squats, Cable Columns or Lat Pull/Low Rows, and unique branding solutions.

The Iron Bear sides are built with 4 Vertical Bar Storages that can also be used for Landmine™ drop-ins.

Attach Utility Pins for Bumper Plates, bands, or weight vest storage.


Connect your Iron Bear to your rack or rig with a High Bridge, Low Bridge, or Mega Bridge for increased support and versatility.




**EXPANDABLE HEIGHT & CONFIGURATIONS** 



**UNLIMITED ATTACHMENTS** 




OUTRIGGER TO RACKS



Multiple Iron Bear units can also be attached to each other by sharing sides to minimize cost, increase versatility, and maximize floor space. The versatility of this unit is unmatched and can be specifically customized to unique space requirements, branding, or other needs.

The custom made Iron Bear Pillar Wrap (right) is a perfect way to incorporate branding and storage in an otherwise unused space. Free up floor space to add more training stations, maximizing training options per square foot.





# ROLLING POWER BLOCK CART

The Sorinex Rolling Power Block Cart is built with lockable, heavy-duty wheels, precision welded steel, and two levels of storage shelves to hold up to four Power Blocks. Easily customize your cart with specific storage solutions or branding unique to your school's colors and logos. The standard version covers Power Blocks up to PRO125 and is designed for the extra handles to be stored on the bottom. The wide version covers Power Blocks up to PRO175 and is designed for the extra handles to be stored on the top between the blocks with the bottom shelf open for more storage space.

| LENGTH              | 23.5"                  |
|---------------------|------------------------|
| WIDTH<br>(STANDARD) | 21"                    |
| WIDTH (WIDE)        | 29"                    |
| HEIGHT              | 30"                    |
| WHEELS              | HEAVY-DUTY<br>LOCKABLE |
|                     |                        |





LOCKABLE HEAVY-DUTY WHEELS



TWO LEVELS OF STORAGE SHELVES



WIDE OPTION AVAILABLE



SPECIALTY SOLUTIONS | STORAGE



#### ROLLING BUMPER CART

| LENGTH | 48"                    |
|--------|------------------------|
| WIDTH  | 81"                    |
| HEIGHT | 76.25"                 |
| WHEELS | HEAVY-DUTY<br>LOCKABLE |



ROLLING DC BLOCK CART

| DEPTH  | 32.06"                 |
|--------|------------------------|
| WIDTH  | 25.13"                 |
| HEIGHT | 45.67"                 |
| WHEELS | HEAVY-DUTY<br>LOCKABLE |




STORAGE CART

| LENGTH | 47"                    |
|--------|------------------------|
| WIDTH  | 31"                    |
| HEIGHT | 45"                    |
| WHEELS | HEAVY-DUTY<br>LOCKABLE |
|        |                        |



4-BAR STORAGE

| LENGTH | 28"    |
|--------|--------|
| WIDTH  | 16"    |
| HEIGHT | 8.375" |



6-BAR STORAGE

| LENGTH | 53"  |
|--------|------|
| WIDTH  | 31"  |
| HEIGHT | 3.5" |



9-BAR STORAGE

| LENGTH | 18"   |
|--------|-------|
| WIDTH  | 22"   |
| HEIGHT | 6"    |
|        | WIDTH |



RAPTOR MOBILE TRAINING STORAGE

| DEPTH  | 28"                    |
|--------|------------------------|
| WIDTH  | 54"                    |
| HEIGHT | 69.50"                 |
| WHEELS | HEAVY-DUTY<br>LOCKABLE |
|        |                        |



BUMPER BENCH

| DEPTH  | 16"                    |
|--------|------------------------|
| WIDTH  | 48"                    |
| HEIGHT | 22"                    |
| WHEELS | HEAVY-DUTY<br>LOCKABLE |
|        |                        |



GYM RAT

| LENGTH | 39"                    |
|--------|------------------------|
| WIDTH  | 20"                    |
| HEIGHT | 50"                    |
| WHEELS | HEAVY-DUTY<br>LOCKABLE |
|        |                        |



10-BAR STORAGE

| LENGTH | 39" |
|--------|-----|
| WIDTH  | 29" |
| HEIGHT | 10" |
|        |     |



WALL MOUNTED GUN RACK 4-BAR STORAGE

| LENGTH | 5.2" |
|--------|------|
| WIDTH  | 3.2" |
| HEIGHT | 24"  |
|        |      |



FIXED BARBELL RACK


| DEPTH  | 30"   |
|--------|-------|
| WIDTH  | 57.6" |
| HEIGHT | 57"   |
| -      |       |

102 | SORINEX.COM | 103

# LOW BRIDGE

The Low bridge increases the versatility of your facility by using an open integrated system for space saving efficiency between open wall spaces, racks, rigs, or station-to-station. The Sorinex Low Bridge brings the athlete outside the rack allowing them to perform specific movements utilizing various attachments, attachment points, and storage between columns, racks or open wall space. Attach the J\*Squat, Landmines, bands, mobility tools, trigger rollers, PVC pipes or storage solutions to utilize all of the space in your facility. Keep your athletes in a centralized location and control the risk in your training environment. Allow more athletes than ever to train by increasing the carrying capacity of your facility. The configurations and adjustments are endless. The Sorinex Low Bridge utilizes our 4-way hole design allowing all bars, brackets, and add-ons to be secured in any direction front to back or side to side. Secure to the floor, wall, or columns.

| LENGTH      | 6' - 10" Sections |
|-------------|-------------------|
| WEIGHT      | 36 LBS +          |
| TUBE SIZE   | 3" x 3"           |
| 4-WAY HOLES | YES               |
| MATERIAL    | 11 GAUGE STEEL    |






UPGRADE TO THE J\*SQUAT PACKAGE



**ENDLESS CONFIGURATIONS** 



BRIDGE SECTIONS TOGETHER TO MAXIMIZE
UNUSED FLOOR SPACE



STORAGE | RACK STORAGE | STORAGE | STORAGE



STASH HOOK™

| DEPTH  | 3"     |
|--------|--------|
| WIDTH  | 0.375" |
| HEIGHT | 4"     |



SINGLE HOOK STORAGE

| LENGTH | 7.375" |
|--------|--------|
| WIDTH  | 1"     |
| HEIGHT | 4.5"   |



DOUBLE HOOK STORAGE

| LENGTH | 7.375" |
|--------|--------|
| WIDTH  | 9"     |
| HEIGHT | 3.75"  |



SINGLE BAR STORAGE

| DEPTH 6.69"  WIDTH 9"  HEIGHT 5.13" |        |       |
|-------------------------------------|--------|-------|
|                                     | DEPTH  | 6.69" |
| HEIGHT 5.13"                        | WIDTH  | 9"    |
|                                     | HEIGHT | 5.13" |



2-BAR STORAGE

| LENGTH | 15" |
|--------|-----|
| WIDTH  | 8"  |
| HEIGHT | 10" |



FAT HOOK™

|  | LENGTH           | 7"                 |
|--|------------------|--------------------|
|  | WIDTH            | 3"                 |
|  | RACK ATTACHED FO | OR J*SQUAT STORAGE |



FIXED STEEL UTILITY PIN

| LENGTH | 6"   |
|--------|------|
| WIDTH  | 2"   |
| WEIGHT | 1 LB |



ADJUSTABLE URETHANE UTILITY PIN

| LOAD LENGTH | 6" or 12" |
|-------------|-----------|
| DIAMETER    | 2"        |
| WEIGHT      | 4 LB      |



FIXED URETHANE UTILITY PIN

| LOAD LENGTH | 12"  |
|-------------|------|
| DIAMETER    | 2"   |
| WEIGHT      | 5 LB |



| _ |        |      |
|---|--------|------|
|   | DEPTH  | 6"   |
|   | WIDTH  | 18"  |
|   | HEIGHT | 3.5" |


#### POOL CUE STYLE 4-BAR STORAGE

The Sorinex Pool Cue Style 4-Bar Storage is the best way to safely secure your barbells vertically in your rack or to mount them on the wall. The UHMW plastic layer helps protect your barbell from damage. Compatible with Sorinex Base Camp™, XL Series™, Iron Bear Multi Storage Unit or any 3" x 3" Rig with 1" holes and appropriate space.





106 | SORINEX.COM | 107



# BUMPER WING STORAGE

Attach to the outside of your Base Camp or XL Series racks for an efficient bumper and shelf storage. Customize the configuration specific to your needs. Bumper tray specs can be made exactly to your bumper width. Custom Colors Available.





| DEPTH  | сиѕтом |
|--------|--------|
| WIDTH  | 17"    |
| HEIGHT | 29"    |



BUMPER WING STORAGE W/ SHELF

| DEPTH  | 14"    |
|--------|--------|
| WIDTH  | CUSTOM |
| HEIGHT | 29"    |






PREMIUM BUMPER STORAGE



STORAGE SHELF OPTION



ATTACH DIRECTLY OUTSIDE OF RACK




BENCHES

# O-90 NP3™ ADJUSTABLE BENCH

The Sorinex NP3™ Adjustable Bench is adjustable to 6 positions; 0°, 15°, 30°, 45°, 60°, and 75°. Urethane wheels and an integrated vertical rubber storage stopper make this bench extremely versatile and easy to move in and out of working areas. The entire frame is constructed of 11-gauge and 7-gauge 2" square steel bent tubing with butt-type miter corners and 70,000 PSI full-pass mig welds. All open ends are capped with welded-on steel / rubber caps. All uprights are supported and gusseted for maximum integrity. All attachment bolts are 1/2" diameter grade #5 with anti-vibration locking systems. Wide set 10" bearing blocks for 3/4" pivot pin to ensure back pad stability and longevity. Flat stock, gravity-activated angle support. Bench pads are made with 3/4" birch plywood backboard with all corners and edges rounded; 1" thick high-density, non-moisture absorbing, closed-cell rebound foam covered with fully-sewn premium

naugahyde leather.

| LENGTH | 58"      |
|--------|----------|
| WIDTH  | 28"      |
| HEIGHT | 20"      |
| WHEELS | URETHANE |





INTEGRATED VERTICAL STORAGE



**6 ADJUSTMENT ANGLES** 



BRANDED HEADGUARDS







#### XL™ SERIES **COMPETITION BENCH**

| LENGTH        | 66"           |
|---------------|---------------|
| WIDTH         | 48"           |
| HEIGHT        | 55.6"         |
| BACK PAD SIZE | 48.5" X 14.5" |



### AUTOSPOT BENCH

| LENGTH        | 70"         |
|---------------|-------------|
| WIDTH         | 71"         |
| HEIGHT        | 47"         |
| BACK PAD SIZE | 48" X 14.5" |



#### INCLINE **COMPETITION BENCH**

| LENGTH        | 66.5"     |
|---------------|-----------|
| WIDTH         | 47"       |
| HEIGHT        | 71.375"   |
| BACK PAD SIZE | 58" X 28" |



#### ADJUSTABLE DECLINE SIT-UP BENCH

| LENGTH        | 62"            |
|---------------|----------------|
| WIDTH         | 30"            |
| MAX HEIGHT    | 41.25"         |
| BACK PAD SIZE | 48.5" X 12.25" |



#### FLAT BENCH

| LENGTH        | 48"       |
|---------------|-----------|
| WIDTH         | 18"       |
| HEIGHT        | 18"       |
| BACK PAD SIZE | 48" X 14" |



RECON ADJUSTABLE BENCH

| LENGTH        | 55.4"     |
|---------------|-----------|
| WIDTH         | 29"       |
| HEIGHT        | 18"       |
| BACK PAD SIZE | 39" X 12" |



# DUMBBELLS & KETTLEBELLS



# ARMOR SERIES URETHANE DUMBBELLS

Sorinex and Intek have partnered together to make the Sorinex Armor Series Urethane Dumbbells, our premier line of dumbbells. Each dumbbell is designed and encased in impact resistant premium urethane and integrated with an optional custom laser engraved multi-color logo inlaid within the urethane shell. Engineered to be durable in the harshest environments. Handles are press-fit and welded to produce a one-piece solid dumbbell. Your investment is protected with a 6 Year Warranty.

#### SIZES (LB)

| 5   | 10  | 15  |
|-----|-----|-----|
| 50  | 25  | 30  |
| 35  | 40  | 45  |
| 50  | 55  | 60  |
| 65  | 70  | 75  |
| 80  | 85  | 90  |
| 95  | 100 | 105 |
| 110 | 115 | 120 |
| 125 | 130 | 135 |
| 140 | 145 | 150 |
|     |     |     |









HARDENED CHROME ALLOY STEEL HANDLES
WITH MEDIUM KNURLING



BLACK URETHANE COATING

# CENTER MASS BELL®

The patented Sorinex Center Mass Bell® is a step above similar products; a modern interpretation of historically proven methods ranging from the 11th century India's Nal Stones to even the ancient Chinese art of black cauldron lifting.

We have perfected this cylindrical weight to balance in all three planes. The CMB offers the most simplistic form of external load and allows athletes to focus on natural gross loaded movement. This provides a shorter learning curve and a faster and more connected kinetic chain. For coaches and trainers, this will allow you to achieve the results you are looking for in a much shorter time, with less risk to your athletes.

The CMB is made with ductile iron as opposed to cast iron, which is more prone to cracking when dropped on hard surfaces. Ductile iron is a more expensive material, but we strive to ensure the highest quality with all our products. The CMB has a Limited Lifetime Warranty.



#### SIZES (LB)

| 5  | 10 | 15  |
|----|----|-----|
| 20 | 25 | 30  |
| 35 | 40 | 45  |
| 50 | 60 | 70  |
| 80 | 90 | 100 |
|    |    |     |



DUCTILE IRON

SORINEX

LIFETIME WARRANTY





# DUCTILE IRON KETTLEBELL

Cast in Indiana, The American Made Sorinex Ductile Iron Kettlebell is the top-tier kettlebell. Ductile Iron has twice the tensile strength of cast iron and a yield strength of 40k. This will prevent the cracking that can occur with cast iron when dropped. The Sorinex Ductile Iron Kettlebell has a 10 Year Warranty.


#### **SPECIFICATIONS**


| MATERIAL    | Ductile Iron                            |
|-------------|---|
| SIZES (KG)  | 4, 8, 12, 16, 20, 24, 28,<br>32, 36, 40 |
| MADE IN USA | Yes                                     |



#### **FEATURES**







E-COAT FINISH



AMERICAN MADE DUCTILE IRON




BUMPERS




# BOSCO BUMPERS

The Sorinex Original Bosco Bumpers are unlike any other bumper on the market. Highest quality machined steel and urethane, made in North America to competition tolerances. These bumpers blend custom logos, short lead times, and a **LIFETIME WARRANTY**. Calibration allows for use in Olympic lifting or Powerlifting, and is used by some of America's strongest lifters. The bumper of the future is here, and only from Sorinex.

| TOLERANCE |  |
|-----------|--|
| 10 LB     | DIA. 450mm +/- 1.0mm<br>WEIGHT: -0 / +2.5% |
| 25 LB     | DIA. 450mm +/- 1.0mm<br>WEIGHT:05 / +0.1%  |
| 45 LB     | DIA. 450mm +/- 1.0mm<br>WEIGHT:05 / +0.1%  |
| HUB       | 4140 POLISHED STEEL                        |
| MATERIAL  | ULTRA URETHANE                             |
| WARRANTY  | LIFETIME                                   |
|           |  |















# RECON® LITE BUMPERS

The 100% American Made Sorinex Recon Lite Bumper is an official bumper of the US Army Combat Fitness Test (ACFT). The innovative crumb rubber formula and manufacturing process creates a tougher and more durable bumper.

#### SPECIFICATIONS

| WEIGHTS             | 10 LB, 15 LB, 25 LB, 35<br>LB, 45 LB |
|---------------------|--------------------------------------|
| PLATE DIAMETER      | 17.72"                               |
| SLEEVE              | STAINLESS STEEL                      |
| DUROMETER           | 85 +/-5                              |
| WEIGHT<br>TOLERANCE | +/-2%                                |
| MATERIAL            | CRUMB RUBBER                         |
| WARRANTY            | 1 YEAR LIMITED                       |
| MADE IN USA         | YES                                  |
|                     |                                      |



#### FEATURES



AN OFFICIAL BUMPER OF THE U.S. ARMY ACFT KIT



PROPRIETARY CRUMB RUBBER FORMULA




STAINLESS STEEL SLEEVE











128 | SORINEX.COM | 129



# BARS



# SORINEX STANDARD SERIES PERFORMANCE BAR

The Sorinex Performance Bar is our favorite all-around barbell. Simplified and perfected performance that you can rely on. Clear bright zinc, one-piece sleeves are pressed, machined and plated for high-performance output and strength. Built to International Weightlifting Specifications. The Sorinex Performance Bar has upgraded bronze bushings & more aggressive medium knurl pattern. A noticeably positive difference when performing Olympic Lifts. The Performance Bar Shaft (190K PSI) comes in either Black Zinc or Bright Clear Zinc coating. 100% Made in the USA. Custom options available.

| WEIGHT               | 10, 15, OR 20 KG              |
|----------------------|-------------------------------|
| DIAMETER             | 25 MM / 28.5 MM               |
| SLEEVE LENGTH        | 16.5"                         |
| KNURLING             | LIGHT/MEDIUM KNURLING         |
| CENTER KNURL         | NO                            |
| SHAFT COATING        | BRIGHT ZINC OR BLACK OXIDE    |
| TENSILE<br>STRENGTH  | 155,000 PSI or 190,000 PSI    |
| STATIC LOAD          | 2,000 LB TESTED               |
| CONSTRUCTION         | PRESSED, MACHINED, AND PLATED |
| BUSHING /<br>BEARING | BRONZE BUSHINGS               |
|                      |                               |


OLYMPIC AND POWER LIFTING





16.5" LOADABLE SLEEVE





OLYMPIC AND POWER LIFTING MARKS ON LIGHT / MEDIUM KNURLING



ALSO AVAILABLE IN 10KG AND 15KG

DUAL SNAP RING DESIGN



# SORINEX STANDARD SERIES BOSCO™ POWER BAR

The Sorinex Standard Series Bosco™ Power Bar is our standard power lifting bar. It comes in Black Zinc or Black Cerakote. The Bosco™ Power Bar has a medium aggressive knurling, a center knurl and power lifting knurl marks. It has a tensile strength of 190,000 PSI and has self lubricating bronze bushings. 100% Made in the USA. Custom colors and branding available.


| WEIGHT               | 20 KG                               |
|----------------------|-------------------------------------|
| DIAMETER             | 28.5 MM                             |
| SLEEVE LENGTH        | 16.5"                               |
| KNURLING             | MEDIUM / AGGRESSIVE KNURLING        |
| CENTER KNURL         | YES                                 |
| SHAFT COATING        | BLACK ZINC OR BLACK CERAKOTE        |
| TENSILE<br>STRENGTH  | 190,000 PSI                         |
| STATIC LOAD          | 2,000 LB TESTED                     |
| CONSTRUCTION         | PRESSED, MACHINED, AND PLATED       |
| BUSHING /<br>BEARING | SELF LUBRICATING BRONZE<br>BUSHINGS |
|                      |                                     |







2000 LB STATIC LOAD TESTED



MEDIUM / AGGRESSIVE KNURLING



BLACK ZINC OR BLACK CERAKOTE



# SORINEX STANDARD SERIES OLYMPIC NEEDLE BAR

The Sorinex Standard Series Olympic Needle Bar is our standard olympic lifting bar. It comes in Bright Zinc or Clear Cerakote. The Clear Cerakote finish is bead blasted giving it that gray hue. It is made to IWF standards. The Olympic Needle Bar has a light knurling and olympic knurl marks. It has a tensile strength of 190,000 PSI and has 10 precision ING Needle Bearings, 5 in each end. 100% Made in the USA. Custom colors and branding available.


| WEIGHT               | 20 KG                               |
|----------------------|-------------------------------------|
| DIAMETER             | 28 MM                               |
| SLEEVE LENGTH        | 16.5"                               |
| KNURLING             | LIGHT KNURLING                      |
| CENTER KNURL         | NO                                  |
| SHAFT COATING        | BRIGHT ZINC OR CLEAR CERAKOTE       |
| TENSILE<br>STRENGTH  | 190,000 PSI                         |
| STATIC LOAD          | 2,000 LB TESTED                     |
| CONSTRUCTION         | PRESSED, MACHINED, AND PLATED       |
| BUSHING /<br>BEARING | 10 PRECISION ING NEEDLE<br>BEARINGS |
|                      |                                     |











LIGHT KNURLING



BRIGHT ZINC OR CLEAR CERAKOTE

# OX<sup>™</sup> SQUAT BAR

The Sorinex Original Ox Squat Bar was designed to be the best cambered squat bar on the market. Unlike other cambered bars that curve, the specific 10-degree bar break minimizes cervical spinal loading. The sleeves are fixed and parallel to the ground. Other cambered bars pitch up causing your body to compensate and tilt forward. It boasts a larger shaft diameter and longer length for increased hand placement options.

| LENGTH                 | 92.5"                   |
|------------------------|-------------------------|
| DIAMETER               | 1.5"                    |
| WEIGHT                 | 45 LBS                  |
| FINISH                 | BLACK TEXTURE<br>POWDER |
| SLEEVE<br>CONSTRUCTION | WELDED                  |
| SLEEVE LENGTH          | 16"                     |
| BUSHING /<br>BEARING   | FIXED                   |
|                        |                         |






DECREASED LOAD ON CERVICAL SPINE



10 DEGREE BREAK



PARALLEL SLEEVE ANGLE TO GROUND



## MULTI-GRIP BAR

The Sorinex Multi-Grip Bar features 8 different grip locations that allow you to press or pull in a neutral, wide, or angled position. Otherwise known as a "Football Bar", the Multi-Grip bar is a standard tool in strength programs looking to minimize shoulder stress during bench or overhead pressing movements. The Multi-Grip bar, similar to all Sorinex Specialty Bars, will accept all bumper or weight plates while conveniently storing in your rack, rig, or Iron Bear™ Storage unit.

| LENGTH             | 85.5"        |
|--------------------|--------------|
| SLEEVE<br>DIAMETER | 1.5"         |
| SLEEVE LENGTH      | 16"          |
| WEIGHT             | 50 LBS       |
| KNURLING           | MEDIUM GRADE |





**VERTICAL AND ANGLED HANDLES** 



EASILY SWITCH FROM NARROW TO WIDE GRIP




MEDIUM GRADE KNURLING

## DIAMOND BAR

The Sorinex Diamond Bar is an industry first and Sorinex Original. Designed in 2002 when President/CEO Bert Sorin needed his trap bar (hex bar) to work within the rack to overhead press, but existing models were too short. The Sorinex Diamond Bar was born and became the first of its kind long enough (16-inch sleeves) to integrate into a rack. The Double Handle Diamond Bar features varied pulling positions that are easy to use by simply flipping the Diamond Bar over. Pull, press, deadlifts, shrugs, carries and more.

| LENGTH                  | 86.625"                           |
|-------------------------|-----------------------------------|
| WIDTH                   | 27.625"                           |
| HANDLE                  | SINGLE HANDLE OR<br>DOUBLE HANDLE |
| RAISED HANDLE<br>HEIGHT | 6"                                |
| SLEEVE LENGTH           | 16"                               |
| WEIGHT                  | 60 LB   70 LB (DOUBLE)            |



**DOUBLE HANDLE DESIGN** 



THE INDUSTRY'S FIRST RACKABLE TRAP BAR



SINGLE HANDLE DESIGN



PREFERRED TRAP BAR OF THE ARMY ACFT
PHOTO COURTESY OF VOANEWS.COM | AP

140 | SORINEX.COM | 141



# LOG BAR

The Sorinex Log Bar offerings come with fully knurled parallel handles. They fit in standard Sandwich J-Hooks and are perfect for log press training. Three sizes and a training bar are available ranging from 40 lbs to 110 lbs to fit the needs of any individual. A must have for strongman training.

| LENGTH             | 84"                   |
|--------------------|-----------------------|
| TRAINING<br>WEIGHT | 40 LBS                |
| 6" WEIGHT          | 57 LBS                |
| 8" WEIGHT          | 62 LBS                |
| 10" WEIGHT         | 110 LBS               |
| DIAMETER           | 1.12", 6", 8", 10"    |
| SLEEVE LENGTH      | 16" (12" FOR 10" BAR) |



10" DIAMETER LOG BAR







6" DIAMETER LOG BAR



LOG TRAINING BAR


## SAXON BAR

The Sorinex Saxon Bar is the ultimate pinch grip bar. Two grip widths to work narrow and wide pinching, taxing not only the fingers but the thumb, as well. A bar that strongman legend Arthur Saxon would have been proud of.

| LENGTH               | 89"                            |
|----------------------|--------------------------------|
| WEIGHT               | 44 LBS                         |
| DIAMETER             | 3", 4"                         |
| SLEEVE LENGTH        | 14"                            |
| BUSHING /<br>BEARING | FIXED                          |
| FINISH               | RAW OR BLACK<br>TEXTURE POWDER |
|                      |                                |









ACCEPTS ANY STANDARD OLYMPIC BARBELL PLATE



#### SAFETY SQUAT BAR

| LENGTH | 87.5"               |
|--------|---------------------|
| DEPTH  | 7"                  |
| HEIGHT | 17"                 |
| WEIGHT | 50 LBS              |
| SLEEVE | 2" DIA., 16" LENGTH |



**COOL BREEZE CAMBER BAR** 

| LENGTH      | 91"    |
|-------------|--------|
| CAMBER DROP | 14"    |
| DIAMETER    | 2"     |
| WEIGHT      | 45 LBS |
|             |        |





| LENGTH               | 84"    |
|----------------------|--------|
| WEIGHT               | 32 LBS |
| DIAMETER             | 2"     |
| SLEEVE LENGTH        | 15.75" |
| BUSHING /<br>BEARING | FIXED  |
|                      |        |



**RECON BAR** 

| LENGTH        | 52"    |
|---------------|--------|
| WEIGHT        | 50 LBS |
| DIAMETER      | 28.5"  |
| SLEEVE LENGTH | 16.5"  |
| COLLAPSIBLE   | YES    |



## ACCESSORIES

BANDS & CHAINS
BARBELL ACCESSORIES
BOXES & BLOCKS
CONDITIONING
SLEDS & STRAPS

ACCESSORIES | BANDS & CHAINS



LARGE STRENGTH BANDS

| LENGTH                             | 41"              |
|------------------------------------|------------------|
| ORANGE:                            | RED:             |
| APPROX 5-15 LBS                    | APPROX 20-25LBS  |
| MINI BLACK:                        | PURPLE           |
| APPROX 30-50LBS                    | APPROX 40-80LBS  |
| GREEN:                             | BLUE:            |
| APPROX 50-120LBS                   | APPROX 60-510LBS |
| MONSTER BLACK:<br>APPROX 80-200LBS |                  |



SHORT STRENGTH BANDS

| LENGTH           | 12"              |
|------------------|------------------|
| RED:             | PURPLE           |
| APPROX 20-25LBS  | APPROX 40-80LBS  |
| GREEN:           | BLUE:            |
| APPROX 50-120LBS | APPROX 60-510LBS |



DAISY CHAINS

| LENGTH        | 38"                                 |
|---------------|-------------------------------------|
| LOOP DIAMETER | 4"                                  |
| MATERIAL      | 1" Nylon Webbing<br>Double Stitched |



TOP SQUAT

| HANDLE LENGTH | 22.5"  |
|---------------|--------|
| WIDTH         | 36.5"  |
| WEIGHT        | 14 LBS |



BAR LOCKS

| LENGTH    | 14.5" |
|-----------|-------|
| WIDTH     | 8"    |
| THICKNESS | 1"    |
| MATERIAL  | HDPE  |



STANDARD SPRING COLLARS

| DIAMETER | 2"                 |
|----------|--------------------|
| MATERIAL | STAINLESS<br>STEEL |
|          |                    |



CHAIN SET

| WEIGHT    | 30 LBS,<br>45 LBS |
|-----------|-------------------|
| THICKNESS | 1/2"<br>5/8"      |
| MATERIAL  | STEEL             |



MONSTER CHAINS

| WEIGHT    | 45 LBS                   |
|-----------|--------------------------|
| THICKNESS | 5/8"                     |
| MATERIAL  | CORDURA<br>WRAPPED STEEL |



MONSTER CHAIN HOOKS

| LENGTH | 9"                      |
|--------|-------------------------|
| FITS   | STANDARD<br>OLYMPIC BAR |
| WEIGHT | 10 LBS                  |



PROLOC™ 1 COLLARS

| HEIGHT             | 3"                            |
|--------------------|-------------------------------|
| DIAMETER           | 1.937" - 2.007"               |
| MAGNETIC<br>OPTION | YES                           |
| MATERIAL           | 6,6 NYLON<br>COMMERCIAL GRADE |
|                    |                               |



SPECIALTY BAR SPRING COLLARS

| DIAMETER          | 1.92"               |
|-------------------|---------------------|
| MATERIAL          | STAINLESS<br>STEEL  |
| ** DOEC NOT FIT O | N CTANDADD DADDELLO |

\*\* DOES NOT FIT ON STANDARD BARBELLS, SPECIALTY BARS ONLY



HUSKER POWER LOCK COLLARS

| 5.5"                    |
|-------------------------|
| STANDARD<br>OLYMPIC BAR |
| 2 LBS                   |
| PLASTIC  <br>NYLON      |
|                         |

## MEAT HOOK® HANDLE

Quickly attach the patented Sorinex Meat Hook® Handles to a Sorinex Diamond Bar for 3" and 6" higher handles. Minimize the need for blocks and special bars to pull from variable heights. Knurled 1.25" handles are a medium knurl ideal for pulls and carrying movements. Black texture powder coat provides a durable finish.


| LENGTH | 9"            |
|--------|---------------|
| WIDTH  | 8.75"         |
| HANDLE | KNURLED 1.25" |
| WEIGHT | 5 LBS EA      |



## DEADLIFT JACK

The Sorinex Deadlift Jack allows you to load and unload weight to your bar from the ground with ease. Using the single jack or double jack with a rubber grip handle, place the bar on the jack and tilt it back to securely rack your bar. The jack is made of HDPE plastic to protect the bar from wear and tear over time.

| SINGLE LENGTH       | 19"    |
|---------------------|--------|
| SINGLE<br>THICKNESS | 3.2"   |
| SINGLE HEIGHT       | 12.5"  |
| DOUBLE LENGTH       | 30"    |
| DOUBLE WIDTH        | 44.75" |
| DOUBLE HEIGHT       | 23"    |









KNURLED HANDLES



ATTACH TO SORINEX DIAMOND BAR FOR 3"
AND 6" HIGHER HANDLES




SINGLE JACK



DOUBLE JACK



LOAD AND UNLOAD BAR WITH EASE



## BLOCK CONNECTOR PLATE

Connect your blocks in 6" and 12" groups with the Block Connector Plate set. Easily move from station to station with black urethane wheels with ABEC bearings.

| DEPTH    | 3.75"                                    |
|----------|--|
| WIDTH    | 14.75"                                   |
| HEIGHT   | 5.5" (6" Block)<br>11.5" (12" Block)     |
| WEIGHT   | 6 LBS (6" Block)<br>11.5 LBS (12" Block) |
| MATERIAL | 1/4" Steel                               |



#### **FEATURES**




CONNECT YOUR BLOCKS IN 6" AND 12"
GROUPS



**UPGRADE BY ADDING NAUGAHYDE PADS** 



CUSTOM LOGOS AVAILABLE



LASER CUT BRANDING AND SIZES



BLACK URETHANE WHEELS WITH ABEC BEARINGS



HANDLES TO EASILY TRANSPORT

ACCESSORIES | BOXES & BLOCKS



| HEIGHT   | 6"   12"   18"   24"              |
|----------|-----------------------------------|
| WEIGHT   | 36 LB   62 LB   98 LB  <br>118 LB |
| DEPTH    | 30"                               |
| WIDTH    | 36"                               |
| MATERIAL | DENSE, HEAVY FOAM                 |

#### COLLEGIATE SOFT PLYO BOX SET

Made with super dense foam, the Collegiate Soft Plyo Boxes will hold up to with heavy use. Perfect for box jumps and plyometric exercises. Strong velcro flaps on the sides of each box prevents slipping while making it easy to remove and stack boxes.



STRONG VELCRO STRAPS TO PREVENT SLIPPING



**CUSTOM LOGO OPTIONS AVAILABLE** 



FLAT PACK PLYO BOX

| LENGTH | 30"    |
|--------|--------|
| WIDTH  | 20"    |
| HEIGHT | 24"    |
| WEIGHT | 33 LBS |



STEEL PLYO **BOX SETS** 

| HEIGHT | UP TO 42"        |
|--------|------------------|
| WEIGHT | 23.5 - 48.75 LBS |



WAR HAMMER™

| LENGTH   | 37.5"     |
|----------|-----------|
| WIDTH    | 8"        |
| DIAMETER | 1.5" x 2" |



RUSSIAN WEDGE

| LENGTH | 52"   |
|--------|-------|
| WIDTH  | 36"   |
| HEIGHT | 28.5" |
| ANGLE  | 30°   |



RUBBER UTILITY BLOCK

| LENGTH | 24"    |
|--------|--------|
| WIDTH  | 12"    |
| HEIGHT | 9"     |
| WEIGHT | 72 LBS |
|        |        |



SQUAT BOX

| LENGTH | 24"       |
|--------|-----------|
| WIDTH  | 24"       |
| HEIGHT | 11" - 17" |
| WEIGHT | 80 LBS    |



DC BLOCK

|     | LENGTH   | 19"                                  |
|-----|----------|--------------------------------------|
|     | WIDTH    | 15.5"                                |
| 713 | HEIGHT   | 2"                                   |
| S   | MATERIAL | IMPACT-RESISTANT<br>INJECTED PLASTIC |
|     |          |                                      |



RUBBER SQUAT WEDGE

| LENGTH 39.5" |  |
|--------------|--|
|              |  |
| WIDTH 8"     |  |
| HEIGHT 2"    |  |



JERK BLOCKS

| LENGTH | 30.75"      |  |
|--------|-------------|--|
| WIDTH  | 24"         |  |
| HEIGHT | 50" - 24"   |  |
| WEIGHT | 258 LB EACH |  |

154 | SORINEX.COM SORINEX.COM | 155 ACCESSORIES | CONDITIONING SLEDS & STRAPS | ACCESSORIES



SANDMINE® SANDBAG

| DIAMETER  | 16"                    |
|-----------|------------------------|
| THICKNESS | 3"                     |
| MATERIAL  | XD™ DUPONT™<br>KEVLAR® |



#### SLAM BALLS

| 10 - 20 LB<br>DIAMETER   | 9"                   |
|--------------------------|----------------------|
| 25 - 50 LB<br>DIAMETER   | 11"                  |
| 50 - 100 LB<br>DIAMETER  | 14"                  |
| 100 - 150 LB<br>DIAMETER | 15"                  |
| MATERIAL                 | HIGH TEXTURED<br>PVC |



#### INERTIA WAVE

| LENGTH        | 9.5'    |
|---------------|---------|
| TUBE DIAMETER | 2"      |
| WEIGHT        | 2.5 LBS |
|               |         |



**DELTA™ SLED** 

| LENGTH | 37"    |
|--------|--------|
| WIDTH  | 24"    |
| HEIGHT | 30"    |
| WEIGHT | 40 LBS |



SPEED™ SLED

| LENGTH | 20"    |
|--------|--------|
| WIDTH  | 8"     |
| HEIGHT | 6"     |
| WEIGHT | 18 LBS |
| -      |        |



ROOT HOG SLED

| LENGTH                     | 39" |
|----------------------------|-----|
| SLED HEIGHT                | 3"  |
| PUSH UPRIGHT<br>HEIGHT     | 26" |
| LAWNMOWER<br>HANDLE LENGTH | 41" |
|                            |     |



RAPTOR WEIGHT VEST

| SIZE                   | Elite 15: S-M<br>Elite 20: L-XXL   |
|------------------------|------------------------------------|
| MAX TRAINING<br>WEIGHT | Elite 15: 15 KG<br>Elite 20: 20 KG |



TACTICAL TRAINING PLATE

| LENGTH | 12.25"              |
|--------|---------------------|
| WIDTH  | 10.5"               |
| WEIGHT | 5 LB   7 LB   10 LB |




TACTICAL LOAD TRAINER

| LENGTH      | 8.2"  |
|-------------|-------|
| LOAD LENGTH | 5.25" |
| WIDTH       | 13"   |



S.I.T.T.® SLED

| LENGTH | 47.5"    |
|--------|----------|
| WIDTH  | 29"      |
| WEIGHT | 70.5 LBS |
|        |          |



92" STRAP

| LENGTH   | 92"                |
|----------|--------------------|
| WIDTH    | 1"                 |
| WEIGHT   | 1 LB               |
| MATERIAL | DURABLE<br>WEBBING |



UTILITY STRAPS

| LENGTH   | 9"                 |
|----------|--------------------|
| WIDTH    | 1"                 |
| MATERIAL | DURABLE<br>WEBBING |
|          |                    |



GRIP TRAINING

## MIGHTY MITTS™ PINCH BLOCKS

Sorinex Original Mighty Mitts™ Pinch Blocks are a great way to load and develop pinching strength and grip strength. The width of the block is available in 2, 3, or 4" options. Attach a strap and use for pull-ups or with kettlebells and barbells. Use them with a Mighty Mitts™ Loading Pin, cable machine, or in conjunction with a Root Hog™ Sled to develop killer pinching strength.

| LENGTH   | 6"             |
|----------|----------------|
| HEIGHT   | 5.5"           |
| MATERIAL | 11 GAUGE STEEL |











MIGHTY MITTS™ HAND GRENADE

DIAMETER 3" OR 4"



MIGHTY MITTS™ RACK BALL

8" LENGTH DIAMETER 3" OR 4"



MIGHTY MITTS™ CANNON LAT BAR

| LENGTH        | 30" OR 42" |
|---------------|------------|
| BAR DIAMETER  | 2"         |
| BALL DIAMETER | 3"         |



MIGHTY MITTS™ HUB LIFT

DIAMETER HEIGHT 3.75"



MIGHTY MITTS™ LOADING PIN

LENGTH 13.875" DIAMETER 2" WEIGHT 6 LBS OLYMPIC FITS **PLATES** 



MIGHTY MITTS™ FAT ROTATING HANDLE

| LENGTH        | 6.375" |
|---------------|--------|
| WIDTH         | 8.5"   |
| GRIP DIAMETER | 2"     |



## **CLAM SHELL™ GRIP**

The patent pending Clam Shell™ grip is a totally unique and portable way to develop pinching muscles of the hands and forearms. It can be thrown in your gym bag and brought to any gym in America using existing dumbbells for resistance. It can be used single or in pairs on any standard dumbbell handle and can also be used in pairs on a barbell shaft. Trains exceptionally well with the Sorinex Saxon Bar. The precision bronze bearings gives a premium opening and closing motion to closely follow your grip.

| THICKNESS | 3" OR 4"         |
|-----------|------------------|
| WIDTH     | 4.25"            |
| HEIGHT    | 7.5"             |
| WEIGHT    | 7 LBS   8 LBS    |
| MATERIAL  | SOLID 3/8" STEEL |





AVAILABLE IN 3" OR 4" THICKNESS



APPROVED BY ARMLIFTING USA



CAN BE USED SINGLE OR IN PAIRS ON A BARBELL SHAFT

GRIP TRAINING



MIGHTY MITTS™ FAT VERTICAL HANDLE

| LENGTH   | 7.5" |
|----------|------|
| DIAMETER | 2"   |



MIGHTY MITTS™ POP'S GRIPPER

| LENGTH | 17"    |
|--------|--------|
| WIDTH  | 27.5"  |
| HEIGHT | 23.75" |
| WEIGHT | 42 LBS |



CRUSHBOOSTER™ GRIP ATTACHMENT



FIREBREATHER RINGS

| WIDTH    | 9"    |
|----------|-------|
| WEIGHT   | 6 LBS |
| DIAMETER | 1.25" |



RECON RINGS

| LENGTH   | 16"   |
|----------|-------|
| WEIGHT   | 5 LBS |
| DIAMETER | 2"    |



THE BALLISTICA

| LENGTH | 24"               |
|--------|-------------------|
| WIDTH  | Ц"                |
| WEIGHT | 10 LBS            |
| FITS   | OLYMPIC<br>PLATES |



MIGHTY MITTS™ GRIP CHALK

| SIZE     | 5.5 OZ BLOCK      |
|----------|-------------------|
| 1 LB BOX | 3 BLOCKS (5.5 OZ) |



MIGHTY MITTS™ ANVIL TRAINER

| WIDTH  | TAPERS OUT TO 3.75" |
|--------|---------------------|
| HEIGHT | 23.5"               |



FARMERS WALK HANDLES

| LENGTH             | 60"         |
|--------------------|-------------|
| WEIGHT             | 27 LBS EACH |
| HANDLE<br>DIAMETER | 1.25"       |



WRIST ROLLER

| LENGTH             | 19.5"  |
|--------------------|--------|
| HANDLE WIDTH       | 4.75"  |
| HANDLE<br>DIAMETER | 2"     |
| WEIGHT             | 15 LBS |
|                    |        |




BENT LAT BAR WITH SWIVEL

| LENGTH   | 48" |
|----------|-----|
| DIAMETER | 2"  |



PARALLETTES

| LENGTH   | 24"         |  |
|----------|-------------|--|
| HEIGHT   | 13.03"      |  |
| DIAMETER | 1.25"       |  |
| WEIGHT   | 19 LBS EACH |  |



## MIGHTY MITTS™ FAT CHIN TRIANGLE

The Sorinex Original Mighty Mitts Fat Chin Triangle" handles provide a superior grip training experience.

Use with your favorite cable machine for rows or strap it to a standard chin bar for close-grip fat chin work.

| LENGTH         | 9"       |
|----------------|----------|
| DIAMETER       | 2"       |
| LASER CUT LOGO | OPTIONAL |











## FLOORING

Countless hours of research and development between the top coaches, athletes, the Ecore manufacturing team, and the Sorinex team have been dedicated to improving and simplifying the product, process, and customer experience with elite performance flooring and an industry leading warranty.





#### **HISTORY**

Since 1980, Sorinex has designed the most innovative and versatile weight rooms in strength and conditioning. During these years we have been constantly underwhelmed with the flooring options and the lack of durability and toughness claimed. To find the best solution to this problem Sorinex has partnered with Ecore Athletic, a division of Ecore, one of the largest flooring manufacturers in the United States. The deep history of the two companies spans over 120 years in strength training and the flooring industry. Since 1871, Ecore has been transforming reclaimed materials into unique products. What started with simple cork closures has evolved into a diverse portfolio of products solving complex problems in applications ranging from weight rooms and turf fields to some of the toughest training environments. Sorinex and Ecore believe that floors should elevate beyond current expectations and have created a flooring line well beyond industry standards. With unsurpassed durability, innovation and an industry leading warranty, we created a product that aligns optimal force reduction with a balanced amount of energy return to create dynamic surfaces that cater to the athlete and the application.


#### BRANDED SOLUTIONS FROM THE GROUND UP



Make a strong impression and separate yourself from the crowd with unique branding options specific to the Legendary Series flooring line. Make your statement bold or subtle, by incorporating your logo, colors, and brand statements in to the floor, platforms, and base boards. Each unique branding element is water jet cut to ensure extreme detail and seamless accuracy. Pair your branded floor with the laser cut branded steel components of Sorinex equipment to create a one-of-a-kind facility.

#### **INNOVATION**

Countless hours of research and development between the top coaches, athletes, the Ecore manufacturing team and the Sorinex team have been dedicated to improving and simplifying the product, process, and customer experience with elite performance flooring. We have tested numerous color patterns to find the most aesthetically refined and resilient options. We have optimized product thickness to exceed current industry standards. No misleading names or descriptions for you to play with, simplifying your choice between our 0.5 inch and 1 inch flooring solutions. We back all of this up with an industry leading 8 and 16 year manufacturer's warranty.





#### **WEAR LAYER**

With the thickest wear layer available to our industry, this vulcanized EPDM rubber withstands the most common wear and tear seen among the weight room environment. Factory laminated to our base performance layer for slip resistant, life-long durability, and easy maintenance.



#### **BASE LAYER**

The 0.5" Legendary product features a dense base layer perfecting the balance between force reduction and energy return. Factory laminated to our resilient wear layer, this dual durometer system is built to last for strength training applications.



#### UNDERLAYMENT

This 0.5" upgrade accentuates safety and longevity in performance surfacing. Our base layer is combined with our half inch underlayment to create the Legendary 1" triple durometer system for unmatched performance, second to none.



SAFETY
Mitigating injury related
to impact through shock
absorption & slip resistance.



**ERGONOMICS**Alleviating negative stress of impact and fatigue.



ACOUSTICS

Minimizing structure born noise and surface generated noise TIC STC NRC



FORCE REDUCTION
40%
ENERGY RESTITUTION



WARRANTY
Industry leading 8 and 16
year warranty.

#### **EXCLUSIVE LEGENDARY SERIES™ COLOR OPTIONS**



ASH



SMOKE





170 SORINEX.COM 171

## LEGENDARY SERIES™ ONE INCH FLOORING

Custom engineered triple durometer system physically cultured to the Sorinex standard. This Legendary 25.2mm system features our 13.2mm dual laminated vulcanized rubber combined with a 12mm shockpad to provide the highest quality performance rolled rubber available in the strength and conditioning industry. Delivering a higher force reduction rate to exceed the ergonomic demands of today's training environment. Built to last, powered by Ecore.

THICKNESS

1.0"

DESCRIPTION CUSTOMIZE

13.2mm Heat Fused Dual Layer + 12mm Shockpad

Water jet cut options available for logos,

platforms, ladders, etc.

APPLICATION

Weight room, multipurpose fitness, tactical training, rehabilitation, functional workplace

environments, etc.

WARRANTY

16 Year Manufacturer's Warranty



| PERFORMANCE CRITERIA              | TEST METHOD          | RESULT                                 |
|-----------------------------------|----------------------|--|
| Tensile Strength                  | ASTM D 412           | >200 PSI                               |
| Flexibility 1/4" Mandrel          | ASTM F 137           | Pass                                   |
| Thermal Conductivity              | ASTM C 518           | 2.1 Btu-in/h-ft-F                      |
| Static Load Limit                 | ASTM F 970 @ 250PS   | 0.004" Pass                            |
| Coefficient of Friction           | ASTM D 2047          | >0.9                                   |
| V.O.C. Compliant                  | ASTM D 5116          | Yes                                    |
| Abrasion Resistance               | ASTM D 3389 / EN 649 | <1g, 1000 cycle                        |
| Resistance to Heat                | ASTM F 1514          | Δ E <8.0                               |
| Pill Test                         | ASTM D 2859          | Pass                                   |
| Vertical Deflection / Deformation | ASTM F 2772          | 1.6mm                                  |
| Surface Effect Slip Resistance    | ASTM F 2772          | 92                                     |
| Ball Rebound                      | ASTM F 2772          | 100%                                   |
| Force Reduction                   | ASTM F 2772          | 40%                                    |
| Sheet Dimension                   | Manufacturer         | 4' width by<br>Minimum length of 25 LF |

## LEGENDARY SERIES™ HALF INCH FLOORING

Custom engineered dual durometer system built for athletes by athletes. The Legendary 13.2mm product is created through a formulation of high quality post-consumer vulcanized rubber, factory laminated to an EPDM wear layer. Designed to reach the ergonomic needs of high impact training, this slip resistant surface delivers long term durability with low maintenance care. Built to last, powered by Ecore.

THICKNESS

0.5"

DESCRIPTION

3.2mm EPDM wear layer heat fused to 10mm

backing system

CUSTOMIZE

Water jet cut options available for logos,

platforms, ladders, etc.

APPLICATION

Weight room, multipurpose fitness, tactical training, rehabilitation, functional workplace

environments, etc.

WARRANTY


8 Year Manufacturer's Warranty



| PERFORMANCE CRITERIA              | TEST METHOD          | RESULT                                 |
|-----------------------------------|----------------------|--|
| Tensile Strength                  | ASTM D 412           | >200 PSI                               |
| Flexibility 1/4" Mandrel          | ASTM F 137           | Pass                                   |
| Thermal Conductivity              | ASTM C 518           | 2.1 Btu-in/h-ft-F                      |
| Static Load Limit                 | ASTM F 970 @ 250PS   | 0.004" Pass                            |
| Coefficient of Friction           | ASTM D 2047          | >0.9                                   |
| V.O.C. Compliant                  | ASTM D 5116          | Yes                                    |
| Abrasion Resistance               | ASTM D 3389 / EN 649 | <1g, 1000 cycle                        |
| Resistance to Heat                | ASTM F 1514          | Δ E <8.0                               |
| Pill Test                         | ASTM D 2859          | Pass                                   |
| Vertical Deflection / Deformation | ASTM F 2772          | 0.5mm                                  |
| Surface Effect Slip Resistance    | ASTM F 2772          | Pass                                   |
| Ball Rebound                      | ASTM F 2772          | 100%                                   |
| Force Reduction                   | ASTM F 2772          | 10%                                    |
| Sheet Dimension                   | Manufacturer         | 4' width by<br>Minimum length of 25 LF |



# MOBILITY & RECOVERY



## RECOVERY RACK

The Sorinex Recovery Rack is a multi-purpose solution with a focus on mobility and storage. The 4-Way hole design accepts all Sorinex attachments and accessories. Custom configure to any height, length, size, or application.

| DEPTH    | 47"            |
|----------|----------------|
| WIDTH    | 47"            |
| HEIGHT   | 95.4           |
| MATERIAL | 11 GAUGE STEEL |





CALF / PLANTAR FASCIA STRETCHER, TRIGGER ROLLER / BARS, PVC HURDLE PIPES



HD FOAM ROLLERS, SINGLE LEG ROLLER PADS, LACROSSE BALLS



CHIN BARS, STRETCH LOOPS, BIG STICK RECOVERY TOOLS, STORAGE SHELF

#### MOBILITY MAKER BENCH

The Mobility Maker Bench, designed by pro sports mobility coach Dana Santas, is the most versatile training bench ever created. Its durable, fully adjustable saddle and frame provide the support and means for anyone (of virtually any size, shape or ability) to mobilize their entire body without needing multiple pieces of equipment. The MM Bench is essentially the "Swiss Army Knife" of training as it supports dozens of mobility exercises other equipment can't, while also providing the benefits of a split-squat stand, hip thruster, and roman chair.











PREMIUM NAUGAHYDE LEATHER



FULLY ADJUSTABLE SADDLE



#### TRIGGER ROLLER

| LENGTH | 11.5"    |
|--------|----------|
| WIDTH  | 3.25"    |
| WHEELS | URETHANE |



#### TRIGGER BAR

| LENGTH | 24.125"  |
|--------|----------|
| WIDTH  | 4.75"    |
| WHEELS | URETHANE |



#### FOAM ROLLER

| LENGTH   | 36"                  |
|----------|----------------------|
| DIAMETER | 6"                   |
| WEIGHT   | <1LB                 |
| MATERIAL | HIGH-DENSITY<br>FOAM |
|          |                      |



| LENGTH       | 74"    |
|--------------|--------|
| WIDTH        | 36"    |
| TABLE HEIGHT | 34.19" |
| FULL HEIGHT  | 71"    |

#### THERAPY TABLE

The Sorinex Therapy Table is a heavy duty and versatile training table solution. The storage compartment underneath holds foam rollers, mobility tools and accessories. The 4-Way Hole design allows you to use Sorinex attachments or connect tables together. Add custom logos and colors for a branded aesthetic. Adjustable back pad is optional.







DOUBLE STITCHED NAUGAHYDE

## OOLER SLEEP SYSTEM WITH CHILI COOL MESH™

The OOLER is our most advanced and most luxurious sleep system with a hydro-powered thermal range that operates from 55-115°F (13-46°C). It includes our reversible Chili Cool Mesh™ pad, ergonomic control unit(s) and OOLER app for a truly customized sleep experience. Half sizes recommended for individuals, full sizes for couples. FREE SHIPPING and 2 YEAR WARRANTY.

#### CONTROL UNIT SPECIFICATIONS

| DIMENSIONS | 15" x 10" x 6"             |
|------------|----------------------------|
| WATER TANK | 30 oz (900ml)              |
| VOLTAGE    | 100-240 VAC<br>50Hz / 60Hz |
| WATTS      | 140W                       |
| TEMP RAGE  | 55-115°F                   |

#### HYDRONIC PAD **SPECIFICATIONS**

| SIZE               | Half Queen -<br>Cal King   |
|--------------------|----------------------------|
| PAD THICKNESS      | 1/4 in.                    |
| SURFACE FIBERS     | Poly-Cotton<br>Blend       |
| INTERNAL<br>DESIGN | 1/8 in. Silicone<br>Tubing |
| BOTTOM<br>MATERIAL | Poly-Cotton<br>Blend       |
| CONNECTION         | 8 ft. Tubing               |






OOLER APP FOR CUSTOMIZABLE SLEEP EXPERIENCE



UTILIZES HYDROPOWER TO CONTROL TEMPERATURE FROM 55-115°F





# TESTING & TRACKING

## TENDO POWER ANALYZER

#### Sorinex is the exclusive American Distributor of Tendo.

Tendo Power Analyzer Measures and Calculates:

- Average Power, Partial Average Power, and Peak Power (for Power training)
- Peak Velocity for Olympic lift exercises
- Average Velocity for Velocity Based Training
- Peak Force for Rate of Force Development
- Eccentric Average Velocity for different training goals
- · Recovery time for endurance training
- · Rest time between reps or sets
- Percent value of the best repetition on each rep



| LENGTH                  | 12" |
|-------------------------|-----|
| WIDTH                   | 4"  |
| BLUETOOTH<br>COMPATIBLE | YES |
| COMPUTER<br>COMPATIBLE  | YES |

#### ACCESSORIES





TENDO RFID SET



MAGNETIC READER





TENDO EXTERNAL LCD STOPWATCH

TENDO RFID WRISTBAND



TENDO BLUETOOTH SET

#### GYM AWARE

Get the metrics you need to increase performance (height, distance, dip, concentric time, rep rate, mean force, mean power, mean velocity, mean watt/kg, peak force, peak power, peak velocity, peak watt). Requires no external software. Easy set-up, when the power-tool connects, the application loads up and you are ready to go.

The automatic rep detection works on standard lifts, jumps, Olympic lifts and power cleans thanks to the advanced rep detection and angle of lift measurements. You can also set a threshold for any parameter for visual and audio feedback to motivate athletes while training.

#### **SPECIFICATIONS**

| LENGTH    | 9"     |
|-----------|--------|
| WIDTH     | 6"     |
| WEIGHT    | 11 LBS |
| WIFI      | Yes    |
| BLUETOOTH | Yes    |
|           |        |










## ISOMETRIC AND FORCE PLATE TESTING

We offer three distinct isometric training & testing solutions that integrate with your force plate of choice. The setup below is available in a bolt to the floor option or stand alone with foot plate. We also offer two rack attached options, (right) including a bolt-on sawtooth attachment for micro adjustments of a barbell and a bolt-on hydraulic attachment for extremely precise micro adjustments.









## FURNITURE

#### INTERLOCKING SINGLE DESK

| LENGTH | 49.25" |
|--------|--------|
| WIDTH  | 27.25" |
| HEIGHT | 46.5"  |

The Interlocking Single Desk is a rolling desk with capabilities of turning into a larger rolling desk by interlocking with each other. The 4-way hole design for attachments and accessories allows you to maximize your space. Adjustable height, custom sizes, and branded logos and colors allow you to design your desk exactly how you want it.





INTERLOCK DESKS TO FORM LARGER **CONFERENCE TABLE** 




**INTEGRATED STORAGE TRAYS** 



**HEAVY DUTY CASTERS** 



**BRANDED LOGOS AND COLORS** 



| LENGTH | 84" |
|--------|-----|
| WIDTH  | 84" |
| HEIGHT | 31" |
| DEPTH  | 36" |

#### LOW DESK

The Sorinex Low Desk allows for ultimate office versatility in your home or workplace. Originally designed in 2015 for use inside our manufacturing and office spaces at Sorinex HQ. The "L Design" offers traditional seated versatility while accepting most of our Sorinex rack attachments. Attach storage hooks, pins, or Trigger Rollers right to your desk.



HAND-CRAFTED WOOD TABLE TOP



4-WAY HOLE SYSTEM



| LENGTH | 73" |
|--------|-----|
| WIDTH  | 30" |
| HEIGHT | 96" |

#### STANDING DESK

The Sorinex Standing Desk allows for ultimate office versatility in your home or workplace. Originally designed in 2015 for use inside our manufacturing and office spaces at Sorinex HQ. Attach storage hooks, pins, Jammer Arms or a J<sup>x</sup>Squat™ right to your desk. Custom sizes, branded logos, colors, and name plates optional.



**INTEGRATED STORAGE TRAYS** 



STEEL BACK PANEL WITH DUAL MONITOR **ATTACHMENTS** 



## U.S. ARMY ACFT KIT

Sorinex and the Military are no strangers to each other. Supporting the ones who support our country is always a top priority. We understand and respect the sacrifice these men and women give and are proud to have so many veterans in our circle, in our Bosco Brotherhood. For over two decades Sorinex has been providing the U.S. Military, Federal Agencies, and First Responders with world class equipment to meet their training requirements. We are honored that the men and women who serve our country put their trust in us, and we are honored to be an official supplier of the U.S Army ACFT kits.

#### ACFT KIT SHIPPING CONTAINER



| LENGTH   | 96.88"   |
|----------|--|
| WIDTH    | 41.01"   |
| HEIGHT   | 19.25"   |
| WEIGHT   | 80 LB  |
| MATERIAL | HIGH MOLECULAR<br>WEIGHT, HIGH DENSITY<br>POLYETHYLENE |



The Sorinex ACFT Kit Shipping Container is a custom molded container specifically built for the U.S. Army. Made out of High Molecular Weight, High Density Polyethylene (HMW-HDPE) to support the weight of the contents inside and to protect from damages during transport. The shipping containers are easy to forklift and made to be nestable / stackable up to 3 containers high.



DIAMOND BAR

| LENGTH        | 86.625" |
|---------------|---------|
| WIDTH         | 27.625" |
| SLEEVE LENGTH | 16"     |
| WEIGHT        | 60 LB   |



SPUD INC. SLED


| LENGTH   | 23"    |
|----------|--------|
| WIDTH    | 20"    |
| WEIGHT   | 3.8 LB |
| MATERIAL | NYLON  |



40 LB KETTLEBELLS

| WEIGHT   | 40 LB     |
|----------|-----------|
| MATERIAL | CAST IRON |





SPECIALTY BAR SPRING COLLARS

| SPRING TYPE        | TORSION            |
|--------------------|--------------------|
| INSIDE<br>DIAMETER | 2"                 |
| MATERIAL           | STAINLESS<br>STEEL |



92" STRAP

| LENGTH   | 92"                |
|----------|--------------------|
| WIDTH    | 1"                 |
| WEIGHT   | 1 LB               |
| MATERIAL | DURABLE<br>WEBBING |



D-BALL

| DIAMETER | 12"                             |
|----------|---------------------------------|
| WEIGHT   | 10 LB                           |
| MATERIAL | 3/8" NOMINAL THICK<br>PVC SHELL |
|          |                                 |



#### RECON® LITE BUMPERS

| WEIGHT | DIAMETER | THICKNESS |
|--------|----------|-----------|
| 10 LB  | 450 mm   | 1.375"    |
| 15 LB  | 450 mm   | 1.875"    |
| 25 LB  | 450 mm   | 2.25"     |
| 35 LB  | 450 mm   | 3.125"    |
| 45 LB  | 450 mm   | 3.75"     |
|        |          |           |



TAPE MEASURE

| LENGTH      | 9"         |
|-------------|------------|
| WIDTH       | 6.3"       |
| HEIGHT      | 0.8"       |
| TAPE LENGTH | 100' / 30M |
| REEL        | OPEN       |
|             |            |



# STANDARD COLORS & UPHOLSTERY

Standard gloss and texture color options are included in our services. Custom colors are made on demand for an additional cost.



## STANDARD RACK COLORS

All standard rack colors shown below are available in gloss or textured options, excluding Military Desert Tan and Military Forest Green. Clear Grind and Clear Coat upgrades available.











Pantone 871 C





Signal Yellow RAL #1003 Pantone 124 C

Traffic Yellow RAL #1023 Pantone 7406 C

Zinc Yellow RAL #1018 Pantone 7404 C

Yellow Green RAL #6018 Pantone 362 C

Mint Green RAL #6029 Pantone 3500 C

Moss Green RAL #6005 Pantone 3435 C



Steel Blue RAL #5011 Pantone 2767 C



Postal Blue Pantone 295 C



Gentian Blue

RAL #5010

Pantone 7693 C

Light Blue RAL #5012

Pantone 2171 C



Pastel Blue

RAL #5024

Pantone 645 C



Viking Purple Pantone Medium Purple C

Basalt Grey RAL #7012 Pantone Cool Gray 10 C



Graphite Grey RAL #7024 Pantone 2540 C



Window Grey RAL #7040 Pantone Cool Gray 5 C



Silver Metallic White Texture
Pantone Cool White Gloss
Gray 8 C



Black Texture / Medium Black Gloss



Military Desert Tan 32348 Matte



Military Forest Green 34079 Matte

## STANDARD UPHOLSTERY COLORS

All standard upholstery colors shown below are in genuine naugahyde leather.






## BRANDED SOLUTIONS








































## APPAREL

GRAB ALL YOUR GEAR AT SORINEX.COM

## SOLUTIONS SPECIALISTS



CLAY ALLEN
NORTHWEST
clay@sorinex.com



PHIL PROVENCE
WEST COAST
phil@sorinex.com



JEREMY EBERT
SOUTHEAST
jebert@sorinex.com






MATT THOMAS

NORTHEAST

mthomas@sorinex.com





DAN MCKIM
MIDWEST
dmckim@sorinex.com




ALEX WILLIAMS
MIDWEST
alex@sorinex.com





JARED MYATT
GULF COAST
jared@sorinex.com





TREY ZEPEDA
SOUTHWEST
trey@sorinex.com





RE LEGENDARY®

SORINEX EXERCISE EQUIPMENT, INC.

SORINEX.COM

INFO@SORINEX.COM

1-877-SORINEX

193 LITTON DRIVE

LEXINGTON SC 29073