



Analytical Resource Laboratories

47-2854223  
520 South 850 East, Suite B3  
Lehi, UT 84043  
801-847-7722  
www.analyticalresource.com  
info@yourqualitylab.com

# Certificate of Analysis

## Client Information

PRC, Inc.  
10093 Prosperity Road  
West Jordan, UT  
84081 USA

## Sample Information


ARL ID: 618957  
Date Received: 7/28/2022  
Description: Hello Ned - Naked Stk  
Lot#: 22157

Analysis	Method	†MDL / LOQ	Specification	Results	UOM	Lab ID
Complete Micro Profile	USP, AOAC					1
Total Plate Count	USP <2021>	100	Record Only	None Detected	cfu's/g	1
Coliforms	AOAC 991.14	10	Record Only	None Detected	cfu's/g	1
E. coli	USP <2022>	Absent	Record Only	Absent	cfu's/10g	1
Staphylococcus aureus	USP <2022>	Absent	Record Only	Absent	cfu's/10g	1
Salmonella	USP <2022>	Absent	Record Only	Absent	cfu's/10g	1
Yeast	USP <2021>	100	Record Only	None Detected	cfu's/g	1
Mold	USP <2021>	100	Record Only	None Detected	cfu's/g	1

Form# arlcoa031201a

Printed on: Aug 2, 2022 5:39 PM

experience • professionalism • value

Released by:   
Jacob Teller  
Aug 2, 2022  
Page 1

†Method Detection Limit (MDL): In microbiological testing, this is the minimum level of growth that can be detected with confidence. If a result is reported as "None detected", it means any visible growth was below this limit. Limit of Quantitation (LOQ): In analytical chemistry testing, this is the minimum level of the desired analyte that can be quantified with confidence. If a result is reported as less than LOQ, it means any detected amount was too small to report an exact number.

\* Under accreditation number 77504, ARL is an ISO/IEC 17025:2017 Accredited Laboratory. Uncertainty data for ISO-scoped methods is available upon request. Certificate and scope are also available upon request.

This Certificate of Analysis represents data only for the sample provided and does not constitute a guarantee of quality for the entire production lot.