



Beautiful design has rarely been so accessible.

The Delta® brand design philosophy is driven by interaction. We combine thoughtful, beautiful design with stability and other features that allow for the independence of people of all ages and abilities. Through this, we're making water more accessible, enjoyable and transformative for everyone.

Our innovative technologies are designed to provide additional convenience. With options that include Touch₂O,® Touch₂O_{.xt}® and Proximity® Sensing Technologies, and MagnaTite® Docking, we're making beautiful products that serve even greater functions.

Saving water—one faucet at a time.

We believe universal design also means making water more accessible to everyone—and that means saving more of it. Our partnership with the EPA WaterSense® Program helps protect and conserve our nation's water supply. We were honored to be named as WaterSense Manufacturer Partner of the Year in 2011, 2013 and 2014, and as a WaterSense Sustained Excellence Award Winner in 2015 and again in 2016.



INNOVATIVE SOLUTIONS
KITCHEN & BAR/PREP
Kitchen and Bar/Prep Faucets with
Touch ₂ O® Technology
Kitchen and Bar/Prep Faucets
BATH COLLECTIONS
Single-Handle Lavatories
Touch ₂ O _{.xt} ® Technology
Transitional
Traditional
Contemporary
Modern Bath Collection
Commercial Lavatories
Single-Handle with Proximity®
Sensing Technology
Single-Handle with H ₂ Optics®
Sensing Technology
Electronic Single-Handle
Single-Handle22
ACCESSORIES
Décor Assist™
Grab Bars
SHOWER
Shower Kits
Handshowers30



Innovations that open a world of possibilities.

Touch₂O[®] and Touch₂O_{.xt}[®] Technologies.

Sometimes, their hands could use a hand. Touch₂O Technology starts water flowing with a light tap anywhere on the spout or handle. Touch₂O_{.xt} Technology starts the water when hands get within four inches of the product, and stops when hands are removed. Both technologies offer convenience while being ADA-compliant.



Proximity® Sensing Technology.

The next generation in hands-free functionality. Proximity Sensing Technology makes Delta® electronic faucets the most responsive in the industry. The entire faucet body acts as a sensor, activating water flow when users approach and stopping once their hands are removed. And the lack of an exposed sensor reduces the risk of sensor damage from vandalism or cleaning products.



MagnaTite® Docking.

Stays put every time. With its powerful integrated magnet, Delta MagnaTite Docking snaps spray wands precisely into place for easy, smooth docking every time. The firm hold of the magnet prevents drooping for a lasting picture-perfect look, but comes free with a gentle tug.



Temp₂O[®] Technology.

Take the guesswork out before they get in. Handshowers, showerheads, and tub and shower fixtures equipped with our Temp₂O Technology show bathers the temperature of a shower or bath before they get in. A built-in color indicator changes from blue to magenta to red—letting them know at a glance when the water is safe and comfortable.



Watch for these icons:



Technology



= InnoFlex® PEX Waterways



= H₂Optics[®] Sensing Technology



= WaterSense® Labeled Product



= DIAMOND™ Valve



= MagnaTite Docking



= Proximity Sensing Technology



🌔 = Water-Efficient Product— Kitchen Faucets: flow rate of 1.5 gpm or 1.8 gpm versus Industry Standard ASME A112.18.1/CSA B125.1 of 2.2 gpm. Lavatory Faucets: flow rate of 1.2 gpm versus Industry Standard ASME A112.18.1/CSA B125.1 of 2.2 gpm. Showerheads and Handshowers: flow rate of 1.5 or 2.0 gpm versus Industry Standard ASME A112.18.1/CSA B125.1 of 2.5 gpm.

Delta faucets are compliant with all federal and state drinking water legislation.

Spray Patterns:



= Full Body Spray



= H₂Okinetic® Spray



Soft Drench with Full Spray



= Shampoo Rinsing Spray



= Fast Massage



= Massage Spray




= Soft Drench with





= Shampoo Rinsing with Massage



= Full Spray with Massage



= Soft Drench Spray



= Soft Full Spray

Finishes for your faucets.

Our products are available in a range of finishes, so you can complement any kitchen or bathroom décor with added warmth, texture, depth and color.



Our designs are accessible. Because talent in the kitchen knows no bounds.

Combining our designs with our innovative technologies creates kitchens that are beautiful, convenient and accessible to anyone. Available in a wide variety of styles and finishes, there's a fit that suits a variety of needs on every level.

We lead our industry in identifying and meeting consumer needs—creating new styles and finishes for faucets and accessories, and inventing innovative technologies that capture clients' imaginations.



Esque™ Single-Handle Pull-Down Kitchen 9181T-DST with 72055T Soap Dispenser

- 2 or 4-hole installation
- Order RP47274 for optional escutcheon
- Electronic soap dispenserFinishes: Chrome, AR, BL, RB











Single-Handle Kitchen and Bar/Prep with

> Touch₂O® Technology



Addison™ Single-Handle

- 1 or 3-hole installationMulti-Flow™ TechnologyOrder RP63198 for
- optional escutcheon
- Finishes: Chrome, AR, CZ, RB





Cassidy[™] Single-Handle Pull-Down Bar/Prep

■ 1 or 3-hole installation

optional escutcheon

Finishes: Chrome, AR, CZ,

Order RP71545 for

9997T-DST

PN, RB



Essa® Single-Handle Pull-Down Bar/Prep 9913T-DST

- 1 or 3-hole installation
- Order RP70714 for optional escutcheon
- Finishes: Chrome, AR, BL, RB









Leland® Single-Handle Pull-Down Kitchen 9178T-DST with 72045T Soap Dispenser

- 2 or 4-hole installation
- Optional escutcheon included
- Electronic soap dispense
- Finishes: Chrome, AR, RB, SP









 $\mathsf{Linden}^{\scriptscriptstyle\mathsf{TM}}\,\mathsf{Single}\text{-}\mathsf{Handle}$ Pull-Out Kitchen 4353T-DST

- 1 or 3-hole installation
- Multi-Flow Technology
- Optional escutcheon included
- Finishes: Chrome, AR, RB





Mateo® Single-Handle Pull-Down Bar/Prep 9983T-DST

- 1 or 3-hole installation
- Order RP81914 for optional escutcheon
- Finishes: Chrome, AR, RB







Trinsic® Single-Handle Pull-Down Kitchen 9159T-DST with 72065T Soap Dispenser

- 2 or 4-hole installation
- Order RP64070 for optional escutcheon

() () ()

- Electronic soap dispenser
- Finishes: Chrome, AR, BL, CZ



Trinsic Pro Single-Handle Pull-Down Kitchen 9659T-DST

- 1 or 3-hole installation
- Order RP64070 for optional escutcheon
- Finishes: Chrome, AR, KS









Single-Handle Kitchen



Cassidy™ Single-Handle Waterfall® with Sprayer 4297-DST

- 2 or 4-hole installationOrder RP71545 for
- optional escutcheon
- Finishes: Chrome, AR, CZ, PN, RB





Classic Single-Handle with Sprayer 400LF-HDF

- 4-hole installation
- Vandal-resistant elbow lever handle and 1.5 gpm outlet Finish: Chrome





Collins[™] Single-Handle Pull-Out 4140-DST

- 1 or 3-hole installation
- Optional escutcheon includedFinishes: Chrome, AR









Victorian® Single-Handle with Sprayer 155-DST

- 3-hole installationFinishes: Chrome, RB, SS





Leland® Single-Handle Pull-Down 9978-DST

- 2-hole installationFinishes: Chrome, AR, RB









Victorian Single-Handle Pull-Down 9955-SS-DST

- 2-hole installation
- Finishes: Chrome, RB, SS







Essa® Single-Handle Pull-Down 9113-DST

- 1 or 3-hole installation
- Optional escutcheon includedFinishes: Chrome, AR, BL, RB









Pull-Out

4159-DST

Trinsic® Single-Handle

■ 1 or 3-hole installation

Order RP64070 for



Essa Single-Handle 1953LF

- 1 or 3-hole installationOrder RP77702 for optional 4" escutcheon
- Finishes: Chrome, AR, RB





Pull-Down

9981-DST



Esque™ Single-Handle

1 or 3-hole installationOrder RP47274 for



Pilar® Waterfall Single-Handle 1980-DST

- 2-hole installation
- Finishes: Chrome, AR, RB





Trinsic Single-Handle 1959LF

- 1 or 3-hole installation
- Order RP77702 for optional 4" escutcheon
- Finishes: Chrome, AR, BL, CZ



Additional products are available.

Visit deltafaucet.com

Single-Handle

Bar/Prep

Independence never goes out of style.

With a wide variety of styles and groundbreaking technologies, any bath can combine form and function to create total freedom. From hands-free operation to designs that complement any décor, these accessible designs create entirely new opportunities.

Over 80% of Delta® collections include ADA-compliant products.



Single-Handle Lavatories with Touch₂O_{.xt[®]} Technology



Addison™ Single-Hole 592T-DST

- 1 or 3-hole 4" installation
- Optional escutcheon included
 Finishes: Chrome, CZ, RB, SS



Compel® Single-Hole 561T-DST

- 1 or 3-hole installation
- Optional escutcheon includedFinishes: Chrome, SS



Dryden™ Single-Hole 551T-DST

- 1 or 3-hole 4" installation
- Optional escutcheon included
 Finishes: Chrome, CZ, PN, RB,











Lahara® Single-Hole 538T-DST

- 1 or 3-hole 4" installation
- Optional escutcheon included
 Finishes: Chrome, CZ, RB, SS



Tesla® Single-Hole 552TLF

- 1 or 3-hole installation
- Optional escutcheon included
 Finishes: Chrome, PN, SS



Zura® Single-Hole 574T-DST

- 1 or 3-hole installation
- Optional escutcheon included ■ Finishes: Chrome, CS, PN, SS













Addison™ Single-Hole

- 1 or 3-hole 4" installation
- Optional escutcheon included
 Finishes: Chrome, CZ, RB, SS



Ashlyn® Single-Hole 564-MPU-DST

- 1 or 3-hole 4" installation
 Optional escutcheon included
 Finishes: Chrome, RB, SS



Classic 4" Centerset 583LF-WF

- 1 or 3-hole 4" installation
- Optional escutcheon includedFinishes: Chrome, SS











Classic 4" Centerset 520-DST

- 3-hole 4" installationFinishes: Chrome, SS



Dryden[™] Single-Hole 551-DST

- 1 or 3-hole 4" installation
- Optional escutcheon included
 Finishes: Chrome, CZ, PN, RB, SP, SS



Foundations® 4" Centerset B510LF

- 3-hole 4" installationFinishes: Chrome, SS













Lahara® Single-Hole 538-MPU-DST

- 1 or 3-hole 4" installation
 Optional escutcheon included
 Finishes: Chrome, CZ, RB, SS



Linden™ Single-Hole 594-MPU-DST

- 1 or 3-hole 4" installation
 Optional escutcheon included
 Finishes: Chrome, CZ, RB, SS



Visit deltafaucet.com The products on this page are shown in Chrome.









Cassidy™ Single-Hole 597LF-MPU

- 1 or 3-hole 4" installation
 Optional escutcheon included
 Finishes: Chrome, CZ, PN, RB, SS





Cassidy Single-Hole Channel Spout 598LF-MPU

- 1 or 3-hole 4" installation
 Optional escutcheon included
 Finishes: Chrome, CZ, PN,





Victorian® Single-Hole 555LF

- 1 or 3-hole 4" installation
- Optional escutcheon included
 Finishes: Chrome, CZ, RB, SS



Victorian Single-Hole Channel Spout 554LF

- 1 or 3-hole 4" installation
- Optional escutcheon included
 Finishes: Chrome, CZ, RB, SS





Fact: Check out deltafaucet.com for more ADA-compliant options.

> Additional products are available. Visit deltafaucet.com





Ara® Single-Hole Channel Spout 568LF-MPU

- 1 or 3-hole 4" installation
 Optional escutcheon included
 Finishes: Chrome, BL, SS



Ara Single-Hole 567LF-MPU

- 1 or 3-hole 4" installation
 Optional escutcheon included
 Finishes: Chrome, BL, SS



Compel® Single-Hole 561-MPU-DST

- 1 or 3-hole 4" installation
 Optional escutcheon included
 Finishes: Chrome, SS













Pivotal[™] Single-Hole 599-MPU-DST

- 1 or 3-hole 4" installation
- Optional escutcheon included
 Finishes: Chrome, BL, PN, SS



Tesla® Single-Hole 552LF-MPU

- 1 or 3-hole 4" installation
- Optional escutcheon includedFinishes: Chrome, PN, SS



Trinsic® Single-Hole 559LF-MPU

- 1 or 3-hole 4" installation
- Optional escutcheon included Finishes: Chrome, BL, CZ, RB. SS















Trinsic Single-Hole High-Arc 559HA-DST

N 2 Cast Group

- 1-hole installationPush pop-up drain includedFinishes: Chrome, BL, CZ,



Vero® Single-Hole

- 1 or 3-hole 4" installation
 Optional escutcheon available
 Finishes: Chrome, CZ, RB, SS



Zura® Single-Hole 574-MPU-DST

- 1 or 3-hole 4" installation
 Optional escutcheon included
 Finishes: Chrome, CS, PN, SS

















Single-Hole 534LF-PP

- 1 or 3-hole installationOrder RP47973 for optional escutcheon

 Euro-motion ceramic valve
 Finishes: Chrome, SS





Single-Hole 559LF-PP

- 1 or 3-hole installationOrder RP78359 for optional escutcheon
- Euro-motion ceramic valve
- Finishes: Chrome, SS





Single-Hole 567LF-PP

- 1 or 3-hole installation Order RP78358 for optional escutcheon

 Euro-motion ceramic valve
 Finishes: Chrome, SS





Single-Hole 573LF-PP

- 1 or 3-hole installationOrder RP47973 for optional escutcheon
- Euro-motion ceramic valveFinish: Chrome





Single-Hole 581LF-PP

- 1 or 3-hole installation Order RP76702 for optional escutcheon
- Euro-motion ceramic valveFinish: Chrome



Fact: All faucets, shower or tub controls and flush valves must be operable with one hand or automatically controlled. - ADA Standards



Single-Handle Lavatories with Proximity® Sensing Technology



Ara® Single-Hole with Proximity Sensing Technology 630TP320

- Hardwire operation
- 1.5 gpm vandal-resistant laminar outlet
 Optional 4" decorative coverplate
 Finish: Chrome





Single-Hole Gooseneck with Proximity Sensing Technology 620TP3320

- Hardwire operation
- 1.5 gpm vandal-resistant laminar outlet
 Finishes: Chrome, BL, SS





Single-Hole High-Rise with Proximity Sensing Technology 590TP0120

- Hardwire operation
 1.5 gpm vandal-resistant laminar with Agion® antimicrobial outlet
- Finish: Chrome





Single-Handle Lavatories with **Proximity Sensing** Technology



3-Hole 4" Centerset with Proximity Sensing Technology 591TP0250

- Hardwire operation
- 0.5 gpm vandal-resistant laminar outlet
 Finish: Chrome





Single-Hole with Proximity Sensing Technology 590-PLGHDFHW

- Hardwire operation
- 0.5 gpm vandal-resistant laminar outlet
 Finish: Chrome



Single-Handle Lavatories with H₂Optics® Technology



Single-Hole High-Rise with H2Optics Technology 590T1120

- Battery operation
 1.5 gpm vandal-resistant laminar outlet
 Finish: Chrome







3-Hole 4" Centerset with H₂Optics Technology 591T1220

Single-Hole with Side Mixer

wrench flat spray outlet

■ Optional 4" coverplate

Finishes: Chrome, NS

Battery operation0.5 gpm outlet with vandal-resistant

DEMD-311LF

- Battery operation
- 1.5 gpm vandal-resistant laminar outlet
 Finish: Chrome







with H2Optics Technology 590LF-LFHGMHDF

- Battery operation0.5 gpm vandal-resistant laminar outletFinish: Chrome





Single-Hole DEMD-201LF

- Battery operation0.5 gpm with vandal-resistant flat spray outlet
- Finishes: Chrome, NS





Single-Hole with ASSE 1070 Thermostatic Mixing Valve DEMD-611LF


- Battery operation0.66 gpm with vandal-resistant wrench flat spray outlet
- Optional 4" coverplate
- Finish: Chrome





- Battery operation
- 0.5 gpm with vandal-resistant flat spray outlet
 Finishes: Chrome, NS











COMMERCIAL LAVATORIES





Single-Hole 22C631

- Vandal-resistant lever handle and 1.5 gpm outlet
 Ceramic cartridge
 Finish: Chrome



4" Centerset 501LF-HGMHDF

- Vandal-resistant lever handle and 0.5 gpm outlet
 DIAMOND™ Valve
 Finish: Chrome



Widespread Single Control 24T2643

- Vandal-resistant 6" lever handle4" to 16" adjustable centersFinish: Chrome







4" Centerset 22C331

- Metal pop-up
 Vandal-resistant lever handle and vandal-resistant 1.5 gpm flow control outlet
 Ceramic cartridge
 Finish: Chrome



Single-Hole Metering 87T105

- Vandal-resistant tip action lever handle and outlet
- Adjustable close time
 Finish: Chrome





Additional products are available. **Visit www.specselect.com**

Form and function aren't mutually exclusive.

There's no reason style can't also be functional. Our Décor Assist™ accessories combine traditional-, transitional- and contemporary-styled towel bars, tissue holders and corner shelves with sturdy assist bars. And of course, the variety of finish options can help you fill out any bathroom.



Traditional



Tissue Holder/Assist Bar 41350

- 6" long
 7/8" diameter assist bar
 Finishes: Chrome, CZ, PN, RB, SS



Corner Shelf/Assist Bar 41316

- 8-3/4" wide7/8" diameter assist barFinishes: Chrome, CZ, PN, RB, SS



24" Double Towel/Assist Bar

- 7/8" diameter assist barFinishes: Chrome, CZ, PN, RB, SS

Transitional



Tissue Holder/Assist Bar 41450

- 7/8" diameter assist bar
- Finishes: Chrome, CZ, RB, SS



Corner Shelf/Assist Bar 41416

- 9-1/2" wide7/8" diameter assist bar
- Finishes: Chrome, CZ, RB, SS



24" Double Towel/Assist Bar 41419

- 7/8" diameter assist barFinishes: Chrome, CZ, RB, SS

Contemporary



Tissue Holder/Assist Bar

- 6" long7/8" diameter assist barFinishes: Chrome, CZ, RB, SS



Corner Shelf/Assist Bar

- 9-1/8" wide7/8" diameter assist barFinishes: Chrome, BL, CZ,



24" Double Towel/Assist Bar 41519

- 7/8" diameter assist barFinishes: Chrome, CZ, RB, SS

Additional products are available. Visit deltafaucet.com

The accessories on this page are shown in Chrome. While Décor Assist products meet ADA load requirements, they are not ADA-compliant due to size standards.



Contemporary



12" Decorative ADA Grab Bar 41812 18" Decorative ADA Grab Bar 41818 24" Decorative ADA Grab Bar 36" Decorative ADA Grab Bar 41836 42" Decorative ADA Grab Bar 41842

- 1-1/4" diameter round barFor persons up to 500 pounds when properly installed
- Mounting hardware included
 Finishes: Chrome, CZ, RB, SS
- BL finish available Q4 2017

Angular Modern



12" Decorative ADA Grab Bar 18" Decorative ADA Grab Bar 41918 24" Decorative ADA Grab Bar 41924 36" Decorative ADA Grab Bar 41936 42" Decorative ADA Grab Bar 41942

- 1-1/4" diameter angular bar
- For persons up to 500 pounds when properly installed
- Mounting hardware included
 Finishes: Chrome, CZ, PN, RB, SS
- BL finish available Q4 2017

Transitional



12" Decorative ADA Grab Bar 18" Decorative ADA Grab Bar 41718 24" Decorative ADA Grab Bar 41724 36" Decorative ADA Grab Bar 41736 42" Decorative ADA Grab Bar 41742

- 1-1/4" diameter oval bar
- For persons up to 500 pounds when properly installed
- Mounting hardware included
- Finishes: Chrome, CZ, RB, SS

Traditional



12" Decorative ADA Grab Bar 41612 18" Decorative ADA Grab Bar 41618 24" Decorative ADA Grab Bar 36" Decorative ADA Grab Bar 41624 41636 42" Decorative ADA Grab Bar 41642

- 1-1/4" diameter round bar
- For persons up to 500 pounds when properly installed
- Mounting hardware included
 Finishes: Chrome, CZ, PN, RB, SS

Commercial



18" ADA Grab Bar 40118-SS 24" ADA Grab Bar 40124-SS 36" ADA Grab Bar 40136-SS 42" ADA Grab Bar 40142-SS

- 1-1/2" diameter round bar
- For persons up to 500 pounds when properly installed
- Mounting hardware included
 Finishes: PS, SS

Fact: Public restrooms require 36" grab bars.

- ADA Standards



24" ADA Grab Bar 40024

- 1-1/4" diameter round bar
- For persons up to 300 pounds
- when properly installed

 Finishes: Chrome, PB, RB, SS

Additional products are available. Visit deltafaucet.com

The products on this page are shown in Chrome, Matte Black and Brilliance® Stainless.

Matte Black-BL





Angular Modern Shower Kit Less Handshower 51500

- U6500 handshower mount
- 24" angular modern grab bar, 1-1/4" diameter
- 60"-82" stretchable metal hose
- Square wall elbow includedFinishes: Chrome, RB, SS



Round Contemporary Shower Kit Less Handshower 51600

- U6500 handshower mount
- 24" round contemporary grab bar, 1-1/4" diameter
- 60"-82" stretchable metal hose
- Round wall elbow includedFinishes: Chrome, RB, SS



Premium Handshower Only 59434-15-BG

- 5 Setting
- 1.5 gpm @ 80 psi
- Finishes: Chrome, SS







Premium Handshower Only 59434-20-PK

- 5 Setting
- 2.0 gpm @ 80 psi
- Finishes: Chrome, SS







ADA Grab Bar Handshower Mount U6500

- Fits 1-1/4" square grab barsFits 1-1/2" or 1-1/4" round
- grab bars
 Finishes: Chrome, RB, SS
 Available Q3 2017



Premium Handshower Only 59426-PK

- 7 Setting2.0 gpm @ 80 psiFinishes: Chrome, PB, RB, SS, WH



H₂Okinetic® Handshower Only 59433-PK

- 3 Setting2.0 gpm @ 80 psiFinishes: Chrome, CZ, PN, RB, SS



H₂Okinetic Handshower Only 59445-PK

- 5 Setting2.0 gpm @ 80 psiFinishes: Chrome, CZ, RB, SS





controls should be placed on an end wall on the open side of the tub between the tub rim and grab bar.

Fact: Tub/shower

- ADA Standards
















Traditional ActivTouch® Handshower Kit with Grab Bar

- 9 Setting24" traditional grab bar, 1-1/4" diameter
- 2.0 gpm @ 80 psi
- 50560 round wall elbow
- Finishes: Chrome, RB, SS









Contemporary Palm® Handshower Kit with Grab Bar

- 4 Setting24" contemporary grab bar, 1-1/4" diameter
- 2.0 gpm @ 80 psi
- 50560 round wall elbow
- Finishes: Chrome, RB, SS









Palm Handshower Kit with Grab Bar 52008-DS

- 4 Setting
- 24" grab bar, 1-1/2" diameter
- 2.5 gpm @ 80 psi
- 50560 round wall elbowFinish: Chrome



Fact: A shower spray unit with a 59" minimum hose length—that can be used as a fixed position showerhead and also as a handheld shower—must be provided. - ADA Standards



Traditional Grab Bar Less Handshower 56302

- 24" grab bar, 1-1/4" diameter50560 round wall elbowADA handshower mount

- 60"–82" stretchable metal hose
 Finish: Chrome, PB, RB, SS



Fundamentals[™] Handshower 59462-B15-BG

- 2 Setting1.5 gpm @ 80 psi2.0 gpm available: 59462-B20-PK
- 2.5 gpm available: 59462-B-PK
- Finishes: Chrome, WH





Additional products are available. Visit deltafaucet.com



Delta® is committed to sustainability and providing smart water delivery solutions that maximize water savings without sacrificing comfort and convenience. Our commitment to sustainability extends to waste reduction and the preservation of natural resources and the environment. That's why we choose to print on Forest Stewardship Council® (FSC) certified paper.



see what Delta can do

A MASCO COMPANY

Delta Faucet Company 55 E. 111th St., P.O. Box 40980 Indianapolis, IN 46280

Masco Canada Limited 350 S. Edgeware Rd. St. Thomas, Ontario N5P 4L1

deltafaucet.com 800.345.DELTA (3358)

©2017 Delta Faucet Company DL-1999 08/17

