EnviroChem

SAFETY DATA SHEET

Section 1: Identification of the Substance/Mixture and of the Supplier

Product Name: Toilet Bowl & Urinal Cleaner

Proper Shipping NameCorrosive liquid, acidic, inorganic, n.o.s. **Recommended use:**Cleaning toilets, washrooms floors and walls

Company Details EnviroChem International Ltd

Address: 41 Angle Street, Onehunga, Auckland

 Telephone:
 +64 9 262 0800

 Fax:
 +64 9 262 0802

 Free Phone
 0800 262 0800

Emergency Telephone: National Poison Centre(24 hours): 0800 POISON [764 766]

Date of preparation 25 May 2014

Section 2: Hazard Identification

DANGER:

- Causes severe skin burns and eye damage.
- May be corrosive to metals.
- Harmful to aquatic life.
- Harmful in contact with skin.

HSNO Approval Number: Group Standard HSR002526.



Prevention:

- Keep out of reach of children.
- Read label before use.
- Wash hands thoroughly after handling.
- Wear protective gloves and eye/face protection.

• Avoid release to the environment.

Section 3: Composition/Information on Ingredients

Name	% by Wt.	CAS Number
Phosphoric Acid	< 10%	7664-38-2
Non Ionic Surfactant	< 10%	9016-45-9
Water	Balance	7732-18-5

Section 4: First Aid Measures

If medical advice is needed, have product container or label at hand. **Eyes:**

Immediately call a POISON CENTER or doctor/physician. Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

Remove/Take off immediately all contaminated clothing. Rinse skin Skin:

with water/shower. Wash contaminated clothing before reuse. Immediately call a POISON CENTER or doctor/physician.

Rinse mouth. Do NOT induce vomiting. Immediately call a POISON **Ingestion:**

CENTER or doctor/physician.

Inhalation: Remove to fresh air and keep at rest in a position comfortable for

breathing.

For Further Information Telephone (24 Hours) The National Poison Centre: 0800 Poison [764 766]

Section 5: Fire Fighting Measures

Flash Point: Not available **Auto ignition Temperature:** Not available Flammable Limits in Air % Not available

by Volume:

Extinguishing Media: All

Fire Fighting Instructions: Unusual Fire and Explosion

Hazards:

Section 6: Accidental Release Measures

Stop the leak, if possible. Ventilate the space involved. Contain, vacuum up, place in non-sparking container for disposal. Prevent waterway contamination. Construct a dike to prevent spreading. Collect run-off and transfer to drums or tanks for later disposal.

Section 7: Handling And Storage

Handling & Storage: Do not get in eyes or skin or on clothing. Do not breathe mist. Keep

container closed. Use only with adequate ventilation. Do not taste or swallow. Wash thoroughly after handling. To avoid rapid temperature rise, violent spattering, or explosive eruptions always add caustic to water when mixing. Never add water to a caustic when mixing. Add small amounts of product slowly and evenly over single addition, Water

should not exceed 70°C during addition.

Do NOT store near strong acids.

Section 8: Exposure Controls/Personal Protection

General (mechanical) room ventilation is considered satisfactory in **Engineering Controls:**

enclosed spaces.

Where there is potential for eye contact, wear a face shield, chemical **Eve / Face Protection:**

goggles, and have eye flushing equipment immediately available.

Body Protection: PVC-coated gloves. Avoid skin contact. If skin contact or contamination

of clothing is likely, protective clothing should be worn.

Respiratory Protection: Avoid breathing vapour or mist. Use NIOSH approved respiratory

protection equipment appropriate to the material

Exposure Limits: Not available

Section 9: Physical And Chemical Properties

Appearance Blue liquid with boronia odour

Boiling/Melting Point 100° C Vapour Pressure mmHg/25 $^{\circ}$ C No data pH 1.5-2.5

Specific Gravity 1.05

Flash Point Non flammable
Flammability Limits Non flammable
Solubility in water Complete

Section 10: Stability And Reactivity

Stability of the Substance: Stable under normal conditions

Conditions to avoid:

Materials to avoid: Strong acids

Hazardous Decomposition

Products:

Explosive hydrogen gas can be liberated on contact with metals, such as zinc, tin or aluminium. Hydrogen gas can result in explosive hazards in

confined spaces.

Conditions Contributing to Hazardous Polymerization

Section 11: Toxicological Information

Eyes: SPECIES: Rabbit; RESULT: Severely irritating.

Skin: SPECIES: Rabbit; RESULT: Corrosive.

Ingestion: SPECIES: Rat; ENDPOINT: LD50; VALUE: 1530 mg/kg

Inhalation:

Section 12: Ecological Information

SPECIES: Rat ;ENDPOINT: LD50 ;VALUE: 1530 mg/kg bw

Section 13: Disposal Considerations

Dispose through Licensed Disposal Company

Section 14: Transport Information



UN No: 3264

Proper Shipping Name: CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.

Dangerous Goods Class: 8

Subsidiary risk

Packing Group: III

Section 15: Regulatory Information

HSNO Approval No: HSR002526

Group Standard: Cleaning Product(Corrosive)

HSNO Classes: 6.1D, 8.1A, 8.2C, 8.3A, 9.1D, 9.3C

Section 16: Other Information

New Zealand National Poison Information Centre (24 hours): 0800 POISON [764 766]

New Zealand Emergency Services: 111

For General Information: Nayyar Ghazali: +64 272729562; 0800 262 0800

EnviroChem International Ltd has taken care in compiling this information. No liability is accepted directly or indirectly from its application as conditions of use are outside the Company's control. End users are obliged to conform to relevant Local Government regulations.

End of Safety Data Sheet.