

# NATURE'S DETOX

50 CLEANSING HERBS

**COMPANION GUIDE**

DR. ANDREW IVERSON, ND

## Chapter 5a

- 1) Trop Biomed. 2015 Jun;32(2):257-68.  
Anthelmintic properties of extracts from Artemisia plants against nematodes.
- 2) Mem Inst Oswaldo Cruz. 2015 Aug;110(5):693-9.  
Trypanocidal, trichomonocidal and cytotoxic components of cultivated Artemisia absinthium
- 3) Molecules 2014 Sep 19;19(9):15058-74.  
Artemisinin derivatives in the elimination of schistosomiasis japonica in China.
- 3) Exp Parasitol. 2009 Jul;122(3):233-41.  
Treatment of Toxoplasma gondii with Artemisia annua
- 3) J Ethnopharmacol. 2008 Dec 8;120(3):302-14.  
Artemisia annua as a highly effective treatment for malaria in developing countries.
- 3) PLoS One. 2012 Dec 20;7(12):  
Dried whole plant Artemisia annua as a global effort to reduce malaria morbidity and mortality.
- 4) PLoS One. 2011 Apr 4;6(4):e18127.  
Artemisia absinthium against gram-positive pathogenic bacteria. bacillus anthracis (anthrax), clostridium botulinum, tetani, enterococcus, listeria, staph, strep
- 4) Rev Med Chir Soc Med Nat Iasi. 2009 Jul-Sep;113(3):911-4.  
Antibacterial activity of some Artemisia species extract.against five Gram-positive bacteria.
- 5) Planta Med. 2003 Feb;69(2):158-61.  
Artemisia absinthium inhibited the growth Candida albicans and Saccharomyces cerevisiae
- 6) Antiviral Res. 2005 Nov;68(2):75-83. Epub 2005 Aug 10.  
Artemisinin and artesunate as inhibitors of hepatitis B virus production
- 7) Helicobacter. 2016 Feb;21(1):40-59.  
Artemisia to eliminate H pylori associated atrophic gastritis and to prevent tumorigenesis.
- 7) Antimicrob Agents Chemother. 2012 Sep;56(9):4594-607.  
The antimalarial drug artemisinin demonstrated remarkably strong activity against Helicobacter pylori,
- 8) Mol Biol Rep. 2012 Jul;39(7):7373-9.  
Artemisia absinthium AA-induced anti-proliferative effects on human breast cancer cells
- 8) Eur J Med Chem. 2016 Nov 10;123:763-8.  
Artemisinin potent antitumor activity against prostate, human gastric tumor cell lines, human lung adenocarcinoma cell line.
- 8) Nutr Res Pract. 2016 Aug;10(4):393-7.  
Artemisinin on tumors such as breast cancer, liver cancer and kidney cancer, and is effective against GBM

## Chapter 5b

- 1) J Obes. 2012;2012:104706. doi: 10.1155/2012/104706.  
Thyme Extract on Cytokine Production; cineole, thymol, camphor, borneol, and carvacrol.
- 2) Planta Med. 2006 Dec;72(15):1378-82.  
Antiviral effect of thymus vulgaris against Herpes simplex virus type 1 and type 2 in vitro.
- 2) Food Environ Virol. 2015 Jan 31.  
Thyme was effective in reducing the titers enteric virus norovirus
- 2) Jundishapur J Microbiol. 2014 Feb;7(2)

Thymus vulgaris Extracts positive inhibition against Newcastle Disease Virus

- 3) J Oleo Sci. 2016;65(8):629-40.  
Thyme inhibited dermatophyte fungi and C. albicans yeast and S. aureus, E. coli and L. Monocytogenes
- 3) Recent Pat Food Nutr Agric. 2016 Sep 27.  
Thymus vulgaris essential oil also exhibited a moderate fungicidal effect against the tested fungi
- 3) Adv Exp Med Biol. 2016;901:1-15.  
Remarkable efficiency of T. vulgaris on all tested bacterial and fungal species duet to carvacrol
- 4) Evid Based Complement Alternat Med. 2016;2016:1643762.  
Thymus vulgaris against Escherichia coli.
- 4) J Food Sci Technol. 2016 Aug;53(8):3374-3379.  
Thymol effective against Listeria innocua and Alcaligenes faecalis
- 5) Korean J Parasitol. 2008 Sep;46(3):153-6.  
Inhibitory effects of Iranian Thymus vulgaris extracts on in vitro growth of Entamoeba histolytica.
- 5) Vet Parasitol. 2016 Sep 15;228:70-76.  
Thymus vulgaris against parasite Haemonchus contortus from sheep.
- 5) Vet Parasitol. 2015 Sep 15;212(3-4):193-9.  
Thymol against tapeworm Echinococcus multilocularis causing Human alveolar echinococcosis
- 5) J Parasitol. 2016 Jun;102(3):369-76.  
Estragole and thymol respectively exhibited low to moderate in vivo toxicity of toxoplasmosis
- 6) Phytomedicine. 2002 Dec;9(8):743-8. Development of herbal shampoo for head lice
- 7) Chem Biol Interact. 2016 Aug 25;256:125-33.  
Thyme extract significant anti-inflammatory and showed cytotoxic effects on lung cancer cells
- 7) BMC Res Notes. 2014 Sep 7;7:612.  
In vitro inhibition of human leukemia THP-1 cells by Thymus vulgaris L. extracts.
- 7) Anticancer Res. 2011 Jan;31(1):81-7.  
Cytotoxicity of Thymus vulgaris towards human oral cavity squamous cell carcinoma.
- 8) Cancer Cell Int. 2015 Apr 24;15:46.  
Naringenin from thymus vulgaris for resistant colorectal and breast cancer cell treatment.

## Chapter 5c

- 1) Exp Biol Med (Maywood). 2011 Jul;236(7):859-66.  
Berberine, antitumor and anti-inflammation agent; significantly inhibited rheumatoid arthritis.
- 1) Biomed Res Int. 2016;2016:2503703.  
Effects of Berberine on Monosodium Urate Crystals-Induced Inflammation and gout
- 1) Toxicol Appl Pharmacol. 2015 Nov 15;289(1):20-9.  
Berberine prevents cartilage degradation in a rat model of osteoarthritis.
- 2) Expert Opin Ther Pat. 2016;26(2):229-43.  
Berberine for cancer, obesity, diabetes, inflammation, atherosclerosis, Alzheimer's disease, rheumatoid arthritis and cardiovascular diseases.
- 2) Phytother Res. 2016 Nov;30(11):1745-1764.  
Berberine for treating tumor, diabetes, cardiovascular disease,

hyperlipidemia, inflammation, bacterial and viral infections, cerebral ischemia trauma, mental disease, Alzheimer disease.

3) *Phytomedicine*. 2016 Jul 15;23(8):793-9.  
Berberis induced endothelium relaxation of vascular smooth muscle in the coronary artery.

4) *BMC Complement Altern Med*. 2013 Sep 5;13:218.  
Barberry inhibitory effect of breast, liver and colon cancer cell lines due to antioxidant activity

4) *Prostate Cancer Prostatic Dis*. 2016 Dec;19(4):358-366.  
Berbamine inhibited the growth of prostate cancer cells in vivo

4) *Oncol Res*. 2013;20(7):265-74.  
Delivery of paclitaxel and berbamine by polymeric carriers to cure gastric cancer.

4) *Mol Cancer Ther*. 2013 Oct;12(10):2067-77.  
Berbamine inhibits the growth of liver cancer cells

5) *Pharmacol Rep*. 2015 Oct;67(5):970-9.  
Berberine antioxidant for neurodegenerative diseases: Alzheimers, Parkinsons and Huntingtons

6) *Planta Med*. 2001 Aug;67(6):561-4.  
Berberine was evaluated against 6 strains of microorganisms: *Staphylococcus aureus*, *Streptococcus*, *Escherichia coli*, *Pseudomonas aeruginosa*

6) *Sci Rep*. 2016 Apr 22;6:24748.  
Berberine against drug resistant isolates of methicillin resistant *Staphylococcus aureus* (MRSA).

6) *Int J Clin Exp Pathol*. 2015 May 1;8(5):5217-23.  
Antibacterial activity and mechanism of berberine against *Streptococcus agalactiae*.

6) *J Complement Integr Med*. 2016 Apr 21.  
Berberis provides significant bactericidal potential against carbapenem-resistant *E. coli*.

6) *Front Microbiol*. 2016 Aug 5;7:1223.  
Berberine reduced aminoglycoside resistance of *Pseudomonas aeruginosa*

6) *Eur J Med Chem*. 2016 Oct 21;122:205-15.  
Berberine exhibited good anti-MRSA, anti-*Escherichia coli*, and anti-*Salmonella typhi*.

7) *Pharm Biol*. 2011 Jan;49(1):94-100.  
Antidiarrheal activity of Berberis against all strains of *Shigella* comparable to standard ciprofloxacin.

8) *Nanomedicine (Lond)*. 2015 Jan;10(1):57-71  
Berberine as specific *Helicobacter pylori* eradication therapy: in vitro and in vivo study.

9) *Genomics Inform*. 2016 Sep;14(3):104-111.  
Inhibitors of Zika and Dengue Virus berberine has shown highest binding affinity

9) *J Virol*. 2016 Oct 14;90(21):9743-9757.  
The Antiviral Alkaloid Berberine Reduces mosquito borne Chikungunya Virus

10) *Iran J Parasitol*. 2014 Mar;9(1):28-36.  
Berberis vulgaris exhibited potent activity against leishmaniasis passed by sand flies

10) *Biol Res*. 2014 Apr 1;47:8.  
Role of berberine in ameliorating *Schistosoma mansoni*-induced hepatic injury

10) *Pharm Biol*. 2015;53(12):1735-40.  
Antiplasmodial activity of aqueous extract of *Berberis aristata* roots for malaria

## Chapter 5d

1) *Parasit Vectors*. 2016 Aug 9;9(1):441.  
The leishmanicidal activity of oleuropein and oxidative stress-related genes.

2) *Int J Antimicrob Agents*. 2009 May;33(5):461-3.  
Olive leaf against *Campylobacter*, *Helicobacter pylori* and *Staphylococcus* including MRSA

3) *Mycoses*. 2003 Apr;46(3-4):132-6.  
antimicrobial olive: dermatophytes, *Candida albicans* and *E. coli* showed complete destruction.

4) *J Ethnopharmacol*. 2009 Sep 7;125(2):265-8.  
Effect of oleuropein on hepatitis B virus (HBV)

4) *Chem Pharm Bull (Tokyo)*. 2001 Nov;49(11):1471-3.  
Oleuropein, antiviral activities against RSV

4) *Biochem Biophys Res Commun*. 2003 Aug 8;307(4):1029-37.  
OLE inhibits acute infection and cell-to-cell transmission of HIV-1

5) *Eur J Nutr*. 2016 Mar 7.  
Olive leaf extract lowers blood pressure and lipids

5) *Chem Biol Interact*. 2008 Nov 25;176(2-3):88-98.  
Olive leaf significantly lowered TC, TG and LDL-C and increased HDL-C.

6) *Blood Cells Mol Dis*. 2009 May-Jun;42(3):279-85.  
Olive tree phenolic compounds with human platelet anti-aggregate properties.

7) *J Med Food*. 2012 Jul;15(7):605-10.  
Olive leaf effective therapy that normalizes glucose homeostasis in individuals with diabetes.

8) *Biochem Biophys Res Commun*. 2005 Sep 2;334(3):769-78.  
Oleuropein irreversibly rounded cancer cells, preventing their replication and motility

8) *Molecules*. 2015 Jul 17;20(7):12992-3004.  
Phytochemical properties of olive leaf and anti-pancreatic cancer benefits.

8) *Plant Foods Hum Nutr*. 2011 Mar;66(1):58-63.  
Olive leaf extracts exhibit anti-proliferative effect on leukemic cells by inducing apoptosis.

8) *Nutrients*. 2016 Aug 19;8(8).  
Olive polyphenols interact with estrogen receptors reduce hormone related cancers.

8) *Int J Oncol*. 2012 Jul;41(1):31-8.  
Antiproliferative effect of oleuropein in prostate cell lines.

8) *Food Chem Toxicol*. 2013 Mar;53:310-6.  
Oleuropein preventing/treating breast cancer, especially the less-responsive basal-like type

9) *Biochem Biophys Res Commun*. 2005 Sep 2;334(3):769-78.  
Oleuropein completely regressed tumors in 9-12 days when administered orally to mice

## Chapter 5e

1) *Helicobacter*. 2016 Aug 31.  
*Origanum vulgare* against *Helicobacter pylori* infection. *Helicobacter pylori* can cause many gastrointestinal and also extra-gastrointestinal disorders and is a major risk factor for gastric carcinoma and MALT lymphoma

2) *AMB Express*. 2017 Dec;7(1):49.  
Thymol and carvacrol induce autolysis of *Streptococcus mutans* and can control dental caries.

- 3) Nat Prod Commun. 2016 Jun;11(6):861-4.  
Origanum vulgare completely inhibits multidrug-resistant Cystic Fibrosis pathogens. *Staphylococcus aureus*, *Stenotrophomonas maltophilia* and *Achromobacter xylosoxidans*.
- 3) Front Microbiol. 2016 May 23;7:760.  
Origanum vulgare against multidrug-resistant bacteria, such as MRSA, and  $\beta$ -lactamase *Escherichia coli* and *Acinetobacter baumannii* strains.
- 4) J Environ Sci Health B. 2016 Oct 2;51(10):668-674.  
Essential oils on the growth and mycotoxin production of *Aspergillus* species.
- 4) Avicenna J Phytomed. 2016 Mar-Apr;6(2):215-22.  
Antifungal activity of essential oils against fluconazole-resistant *Candida albicans*.
- 5) Food Chem. 2014;152:300-6.  
Phenolic compounds from *Origanum vulgare* and their antioxidant and antiviral activities against respiratory syncytial virus (RSV), Coxsackie virus and herpes simplex virus type 1 (HSV-1)
- 6) Iran J Parasitol. 2013 Jan;8(1):129-36.  
Evaluation of the leishmanicidal and cytotoxic potential of essential oils
- 7) Int J Vitam Nutr Res. 2016 Nov 21:1-8.  
Preventive Effect of Carvacrol Against Oxidative Damage in Aged Rat Liver.
- 8) Oxid Med Cell Longev. 2017;2017:4079425.  
The Neuroprotective Effects of Carvacrol on Ethanol-Induced Hippocampal Neurons Impairment
- 9) Can J Physiol Pharmacol. 2017 Feb 3.  
Carvacrol attenuates cyclophosphamide-induced oxidative stress in rat kidney.
- 10) Anticancer Drugs. 2017 Feb. doi:  
Carvacrol on the human gastric adenocarcinoma (AGS) cells inhibited the proliferation.
- 10) Anticancer Drugs. 2015 Sep;26(8):813-23.  
Carvacrol inhibits proliferation and induces apoptosis in human colon cancer cells.
- 10) Eur J Pharmacol. 2016 Feb 5;772:92-98  
Carvacrol induces mitochondria-mediated apoptosis in lymphoma cells.
- 10) Oxid Med Cell Longev. 2016;2016:1469693.  
Carvacrol Alleviates Prostate Cancer Cell Proliferation, Migration, and Invasion through

## Chapter 5f

- 1) Am J Chin Med. 2005;33(2):197-204.  
The antimicrobial activities Juglans leaf extracts to acne-developing organisms.
- 1) Pak J Pharm Sci. 2015 Nov;28(6):2001-7.  
Topical dosage forms of Indian Penny Wort, walnut and turmeric in eczema.
- 2) Nat Prod Commun. 2016 Jun;11(6):825-7.  
Antibacterial mechanism of action of juglone against *Staphylococcus aureus*.
- 2) Food Chem Toxicol. 2007 Nov;45(11):2287-95.  
Walnut inhibited the growth of Gram positive bacteria *Bacillus cereus* and *Staphylococcus* sp.
- 3) Microb Pathog. 2016 Oct 12;100:263-267.  
Comparison of antifungal activity of extracts from different *Juglans*.

- 3) Eur J Clin Microbiol Infect Dis. 2010 Jan;29(1):81-8.  
Antifungal properties *Juglans regia* L. extracts against oral *Candida* strains.
- 4) Med Parazitol (Mosk). 2011 Jul-Sep;(3):28-31.  
*Juglans regia* and antiparasitic activity. effective in treating toxocarriasis in dogs, tapeworm alveolar echinococcosis, ascariasis, and eimeriasis and siphachiiasis.
- 4) Exp Parasitol. 2015 Dec;159:100-6.  
Juglone induces cell death of *Acanthamoeba*
- 5) Bioorg Med Chem Lett. 2017 Feb 1;27(3):597-601.  
Phenylpropanoids from *Juglans mandshurica* exhibit cytotoxicities on liver cancer cell lines
- 5) MC Complement Altern Med. 2015 Nov 3;15:396.  
juglone from *Juglans regia* as potent cytotoxic agent against lung cancer cell lines.
- 5) J Huazhong Univ Sci Technolog Med Sci. 2015 Aug;35(4):531-4.  
juglone can be used as an alternative drug therapy for breast cancer.
- 5) Xi Bao Yu Fen Zi Mian Yi Xue Za Zhi. 2015 Feb;31(2):186-9.  
Juglone inhibits proliferation and induces apoptosis of human cervical squamous cancer cells.

## Chapter 6a

- 1) World J Gastroenterol. 2005 May 28;11(20):3147-50.  
Emodin can enhance the function of small intestinal peristalsis
- 2) Prog Drug Res. 2015;70:179-235.  
Chronic Inflammation. Aloe species contain glucomannans and anthraquinones
- 2) Int J Inflamm. 2014;2014:690596.  
Aloe emodin significantly reduced paw edema and arthritic score.
- 2) Biochem Pharmacol. 2011 Dec 1;82(11):1700-8.  
The anti-allergic activity of emodin inhibits mast cell activation and anaphylactic reaction
- 3) Iran J Med Sci. 2016 May;41(3 Suppl):S30.  
Aloe Vera Gel in Chronic Ulcers; wound healing occurred in 93.3% patients in the Aloe Vera group and 46.7% patients in the control group
- 4) J Altern Complement Med. 2013 May;19(5):425-8.  
Aloe high inhibitory activity against all gram-positive bacteria and two gram-negative bacteria (i.e., *Proteus vulgaris* and *Escherichia coli*).
- 4) Ann Clin Microbiol Antimicrob. 2015 May 23;14:29.  
Aloe against methicillin-resistant *Staphylococcus aureus* (MRSA)
- 5) J Oral Sci. 2012 Mar;54(1):15-21.  
Aloe vera gel against cariogenic *Streptococcus mutans*
- 6) Planta Med. 2004 Aug;70(8):706-10.  
Emodin antiprotozoal activity against leishmaniasis, Chagas disease and malaria
- 7) Arch Pharm Res. 2014 Dec;37(12):1624-33.  
Aloin protects against chronic alcoholic liver injury via antioxidants
- 8) Zhongguo Shi Yan Xue Ye Xue Za Zhi. 2016 Feb;24(1):8-13.  
Emodin on T Lymphocytic Leukemia Cell Line
- 8) Asian Pac J Cancer Prev. 2014;15(13):5201-5.  
Emodin-provoked oxidative stress induces apoptosis in human colon cancer
- 8) Oncol Rep. 2015 Jun;33(6):3015-23.  
Emodin inhibits pancreatic cancer cell growth.

- 8) *Cancer Med.* 2016 Feb;5(2):361-9.  
Aloe emodin-inhibit the proliferation of human gastric cancer cells.
- 8) *Afr Health Sci.* 2015 Mar;15(1):97-100.  
Emodin can inhibit human hepatoma cell line.
- 8) *Chem Biol Drug Des.* 2015 May;85(5):638-44.  
Emodin derivatives decreased the growth of liver, lung, epithelial, prostate cancer cells
- 8) *Mol Carcinog.* 2015 Mar;54(3):167-77.  
Emodin significantly inhibited the cell growth of four bladder cancer cell
- 8) *Int J Oncol.* 2015 Apr;46(4):1619-28.  
The anthraquinone Emodin inhibits angiogenesis and metastasis in breast cancer.
- 8) *Cell Oncol (Dordr).* 2015 Oct;38(5):353-63.  
Anti-tumor effect of emodin on cervical cancer and ovarian cancer cells
- 8) *Mol Med Rep.* 2015 Sep;12(3):4427-33.  
Emodin inhibits the proliferation of PC3 prostate cancer
- 8) *Eur J Pharmacol.* 2015 Sep 5;762:283-92.  
Aloe-emodin exerts a potent anticancer on human melanoma cells.

## Chapter 6b

- 1) *Zhongguo Dang Dai Er Ke Za Zhi.* 2016 Feb;18(2):165-71.  
Protective effect of emodin pretreatment for intrahepatic cholestasis
- 2) *Biochem J.* 2016 Feb 15;473(4):473-85.  
Emodin inhibits coxsackievirus B3 replication primary causal agent of viral myocarditis
- 2) *Antimicrob Agents Chemother.* 1991 Dec;35(12):2463-6.  
Aloe emodin inactivates herpes, varicella-zoster, pseudorabies virus, influenza virus
- 2) *Molecules.* 2014 Jan 20;19(1):1258-72.  
Emodin inhibits Epstein-Barr virus cycle
- 3) *J Ethnopharmacol.* 2011 Jan 27;133(2):718-23.  
Emodin was found to inhibit the replication of HSV-1 and HSV-2 with antiviral activity equivalent to acyclovir.

## Chapter 6c

- 1) *Zhongguo Dang Dai Er Ke Za Zhi.* 2016 Feb;18(2):165-71.  
Emodin can effectively improves intrahepatic cholestasis and medium-dose emodin shows the best effect.
- 2) *Pharmacology.* 2014;94(1-2):71-7.  
Emodin ameliorates ethanol-induced fatty liver injury in mice and lowered ALT and AST.
- 3) *Xi Bao Yu Fen Zi Mian Yi Xue Za Zhi.* 2010 Apr;26(4):391-3.  
Emodin for periodontitis by reducing the levels of NO in the gingival tissue.

## Chapter 6d

- 1) *J Med Assoc Thai.* 2007 Sep;90(9):1703-9.  
Ginger and dimenhydrinate in treatment of nausea and vomiting in pregnancy.
- 1) *J Clin Oncol.* 2009 May 20;27(15\_suppl):9511.  
Ginger daily dose 0.5g-1.0g significantly reduces nausea first day of chemotherapy.

- 2) *Eur Rev Med Pharmacol Sci.* 2016;20(1):146-9.  
The effect of ginger promotes gastric motility for treatment of functional dyspepsia
- 3) *PLoS One.* 2015 Mar 23;10(3):e0121060.  
Zerumbone protected the gastric mucosa from ulcer against *H. pylori* strain.
- 3) *J Basic Clin Physiol Pharmacol.* 2015 Jan;26(1):95-103.  
Gastroprotective effect of ginger to reduce the gastric ulcer.
- 3) *J Complement Integr Med.* 2016 Jun 1;13(2):201-6.  
Ginger was found to be effective as antioxidant TB therapy
- 4) *Acta Trop.* 2014 Dec;140:50-60.  
Anthelmintic constituents from ginger against *Hymenolepis nana*.
- 4) *Parasitol Res.* 2015 Sep;114(9):3439-44.  
Antiprotozoan effects of ginger extracts on *Blastocystis* spp.
- 4) *Parasitol Res.* 2011 Aug;109(2):395-403.  
Antischistosomal activity of ginger against *Schistosoma*
- 4) *Parasitol Res.* 2016 Jul;115(7):2637-45.  
Anti-giardial potential of extracts of *Zingiber officinale*
- 5) *Crit Rev Food Sci Nutr.* 2017 Jan 2;57(1):141-146.  
Ginger in chemotherapy-induced nausea and vomiting.
- 5) *Am J Chin Med.* 2015;43(7):1351-63.  
Cancer chemoprevention effects of ginger potential for new drug discovery.
- 6) *Oncol Rep.* 2014 Jan;31(1):57-64.  
Zerumbone inhibits tumor angiogenesis in gastric cancer
- 6) *PLoS One.* 2014 Aug 26;9(8):e104401.  
Gingerol induces apoptosis and prevents proliferation in colon cancer cells
- 6) *J Nat Prod.* 2016 Jan 22;79(1):156-60.  
Zerumbone Suppresses Non-Small Cell Lung Cancer A549 Cells
- 6) *BMC Complement Altern Med.* 2007 Dec 20;7:44.  
Ginger inhibits cell growth and modulates angiogenic factors in ovarian cancer cells.
- 6) *PLoS One.* 2015 Sep 10;10(9):e0137614.  
6-Shogaol Inhibits Breast Cancer Cells and Stem Cell-Like Spheroids

## Chapter 6e

- 1) *J Adv Nurs.* 2016 Feb;72(2):306-15.  
Chamomile tea on sleep quality and depression in postnatal women
- 2) *Phytother Res.* 2007 Oct;21(10):999-1101.  
*Matricaria recutita* improves colic in breastfed infants.
- 2) *BMC Complement Altern Med.* 2015 Mar 24;15:75.  
Antidiarrhoeal, antisecretory and antispasmodic activities of *Matricaria chamomilla*
- 3) *Complement Ther Clin Pract.* 2015 Aug;21(3):181-7.  
*Matricaria chamomilla* for knee osteoarthritis:
- 3) *Med Hypotheses.* 2014 Nov;83(5):566-9.  
*Matricaria chamomilla* oil on migraine headache
- 4) *Saudi J Kidney Dis Transpl.* 2012 Jul;23(4):765-72.  
*M. chamomilla* significantly increased the body weight, normalized the kidney functions, reduced the oxidative stress markers and corrected the hypo-calcemia that resulted from cisplatin nephrotoxicity.
- 5) *Phytomedicine.* 2016 Dec 15;23(14):1843-1852.  
Nephroprotective of German chamomile has antioxidant activity

against ischemic-reperfusion I/R acute kidney injury. Bisabolol ameliorated alterations in diuresis, water intake, urinary osmolality, plasmatic creatinine, urea and uric acid, creatinine clearance, proteinuria and microalbuminuria caused by I/R. Bisabolol also partially protected the cell lineage from being passed the cell damage induced by I/R.

6) *Can J Physiol Pharmacol.* 2017 Jan;95(1):84-92. Chamomile and oregano exhibit antihyperglycemic, antihyperlipidemic, and renal protective effects in diabetic rats.

7) *J Clin Diagn Res.* 2016 Jul;10(7):FC05-8. *Matricaria recutita* extract produced anti-cancer effects in humans

7) *Eur J Public Health.* 2015 Dec;25(6):1001-5. Chamomile protects from thyroid cancer as well as other benign thyroid diseases.

7) *J Ethnopharmacol.* 2014 Feb 12;151(3):1031-9. Apigenin inhibits *Helicobacter pylori*-induced atrophic gastritis and gastric cancer.

7) *Life Sci.* 2009 Nov 4;85(19-20):663-9. Chamomile extract in preventing inflammation and cancer.

7) *Anticancer Agents Med Chem.* 2015;15(6):728-35. Apigenin and breast cancers

8) *World J Microbiol Biotechnol.* 2014 May;30(5):1633-7. Chamomile activity of plant infusions against *Helicobacter pylori*

8) *Rev Soc Bras Med Trop.* 2015 Jul-Aug;48(4):432-6. *Chamaemelum nobile* against *Pseudomonas aeruginosa*.

## Chapter 6f

1) *Altern Ther Health Med.* 2003 Jul-Aug;9(4):58-61. Fennel (*Foeniculum Vulgare*) superior in treating infantile colic

2) *Biomed Res Int.* 2014;2014:842674. Fennel for digestive, endocrine, reproductive, and respiratory systems for antimicrobial, anti-inflammatory, antimutagenic, antispasmodic properties.

3) *Indian J Dent Res.* 2010 Jul-Sep;21(3):334-6. *Foeniculum vulgare* on *Candida albicans*:

4) *J Pediatr Adolesc Gynecol.* 2014 Oct;27(5):283-6. Fennel on pain quality, symptoms, and menstrual duration in primary dysmenorrhea.

5) *Ann N Y Acad Sci.* 2004 Dec;1030:434-41. Suppression of the nuclear factor-kappaB inhibits cancer, atherosclerosis, myocardial infarction, diabetes, allergy, asthma, arthritis, Crohn's disease, multiple sclerosis, Alzheimer's disease, osteoporosis, psoriasis, septic shock, and AIDS. Inhibited by turmeric, red pepper, cloves, ginger, cumin, anise, fennel, basil and rosemary, garlic, and pomegranate..

## Chapter 7a

1) *Forsch Komplementmed.* 2007 Dec;14(6):358-64. The five case studies show reduction 74% of toxic heavy metals with MCP

2) *Altern Ther Health Med.* 2008 Jul-Aug;14(4):34-8. Modified citrus pectin is a safe and effective chelator of lead in hospitalized children

3) *Phytother Res.* 2006 Oct;20(10):859-64. MCP and urinary excretion of arsenic increased (130%), cadmium (150%), lead (560%).

4) *Integr Cancer Ther.* 2013 Mar;12(2):145-52. Modified citrus pectin inhibits metastases of human breast and prostate cancer cells.

5) *Prostate Cancer Prostatic Dis.* 2003;6(4):301-4. Modified citrus pectin (MCP) increases PSA doubling time in men with prostate cancer:

6) *BMC Complement Altern Med.* 2011 Aug 4;11:59. Activation of human T-helper cell, T-cytotoxic cell, B-cell, and natural killer cells with modified citrus pectin.

6) *PLoS One.* 2015 Mar 20;10(3):e0115831. Modified citrus pectin induces apoptosis-like cell death in liver and lung cancer cells.

6) *Asian Pac J Cancer Prev.* 2013;14(12):7561-8. Modified citrus pectin inhibits Galectin-3 on apoptosis of human ovarian cancer cells.

6) *Cell Death Discov.* 2015 Nov 2;1:15047. Inhibition of anaplastic thyroid carcinoma by galectin-3 inhibitors in MCP..

## Chapter 7b

1) *Postepy Hig Med Dosw (Online).* 2014 Jan 2;68:590-6. Health-promoting properties of pectin. pectin forms a physical barrier against opportunistic microbial invasion

2) *Lik Sprava.* 1995 Jan-Feb;(1-2):132-6. Elimination of lead from the organism was increased after the intake of pectin.

2) *Chemosphere.* 1999 May;38(11):2591-6. Pectin exhibits binding of heavy metal ions Pb<sup>2+</sup> Cu<sup>2+</sup> Co<sup>2+</sup> Ni<sup>2+</sup> ions.

3) *Swiss Med Wkly.* 2004 Dec 18;134(49-50):725-9. Apple pectin significantly decreased cesium-137 loads by 39% in Chernobyl children

4) *J Parenter Enteral Nutr.* 2016 Sep 22. Apple pectin ameliorates radiation-induced intestinal fibrosis in radiation enteropathy

5) *Hum Exp Toxicol.* 2016 Dec;35(12):1264-1275. Antioxidant and hepatoprotective effect of polyphenols from apple

6) *Carcinogenesis.* 2010 Oct;31(10):1822-32. An apple pectin prevents colitis inflammation and carcinogenesis to colon cancer

7) *Biomed Pharmacother.* 2016 Sep 30;84:637-644. Apple pectin suppresses breast cancer cells and prevents metastasis due to apoptosis.

8) *Eur J Nutr.* 2013 Dec;52(8):1875-89. Apples significantly lowered serum total and LDL-cholesterol.

9) *Biomed Pharmacother.* 2016 Oct;83:1233-1238. Administration of pectin molecule decreased cholesterol, LDL and triglycerides levels as well as AST, ALT, LDH, ALP and uric acid levels in blood serum.

## Chapter 7c

1) *J Am Chem Soc.* 2009 Sep 23;131(37):13369-74. Mechanism of montmorillonite: the negative charge on the montmorillonite lattice

2) *Arch Environ Health.* 1979 Jul-Aug;34(4):280-5. Effect of particle size on lead absorption from the gut was most marked in the 0 to 100 micron range.

3) *Colloids Surf B Biointerfaces.* 2010 Sep 1;79(2):390-6. Adsorptive property montmorillonite complexes for pathogenic bacterium *E coli*

- 3) *Water Res.* 2017 Jan 3;111:213-223.  
Inactivation of *Escherichia coli* using Bentonite highly effective in purifying river water.
- 4) *Paediatr Drugs.* 2009;11(2):89-99.  
Diosmectite adsorbs bacteria, viruses and other potentially diarrheogenic substances.
- 4) *Zhong Yao Cai.* 2002 Aug;25(8):577-80.  
Montmorillonite may be used as good anti-dysentery drug.
- 5) *J Mater Sci Mater Med.* 2014 Aug;25(8):1925-39.  
Antimicrobial and wound healing properties of clay significantly inhibited the growth of *Enterococcus faecium* and *Pseudomonas aeruginosa*.
- 5) *J Med Microbiol.* 2016 Jan;65(1):19-27.  
The montmorillonite clays performed best against topical MRSA
- 6) *Mater Sci Eng C Mater Biol Appl.* 2014 Oct;43:109-16.  
Topical for healing the clay induces microcirculation of the skin and formation of collagen fibers 7 days after treatment.
- 7) *Sci Total Environ.* 2015 Jun 1;517:86-95.  
Removal of human adenoviruses and coliphages with kaolinite and bentonite.
- 7) *Microbiologyopen.* 2014 Feb;3(1):42-51.  
Disassembly of the cystovirus envelope by montmorillonite clay suggesting that clays
- 7) *J Virol.* 2014 Apr;88(8):4218-28.  
Surfactant nanoclay exhibits an antiviral activity with high potency and broad spectrum.
- 8) *Poult Sci.* 2005 Jun;84(6):959-61.  
Adsorption of aflatoxin B<sub>1</sub> on montmorillonite in broiler chickens.
- 8) *Am J Trop Med Hy* 2014 Oct;91(4):777-85. Montmorillonite safe for children up to 1.5 g/day for 2 weeks to reduce aflatoxins
- 9) *Acta Chim Slov.* 2015;62(4):947-57.  
Monmorillonite adsorption: Pb(2+), Cu(2+) and Zn(2+), on the sorbents we investigated.
- 9) *J Environ Sci Health A Tox Hazard Subst Environ Eng.* 2005;40(3):601-8.  
More than 90% of selected heavy metals copper, cadmium, silver, nickel, and lead removed using modified clays.
- 9) *J Hazard Mater.* 2006 Sep 21;137(2):1102-14.  
Sorption of four heavy metals (Pb, Cd, Zn and Hg) to calcium bentonite (Ca bentonite),
- 9) *Singapore Med J.* 2002 Feb;43(2):086-9.  
In vitro adsorption of lithium by bentonite.
- 10) *Biol Trace Elem Res.* 2008 Dec;125(3):229-35.  
Montmorillonite in pigs increased growth hormone and reduced lead concentration in blood, brain, liver, bone, kidney and hair.
- 10) *Biol Trace Elem Res.* 2010 Jul;136(1):71-8.  
Montmorillonite in tilapia reduced Pb accumulation and increased antioxidant capacity of glutathione and SOD
- 10) *Poult Sci.* 2005 Jun;84(6):959-61.  
The concentrations of Ca, P, Cu, Fe, Zn in the broiler bones were not affected but Mn, Pb, and F were decreased by Montmorillonite.
- 11) *J Comput Chem.* 2016 Nov 12.  
Atrazine pesticide interaction with pyrophyllite and Ca<sub>2+</sub>-montmorillonite clay surfaces.
- 11) *J Environ Sci Health B.* 2003 Sep;38(5):591-604.  
Adsorption mechanism of chloroacetanilide herbicides to modified montmorillonite.
- 11) *Zhonghua Lao Dong Wei Sheng Zhi Ye Bing Za Zhi.* 2015 Mar;33(3):213-5. Treatment of acute paraquat herbicide poisoning with montmorillonite
- 11) *Water Sci Technol.* 2011;64(1):286-92.  
Bentonite and its ability to adsorb phenol from aqueous solution.
- 11) *J Hazard Mater.* 2011 Jun 15;190(1-3):416-23.  
Adsorption and degradation of model volatile organic compounds by montmorillonite
- 10) *J Hazard Mater.* 2011 Feb 28;186(2-3):1241-8.  
Bentonites are very effective for the removal of diethylketone from industrial effluents.
- 11) *Environ Pollut.* 2000 Mar;107(3):391-8.  
Adsorption of phenol by bentonite.
- 11) *Environ Sci Technol.* 2016 Dec 6;50(23):12949-12956. Epub 2016 Nov 23.  
Dechlorination of Soil-Sorbed Polychlorinated Biphenyls Using Bentonite
- 11) *Environ Sci Technol.* 2015 Mar 3;49(5):2796-805.  
Strong sorption by clay minerals of organic contaminants including polyaromatic hydrocarbons (PAHs), polychlorinated biphenyls (PCBs), and dioxins.
- 11) *Chemosphere.* 2014 Jul;107:249-56.  
Bisphenol A sorption by organo-montmorillonite:
- 12) *Chemosphere.* 2016 Nov;162:165-71.  
Montmorillonite exhibited increased affinity to (85)Sr and (152)Eu in (137)Cs.
- 12) *J Environ Manage.* 2015 Sep 1;160:30-8.  
Bentonite modification improves its radioactive 75 Selenium adsorption ability.
- 12) *Bull Environ Contam Toxicol.* 2016 Aug;97(2):255-60.  
The adsorption of radium 226 ((226)Ra) on bentonite was more than 95 %
- 12) *Environ Sci Pollut Res Int.* 2015 Jan 24.  
Surface interactions of Cs+ and Co 2+ with bentonite.
- 13) *Proc Soc Exp Biol Med.* 1961 Jan;106:234-7.  
Absorption of endogenous pyrogens by bentonite.
- 14) *Environ Toxicol Chem.* 2007 Dec;26(12):2604-10.  
Sorption of steroid estrogens to montmorillonite more than kaolinite and the sand.
- 15) *Eur J Pharmacol.* 2006 Dec 3;551(1-3):156-61. Epub 2006 Sep 7.  
montmorillonite has adsorptive effect on thyroid hormone.
- 16) *J Pharm Pharmacol.* 2009 Nov;61(11):1499-504.  
Montmorillonite adsorbed uric acid and promoted diffusion of uric acid from blood
- 17) *Curr Drug Deliv.* 2016 Dec 30  
Role of nanoparticles gold, platinum silica in regenerative therapy for bone diseases.
- 18) *EBioMedicine.* 2017 Feb;16:251-261.  
Microbiome remodeling via the montmorillonite adsorption-excretion axis prevents obesity-related metabolic disorders.

## Chapter 7d

- 1) *Clin Gastroenterol Hepatol.* 2016 Apr 11.  
Psyllium fiber reduces abdominal pain in children with irritable bowel syndrome
- 1) *Int J Mol Sci.* 2016 Jun 14;17(6).

Potential benefits of dietary fibre intervention in inflammatory bowel disease.

- 2) *Drugs Exp Clin Res.* 2001;27(5-6):165-75.  
Psyllium beneficial for wound cleansing and wound healing and limits scar formation.
- 3) *Acta Chir Jugosl.* 2004;51(3):121-3.  
Application of bulk agent plantago after hemorrhoidectomy
- 4) *Nutrients.* 2013 Apr 22;5(4):1417-35.  
Prebiotics resist digestion in the small intestine and in the colon they stimulate Bifidobacterium.
- 5) *J Lipid Res.* 2013 Sep; 54(9): 2325–2340.  
Fiber fermentation results in short-chain fatty acids like butyrate for prevention and treatment of ulcerative colitis, Crohn's disease, and antibiotic-associated diarrhea, metabolic syndrome and certain types of cancer.
- 5) *Eksp Klin Gastroenterol.* 2012;3(6):2-7.  
Psyllium normalizes intestinal motility and lowers a pain syndrome and flatulence in people with intestinal disease.
- 6) *Br J Nutr.* 2015 Jan 14;113(1):134-41.  
Psyllium caused a significant reduction in LDL-C concentrations
- 6) *Am J Clin Nutr.* 2015 Dec;102(6):1604-14.  
Psyllium fiber improves glycemic control greatest improvement for type 2 diabetics

## Chapter 7e

- 1) *Curr Treat Options Gastroenterol.* 2001 Aug;4(4):333-337.  
Activated charcoal for intestinal gas, eructation, flatulence, abdominal bloating and distention.
- 2) *Curr Opin Crit Care.* 2011 Aug;17(4):351-7..  
Indications for single-dose activated charcoal administration in acute overdose.
- 2) *PLoS One.* 2015 Oct 23;10(10):e0141013.  
Palm shell activated carbon for the removal of ibuprofen
- 3) *Water Res.* 2009 May;43(9):2419-30.  
Carbon and bentonite for adsorption of amoxicillin from wastewater
- 4) *J Environ Manage.* 2015 Mar 1;150:281-7.  
Adsorption of lead, copper and antimony with charcoal
- 4) *J Hazard Mater.* 2010 May 15;177(1-3):300-6.  
Adsorption of cadmium from aqueous solution by a bamboo charcoal.
- 4) *J Hazard Mater.* 2008 Jun 15;154(1-3):992-7.  
Removal of mercury from wastewater using camel bone charcoal.
- 4) *J Toxicol Clin Toxicol.* 1992;30(2):215-22.  
Activated charcoal did not bind radioactive cesium
- 5) *Life Support Syst.* 1984 Oct-Dec;2(4):238-44.  
Removal of cortisol, thyroxine, insulin, and thyroid-stimulating hormone by charcoal
- 6) *Aust N Z J Psychiatry.* 2015 Dec;49(12):1221-3.  
Resolution of a manic episode 15 days after treated with activated charcoal: Evidence for a brain-gut axis in bipolar disorder.
- 7) *Indian J Lepr.* 2010 Jul-Sep;82(3):147-8.  
Leg ulcers benefited with activated charcoal dressing for malodour.
- 7) *J Wound Care.* 2010 May;19(5):208, 210-2, 214-5.  
Charcoal for chronic wounds to remove fluids and toxins that impair healing

## Chapter 9a

- 1) *Biol Res Nurs.* 2012 Jan;14(1):85-9.  
Gram-negative/positive antibacterial properties Epilobium angustifolium of *Micrococcus*, *Staphylococcus*, *Escherichia* and *Pseudomonas* more than vancomycin or tetracycline.
- 1, 2) *Curr Drug Targets.* 2013 Aug;14(9):986-91.  
Epilobium angustifolium against *Staphylococcus*, (including MRSA), *Bacillus*, *Escherichia coli*, *Pseudomonas*, *Proteus*, *Candida*, and *Saccharomyces cerevisiae*
- 3) *Phytomedicine.* 2011 May 15;18(7):557-60.  
Anti-inflammatory and antioxidant activity of Epilobium reduced reactive oxygen species (ROS).
- 3) *Acta Pharm Hung.* 2009;79(1):3-9.  
Epilobium parviflorum for benign prostatic hyperplasia (BPH) antioxidant and COX-inhibition
- 4) *J Ethnopharmacol.* 2014 Oct 28;156:316-46.  
Epilobium antimicrobial, anti-proliferative, anti-inflammatory, analgesic and antioxidative
- 4) *J Ethnopharmacol.* 2006 Jan 3;103(1):71-5.  
Epilobium parviflorum inhibited *Escherichia coli* and both the COX-1-2 and antioxidant activity for prostatitis and BPH.
- 5) *Farmacolo.* 2001 May-Jul;56(5-7):483-9.  
Anti-proliferative effect on a prostatic epithelial cell line by Epilobium angustifolium.
- 5) *J Pharm Pharmacol.* 2013 Jul;65(7):1044-54.  
Epilobium sp. herbs induce apoptosis in human hormone-dependent prostate cancer
- 6) *Phytother Res.* 2013 Dec;27(12):1842-8.  
Epilobium transformed by microbiota into urolithins inhibiting proliferation of prostate cells and reduce PSA.
- 7) *Adv Med Sci.* 2014 Mar;59(1):136-41.  
Flavonoids of willow herb and radical scavenging activity highest during blooming phase.

## Chapter 9b

- 1) *Lett Appl Microbiol.* 2017 Jan 7.  
Trans-cinnamaldehyde reduces uropathogenic *Escherichia coli* in the urethra and bladder; particularly significant given the increase of antibiotic-resistant UTIs.
- 2) *J Urol.* 2010 Jul;184(1):358-63.  
Trans-cinnamaldehyde effectively prevented uropathogenic *E. coli* biofilm on catheters.
- 2) *Turk J Med Sci.* 2015;45(4):919-24.  
Trans-cinnamaldehyde, p-coumaric, and ferulic acids significantly reduced uropathogenic *Escherichia coli* cells in a urinary catheter.
- 3) *BMC Complement Altern Med.* 2013 Oct 14;13:265.  
Antimicrobial activity of cumin, cinnamon, cardamom and clove against pathogenic strains *Salmonella typhi*, *Salmonella paratyphi A*, *Escherichia coli*, *Staphylococcus aureus*, *Pseudomonas fluorescens* and *Bacillus licheniformis*. *C. verum* showed best antibacterial activities against all selected bacterial strains
- 3) *Int J Food Microbiol.* 2012 Jun 15;157(1):88-94.  
*Listeria monocytogenes* is a major foodborne pathogen causing septicemia, meningitis and death. Their MICs were trans-cinnamaldehyde (0.90mM), carvacrol (0.75mM) and thymol (0.60mM).
- 4) *Biol Pharm Bull.* 2015;38(1):109-15.  
Anti-inflammatory effect of cinnamaldehyde in *Helicobacter pylori* induced gastric inflammation is due to blockage of the NF-κB



pathway by cinnamaldehyde.

4) Eur J Pharm Biopharm. 2015 Oct;96:152-61.  
Colitis: Tran-cinnamaldehyde significantly reduce the number of luminal and mucosal enterobacteria and improve the clinical course of the intestinal inflammation

5) Antiviral Res. 2007 Apr;74(1):1-8.  
Inhibitory effect of cinnamaldehyde on the growth of influenza A/PR/8 virus. Survival rates increased from 70-100% in contrast to a survival rate of 20% in the control group.

5) J Microbiol Biotechnol. 2016 Jan;26(1):151-9.  
In Vitro Antiviral Activity of Cinnamomum cassia and Its Nanoparticles Against H7N9 Influenza A Virus.

6) Antivir Chem Chemother. 2009;19(6):243-55.  
HIV type-1 entry inhibitors with a new mode of action. Cinnamon extracts were shown to block HIV-1 entry and infection.

6) Nihon Ishinkin Gakkai Zasshi. 2010;51(1):13-21.  
Therapeutic effects on oral candidiasis by administration of Cinnamomum cassia

7) Sci Rep. 2015 Sep 30;5:14791  
Extracts of cinnamon bark have potent anthelmintic properties against the nematode *Ascaris suum*.

8) Biosci Biotechnol Biochem. 2010;74(12):2418-25.  
Anti-diabetic effects of cinnamon using insulin-uncontrolled type 1 diabetic rats protects against hyperglycemia and nephropathy

9) Planta Med. 2010 Mar;76(5):412-7.  
Ameliorative effect of the cinnamon oil upon early stage diabetic nephropathy.

9) J Ethnopharmacol. 2015 May 13;165:141-7.  
Anti-diabetic nephropathy compounds from Cinnamomum cassia.

10) Phytomedicine. 2008 Nov;15(11):940-5.  
Cinnamomum acts as a xanthine oxidase inhibitor and reduces the serum uric acid levels by 84.48% in mice.

11) Cell Physiol Biochem. 2015;35(5):1821-30.  
Cinnamaldehyde sensitizes chemo-resistant cancer cells to adriamycin

11) Bioorg Med Chem. 2014 Mar 15;22(6):1809-20.  
cinnamaldehyde shows cell growth inhibitory effects on cisplatin-resistant ovarian cancer cells.

12) Zhongguo Zhong Xi Yi Jie He Za Zhi. 2014 Aug;34(8):964-9.  
Inhibitory effect of cinnamaldehyde on invasion capacities of human breast cancer cell line

12) Oncol Rep. 2016 Mar;35(3):1501-10.  
Cinnamaldehyde affects human colorectal cancer cells and induces apoptosis

12) Cancer Lett. 2002 Jan 10;175(1):9-16.  
Inhibitory effects of cinnamaldehyde on lung carcinogenesis.

12) Anticancer Agents Med Chem. 2013 Dec;13(10):1565-74.  
Cinnamaldehyde-induced apoptosis in human hepatoma

12) Tumour Biol. 2014 Jun;35(6):5717-22.  
Research on tumorigenicity of cinnamaldehyde in melanoma cell lines

12) Zhongguo Shi Yan Xue Ye Xue Za Zhi. 2011 Jun;19(3):617-20.  
Cinnamic aldehyde-inducing apoptosis of chronic myeloid leukemic cells in vitro

Berberine exhibited good anti-MRSA, anti-Escherichia coli, and anti-Salmonella typhi.

1) J Complement Integr Med. 2016 Apr 21.  
Berberis provide significant bactericidal potential against carbapenem-resistant E. coli.

1) Altern Med Rev. 2008 Sep;13(3):227-44.  
Berberine and uva ursi effective at the first sign of an infection

2) Sex Transm Dis. 2011 Jul;38(7):667-71.  
Extracts of *Arctostaphylos uva ursi*, *Hydrastis canadensis*, *Prunus serotina*, *Rhodiola rosea* inhibited the growth of *Neisseria gonorrhoeae*

3) Planta Med. 2001 Aug;67(6):561-4.  
Berberine was evaluated against 6 strains of microorganisms: *Staphylococcus aureus* *Streptococcus sanguis*, *Escherichia coli*, *Pseudomonas aeruginosa*

3) Molecules. 2016 Jan 11;21(1):76.  
Antibacterial Activity of Alkaloid Fractions from Berberis against Gram-positive bacteria.

3) Int J Clin Exp Pathol. 2015 May 1;8(5):5217-23.  
Antibacterial activity and mechanism of berberine against *Streptococcus agalactiae*.

3) Sci Rep. 2016 Apr 22;6:24748.  
Berberine can enhance the inhibitory efficacy of antibiotics against clinical multi-drug resistant isolates of methicillin-resistant *Staphylococcus aureus* (MRSA).

3) Front Microbiol. 2016 Aug 5;7:1223.  
Berberine reduced aminoglycoside resistance of *P. aeruginosa*

4) Pharm Biol. 2011 Jan;49(1):94-100.  
Antidiarrheal activity, chemical and toxicity profile of Berberis aristata.  
The MIC and MBC (of both extracts) against all strains of Shigella. The MIC and MBC values of berberine are almost comparable to standard ciprofloxacin.

5) Nanomedicine (Lond). 2015 Jan;10(1):57-71  
Berberine as specific *Helicobacter pylori* eradication therapy: in vitro and in vivo study.

6) Anticancer Drugs. 2009 Oct;20(9):757-69.  
Berberine shows inhibitory effects on tumorigenic microorganisms and viruses, such as *Helicobacter pylori* and hepatitis B virus.

6) Genomics Inform. 2016 Sep;14(3):104-111.  
Potential Inhibitors of Zika Virus; berberine has shown highest binding affinity.

6) J Virol. 2016 Oct 14;90(21):9743-9757. Print 2016 Nov 1.  
The Antiviral Alkaloid Berberine Reduces mosquito borne Chikungunya Virus

7) Iran J Parasitol. 2014 Mar;9(1):28-36.  
Berberis vulgaris exhibited potent activity against leishmaniasis passed by sand flies

7) Biol Res. 2014 Apr 1;47:8.  
Role of berberine in ameliorating *Schistosoma mansoni*-induced hepatic injury

7) Pharm Biol. 2015;53(12):1735-40.  
Antiplasmodial activity of aqueous extract of Berberis aristata roots for malaria

8) Pharmacol Toxicol. 2001 May;88(5):232-7.  
Protective effect of berberine on cyclophosphamide-induced haemorrhagic cystitis in rats.

8) Int J Mol Sci. 2016 Aug 12;17(8). pii: E1327. doi: 10.3390/ijms17081327.  
Protective Effects of Berberine on Renal Injury in Diabetic Mice.

## Chapter 9c

1) Eur J Med Chem. 2016 Oct 21;122:205-15.

Berberine (BBR) has been shown to have antifibrotic effects in liver, kidney and lung.

8) Ren Fail. 2016 Jul;38(6):996-1006.

Gentamicin (GM) is the commonly used antibiotics against Gram-negative infection. Berberine is renoprotective through its antioxidant, anti-inflammatory properties.

9) Int J Clin Pharmacol Ther. 2016 Oct 10.

Berberine promotes antiproliferation in bladder cancer cells by enhancing apoptosis

9) Prostate Cancer Prostatic Dis. 2016 Dec;19(4):358-366.

Berberine inhibited the growth of prostate cancer cells in vivo

10) Exp Biol Med (Maywood). 2011 Jul;236(7):859-66.

Berberine, inhibited cell proliferation of Rheumatoid arthritis.

10) Biomed Res Int. 2016;2016:2503703.

Effects of Berberine on Monosodium Urate Crystals-Induced Inflammation and gout

10) Toxicol Appl Pharmacol. 2015 Nov 15;289(1):20-9.

Berberine prevents cartilage degradation in a rat model of osteoarthritis.

11) Expert Opin Ther Pat. 2016;26(2):229-43.

Therapeutic effects of berberine against cancer, obesity, diabetes, inflammation, atherosclerosis, Alzheimer's disease, rheumatoid arthritis and cardiovascular diseases.

12) Phytomedicine. 2016 Jul 15;23(8):793-9.

Berberis relaxes directly at the vascular smooth muscle in the coronary artery.

13) Phytother Res. 2016 Nov;30(11):1745-1764.

Berberine for treating cerebral ischemia trauma, mental disease, Alzheimer disease.

## Chapter 9d

1) J Oral Biol Craniofac Res. 2015 Jan-Apr;5(1):7-10.

Antibacterial activity of clove on Streptococcus mutans and Streptococcus salivarius show these extracts can be used as a mouthwash.

1) J Contemp Dent Pract. 2016 Dec 1;17(12):973-977.

Antibacterial effect of eugenol against S. mutans and L. acidophilus respectively.

1) J Ethnopharmacol. 2012 May 7;141(1):403-10.

Anti-inflammatory and cytoprotective effects of Cinnamomum cassia, Myrtus communis, Syzygium aromaticum, and Terminalia chebula against Helicobacter pylori infection

1) Iran J Med Sci. 2014 Jan;39(1):36-43.

Antibacterial activity of plant extracts against some gram-negative bacteria.

Origanum syriacum, Thymus, Syzygium aromaticum, Juniperus, Allium sativum, Myristica, and Cinnamomum showed antibacterial activity against E. coli, Yersinia enterocolitica, Proteus and Klebsiella pneumoniae.

1) BMC Complement Altern Med. 2013 Oct 14;13:265.

Cumin, cinnamon, cardamom and clove showed against pathogenic strains Salmonella typhi, Salmonella typhi, Escherichia coli, Staphylococcus aureus, Pseudomonas fluorescens and Bacillus licheniformis .

2) Food Funct. 2015 Mar;6(3):842-52.

Anti-ulcerogenic activity of polyphenol-rich extract of clove buds and up regulation of antioxidants superoxide dismutase (SOD), glutathione (GSH), and catalase (CAT).

3) Microb Pathog. 2016 Jun;95:208-15.

Syzygium aromaticum showed antimicrobial activity against

Escherichia coli, Pseudomonas aeruginosa and Staphylococcus aureus.

4) Nat Prod Res. 2015;29(16):1562-6.

Antimicrobial activity of Syzygium cumini against sexually transmitted N. gonorrhoeae

5) Microb Pathog. 2016 Oct;99:19-29.

Antifungal potential of eugenyl acetate against clinical isolates of Candida species.

5) Microb Drug Resist. 2017 Jan;23(1):18-24.

Selected Essential Oils as Antifungal Agents Against Antibiotic-Resistant Candida. MIC values for thyme and clove oils 0.25% and for tea tree oil 2.0%.

6) Exp Parasitol. 2011 Apr;127(4):732-9.

Anti-Giardia activity of Syzygium aromaticum killed almost 50% of the parasites

6) J Ethnopharmacol. 2015 Feb 3;160:32-40.

Syzygium essential oil exhibits anti-Leishmania activity through macrophage activation

6) BMC Complement Altern Med. 2017 Jan 5;17(1):21

Antimalarial activity of Syzygium with Plasmodium infection.

6) Pharm Biol. 2012 Jun;50(6):732-9.

Egyptian plant Syzygium possessed considerably high antischistosomal activity.

7) Res Pharm Sci. 2016 Jul;11(4):293-302.

Eugenia caryophyllata buds essential oil significantly decreased corneal sensitivity.

7) Mediators Inflamm. 2016;2016:8401843.

Syzygium aromaticum and their antinociceptive and anti-inflammatory properties.

Significant analgesic and anti-inflammatory effects were noted for all compounds.

8) BMC Complement Altern Med. 2004 Nov 5;4:17.

Syzygium aromaticum produced a significant and sustained increase in the sexual activity of normal male rats.

8) BMC Complement Altern Med. 2003 Oct 20;3:6.

Aphrodisiac activity of extracts nutmeg and clove enhanced the sexual behavior of male mice.

8) J Pharm Pharmacol. 2003 Mar;55(3):359-65.

Endothelium vasodilator effects of eugenol in the rat mesenteric vascular bed. Vasodilation = circulation and perfusion of extremities, brain and sex organs

9) Adv Exp Med Biol. 2016;929:45-66.

Eugenol and its role in chronic diseases.The active components in cloves are eugenol for chronic diseases such as cancer, inflammatory reactions, and other conditions.

9) Drug Des Devel Ther. 2016 Nov 4;10:3611-3632.

Syzygium shows antigastric cancer activity

9) Asian Pac J Cancer Prev. 2014;15(21):9159-64.

Apoptotic effects of eugenol nanoemulsions in human colon and liver cancer cells

9) Int J Clin Exp Pathol. 2015 Feb 1;8(2):116-27.

Eugenol and cisplatin against cervical cancer cells.

## Chapter 9e

1) Planta Med. 1970 Jan;18(1):1-25.

The urinary disinfectant effect of extract from leaves uva ursi.

1) Altern Med Rev. 2008 Sep;13(3):227-44.

Berberine and uva ursi for prevention and treatment of infections of the lower urinary tract.

2) Sex Transm Dis. 2011 Jul;38(7):667-71.  
Extracts of *Arctostaphylos uva ursi* inhibited *Neisseria gonorrhoea*

3) Yakugaku Zasshi. 1990 Jan;110(1):59-67.  
Bearberry leaf protects against immuno-inflammation and also increases the inhibitory effect of prednisolone.

4) Phytother Res. 1999 May;13(3):222-5.  
*Arctostaphylos uva-ursi* extracts led to an increase in urine flow.

5) Int Urol Nephrol. 1994;26(5):507-11.  
*Arctostaphylos uva-ursi* effect on urolithiasis attributed to some disinfectant action

6) Antioxidants (Basel). 2016 Apr 1;5(2).  
Bearberry Leaf Extract displayed high antioxidant activity against degradation of lipids

7) Forsch Komplementmed. 2013;20(1):17-22.  
Anti-hyperglycemic effect of *Vaccinium arctostaphylos* in type 2 diabetic patients.

8) Pharmazie. 2011 Apr;66(4):306-9.  
Arbutin inhibits human bladder cancer cell proliferation

## Chapter 9f

1) Nat Prod Commun. 2014 Apr;9(4):511-4.  
Immune enhancing effects of *Echinacea purpurea* root reduces regulatory T cells

1) J Biomed Biotechnol. 2012;2012:769896.  
*Echinacea purpurea* affects immune functions such as phagocytic activity of macrophages and suppression of the proinflammatory responses

2) Phytother Res. 2009 Oct;23(10):1474-8.  
*E. purpurea* extract reduced the prostate mass and reversed the degenerative changes

3) Virol J. 2009 Nov 13;6:197. doi: 10.1186/1743-422X-6-197.  
*Echinacea purpurea* extract against highly avian influenza virus (H5N1, H7N7)

3) Holist Nurs Pract. 2016 Jan-Feb;30(1):54-7.  
*Echinacea purpurea* for prevention of the common cold and reduction in cold episodes.

4) Adv Ther. 2015 Mar;32(3):187-200.  
*Echinacea* reduces respiratory tract infections and complications: including pneumonia, otitis media/externa, and tonsillitis/pharyngitis.

## Chapter 10a

1) Planta Med. 1974 Nov;26(3):212-7.  
The action of *Taraxacum officinale* extracts has shown to have diuretic activity comparable to furosemide. Since dandelion is also a rich source of potassium, some think it is capable of replacing potassium lost through diuresis.

2) J Altern Complement Med. 2009 Aug;15(8):929-34.  
The diuretic effect in human subjects of an extract of *Taraxacum officinale folium* increased in the 5-hour period after the second dose of extract

3) Int Urol Nephrol. 1994;26(5):507-11.  
Urolithiasis and phytotherapy can be attributed to some disinfectant action

4) J Med Food. 2010 Aug;13(4):870-8.  
Anti-inflammatory effect of *Taraxacum officinale* leaves on induced

inflammatory responses

4) J Ethnopharmacol. 2013 Mar 7;146(1):1-8  
The aerial part of *Taraxacum coreanum* extract has an anti-inflammatory effect on peritoneal macrophages in vitro and increases survival in a mouse model of septic shock.

5) Ren Fail. 2017 Nov;39(1):1-6.  
*Silybum marianum* and *Taraxacum officinale* extracts against oxidative kidney injuries induced by carbon tetrachloride in rats.

5) J Med Food. 2012 Jun;15(6):549-56.  
Antioxidant properties of *Taraxacum officinale* leaf extract are involved in the protective effect against hepatotoxicity induced by acetaminophen in mice.

6) Oxid Med Cell Longev. 2015;2015:619560.  
Dandelion leaf and flower extracts significantly protect UVB irradiation. Furthermore, dandelion leaf and flower but not root extracts stimulated glutathione generation

7) J Med Food. 2013 Jan;16(1):26-33.  
Dandelion leaf extract protects against liver injury nonalcoholic steatohepatitis.

8) Biomed Pharmacother. 2016 Oct;83:881-891.  
Therapeutic potential of *Taraxacum officinale* against viral replication of hepatitis C.

9) Nephrol Dial Transplant. 2016 Sep 16.  
Chronic kidney disease: a large retrospective cohort study of rheumatoid arthritis patients. The incidence of CKD increases over time among RA patients and prevalent CKD may be an insidious risk factor linked to increased mortality in RA patients.

10) J Ethnopharmacol. 2016 Jul 1;187:42-8.  
Anti-inflammatory and anti-arthritis effects of taraxasterol on adjuvant-induced arthritis in rats.

10) Eur J Pharmacol. 2015 Jun 5;756:38-42.  
Taraxasterol inhibits inflammatory response in human osteoarthritic chondrocytes.

11) Arch Pharm Res. 1991 Mar;14(1):68-72.  
*Taraxacum* showed potent immunopotentiating activities with antitumor activities.

12) Int J Oncol. 2008 May;32(5):1085-90.  
*Taraxacum officinale* on growth and invasion of breast and prostate cancer cells.

13) Pharm Biol. 2014 Aug;52(8):1028-32.  
Antidepressant effects of the water extract from *Taraxacum officinale* leaves and roots in mice.

## Chapter 10b

1) J Ethnopharmacol. 2002 Mar;79(3):353-7.  
Diuretic effect and mechanism of action of parsley seems to be mediated through an inhibition of the Na<sup>+</sup>-K<sup>+</sup> pump.

2) Urol J. 2012 Winter;9(1):361-6.  
*Petroselinum Sativum* reduces the number of calcium oxalate deposits and nephrolithiasis.

3) Iran J Pharm Res. 2011 Fall;10(4):811-9.  
Parsley, kaempferol and quercetin significantly reduced the serum uric acid levels of hyperuricemic rats and led also to an increase in total antioxidant capacity.

4) Genet Mol Res. 2016 Jul 29;15(3).  
*Petroselinum crispum* had bacteriostatic activity against *Staphylococcus aureus*, *Listeria monocytogenes*, and *Salmonella* and fungistatic activity against *Penicillium* and *Trichoderma*.

5) Acta Pharm Hung. 2012;82(1):3-14.

*Petroselinum crispum* and the bioactive flavonoid apigenin has antiinflammatory, antioxidant and anticancer activities.

5) *Avicenna J Phytomed.* 2014 Sep;4(5):312-9.

Protective effect of *Petroselinum crispum* extract in prostatic-induced renal dysfunction

5) *J Sci Food Agric.* 2015 Oct;95(13):2763-71.

*Petroselinum crispum* has antioxidant properties, protects against DNA damage and inhibits proliferation and migration of cancer cells.

6) *Carcinogenesis.* 1992 Oct;13(10):1921-3.

Inhibition of tumorigenesis by myristicin, a volatile aroma constituent of parsley leaf oil.

7) *Asian Pac J Cancer Prev.* 2014;15(16):6633-8.

Cytotoxicity of *Petroselinum sativum* seed extracts on human hepatocellular carcinoma cells

7) *Asian Pac J Cancer Prev.* 2013;14(10):5719-23.

Anticancer activity of *Petroselinum sativum* seed extracts on human breast cancer cells.

7) *Oxid Med Cell Longev.* 2017;2017:1512745.

Apigenin induces apoptosis in human cervical cancer-derived cell lines.

7) *PLoS One.* 2017 Feb 2;12(2):e0170197.

Apigenin improves T cell homeostasis and function in murine pancreatic cancer.

7) *Anticancer Drugs.* 2017 Jan 25.

Apigenin inhibits cell proliferation, migration, and invasion in human lung cancer cell line.

7) *Food Funct.* 2015 Nov;6(11):3464-72.

Apigenin induces autophagic cell death in human papillary thyroid carcinoma BCPAP cells.

8) *Biomed Pharmacother.* 2017 Jan 17;88:210-217.

The natural flavonoid apigenin sensitizes human CD44+ prostate cancer stem cells to cisplatin

8) *J Colloid Interface Sci.* 2017 Apr 1;491:98-110.

Enhanced chemotherapeutic efficacy of apigenin liposomes in colorectal cancer

8) *Oncotarget.* 2015 Oct 13;6(31):31792-804.

Apigenin may improve radioiodine therapeutic efficacy on invasive thyroid tumor margins thereby minimizing future metastatic events.

## Chapter 10c

1) *Cell Prolif.* 2012 Dec;45(6):566-76 and *Cell Prolif.* 2012 Aug;45(4):386-96

*Equisetum* appeared to have a negative effect on human osteoclastogenesis and suggests potential utility for treatment with bone regeneration strategies.

2) *Evid Based Complement Alternat Med.* 2014;2014:760683.

*Equisetum arvense* produced a diuretic effect that was equivalent to that of hydrochlorothiazide without causing significant changes in the elimination of electrolytes.

2) *J Ethnopharmacol.* 1985 Nov-Dec;14(2-3):269-72.

Diuretic activity of *Equisetum* effect similar to that of hydrochlorothiazide

3) *BMC Complement Altern Med.* 2014 Aug 4;14:283.

*Equisetum arvense* (common horsetail) modulates the function of inflammatory immunocompetent cells.

3) *J Med Food.* 2010 Apr;13(2):452-9.

Antioxidative and antiproliferative activities of different horsetail

(*Equisetum arvense* L.) extracts.

## Chapter 10d

1) *Acta Pol Pharm.* 1991;48(5-6):35-7.

Effect of flavonoid fractions *S. canadensis* flowers were administered to rats with an increase in overnight diuresis reaching 57-88%.

2) *Nutr Cancer.* 2002;43(1):76-81.

Antineoplastic activity of *Solidago virgaurea* on prostatic tumor cells in an SCID mouse model.

3) *Wien Med Wochenschr.* 2004 Nov;154(21-22):523-7.

*Solidago virgaurea* has anti-inflammatory, antimicrobial, diuretic, antispasmodic, analgesic properties and is recommended for treatment of infections and inflammations and to help remove urinary gravel.

4) *World J Urol.* 2014 Aug;32(4):1007-14.

*Solidago* reduced microbial colonization in patients with indwelling urinary catheters.

5) *Phytochemistry.* 2013 Feb;86:103-11.

Triterpenoid saponins from the aerial parts of *Solidago* inhibit activity of *Candida albicans*

6) *Arzneimittelforschung.* 1995 Feb;45(2):165-8.

Anti-inflammatory, spasmolytic and diuretic effects of a *Solidago* possesses same efficacy as diclofenac.

7) *Pharm Biol.* 2010 Sep;48(9):1025-30.

Evaluation of gastroprotective activity and acute toxicity of *Solidago* to prevents the formation of gastric lesions and significant inhibited ulcer activity caused by ethanol.

## Chapter 10e

1) *J Ethnopharmacol.* 2011 Sep 1;137(1):141-7.

Anti-bacterial, anti-fungal, anti-inflammatory, antiparasitic activities of *Galium mexicanum*.

2) *Can J Physiol Pharmacol.* 2011 Sep;89(9):665-73.

*Galium verum* inhibited tumor growth and significantly increased the thymus weight compared with the control.

2) *Oncol Rep.* 2014 Sep;32(3):1296-302.

*Galium* extract may be useful as a preventive and/or a concomitant therapeutic approach in head and neck cancer.

2) *Int J Oncol.* 2014 Mar;44(3):745-60.

*Galium verum* aqueous extract on drug-sensitive and resistant laryngeal carcinoma cell lines.

2) *J Ethnopharmacol.* 2016 Jun 20;186:305-10.

*Galium aparine* extract on the cell viability, cell cycle and cell death in breast cancer cell lines.

2) *Saudi Pharm J.* 2016 May;24(3):241-4.

Anti-proliferative activity of leukemia cell K562 of *Galium aparine* L. petroleum ether phase.

## Chapter 10f

1) *Nat Prod Res.* 2016;30(5):622-4. Promotion of wound healing by *Plantago major* L leaf

1) *J Ethnopharmacol.* 2006 Jan 3;103(1):36-42.

*Plantago major* inhibited *Bacillus subtilis* and *E coli* growth from 78 % . *Plantago major* has hematopoietic activity in vitro.

2) *Biomed Res Int.* 2015;2015:286817.

*Plantago lanceolata* antimicrobial activity on salivary *Streptococci* and *Lactobacilli*

- 3) *Asian Pac J Cancer Prev.* 2011;12(2):531-5.  
Plantago protects on antioxidant status resulting in decreased free radical generation.
- 3) *Molecules.* 2015 Sep 25;20(10):17747-59.  
Protective effect of plantago major extract against oxidative damage and cytotoxicity.
- 4) *Environ Toxicol Pharmacol.* 2015 Jan;39(1):125-36.  
Nephroprotection of plantamajoside against cadmium induced renal injury
- 5) *J Pharm Biomed Anal.* 2010 Sep 5;52(5):701-6.  
Anti-inflammatory activity of plantain validated the COX-1 inhibitory activity
- 6) *Planta Med.* 2003 Jul;69(7):600-4.  
Immunomodulatory activities of compounds of *Plantago* species enhanced the activity of human lymphocyte proliferation
- 6) *Phytother Res.* 2000 Dec;14(8):617-22.  
Immunoenhancing properties of *Plantago* major leaf extract associated with 18 fold increases of nitric oxide (NO) production, and increased TNF-alpha production and may be clinically relevant in chronic viral infections, tuberculosis, AIDS and cancer.
- 6) *J Ethnopharmacol.* 2003 Oct;88(2-3):125-30.  
Cytotoxic effect of *Plantago* flavonoids luteolin on cancer cell lines.
- 7) *Food Chem Toxicol.* 2012 May;50(5):1554-9.  
Cytotoxic and antioxidative activities of *Plantago*. The extract showed strong radical scavenging effects comparable to ascorbic acid (vitamin C), and quercetin. Shows cytotoxic activities against larynx carcinoma, human rhabdomyosarcoma, and breast adenocarcinoma cell lines.
- 8) *Am J Chin Med.* 2003;31(2):225-34.  
Extract of *Plantago* possessed significant inhibitory activity on lymphoma and carcinoma (bladder, bone, cervix, kidney, lung and stomach) cells and on herpes and adenovirus infections (HSV-2 and ADV-11).

## Chapter 11a

- 1) *Phytomedicine.* 1999 Jul;6(3):177-9.  
Diuretic activity of an aqueous extract of *Phyllanthus* significantly increases urinary excretion.
- 2) *Indian J Exp Biol.* 1995 Nov;33(11):861-4.  
Diuretic, hypotensive and hypoglycaemic effect of *Phyllanthus amarus*. Significant increase in 24 hr urine volume, a significant reduction in systolic blood pressure and a blood glucose was also significantly reduced.
- 3) *Urol Res.* 2004 Oct;32(5):362-6. Epub 2004 Jun 19.  
*Phyllanthus niruri* normalizes elevated urinary calcium levels in calcium stone forming patients.
- 3) *BJU Int.* 2002 Jun;89(9):829-34.  
*Phyllanthus niruri* on urinary inhibitors of calcium oxalate and renal stone formation.
- 4) *Int Braz J Urol.* 2010 Nov-Dec;36(6):657-64.  
*Phyllanthus niruri* as a promising alternative treatment for nephrolithiasis. *Phyllanthus niruri* reduces crystals aggregation, relaxes ureters, and reduces the excretion of calcium.
- 5) *J Ethnopharmacol.* 2009 Jul 15;124(2):233-9.  
Antihyperuricemic effect of *Phyllanthus niruri* is 11 fold higher in uric acid excretion and clearance.
- 6) *Vet World.* 2015 Oct;8(10):1230-6.  
*Phyllanthus emblica* has shown protection against gout in dose-dependent manner in rats.
- 7) *Indian J Pharmacol.* 2011 Jul;43(4):414-8.

*Phyllanthus* has antidiabetic, hypolipidemic and antioxidant properties to treat diabetes and renal problems.

- 7) *BMC Complement Altern Med.* 2014 Apr 22;14:138.  
Antioxidant effect of *Phyllanthus* significantly preserved renal function and attenuated the severity of pathological damage

## Chapter 11b

- 1) *Eur J Pharm Sci.* 2012 Jan 23;45(1-2):79-89.  
Ammi visnaga and visnagin, is one of the main compounds with kidney stone prevention
- 2) *Urol Res.* 2011 Jun;39(3):189-95.  
Ammi visnaga, khellin and visnagin, for kidney stone disease caused by hyperoxaluria.
- 2) *Int Urol Nephrol.* 2001;33(4):605-8.  
Inhibition of oxalate nephrolithiasis with Ammi visnaga with highly potent diuretic activity.
- 2) *Phytomedicine.* 2010 Jul;17(8-9):653-8.  
Ammi visnaga fruits prevents cell damage caused by oxalate in renal epithelial cells.
- 3) *Urol Res.* 2012 Dec;40(6):799-800.  
Ammi visnaga for renal colic was used as a smooth muscle relaxant
- 4) *ZFA (Stuttgart).* 1982 Aug 31;58(24):1316-8.  
Long-term treatment of angina pectoris with natural remedies
- 4) *Arch Ital Sci Farmacol.* 1961 Apr;11:97-106.  
Coronary dilator action of an active principle extract of Ammi visnaga
- 5) *Int J Clin Pharmacol Res.* 1983;3(5):363-6.  
HDL-cholesterol increase and LDL lowered in normolipemic subjects on khellin
- 6) *Eur J Pharmacol.* 1995 Nov 14;286(2):115-22.  
Vasodilator effects of visnagin showed inhibition of vascular smooth muscle contractility
- 6) *Ann Allergy.* 1953 May-Jun;11(3):313-6.  
The relief of bronchial asthma with oral khellin.
- 7) *Acta Pol Pharm.* 2012 Jul-Aug;69(4):645-55.  
Visnagin showed a strong to moderate cytotoxicity against liver HEPG2 cancer cell line compared to 5-fluorouracil and doxorubicin chemotherapies.
- 8) *Sci Transl Med.* 2014 Dec 10;6(266):266ra170.  
Visnagin protects against doxorubicin-induced cardiomyopathy, improved cardiac contractility, and did not reduce the chemotherapeutic efficacy of doxorubicin
- 9) *J Coll Physicians Surg Pak.* 2014 Jan;24(1):39-42.  
Ammi visnaga extract can be used in the treatment of hyper acidity conditions and peptic ulcer.
- 10) *J Eur Acad Dermatol Venereol.* 2011 Jan;25(1):74-81.  
Khellin has phototherapeutic properties similar to psoralens with lower phototoxic effects. More than 75% re-pigmentation of the vitiligo areas was noted in 47% of the patients

## Chapter 11c

- 1) *Environ Monit Assess.* 2014 Jan;186(1):239-45. Mineral contents of seed of *Capparis* species growing wild in Turkey.
- 2) *Biomed Pharmacother.* 2017 Mar;87:171-179.  
*Capparis spinosa* leaves extract: nephroprotective and hepatoprotective effects from rutin, resveratrol, coumarin, epicatechin, luteolin, catechin, kaempferol.

- 2) Turk J Med Sci. 2016 Feb 17;46(2):561-6.  
The protective effect of Capparis ovata in acute hepatotoxicity induced by paracetamol.
- 3) Pharm Biol. 2016;54(5):896-904.  
Selenium and rutin against cadmium-induced renal damage.
- 4) Oncol Rep. 2017 Jan;37(1):357-367.  
Antioxidant cardio protective and antitumor activities of Capparis spinosa
- 5) Basic Clin Pharmacol Toxicol. 2016 Oct;119 Suppl 3:42-48.  
Inhibition of thrombosis by quercetin-3-rutinoside
- 6) Indian J Exp Biol. 2005 Oct;43(10):863-6.  
Hypolipidaemic efficacy of Capparis reduced LDL cholesterol (71%) reduced atherogenic index
- 7) Curr Med Chem. 2016;23(9):860-73.  
Rutin as a Natural Therapy for Alzheimer's Disease. Rutin crosses blood brain barrier, effect on amyloid beta, aggregation, antioxidants and metal chelation.
- 7) Nutr Neurosci. 2016 Oct 25:1-8.  
Effect of flavonoids rich extract of Capparis spinosa on inflammatory Alzheimer's disease.
- 8) Biomed Pharmacother. 2016 Dec;84:1243-1248.  
Capparis spinosa on hepatic gluconeogenesis and lipid content diabetic rats.
- 8) Avicenna J Phytomed. 2015 Jul-Aug;5(4):325-32.  
Anti-diabetic effect of Capparis spinosa L. root extract in diabetic rats.
- 9) BMC Complement Altern Med. 2017 Jan 31;17(1):81.  
Anti-inflammatory potential of Capparis spinosa in vivo; significantly reduced edema
- 10) Pharm Biol. 2010 Oct;48(10):1185-90.  
Antinoceptive effect of Capparis acting on both peripheral and central nervous system for analgesic effects on rheumatism
- 10) J Ethnopharmacol. 2016 Dec 4;193:456-465.  
Acute effect of Capparis spinosa on rheumatoid and osteoarthritis after single administration.
- 10) Phytother Res. 2015 Dec;29(12):1901-9.  
Anti-Arthritic and Antiinflammatory Effects of the capers
- 11) Int J Biol Macromol. 2017 Feb;95:224-231.  
Capparis spinose against Gram-negative Escherichia coli, Shigella, and Salmonella.
- 12) Phytomedicine. 2009 May;16(5):444-50.  
Capparis: antiproliferative, antifungal and HIV-1 inhibition
- 12) Phytother Res. 2008 Mar;22(3):313-7.  
Antiviral and immunomodulatory effect of Capparis spinose on HSV1 and HSV2
- 1) Mol Med Rep. 2014 Dec;10(6):3157-62.  
Urtica dioica decreases elevated levels of urinary calcium, oxalate and creatinine.
- 1) J Huazhong Univ Sci Technolog Med Sci. 2011 Oct;31(5):673-7.  
Antilithic effects of extracts from Urtica on calcium oxalate urinary stones and decreased the contents of blood urea nitrogen (BUN) and creatinine.
- 2) J Mol Histol. 2012 Dec;43(6):691-8.  
Protective effect of Urtica dioica on renal ischemia/reperfusion injury in rat.
- 3) Andrologia. 2014 Aug;46(6):592-601.  
Evaluation of 5 $\alpha$ -reductase inhibitory activity of Urtica dioica and their antiandrogenic properties.
- 3) Planta Med. 1997 Dec;63(6):529-32.  
Lignans from the roots of Urtica dioica bind to human sex hormone binding globulin (SHBG) and potential benefit in benign prostatic hyperplasia (BPH).  
Phytother Res. 2017 May 24.
- 3) Chemical Composition and ImmunE Effects of Urtica dioica
- 4) Vet Res Forum. 2015 Winter;6(1):23-9. Epub 2015 Mar 15.  
The histological and histometrical effects of Urtica dioica root extract on rat's prostate hyperplasia.
- 4) J Herb Pharmacother. 2005;5(4):1-11.  
Urtica dioica for treatment of benign prostatic hyperplasia. Flow rates improved, post void volume decreased and a modest decrease in prostate size
- 5) World J Urol. 2014 Oct;32(5):1149-54.  
Sabal and urtica extracts significantly improved nocturnal voiding frequency compared to placebo and with similar response as tamsulosin or finasteride.
- 6) Cell Mol Biol 2016 Mar 31;62(3):78-83.  
Urtica dioica induces apoptosis on human prostate cancer cells (PC3).
- 6) Planta Med. 2000 Feb;66(1):44-7.  
Antiproliferative effect on human prostate cancer cells by a stinging nettle root.
- 6) Vet Res Forum. 2015 Winter;6(1):23-9.  
Nettle root could prevent prostatic hyperplasia effects
- 7) Cell Mol Biol (Noisy-le-grand). 2016 Oct 15;62(9):90-96.  
U. dioica inhibited proliferation of gastric and colorectal cancer cells while posing no significant toxic effect on normal cells.
- 8) Phytomedicine. 2013 Jan 15;20(2):143-7.  
Lipophilic stinging nettle extracts possess potent anti-inflammatory activity
- 8) Evid Based Complement Alternat Med. 2012;2012:818230.  
Antirheumatoid Arthritis Activities of Urtica .
- 9) MMW Fortschr Med. 2002 Jun 27;144(26):52.  
Arthrosis patient with nettle extract need fewer non-steroidal anti-inflammatory drugs
- 9) MMW Fortschr Med. 2016 May 12;158(9):71.  
Arthrosis pain cut in half

## Chapter 11e

- 1) J Urol. 2008 Apr;179(4):1620-6.  
Reduction of oxidative stress and prevention of renal stones by the bioflavonoid quercetin.
- 2) Nutrients. 2016 Mar 15;8(3):167.  
Quercetin has anti-carcinogenic, anti-inflammatory and antiviral activities
- 3) J Urol. 2008 Jul;180(1):415.  
Quercetin increased catalase and superoxide dismutase activity and inhibited urinary crystal deposits.
- 4) Colloids Surf B Biointerfaces. 2016 Dec 1;148:116-129.  
Design of PLGA-functionalized quercetin nanoparticles for potential use in Alzheimer's disease.
- 4) Anal Quant Cytopathol Histopathol. 2016 Feb;38(1):45-51.  
Role of Quercetin in Cadmium-Induced Oxidative Stress, Testicular Damage

- 5) Urolithiasis. 2014 Dec;42(6):519-26.  
Quercetin significantly decreased calcium oxalate stone formation due to superoxide dismutase and catalase.
- 6) Br J Nutr. 2016 Mar 14;115(5):800-6.  
Quercetin lowers plasma uric acid in pre-hyperuricaemic males:
- 7) Iran J Pharm Res. 2011 Fall;10(4):811-9.  
Kaempferol and quercetin significantly inhibited serum uric acid levels and makes them as a possible alternative for allopurinol
- 8) Zhongguo Zhong Yao Za Zhi. 2015 Dec;40(23):4560-7.  
Hypoglycemic and hypolipidemic effects of quercetin and its glycosides for treating diabetes, obesity, and hyperlipidemia.
- 9) Chin J Nat Med. 2016 Jun;14(6):407-12.  
Isoquercitrin suppresses the expression of histamine and pro-inflammatory cytokines
- 10) Acta Biomed. 2015 Apr 27;86(1):53-8.  
Quercetin in the relief of the signs and symptoms of seasonal allergic rhinitis
- 11) Tumour Biol. 2016 Oct;37(10):12927-12939. Epub 2016 Jul 22.  
Molecular mechanisms of action of quercetin in cancer: apoptosis, cell cycle, detoxification, antioxidant replication, and angiogenesis.
- 12) Anticancer Res. 2016 Dec;36(12):6367-6380.  
Luteolin and quercetin suppressed metastatic potential of isolated prostate cancer cells.
- 13) Urol Clin North Am. 2011 Aug;38(3):279-84  
Quercetin for chronic prostatitis/chronic pelvic pain syndrome.
- 14) Biol Pharm Bull. 2009 Jan;32(1):61-7.  
Protective effect of quercetin against gentamicin-induced nephrotoxicity in rats.

## Chapter 12a

- 1) Biomed Chromatogr. 2016 Jun;30(6):880-7.  
Rutin is the major flavonoid giving benefits of Hibiscus sabdariffa
- 2) Int J Biomed Sci. 2013 Dec;9(4):243-8.  
Anthocyanin of hibiscus protected the kidney from chemotherapy Cisplatin nephrotoxicity.
- 2) Ren Fail. 2013;35(1):118-25.  
Hibiscus sabdariffa attenuates the progression of renal injury in nephrectomy rats.
- 3) J Agric Food Chem. 2009 Mar 25;57(6):2206-10.  
Hibiscus sabdariffa attenuates oxidative nephropathy in experimental type 1 diabetes.
- 3) J Pharm Pharmacol. 2017 May 23.  
Hibiscus sabdariffa significantly lessened effects of adenine-induced chronic kidney disease in rats. The positive effects were similar to those obtained by administration of lisinopril.
- 4) J Agric Food Chem. 2013 Aug 7;61(31):7545-51.  
Polyphenols of Hibiscus sabdariffa improved diabetic nephropathy via attenuating renal fibrosis
- 4) Arab J Gastroenterol. 2017 Mar;18(1):13-20.  
Extract of Hibiscus lowers fasting blood glucose, lowers liver enzymes by preventing destruction and cell death of liver cells due to excess glucose levels of diabetic rats.
- 4) Pharm Biol. 2016 Dec;54(12):3172-3181.  
Hibiscus sabdariffa reduced the serum levels liver enzymes and inflammatory markers, increase SOD and glutathione and had less side effects than silymarin.
- 4) Food Nutr Res. 2015 Oct 15;59:29018  
Hibiscus sabdariffa treatment reduced fat accumulation in the livers of hamsters and reduced liver enzymes.
- 4) Clin Med Insights Arthritis Musculoskelet Disord. 2016 Jan 19;9:9-13.  
Hibiscus protects against piroxicam toxicity and resulting in hepatic damage.
- 5) Drug Res (Stuttg). 2017 May 18.  
Hibiscus Rosa Sinensis has significant antidiabetic activity, comparable with drug Glyburide and improved state and regeneration of pancreatic beta cells.
- 6) Planta Med. 2012 Dec;78(18):1893-8.  
Diuretic effect of compounds from Hibiscus sabdariffa by modulation of the aldosterone activity.
- 6) J Ethnopharmacol. 2012 Feb 15;139(3):751-6.  
The diuretic and natriuretic effect of Hibiscus sabdariffa observed renal filtration increased 48%
- 7) Urol Res. 2012 Jun;40(3):211-8.  
Inhibition of calcium oxalate crystal in kidneys of urolithiatic rats by Hibiscus sabdariffa extract.
- 7) J Ethnopharmacol. 2008 May 22;117(3):491-5.  
Hibiscus sabdariffa in renal-stone subjects uric acid excretion was significantly increased.
- 8) J Hypertens. 2015 Jun;33(6):1119-27.  
Effect of sour tea Hibiscus sabdariffa in lowering both systolic and diastolic blood pressure.
- 8) Niger J Clin Pract. 2015 Nov-Dec;18(6):762-70.  
Hibiscus sabdariffa more effective antihypertensive than HCTZ in mild to moderate hypertensive Nigerians.
- 8) Fitoterapia. 2013 Mar;85:84-94.  
Hibiscus sabdariffa lowered blood pressure as effectively as the medication Captopril,
- 8) Niger J Physiol Sci. 2014 Dec 29;29(2):131-6.  
Hibiscus sabdariffa lowers blood pressure and heart rate via Sympathetic Nervous System making it a very valuable tool for hyperactive subjects.
- 8) Mol Nutr Food Res. 2014 Jun;58(6):1374-8.  
TH. sabdariffa extract improved metabolism, displayed potent anti-inflammatory and antioxidant activities, significantly reduced blood pressure in both humans and rats
- 9) Evid Based Complement Alternat Med. 2011;2011.  
Hibiscus rosa significantly improved posts ischemic cardiac recovery and the decreased size of infarction in rat hearts
- 10) Exp Biol Med (Maywood). 2012 May;237(5):563-9. doi: 10.1258/ebm.2012.011357.  
Hibiscus sabdariffa calyx extract enhances myocardial capillarization and might be beneficial in restoring myocyte health status in those compromised by the hypertrophic state of hypertension.
- 11) Pharm Biol. 2015;53(10):1435-41.  
Anthocyanin-rich extract from Hibiscus sabdariffa calyx counteracts UVC-caused impairments in rats could be useful in skin and eye conditions caused by UV oxidation.
- 12) Int J Sci Eng Res. 2017 Feb;8(2):299-307.  
Hibiscus sabdariffa treat neovascular-related diseases, age-related macular degeneration.
- 13) Pharmacogn Mag. 2017 Jan-Mar;13(49):85-89.  
Hibiscus syriacus stimulated proliferation and migration of keratinocytes in wound-healing of rat tail.
- 13) J Ethnopharmacol. 2017 Feb 23;198:291-301.  
Hibiscus rosa-sinensis L. flowers enhances healing potential on rat excisional wounds and explains benefit in ulcers and boils.

14) *J Tradit Complement Med.* 2016 Feb 23;7(1):45-49.  
Components in aqueous *Hibiscus rosa-sinensis* flower extract inhibit *in vitro* melanoma cell growth.

14) *Nutr Cancer.* 2016 Oct;68(7):1161-70.  
*Hibiscus sabdariffa* extract impaired cell growth and reduced cell motility and invasiveness in Human Squamous Cell Carcinoma and Multiple Myeloma Cells.

15) *J Ethnopharmacol.* 2016 Dec 24;194:617-625.  
*Hibiscus sabdariffa* treats urinary tract infection by reducing inflammatory cytokines in residents using catheters in long-term care facilities

16) *J Vet Med Sci.* 2016 Oct 1;78(9):1405-1411.  
High antiviral effects of hibiscus tea on avian influenza viruses.

16) *Food Environ Virol.* 2015 Dec;7(4):366-73.  
*Hibiscus sabdariffa* calyces decrease Hepatitis A virus to undetectable levels

16) *Molecules.* 2017 Apr 30;22(5).  
*Hibiscus sabdariffa* showed potent anti-HSV-2 activity compared with that of acyclovir. Also shown to exert anti-urease inhibition activity against urease-producing bacteria. (*Proteus* causing fishy urine odor, kidney stones, wound infections, and pneumonia. *Nocardia* in immunocompromised patients, *Corynebacterium* causing urinary infections and kidney stones, *Cryptococcus* fungal infections causing meningitis, and *Helicobacter* causing ulcers.

17) *J Intercult Ethnopharmacol.* 2016 Mar 24;5(2):186-90.  
*H. sabdariffa* calyces inhibition against all tested Gram-negative and Gram-positive bacteria, and it was similar in effect to gentamicin and much better than penicillin.

18) *J Ethnopharmacol.* 2011 Sep 1;137(1):585-91.  
Neuroprotective effect of *Hibiscus* increasing superoxide dismutase (SOD) and glutathione in Parkinson's disease model.

19) *Avicenna J Phytomed.* 2015 May-Jun;5(3):231-7.  
Protective effect of *Hibiscus sabdariffa* against neurodegenerative diseases including ischemic stroke. Pretreatment with hibiscus extract significantly increased cell viability following serum/glucose deprivation due to neuroprotective effects of antioxidants.

20) *Pharm Biol.* 2010 Jul;48(7):822-7.  
*Hibiscus* extract given prior attenuated these changes and provided a neuroprotective effect. It ameliorated anxiety and memory loss caused by cerebral hypoperfusion.

## Chapter 12b

1) *Int J Nephrol.* 2017;2017:9501470.  
Gum Arabic significantly reduces C-Reactive protein in Chronic Kidney Disease Patients

1) *Eur J Clin Invest.* 2015 Dec;45(12):1221-7.  
Gum acacia mitigates chronic renal failure and reduced genetic damage in kidney cells.

1) *Physiol Res.* 2014;63(3):351-8.  
Gum Arabic significantly ameliorated anemia in rats with chronic kidney disease.

1) *J Pharmacol Toxicol Methods* 2013 Nov-Dec;68(3):384-93.  
Chronic renal failure in mice ameliorated by gum acacia

2) *J Trop Pediatr.* 2007 Oct;53(5):362-5  
Acacia gum in end stage renal failure resulted in improved well-being without acidotic or uremic symptoms.

2,3) *Kidney Blood Press Res.* 2013;37(4-5):269-79.  
Gum Arabic lowers blood pressure and proteinuria in chronic renal failure and diabetic nephropathy.

2,3) *Kidney Blood Press Res* 2012;35(5):365-72  
Acacia Senegal significantly decreased plasma phosphate, urea

concentrations, blood pressure and proteinuria and may benefit diabetic nephropathy.

3) *Biochem Res Int.* 2014;2014:436848.  
Atherogenic diet-induced histopathological abnormalities in aorta wall, heart, kidney, and liver were reverted to normalcy by *Acacia senegal* seed extract administration.

4) *Eur Rev Med Pharmacol Sci.* 2011 Mar;15(3):285-92.  
Protective effect of gum acacia against the intestinal and pancreatic effects of aspirin treatment.

4) *Oxid Med Cell Longev.* 2009 Sep-Oct;2(4):207-13.  
*Acacia Senegal* protects against chemotherapy cyclophosphamide urinary bladder damage.

4) *BMC Hematol.* 2017 Mar 16;17:4.  
Gum Arabic as anti-oxidant for sickle cell anemia improved the clinical condition of this disease characterized by oxidative stress.

## Chapter 12c

1) *Inflammation.* 2012 Jun;35(3):822-7.  
Anti-inflammation effects of corn silk has been used for edema, cystitis, gout, kidney stones nephritis. Pretreatment with corn silk extract reduced pleurisy inflammation.

2) *J Ethnopharmacol.* 2017 Apr 6;2019-16.  
Corn silk used for cystitis and weight loss benefit attributed to inhibition on adipocyte proliferation and adipogenesis as well as induction on lipolysis

2) *Nutr Res Pract.* 2016 Dec;10(6):575-582.  
High maysin corn silk extract reduces body weight and fat deposition in mice fed high-fat diets.

3) *Molecules.* 2015 Dec 23;21(1):E7.  
Corn silk significantly reduced the blood sugar, body weight, cholesterol, triglycerides, and low density lipoprotein cholesterol.

4) *Clin Exp Optom.* 2015 Mar;98(2):138-49.  
corn silk aqueous extract reduced mean intraocular pressure and blood pressure possibly due to natriuresis and diuresis caused by the high potassium content in the corn silk extract.

5) *Oncol Lett.* 2017 Feb;13(2):973-978.  
Pro-apoptotic and anti-proliferative effects of corn silk extract on human colon cancer cell lines.

5) *Life Sci.* 2014 Dec 5;119(1-2):47-55.  
Corn silk induces apoptotic cell death in prostate cancer cells

5) *Int J Biol Macromol.* 2014 Mar;64:276-80.  
corn silk inhibits the tumor growth and extended the survival time of hepatoma mice.

11) *Pharm Biol.* 2015;53(10):1435-41.  
Anthocyanin-rich extract from *Hibiscus sabdariffa* calyx counteracts UVC-caused impairments in rats could be useful in skin and eye conditions caused by UV oxidation.

12) *Int J Sci Eng Res.* 2017 Feb;8(2):299-307.  
*Hibiscus sabdariffa* treat neovascular-related diseases, age-related macular degeneration.

13) *Pharmacogn Mag.* 2017 Jan-Mar;13(49):85-89.  
*Hibiscus syriacus* stimulated proliferation and migration of keratinocytes in wound-healing of rat tail.

13) *J Ethnopharmacol.* 2017 Feb 23;198:291-301.  
*Hibiscus rosa-sinensis* L. flowers enhances healing potential on rat excisional wounds and explains benefit in ulcers and boils.

14) *J Tradit Complement Med.* 2016 Feb 23;7(1):45-49.  
Components in aqueous *Hibiscus rosa-sinensis* flower extract inhibit *in vitro* melanoma cell growth.



## Chapter 12d

- 1) Pharm Biol. 2016 Jul;54(7):1246-54.  
Crataegus protects the kidney and heart tissue against CCl<sub>4</sub>-induced toxicity, prevents DNA damage and showed strong anticancer activity.
- 2) Mol Cell Biochem. 2012 Aug;367(1-2):1-8. Pretreatment of heart tissue with Crataegus protected heart from myocardial damage caused chemical induced heart attack.
- 2) Phytomedicine. 2010 Aug;17(10):744-52.  
Crataegus protected against ischemia-reperfusion injury in cardiac muscle by reducing infarct size, and decreasing levels of creatine kinase and lactate dehydrogenase.
- 3) Pharm Biol. 2015 Feb;53(2):275-9.  
Crataegus significantly inhibited the carrageenan-induced mouse tail thrombosis and may potentially be used as therapeutic agents or complementary treatments against thrombosis.
- 4) Curr Med Chem. 2016 Sep 18.  
Procyanidins of Crataegus for heart failure, angina pectoris, hypertension with myocardial insufficiency, mild alterations of cardiac rhythm, and atherosclerosis.
- 5) Anatol J Cardiol. 2015;15(12):970-5.  
Crataegus oxyacantha prevented arrhythmic effect induced by digoxin in Wistar rats.
- 6) Am J Health Syst Pharm. 2002 Mar 1;59(5):417-22.  
Hawthorn has shown promise for congestive heart failure (CHF) and arrhythmia. Hawthorn may interact with vasodilating medications and may potentiate or inhibit the actions of drugs used for heart failure, hypertension, angina, and arrhythmias.
- 7) Phytother Res. 2006 Jan;20(1):66-70.  
Crataegus tanacetifolia leaf extract prevents hypertension in rats.
- 7) Iran J Med Sci. 2017 May;42(3):266-274.  
Antihypertensive Effects of Crataegus due to antioxidant and nitric oxide releasing effects.
- 7) J Ethnopharmacol. 2017 Feb 23;198:479-488.  
Hawthorn flavonoids attenuate atherosclerosis development through reducing lipids and increasing antioxidant mechanisms.
- 8) Daru. 2015 Dec 19;23:54. Crataegus oxyacantha lowered the risk of atherosclerosis and angina pectoris.
- 8) J Ethnopharmacol. 2013 Jul 9;148(2):563-9.  
Crataegus reduced TC, TG and LDL-C but increased HDL-C levels. It also decreased the concentrations of inflammatory markers CRP, IL-1 $\beta$ , IL-8 and IL-18.
- 9) Arch Physiol Biochem. 2017 Feb;123(1):23-30.  
Crataegus aronia in non-alcoholic fatty liver disease by its lipid lowering and antioxidant effects
- 10) J Med Food. 2017 Jan;20(1):19-29.  
Crataegus reduced levels of serum TGs, total cholesterol (TC), LDL cholesterol and fatty liver deposits. These results suggest that Crataegus may improve lipid metabolism in the serum, liver, and adipose tissue, and may potentially reduce obesity.
- 11) PLoS One. 2012;7(9):e45734.  
Crataegus protects against airway inflammation resulting in asthma.
- 11) BMC Complement Altern Med. 2017 Mar 11;17(1):151.  
Hawthorn fruit, and its antioxidant capacity, inhibit cell growth and acetylcholinesterase activity

## Chapter 12e

- 1) Curr Top Med Chem. 2017;17(3):331-339.  
Cranberry for Urinary Tract Infection: cranberry suppresses urinary tract infections and eradicates the bacteria.
  - 1) Eur Rev Med Pharmacol Sci. 2017 Jan;21(2):389-393.  
Cranberry for recurrent urinary tract infections reduced significantly compared to control group.
  - 2) Ambul Pediatr. 2005 Jul-Aug;5(4):249-52.  
Cranberry use among pediatric nephrology patients protected against recurring UTI.
  - 3) Maturitas. 2017 May;99:43-46.  
Preventing urinary tract infections after menopause without antibiotics.
  - 3) Eur Rev Med Pharmacol Sci. 2016 Dec;20(24):5205-5209.  
Cranberry for elderly men with BPH reduced number of UTI episodes significantly
  - 4) BJU Int. 2003 Nov;92(7):765-8.  
Cranberry juice has antilithogenic properties decreasing oxalate and phosphate excretion and increasing citrate excretion.
  - 4) Eur J Clin Nutr. 2002 Oct;56(10):1020-3.  
Cranberry juice acidifies urine it could be useful in the treatment of brushite and struvite stones as well as urinary tract infection.
  - 5) 2010 May;48(5):1178-84.  
Cranberry (Vaccinium macrocarpon) antioxidant activity protects against doxorubicin chemotherapy induced cardiotoxicity in rats.
  - 5) Am J Clin Nutr. 2011 May;93(5):934-40.  
Effects of cranberry juice consumption on vascular function in patients with coronary artery disease resulted in decreased arterial stiffness.
- ## Chapter 12b
- 1) Altern Med Rev. 2008 Jun;13(2):128-44.
  - 2) Toxicol Mech Methods. 2016 Sep;26(7):538-543.  
Punicalagin ameliorated acute kidney injury in rats by counteracting oxidative stress.
  - 2) J Med Food. 2011 Oct;14(10):1254-62.  
Pomegranate seed extract attenuates cisplatin chemotherapy-induced acute nephrotoxicity and hepatotoxicity in rats through antioxidant effects
  - 2) Arch Physiol Biochem. 2016 Jul;122(3):130-40.  
Barium chloride-induced nephrotoxicity benefitted by antioxidants of pomegranate peel.
  - 2) Arch Physiol Biochem. 2015;121(4):152-6.  
pomegranate protects kidney's from chemotherapy treatment cisplatin toxicity
  - 2) Ren Fail. 2014 Nov;36(10):1581-6.  
Protective effect of pomegranate seed oil against mercury induced nephrotoxicity in rat.
  - 2) Toxicol Mech Methods. 2013 Oct;23(8):624-33.  
Pomegranate peel attenuates aluminum-induced hepatorenal toxicity through antioxidant mechanisms.
  - 2) Toxicol Ind Health. 2014 Nov;30(10):910-8.  
The protective role of pomegranate juice against carbon tetrachloride oxidative stress in liver and kidney cells in rats.

3) J Laryngol Otol. 2014 Jan;128(1):43-8.  
Pomegranate extract: a potential protects against aminoglycoside ototoxicity.

4) Urolithiasis. 2014 Oct;42(5):401-8.  
Oxidative stress and nephrolithiasis: Recurrent stone formers RSFs had significantly higher levels of oxidative stress at baseline.

4) J Endourol. 2008 Dec;22(12):2723-31.  
Protective effect of a potent antioxidant, pomegranate juice, in the kidney of rats with nephrolithiasis.

5) Pharm Biol. 2015 Jan;53(1):61-71.  
Punica granatum significantly improved the glycemic status and renal function in diabetic rats with nephropathy by ameliorating proteinuria.

6) Br J Pharmacol. 2005 Jul;145(6):767-74.  
Pomegranate lowers TG and total cholesterol levels in diabetic rats.

6) Ren Fail. 2016 Sep;38(8):1256-66.  
Pomegranate seed oil reduced pathological findings of the kidney and heart in diabetic rats.

7) J Med Food. 2015 Sep;18(9):941-9.  
Pomegranate Extract Supplementation reduces blood pressure and increases antioxidants in hemodialysis patients.

8) Am J Chin Med. 2016;44(4):785-801.  
Punicalagin decreased the mean pulmonary arterial pressure and alleviated right ventricular hypertrophy and vascular remodeling in pulmonary hypertension in rats.

9) Prostate. 2015 May;75(7):679-92.  
Pomegranate extract in preventing BPH due to its anti-oxidant, anti-inflammatory properties.

10) Int J Androl. 2011 Jun;34(3):225-35.  
Pomegranate extract significantly improved intracavernosal blood flow, erectile activity, smooth muscle relaxation and reduced fibrosis of the atherosclerotic group.

10) Int J Impot Res. 2016 Nov;28(6):234-240.  
Pomegranate juice causes a partial improvement through lowering oxidative stress for erectile dysfunction diabetic rat.

11) Clin Nutr. 2008 Apr;27(2):289-96.  
Pomegranate juice increased sperm quality and sperm counts compared to control

12) Life Sci. 2014 Aug 21;110(2):61-9.  
Pomegranate extract protects against cerebral ischemia/reperfusion injury and preserves brain DNA integrity in rats.

12) J Neurol Surg A Cent Eur Neurosurg. 2017 Mar;78(2):124-131.  
Pomegranate was shown to have an attenuating effect on cerebral vasospasm of the basilar artery in the rabbit SAH model.

12) Am J Chin Med. 2017;45(1):53-66.  
Pomegranate has cardioprotective effects against cerebral ischemia/reperfusion (I/R) insult via anti-oxidant properties and cardioprotective effects by limited infarct size.

13) ACS Chem Neurosci. 2016 Jan 20;7(1):26-33.  
Pomegranate's Neuroprotective Effects against Alzheimer's Disease Are Mediated by Urolithins.

13) PLoS One. 2016 Nov 9;11(11):e0166123  
Neuroprotective Effects of Pomegranate Peel Extract after Chronic Infusion with Amyloid- $\beta$  Peptide in Mice.

13) Oxid Med Cell Longev. 2013;2013:685909.  
Neuroprotective effects of a variety of pomegranate juice extracts against MPTP-induced cytotoxicity leading to Parkinsonian syndrome.

14) Molecules. 2017 Jan 24;22(1). pii: E177  
Pomegranate for Prevention and treatment of skin, breast, prostate,

lung, and colon cancers.

14) Asian Pac J Cancer Prev. 2016;17(3):1119-22.  
Potent Anti Tumoral Properties of Punica granatum (Pomegranate) Seed Extract in non-small cell lung cancer, breast cancer, ovarian cancer and prostate cancer

15) Int J Mol Med. 2016 Aug;38(2):491-8.  
Pomegranate seed attenuates glucocorticoid-induced bone loss osteoporosis. Mice lost less calcium and reversed the effects upon the trabecular bone comparable to alendronate.

## Chapter 14a

1) Asian Pac J Trop Dis 2014 Jun; 4(3): 213–222.  
Andrographis paniculata used traditionally for the treatment of cancer, diabetes, high blood pressure, ulcers, leprosy, bronchitis, skin diseases, flatulence, colic, influenza, dysentery, dyspepsia and malaria for centuries in Asia, America and Africa continents

2) Planta Med. 2009 Jun;75(8):785-91.  
Immunomodulation of Andrographis paniculata. Elevates depressed antibodies, stimulates phagocytosis by increasing macrophages and white blood cells.

3) Asian Pac J Cancer Prev. 2010;11(3):723-9.  
Andrographis paniculata downregulates proinflammatory cytokine production

4) Bioorg Med Chem Lett. 2014 May 15;24(10):2353-9.  
Andrographolide derivatives as novel anti-hepatitis B virus agents.

4) Br J Pharmacol. 2014 Jan;171(1):237-52.  
Andrographolide exerts anti-hepatitis C virus activity in human hepatoma cells.

5) Antiviral Res. 2016 Sep;133:95-105.  
Andrographolide protects against highly pathogenic (H5N1) influenza A virus; bird flu.

5) Eur J Med Chem. 2012 Oct;56:368-74.  
Anti-HIV activity of andrographolide

6) Med Chem. 2011 May;7(3):237-44.  
Andrographolide analogue against the replication of herpes simplex virus type 1

6) Nutr Cancer. 2015;67(4):687-96.  
Andrographolide effective against HPV and Viral Expression in Cervical Carcinoma.

7) Biol Pharm Bull. 2008 Nov;31(11):2018-23.  
Inhibition of the Epstein-barr virus lytic cycle by andrographolide.

8) BMC Complement Altern Med. 2012 Jan 13;12:3.  
Anti-dengue activity of *A. paniculata* and *M. charantia*

8) Antiviral Res. 2017 Mar;139:69-78.  
Andrographolide showed significant activity against dengue virus.

8) Sci Rep. 2015 Sep 18;5:14179.  
Andrographolide showed good inhibition of Chikungunya virus infection.

9) Acta Med Indones. 2013 Jan;45(1):38-43.  
Antimalarial Andrographis paniculata extract against plasmodium falciparum in-vitro.

9) Int J Nanomedicine. 2010 Dec 9;5:1113-21.  
Andrographolide nanoparticles in leishmaniasis

9) Parasitol Res. 2011 Jul;109(1):37-45.  
Anthelmintic activity of botanical extracts against sheep gastrointestinal nematodes

10) J Mol Graph Model. 2015 Sep;61:133-40.  
Andrographolide: A potent antituberculosis compound

- 11) *Pharm Biol.* 2012 Jul;50(7):850-6.  
Andrographis against: *Microsporium canis*, *Candida albicans*, and *Candida tropicalis*, and *Aspergillus niger*.
- 12) *BMC Neurol.* 2016 May 23;16:77.  
Andrographis paniculata has neuroprotective effect in autoimmune diseases such as rheumatoid arthritis and multiple sclerosis (MS).
- 12) *Cell Biol Toxicol.* 2012 Feb;28(1):47-56.  
Andrographolide induces cell cycle arrest and apoptosis in human rheumatoid arthritis
- 13) *Int Immunopharmacol.* 2013 Aug;16(4):451-6.  
This protective status was correlated with a substantially decreased production of interferon, interleukin, transforming growth factor.
- 14) *Drug Des Devel Ther.* 2016 Apr 11;10:1389-97.  
Andrographolide inhibits growth of human T-cell acute lymphoblastic leukemia
- 14) *Anticancer Res.* 2016 Nov;36(11):5931-5935.  
Squamous Cell Carcinoma andrographolide had the greatest cytotoxicity and tumor specificity.
- 14) *Oncotarget.* 2016 Jul 5;7(27):41432-41444.  
apoptosis in colon cancer cells in response to andrographolide treatment.
- 14) *J Biomed Sci.* 2016 Apr 16;23:40.  
Andrographolide lead to programmed cell death of breast cancer cell line.
- 14) *Tumour Biol.* 2015 Nov;36(11):8359-65.  
Andrographolide radiosensitizes human ovarian cancer due to an enhanced apoptosis
- 14) *Cell Cycle.* 2016;15(6):819-26.  
Andrographolide inhibits prostate cancer
- 15) *Biochem Pharmacol.* 2016 Dec 1;121:8-17.  
Andrographolide reversed 5-FU resistance in human colorectal cancer
- 15) *Toxicol Appl Pharmacol.* 2016 Nov 13;310:78-86.  
Andrographolide resensitizes cisplatin-resistant non-small cell lung carcinoma cells
- 16) *J Tradit Complement Med.* 2012 Jul;2(3):211-9.  
Antioxidation protection by *Andrographis* against carbon tetrachloride liver damage
- 16) *Pharmacogn Mag.* 2015 Oct;11(Suppl 3):S375-9.  
Hepatoprotective Effect of *Andrographis Paniculata*, against paracetamol in vivo.
- 17) *Molecules.* 2016 Aug 9;21(8). pii: E1026..  
Anti-Diabetic Activity and Metabolic Changes Induced by *Andrographis paniculata*
- 18) *Chin Med J (Engl).* 1994 Jun;107(6):464-70.  
Prevention of atherosclerotic arterial stenosis and restenosis after angioplasty with *Andrographis*.
- 19) *J Asian Nat Prod Res.* 2008 Jan-Feb;10(1-2):17-24.  
Flavonoids *Andrographis paniculata* and their antiplatelet vasorelaxing effects.

## Chapter 14b

- 1) *Pharmacol Toxicol.* 2001 May;88(5):232-7.  
Protective effect of berberine on cyclophosphamide-induced haemorrhagic cystitis in rats.
- 2) *Avicenna J Phytomed.* 2012 Summer;2(3):153-61.  
*Berberis vulgaris* root extract reduces liver enzymes and improves

function

- 2) *Molecules.* 2016 Oct 14;21(10). pii: E1336.  
The potential mechanisms of berberine in the treatment of nonalcoholic fatty liver disease.
- 3) *J Dtsch Dermatol Ges.* 2010 Oct;8(10):788-96.  
*Mahonia aquifolium* shown to be effective in the treatment of atopic dermatitis, psoriasis.
- 3) *J Ethnopharmacol.* 2015 Dec 4;175:668-83.  
*Mahonia* species have been demonstrated to exert good efficacy for the clinical treatment of dysentery, internal and external hemorrhage, acne vulgaris and chronic pharyngitis.
- 4) *J Altern Complement Med.* 2013 Dec;19(12):970-2  
A case of migraine without aura that was successfully treated with an herbal medicine.
- 5) *Exp Biol Med (Maywood).* 2011 Jul;236(7):859-66.  
Berberine, widely used as an antitumor and anti-inflammation agent. Here we show that berberine significantly inhibited cell proliferation of Rheumatoid arthritis.
- 5) *Biomed Res Int.* 2016;2016:2503703.  
Effects of berberine on monosodium urate crystals-induced inflammation and gout
- 5) *Toxicol Appl Pharmacol.* 2015 Nov 15;289(1):20-9.  
Berberine prevents cartilage degradation in a rat model of osteoarthritis.
- 6) *Expert Opin Ther Pat.* 2016;26(2):229-43.  
Pharmacological effects of berberine and its derivatives: a patent update. Therapeutic effects of berberine against cancer, obesity, diabetes, inflammation, atherosclerosis, Alzheimer's disease, rheumatoid arthritis and cardiovascular diseases.
- 6) *Phytother Res.* 2016 Nov;30(11):1745-1764.  
Berberine for treating tumor, diabetes, cardiovascular disease, hyperlipidemia, inflammation, bacterial and viral infections, cerebral ischemia trauma, mental disease, Alzheimer disease.
- 7) *Phytomedicine.* 2016 Jul 15;23(8):793-9.  
Berberis induced pronounced endothelium-independent relaxations directly at the vascular smooth muscle in the coronary artery.
- 8) *Int J Clin Pharmacol Ther.* 2016 Oct 10.  
Berberine promotes antiproliferation in bladder cancer cells by enhancing apoptosis
- 8) *BMC Complement Altern Med.* 2013 Sep 5;13:218.  
Barberry extract showed to have inhibitory effect on the growth of breast, liver and colon cancer cell lines due to antioxidant activity
- 8) *Prostate Cancer Prostatic Dis.* 2016 Dec;19(4):358-366.  
Berbamine inhibited the growth of prostate cancer cells in vivo
- 8) *Oncol Res.* 2013;20(7):265-74.  
Delivery of paclitaxel and berbamine by polymeric carriers to cure gastric cancer.
- 8) *Mol Cancer Ther.* 2013 Oct;12(10):2067-77.  
Berbamine inhibits the growth of liver cancer cells
- 8) *J Biol Regul Homeost Agents.* 2015 Apr-Jun;29(2):395-9.  
*Berberis vulgaris* fruit crude extract as a reliable anti-leukaemic drug
- 9) *Expert Opin Ther Pat.* 2016;26(2):229-43.  
Therapeutic effects of berberine against cancer, obesity, diabetes, inflammation, atherosclerosis, Alzheimer's disease, rheumatoid arthritis and cardiovascular diseases.
- 9) *Phytother Res.* 2016 Nov;30(11):1745-1764.  
Berberine for treating tumor, diabetes, cardiovascular disease,

hyperlipidemia, inflammation, bacterial and viral infections, cerebral ischemia trauma, mental disease, Alzheimer disease.

10) *Molecules*. 2016 Jan 11;21(1):76.

Antibacterial activity of alkaloid fractions from *Berberis* against gram-positive bacteria.

10) *Planta Med*. 2001 Aug;67(6):561-4.

Berberine was evaluated against 6 strains of microorganisms: *Staphylococcus aureus*, *Streptococcus sanguis*, *Escherichia coli*, *Pseudomonas aeruginosa*

10) *Sci Rep*. 2016 Apr 22;6:24748.

Berberine can enhance the inhibitory efficacy of antibiotics against clinical multi-drug resistant isolates of methicillin-resistant *Staphylococcus aureus* (MRSA).

10) *Int J Clin Exp Pathol*. 2015 May 1;8(5):5217-23.

Antibacterial activity and mechanism of berberine against *Streptococcus agalactiae*.

10) *J Complement Integr Med*. 2016 Apr 21.

*Berberis* provide significant bactericidal potential against carbapenem-resistant *E. coli*.

10) *Front Microbiol*. 2016 Aug 5;7:1223.

Berberine reduced aminoglycoside resistance of *P. aeruginosa*

10) *Eur J Med Chem*. 2016 Oct 21;122:205-15.

Berberine exhibited good anti-MRSA, anti-*Escherichia coli*, and anti-*Salmonella typhi*.

11) *Pharm Biol*. 2011 Jan;49(1):94-100.

Antidiarrheal activity, chemical and toxicity profile of *Berberis aristata* against all strains of *Shigella*. The MIC and MBC values of berberine are almost comparable to standard ciprofloxacin.

12) *Nanomedicine (Lond)*. 2015 Jan;10(1):57-71

Berberine as specific *Helicobacter pylori* eradication therapy: in vitro and in vivo study.

13) *Anticancer Drugs*. 2009 Oct;20(9):757-69.

Berberine shows inhibitory effects on the proliferation and reproduction of certain tumorigenic microorganisms and viruses, such as *Helicobacter pylori* and hepatitis B virus. The suppression of tumor growth and metastasis, show its potential as an alternative medicine for tumor chemotherapy.

13) *Genomics Inform*. 2016 Sep;14(3):104-111.

Virtual Screening for Potential Inhibitors of NS3 Protein of Zika Virus. Amongst these four drugs, berberine has shown highest binding affinity

13) *J Virol*. 2016 Oct 14;90(21):9743-9757.

The antiviral alkaloid berberine reduces mosquito borne Chikungunya Virus

14) *Iran J Parasitol*. 2014 Mar;9(1):28-36.

Inhibitory effect of Berberine exhibited potent activity against leishmaniasis passed by sand flies

14) *Biol Res*. 2014 Apr 1;47:8.

Role of berberine in ameliorating *Schistosoma mansoni*-induced hepatic injury. Based on these results, it is concluded that berberine could ameliorate pre-existing liver damage and oxidative stress conditions due to schistosomiasis.

14) *Pharm Biol*. 2015;53(12):1735-40.

Antiplasmodial activity of aqueous extract of *Berberis aristata* roots for malaria

1) *Chin J Integr Med*. 2015 Dec;21(12):938-43.

*Phyllanthus urinaria* inhibits hepatitis B virus replication and expression

1) *J Ethnopharmacol*. 2014 Sep 11;155(2):1061-7.

In vitro and in vivo anti-hepatitis B virus activities of *Phyllanthus niruri*.

2) *Arch Pharm Res*. 2015 Feb;38(2):193-202.

Antiviral effects of *Phyllanthus* against human Enterovirus and Cocksackie virus

3) *BMC Complement Altern Med*. 2013 Jul 26;13:192.

*Phyllanthus* inhibited activity against Dengue with more than 90% of virus reduction

4) *Int J Med Sci*. 2013 Oct 31;10(13):1817-29.

*Phyllanthus* against herpes simplex 1 and 2 viruses

4) *Nutr Cancer*. 2013;65 Suppl 1:88-97.

Anticancer activity of *Phyllanthus*: inhibits HPV in cervical cancer cells.

4) *Antiviral Res*. 2004 Nov;64(2):93-102.

Inhibition of *Phyllanthus amarus* on HIV replication in vitro and ex vivo.

5) *Southeast Asian J Trop Med Public Health*. 2007 Jul;38(4):609-15.

Antiplasmodial activity of *Phyllanthus niruri* to treat malaria

5) *J Adv Pharm Technol Res*. 2016 Apr-Jun;7(2):59-63.

In vivo antimalarial activity of extracts of Tanzanian medicinal plants

6) *Appl Biochem Biotechnol*. 2014 Aug;173(8):2163-73.

Antioxidant and hepatoprotective effect of *Phyllanthus* against chemotherapeutic drug cyclophosphamide.

6) *Planta Med*. 2016 May 24.

Protective potential of *Phyllanthus* on ethanol induced gastric lesions

7) *Toxicol Mech Methods*. 2015;25(9):708-17.

Protective effect of phyllanthin against hepatotoxicity and liver fibrosis.

8) *J Ethnopharmacol*. 2002 Sep;82(1):19-22.

Lipid (LDL) lowering activity of *Phyllanthus niruri* in hyperlipemic rats.

8) *J Med Food*. 2015 Apr;18(4):415-20.

*Phyllanthus* improves cardiovascular risk factors LDL, cholesterol, hs CRP and platelet aggregation in overweight/class-1 obese adults.

9) *J Ethnopharmacol*. 2015 Dec 24;176:79-89.

*Phyllanthus* for the treatment of hypertension by increasing the nitric oxide production

10) *J Ethnopharmacol*. 2016 Jun 20;186:189-95.

Vietnamese plants used to treat type 2 diabetes.

10) *J Pharm Biomed Anal*. 2016 Sep 5;128:302-12.

*P. niruri* decreased the serum glucose level and improved the lipid profile.

11) *Oxid Med Cell Longev*. 2015;2015:950890.

*Phyllanthus emblica* can incorporate both cancer-preventative and antitumor properties.

## Chapter 14d

1) *Phytomedicine*. 2006 Nov;13(9-10):702-6. Epub 2005 Nov 21. Choleric effects *Achillea millefolium* was three-fold higher than that of cynarin.

- 2) Afr J Tradit Complement Altern Med. 2013 Oct 3;10(6):499-503. Achillea millefolium inhibits contraction of smooth muscle of ileum and it can be used for eliminating intestinal spasms.
- 3) Phytother Res. 2006 Jul;20(7):546-51. Hepatoprotective and antispasmodic activities of Achillea millefolium.
- 4) Indian J Pharmacol. 2014 May-Jun;46(3):303-8. A. millefolium attenuates disease severity, inflammatory responses, and demyelinating lesions in autoimmune encephalomyelitis.
- 5) J Pediatr Adolesc Gynecol. 2015 Oct;28(5):402-4. A millefolium is effective in minimizing the pain severity in primary dysmenorrhea.
- 6) Arch Pharm Res. 2016 Jan;39(1):10-20. Phytochemical antioxidants, protective and therapeutic effect of Achillea on gastric ulcer
- 6) Curr Pharm Des. 2008;14(29):3151-67. Achillea properties: analgesic, anti-ulcer, choleric, hepatoprotective and wound healing.
- 7) Molecules. 2015 Sep 30;20(10):17976-8000. Achillea is a valuable source of flavonoids with important antioxidant, wound healing and cytotoxic activities.
- 8) Pharm Biol. 2015 Feb;53(2):220-7. Protective effects of Achillea on acetaminophen-induced oxidative stress in liver
- 9) Dose Response. 2015 Apr 29;13(1):1559325815583761. Radioprotective effect of Achillea against ionizing radiation in human lymphocytes.
- 10) J BUON. 2015 Nov-Dec;20(6):1487-96. Antiproliferative and apoptotic effects of Achillea falcata in human cervical cancer cells
- 11) Fitoterapia. 2004 Dec;75(7-8):733-6. Antibacterial activity of Achillea against Klebsiella pneumoniae and resistant Streptococcus pneumoniae and exhibited strong activity against Gram (-) Haemophilus influenzae and Pseudomonas aeruginosa.
- 12) Jundishapur J Microbiol. 2014 Dec 1;7(12):e13081. A novel reduction strategy of clarithromycin resistance in helicobacter pylori.
- 11, 13) Phytother Res. 2003 Nov;17(9):1037-40. Antimicrobial activity of Achillea shown beneficial against Gram-negative and fungal organisms Aspergillus niger, Aspergillus fumigatus, Candida albicans
- 14) BMC Complement Altern Med. 2011 Nov 3;11:106. Achillea more potent than albendazole against tapeworms
- 14) J Helminthol. 2008 Sep;82(3):227-33. Anthelmintic efficacy of Achillea millefolium against gastrointestinal nematodes of sheep:
- 15) Phytother Res. 2011 Apr;25(4):577-83. Achillea millefolium has hypotensive, cardiovascular inhibitory and bronchodilatory effects
- 16) Drugs Exp Clin Res. 2000;26(3):89-93. Antihypertensive and antihyperlipidemic effects of Achillea
- 17) J Ethnopharmacol. 2012 Mar 6;140(1):46-54. Anxiolytic-like effects of acute and chronic treatment with Achillea millefolium L. extract.
- daily caloric intakes in humans by 30%.
- 2) Phytomedicine. 1998 Aug;5(4):283-8. Extract prepared from Gentiana lutea has a hepatoprotective and choleric activity.
- 3) J Ethnopharmacol. 2016 Aug 28. pii: S0378-8741(16)30583-9. Gentiana to treat cholestasis, jaundice and other hepatic and biliary diseases
- 4) Zhongguo Zhong Xi Yi Jie He Za Zhi. 2003 Jun;23(6):447-8. Radix Gentianae could significantly inhibit the replication of HCV-RNA.
- 5) PLoS One. 2016 Feb 12;11(2):e0148693. Luteoloside can block and inhibit Enterovirus71 production in vitro.
- 5) J Asian Nat Prod Res. 2011 Jun;13(6):512-22. Gentiana rigescens against RSV Respiratory syncytial virus (RSV)
- 6) Phytother Res. 2017 Jan 12. Gentiana scabra for Herpes Zoster and postherpetic neuralgia
- 7) Saudi J Biol Sci. 2014 Nov;21(5):493-8. Antioxidant and antibacterial activity of gentiana
- 7) Z Naturforsch C. 2009 May-Jun;64(5-6):339-42. Gentiana lutea showed antimicrobial activity to both Gram-positive and Gram-negative bacteria and yeast Candida
- 8) Kansenshogaku Zasshi. 1992 Jul;66(7):914-22. Gentiana to 12 cases of patients with the MRSA infected skin lesions
- 9) Food Chem Toxicol. 2013 Feb;52:83-90. Hepatoprotective effects of Gentiana against carbon tetrachloride induced liver injury. Treatment with the extracts resulted in a significant increase in the levels of catalase, superoxide dismutase and reduced glutathione
- 9) Chin J Nat Med. 2014 Jul;12(7):488-94. Hepatoprotective anti-oxidant activity of Gentiana against carbon tetrachloride-induced hepatotoxicity in mice.
- 9) World J Gastroenterol. 2010 Jan 21;16(3):384-91. Gentiana prevents acetaminophen hepatic injury by increasing GSH
- 10) J Agric Food Chem. 2010 Dec 22;58(24):13013-9. Gentiana significantly reduced serum ALT and AST and hepatic triglyceride levels
- 11) Phytother Res. 2010 Nov;24(11):1693-6. Gentiana lutea extract reduced effect of x-ray irradiation on human cells
- 12) J Nat Med. 2015 Jul;69(3):366-74. Anti-inflammatory Gentiana crassicaulis with inhibitory effects against IL-6 production
- 12) Nat Prod Res. 2015;29(20):1920-7. Gentiana scabra significant inhibits IL-12, IL-6, and TNF- $\alpha$ .
- 13) J Ethnopharmacol. 2004 Nov;95(1):77-81. Anti-inflammatory activity in Gentiana is comparable to that observed in prednisone.
- 14) Arthritis. 2014;2014:810615. Antiarthritic Potential of Extract of Gentiana for Rheumatoid arthritis
- 15) Planta Med. 2000 Dec;66(8):765-7. Smooth muscle relaxing activity Gentiana spathacea on contractions of pig ileum.
- 16) Zhong Xi Yi Jie He Za Zhi. 1989 Mar;9(3):156-7, 133-4. Gentiana treatment of systemic lupus erythematosus SLE. The results showed complete remission in 86.46% of the studied cases. Gentiana m. complex was more effective on the improvement of

## Chapter 14e

- 1) Br J Nutr. 2016 Nov 10:1-10. Microencapsulated bitter compounds from Gentiana lutea reduce

nephropathy, arthralgia, erythema than prednisone.

16) *PLoS One*. 2015 May 18;10(5):e0127440.  
The Root Extract of *Gentiana* Alleviates Cardiac Apoptosis in Lupus

17) *J Ethnopharmacol*. 2015 Aug 22;172:219-26.  
A bitter herbal medicine *Gentiana scabra* root extract stimulates glucagon-like peptide-1 secretion and regulates blood glucose in diabetes

18) *PLoS One*. 2016 Feb 12;11(2):e0148693.  
Luteoloside is a flavonoid with anti-microbial and anti-cancer activities.

19) *PLoS One*. 2014 Feb 26;9(2):e89961.  
Luteoloside from *Gentiana* suppresses proliferation and metastasis of hepatocellular carcinoma

## Chapter 14f

1) *Toxicol Appl Pharmacol*. 2015 May 15;285(1):12-22.  
Boldine enhances bile production

2) *Phytother Res*. 2014 Nov;28(11):1637-45.  
Procyanidins from *Peumus boldus* extract inhibit *Helicobacter pylori*

3) *Int J Food Microbiol*. 2014 Jan 3;168-169:17-23.  
Antifungal fractions of *Peumus boldus* decreased *Aspergillus* by 99.7%

4) *Exp Parasitol*. 2016 Dec;171:84-90.  
*Peumus boldus* and its ascarirole fraction against larva of the domestic mosquito.

5) *PLoS One*. 2015 Apr 1;10(4):e0121099.  
Boldine inhibited *in vitro* replication of hepatitis C virus (HCV).

6) *Neurochem Res*. 2016 Oct;41(10):2699-2707.  
*Peumus boldus* protects against manganese-induced toxicity

6) *Phytother Res*. 2009 Jul;23(7):1024-7.  
*Peumus boldus* antioxidants significantly diminished lipoperoxidation by cisplatin

7) *Acta Cir Bras*. 2016 Sep;31(9):608-614.  
*Peumus Boldus* exerts significant positive effect on liver regeneration

8) *J Diabetes Res*. 2013;2013:593672.  
Boldine for renal and cellular alterations and protects tissue damage in diabetics.

9) *Behav Pharmacol*. 2016 Oct 19.  
Neuroinflammatory response to experimental stroke is inhibited by boldine.

10) *J Pharm Pharmacol*. 2011 Sep;63(9):1219-29.  
Boldo prevents UV light and DNA damage in melanoma cancer cells.

11) *Urol Oncol*. 2014 Jan;32(1):36.e1-9.  
Boldine induces cell cycle arrest and apoptosis in human bladder cancer cell line

12) *Drug Des Devel Ther*. 2014 Jun 6;8:719-33.  
Boldine injection significantly reduced tumor size in an animal model of breast cancer.

## Chapter 15a

1) *Minerva Gastroenterol Dietol*. 2010 Jun;56(2):93-9.  
Phytotherapy artichoke leaves in the management of functional dyspepsia symptoms

2) *Food Funct*. 2015 May;6(5):1667-74.

*Cynara* stimulates the growth of intestinal bacteria due to high inulin contents

3) *Ter Arkh*. 2016;88(9):78-83.  
Nonalcoholic steatohepatitis and biliary sludge in people with metabolic syndrome  
*Cynara* eliminated biliary sludge in 87% of the patients stopping pain and dyspepsia. .

4) *Phytother Res*. 2011 Sep;25(9):1275-82.  
Appetite control and glucose reduction in overweight subjects treated with *Cynara*

5) *Phytother Res*. 2012 Jul;26(7):1048-52.  
Artichoke extract lowered plasma cholesterol and increased fecal bile acids

6) *Int J Hepatol*. 2016;2016:4030476.  
Artichoke leaf extract reduced liver enzymes and lipids in nonalcoholic steatohepatitis.

7) *Ter Arkh*. 2016;88(9):78-83.  
*Cynara* with nonalcoholic steatohepatitis (NASH) and metabolic syndrome (MS).

7) *Monaldi Arch Chest Dis*. 2013 Mar;80(1):17-26.  
Artichoke in preventing cardiovascular disease by its lipidic and glycemic-reducing action and antioxidant activity.

7) *Przegl Lek*. 2012;69(10):1129-31.  
Artichoke in the treatment of atherosclerosis and liver diseases

8) *Springerplus*. 2016 Feb 29;5:216.  
*Cynara* leaf extract with carbon tetrachloride-induced hepatic injury in rats.

8) *Pharm Biol*. 2015 Feb;53(2):167-73.  
Artichoke leaf extract against paracetamol-induced hepatotoxicity in rats.

9) *Pharm Biol*. 2013 Sep;51(9):1104-9.  
*Cynara scolymus* leaf extract chelates to reduce blood lead levels.

9) *Plant Foods Hum Nutr*. 2015 Dec;70(4):441-53.  
Artichoke leaf's antioxidant, choleric, hepatoprotective to help liver cells regenerate

10) *PLoS One*. 2014 Feb 26;9(2):e89961.  
Luteoloside as an adjuvant therapy for HCC and prevention of metastatic HCC.

11) *Oxid Med Cell Longev*. 2015;2015:363827.  
*Cynara* polyphenols induces apoptosis in human breast cancer cell line.

11) *Oncotarget*. 2015 Jul 20;6(20):18134-50.  
*Cynara* affects malignant pleural mesothelioma by apoptosis and restraining invasion.

11) *Asian Pac J Cancer Prev*. 2013;14(11):6791-5.  
Cytotoxic and apoptotic effects of *Cynara L.* species in colorectal cancer cells.

11) *Eur Rev Med Pharmacol Sci*. 2011 Dec;15(12):1429-44.  
The protective effects of fish oil and artichoke on hepatocellular carcinoma in rats.

## Chapter 15b

1) *Am J Chin Med*. 2000;28(2):163-73.  
Hepatoprotective *Arctium lappa* on carbon tetrachloride- and acetaminophen liver damage.

1) *Biol Trace Elem Res*. 2014 Aug;160(2):250-7.  
Hepatoprotective effect of *Arctium lappa* root extract on cadmium toxicity

- 2) *J Tradit Chin Med.* 2005 Dec;25(4):296-9.  
An experimental research into the anti-aging effects of *Radix Arctii Lappae*.
- 2) *Malays J Med Sci.* 2015 Mar-Apr;22(2):25-32.  
*Arctium lappa* increased sperm count, LH, FSH, and testosterone
- 2) *Planta Med.* 2013 Apr;79(6):471-9.  
*Arctigenin* has been reported with anticancer, anti-inflammation, and antivirus effects.
- 3) *Phytomedicine.* 2015 Jan 15;22(1):128-37.  
*Arctigenin* acid has hypoglycemic activity due to promoting insulin secretion.
- 4) *Food Funct.* 2016 Nov 24  
*Arctium* inhibited weight gain and reduced white adipose tissue in obese mice. Serum triglyceride and LDL-cholesterol were reduced and HDL-cholesterol was increased.
- 5) *Clin Mol Allergy.* 2011 Feb 8;9(1):4.  
Anti-allergic and anti-inflammatory effects of *Arctium* has beneficial effects in the treatment of allergic diseases, including atopic dermatitis.
- 5) *Homeopathy.* 2014 Jul;103(3):203-7.  
*Arctium lappa* in the treatment of acne especially of inflammatory type.
- 6) *Biol Res.* 2014 Sep 30;47:50.  
*Arctium* anti-oxidative effects on human hair dermal papilla cells useful for alopecia
- 7) *Talanta.* 2015 Apr;135:50-7.  
*Arctium lappa* with a potent anti-ulcer activity.
- 7) *Biomed Rep.* 2016 Nov;5(5):589-594. Epub 2016 Oct 4.  
*Arctigenin* exerted anti-ulcer activity by reduction in oxidative and inflammatory damage.
- 8) *J Nat Med.* 2012 Oct;66(4):614-21.  
*Arctigenin* showed cytotoxicity to lung cancer, liver cancer and stomach cancer cells
- 8) *Planta Med.* 2006 Feb;72(3):276-8.  
Antiproliferative and apoptotic effects of lignans from *Arctium lappa* on leukemic cells.
- 9) *Oncol Rep.* 2016 Nov 23.  
*Arctigenin* inhibits angiogenesis and metastasis of human breast cancer cells
- 9) *Free Radic Biol Med.* 2014 Feb;67:159-70.  
*Arctigenin*, a dietary lignin and phytoestrogen induces apoptosis of estrogen receptor-negative breast cancer cells.
- 9) *Basic Clin Pharmacol Toxicol.* 2014 Dec;115(6):507-11.  
*Arctigenin* inhibits proliferation and promotes apoptosis in ovarian cancer cells

## Chapter 15c

- 1) *Eur J Clin Nutr.* 2009 Nov;63(11):1277-89.  
The bifidogenic effect of inulin and oligofructose and its consequences for gut health.
- 2) *Diabetol Metab Syndr.* 2016 Feb 13;8:11.  
The anti-inflammatory action of *Cichorium* is due to modulation of cytokine expression.
- 2) *J Agric Food Chem.* 2015 Dec 30;63(51):10903-13  
*Cichoric acid* improves blood sugar levels, reverses insulin resistance and suppresses inflammatory responses in the hepatic cells

- 3) *J Agric Food Chem.* 2015 Dec 23;63(50):10791-802.  
Extract of *Cichorium Attenuates Type 1 Diabetes* and glucose levels
- 4) *Nutrition.* 2014 Jul-Aug;30(7-8):882-9.  
Oral intake of *cichoric acid* reduces acute alcohol-induced hepatic steatosis in mice.
- 4) *Food Chem Toxicol.* 2013 Aug;58:198-209.  
Amelioration by *chicory seed extract* of fatty liver disease caused by diabetes-
- 4) *Mol Nutr Food Res.* 2015 Sep;59(9):1803-13.  
*Chicory consumption* suppressed aortic cholesterol accumulation
- 5) *Zhongguo Zhong Yao Za Zhi.* 2014 Jun;39(11):2081-5.  
*Chicory's treatment effect* on abdominal obesity is significant. This may be related to the change in gut bacteria.
- 6) *J Diet Suppl.* 2016;13(5):570-84.  
Hepatoprotection of *chicorium intybus* against carbon tetrachloride liver damage.
- 6) *J Ethnopharmacol.* 2015 Nov 4;174:355-63.  
Hepatoprotective activity of flavonoids from *Cichorium glandulosum*
- 6) *Food Chem Toxicol.* 2014 Oct;72:138-46.  
*Chicorium intybus* against 4-tert-octylphenol induced liver injury and oxidative
- 7) *Biol Pharm Bull.* 2014;37(7):1214-20.  
*Chicoric acid* attenuated significantly hepatocyte injury of hepatitis B virus
- 8) *BMC Musculoskelet Disord.* 2010 Jul 9;11:156.  
*Chicory root extract* in patients with osteoarthritis of the hip or knee.

## Chapter 15d

- 1) *Neurogastroenterol Motil.* 2011 Aug;23(8):766-e333.  
*Taraxacum officinale* promotes gastric emptying and smooth muscle motility
- 2) *Phytother Res.* 2014 May;28(5):745-52.  
Reduction of adipogenesis and lipid accumulation by *Taraxacum officinale*
- 3) *Food Chem Toxicol.* 2013 Aug;58:30-6.  
*Taraxacum* alleviates nonalcoholic fatty liver and reduces triglycerides, cholesterol, insulin, and fasting glucose in serum.
- 4) *Int J Mol Sci.* 2010 Jan 6;11(1):67-78.  
Hypolipidemic and antioxidant effects of dandelion (*Taraxacum officinale*) root and leaf protects against oxidative stress linked atherosclerosis
- 5) *Environ Toxicol.* 2016 Mar;31(3):339-49.  
Hepatoprotective effect of *Taraxacum* on sodium dichromate induced liver injury in rats.
- 5) *Pak J Pharm Sci.* 2014 Jul;27(4):825-9.  
*Taraxacum officinale* protect against carbon tetrachloride induced hepatotoxicity in rats.
- 5) *J Ethnopharmacol.* 2010 Aug 9;130(3):569-77.  
*Taraxacum officinale* root in carbon tetrachloride-induced liver damage in mice.
- 5) *J Med Food.* 2012 Jun;15(6):549-56.  
*Taraxacum* protective effect against hepatotoxicity induced by acetaminophen in mice.
- 5) *Food Chem Toxicol.* 2010 Jun;48(6):1632-7.  
*Taraxacum officinale* (dandelion) root against alcohol-induced oxidative stress.

- 6) Mol Med Rep. 2014 Apr;9(4):1381-7.  
Taraxacum antiviral effect against hepatitis B virus in animal and human cells.
- 6) Virol J. 2011 Dec 14;8:538.  
Dandelion extracts possess anti-influenza virus properties.
- 7) BMC Complement Altern Med. 2011 Nov 14;11:112.  
Dandelion extract has a potent inhibitory activity against HIV-1
- 8) J Ethnopharmacol. 2008 Jan 4;115(1):82-8. Epub 2007 Sep 15.  
Taraxacum contains anti-angiogenic, anti-inflammatory and anti-nociceptive activities.
- 8) J Ethnopharmacol. 2015 Jun 20;168:349-55.  
Anti-inflammatory effects of water extract of Taraxacum
- 9) Zhong Yao Cai. 2015 Oct;38(10):2129-33.  
Anti-proliferation Effect of Taraxacum extract in liver cancer cells
- 9) Mol Carcinog. 2016 Apr;55(4):387-96.  
Taraxacum officinale enhances TRAIL-induced apoptosis in hepatocarcinoma cells.
- 9) Life Sci. 2004 Jan 16;74(9):1149-57.  
Taraxacum officinale induces cytotoxicity of hepatocarcinoma through TNF-alpha and IL-1alpha secretion.
- 10) Int J Oncol. 2008 May;32(5):1085-90.  
Taraxacum officinale blocks growth and invasion of breast and prostate cancer cells.
- 10) PLoS One. 2012;7(2):e30604.  
Dandelion root extract in human chronic myelomonocytic leukemia (CMML) cells.
- 11) Pancreas. 2012 Oct;41(7):1039-47.  
Dandelion root extract has the potential to induce apoptosis in pancreatic cancer cells

## Chapter 15e

- 1) Phytochemistry. 2015 Sep;117:554-68.  
gingerols anticancer, anti-oxidant, antimicrobial, anti-inflammatory and anti-allergic
- 2) J Med Assoc Thai. 2007 Sep;90(9):1703-9.  
Ginger and dimenhydrinate in treatment of nausea and vomiting in pregnancy.
- 3) Eur Rev Med Pharmacol Sci. 2016;20(1):146-9.  
Zingiber officinalis promotes gastric motility for treatment of functional dyspepsia
- 4) Biomed Res Int. 2013;2013:918460.  
Zingiber officinale rhizomes for its protective effect against liver cirrhosis.
- 4) Pharmacology. 2016;97(1-2):1-9.  
Protective Effect of Zingiber Officinale against CCl4-Induced Liver Fibrosis
- 5) Biol Trace Elem Res. 2016 Apr;170(2):330.  
Cadmium toxicity in rabbit's kidney and liver protected by Zingiber officinale
- 5) Pharmacognosy Res. 2012 Oct;4(4):208-13.  
Comparative study on the hepatoprotection to heavy metals of Zingiber officinale.
- 6) Exp Ther Med. 2016 Jul;12(1):369-376.  
Zingiber reduces weight gain, insulin resistance and hepatic gluconeogenesis
- 7) J Agric Food Chem. 2016 Mar 16;64(10):2062-71.

Ginger ameliorates hepatic injury and lipid accumulation in diet-induced nonalcoholic fatty liver disease.

- 8) J Acupunct Meridian Stud. 2016 Apr;9(2):80-7.  
Effect of Two Ginger Varieties on Arginase Activity in Hypercholesterolemic Rats.
- 8) PLoS One. 2015 Oct 21;10(10):e0141119.  
The Effect of Ginger on Platelet Aggregation: A Systematic Literature Review.
- 9) PharmaNutrition. 2016 Jul;4(3):123-131.  
Anti-inflammatory effects of ginger in rheumatoid arthritis
- 10) Nutr J. 2015 May 14;14:50.  
Zingiber has hypoalgesic agents and a better safety profile than NSAIDs
- 11) J Basic Clin Physiol Pharmacol. 2015 Jan;26(1):95-103.  
Gastroprotective effect of ginger to reduce the gastric ulcer.
- 11) PLoS One. 2015 Mar 23;10(3):e0121060.  
Zerumbone protected the gastric mucosa from ulcer and inhibited H. pylori strain.
- 12) EXCLI J. 2013 Nov 11;12:943-55.  
Zingiber officinale in HCV patients in Egypt.

## Chapter 15f

- 1) J Ethnopharmacol. 2015 Dec 4;175:198-228.  
Rumex: used for treatment of several health disorders
- 2) BMC Complement Altern Med. 2015 Jul 3;15:211.  
Phytochemical extract of Rumex that is antimicrobial, cytotoxic and antitumor activities.
- 3) Langmuir. 2014 May 27;30(20):5982-8.  
Biosynthesis of stable iron oxide nanoparticles in aqueous extracts of Rumex .
- 4) Biomol Ther (Seoul). 2012 Jul;20(4):425-30.  
Rumex acetosa has been used to treat gastritis or gastric ulcers as a folk medicine.
- 5) Pharmacology. 2012;90(5-6):288-97.  
Protective effect of extract from Rumex on ethanol-induced gastric damage in rats.
- 6) J Med Food. 2016 Jan;19(1):31-7.  
Rumex inhibits Helicobacter pylori-Induced Inflammation in Gastric Epithelial Cells
- 7) PLoS One. 2014 Oct 10;9(10):e110089.  
Procyanidins from Rumex. inhibit the attachment of influenza A virus
- 7) Antiviral Res. 2011 Jan;89(1):9-18.  
Proanthocyanidins from Rumex acetosa inhibits herpes simplex virus type-1.
- 8) Arch Pharm Res. 2013 Apr;36(4):430-5.  
Antimalarial activity of nepodin isolated from Rumex crispus.
- 9) Biol Res. 2015 Mar 25;48:19.  
Hepatoprotective attributes of Rumex vesicarius
- 9) Pharmacology. 2012;90(5-6):288-97.  
Protective antioxidant effect of Rumex on ethanol-induced gastric damage in rats.
- 9) BMC Complement Altern Med. 2015 Sep 30;15:341.  
Facilitation of wound healing and anti-inflammatory activity of the rhizomes of Rumex.
- 10) J Ethnopharmacol. 2010 Feb 3;127(2):433-9.



Analgesic activities of Rumex reduced the number of writhing by 67.6%.

11) *Biofactors*. 2014 Jul-Aug;40(4):436-47.

Antidiabetic effect of nepodin, a component of Rumex roots, and its modes of action

12) *J Physiol Pharmacol*. 2015 Dec;66(6):907-15.

Rumex induces vasorelaxation in rat aorta dependent on NO production.

13) *CNS Neurol Disord Drug Targets*. 2014;13(8):1458-64.

Flavonoids isolated from Rumex exhibit neuroprotective and neurorestorative properties and potentially could be useful in the recovery phase of stroke.

14) *Br J Dermatol*. 2006 Jul;155(1):33-8.

Inhibitory effects of Rumex on the development of atopic dermatitis-

Oral administration of rumex decreased the total skin symptom severity scores, and a decrease in hypertrophy, hyperkeratosis and infiltration of inflammatory cells in the skin.

15) *Asian Pac J Cancer Prev*. 2015;16(10):4303-10.

Rumex is an anticancer candidate with a promising potential against hepatocellular carcinoma.

15) *BMC Complement Altern Med*. 2015 Oct 15;15:365.

Rumex has a chemopreventive effect on colon carcinogenesis in rats

15) *Phytother Res*. 2013 Jan;27(1):77-85.

Rumex's antiproliferative activity (at least 50% inhibition) of human cancer cell lines of the cervix, skin, and breast.

15) *Molecules*. 2012 Jan 17;17(1):843-50.

Rumex has antiproliferation activities in four cell lines; breast, gastric, melanoma, and oophoroma.

15) *Acta Pol Pharm*. 2012 May-Jun;69(3):487-99.

Rumex species induce apoptosis in leukemic cell lines and support its use in cancer therapy.

## Chapter 16a

1) *Przegł Lek*. 2012;69(8):541-3.

Silibinin blocks the penetration of various toxins including amanitin from Amanita mushroom and reduces cirrhosis and liver-related mortality.

2) *Molecules*. 2016 Apr 1;21(4):443.

Silymarin prevents stress-induced acute liver injury by ameliorating oxidative stress and induces hepatic synthesis of glutathione.

3) *Toxicol Mech Methods*. 2012 Jun;22(5):409-13.

Silymarin significantly prevented ethanol-induced, elevated activities of interleukin, tumor necrosis factor,  $\gamma$  interferon

4) *Cell Microbiol*. 2013 Nov;15(11):1866-82.

Silibinin inhibits hepatitis C virus entry into hepatocytes

5) *PLoS One*. 2012;7(7):e41832.

Silibinin inhibits HIV-1 infection by reducing cellular activation and proliferation

6) *PLoS One*. 2017 Feb 3;12(2):e0171139.

Silymarin suppressed T cell activation and exhaustion markers on CD4+ and CD8+ T cells from HIV-positive subjects.

7) *PLoS One*. 2015 Jul 15;10(7):e0133028.

Silibinin effective in difficult-to-treat HIV/HCV coinfecting patients.

8) *Hum Exp Toxicol*. 2015 Nov;34(11):1031-42.

Prolonged zidovudine (AZT) treatment in HIV-infected and AIDS patients protected against liver damage by intake of silibinin

9) *Pharm Biol*. 2016 Jul 8:1-6.

Silymarin improved diet-induced liver damage and insulin resistance

9) *Physiol Res*. 2015;64 Suppl 4:S507-12.

Silybin in the treatment of metabolic syndrome; increased the levels of HDL, reduced triglycerides and decreased glucose and insulin levels.

10) *Anticancer Drugs*. 2015 Jun;26(5):475-86.

Primary liver cancer, also known as hepatocellular carcinoma (HCC) Silymarin

10) *PLoS One*. 2013 Dec 27;8(12):e83699.

Silybin exerts antitumor activity in human hepatocellular carcinoma cells.

11) *Expert Rev Clin Pharmacol*. 2016 Jul 18:1-8

Silibinin: for lung cancer, prostatic cancer, colon cancer, breast cancer, bladder cancer and hepatocellular carcinoma

12) *Arch Biochem Biophys*. 2016 Feb 1;591:141-9.

Estrogen receptor beta ER $\beta$  up-regulation caused by silibinin inhibits human breast cancer MCF-7 cells.

13) *Toxicol Lett*. 2013 May 23;219(2):160-9.

Phytoestrogenic, pro-apoptotic and anti-oxidative properties of silymarin in benign prostatic hyperplasia.

14) *Environ Sci Pollut Res Int*. 2016 Sep;23(17):17226-35.

Effects of benzo[a]pyrene as an environmental pollutant and silymarin antioxidants

15) *Curr Drug Targets*. 2013 Dec;14(14):1659-66.

Milk thistle: a future potential anti-osteoporotic and fracture healing agent.

## Chapter 16b

1) *Phytochemistry*. 2015 Aug;116:253-61.

Schisandrachinensis exhibited potent anti-hepatitis B virus activity against HBV DNA

1) *Sci Rep*. 2016 Jun 2;6:27268.

Schizandronic acid (SZA) inhibited HCV and in combination with interferon or telaprevir resulted in additive synergistic effect

2) *BMC Microbiol*. 2015 Dec 2;15:274.

Schisandra compound inhibits HIV-1 infection by blocking viral DNA nuclear entry.

2) *Nat Prod Commun*. 2015 Jun;10(6):1001-4.

Schisandra inhibits the growth of chlamydia pneumonia and chlamydia trachomatis .

3) *PLoS One*. 2016 May 6;11(5):e0154731.

Schisandra chinensis extracts for safe, effective agents against pathogenic fungi.

4) *Food Funct*. 2014 Nov;5(11):3018-25.

Hepatoprotective effect of Schisandra chinensis on chronic alcohol-induced liver injury

5) *Int J Mol Sci*. 2015 Jan 22;16(2):2446-57.

Ameliorative effects of Schisandra chinensis on alcoholic liver oxidative injury in mice.

5) *J Med Food*. 2014 Jan;17(1):103-10.

Schisandra chinensis prevents alcohol-induced fatty liver disease in rats.

6) *Drug Metab Dispos*. 2016 Mar;44(3):337-42.

Schisandra Extract against cholestasis and promotion of liver regeneration.

6) *Sci Rep*. 2015 Mar 13;5:9114.

Schisandrin B in non-alcoholic steatotic livers reduced hepatic

fibrosis

7) *Drug Metab Dispos.* 2016 May;44(5):647-52.  
Schisandra significantly facilitates liver regeneration after partial hepatectomy

8) *Int J Clin Pharmacol Ther.* 2010 Mar;48(3):224-9.  
Effect of Schisandra extract on tacrolimus in the blood of liver transplant patients.

9) *Exp Ther Med.* 2016 Jan;11(1):353-359. Epub 2015 Nov 19.  
Schisandra chinensis and Rhodiola. rosea markedly decreased the stress-induced elevation of corticotropin-releasing hormone and peripheral corticosterone levels.

9) *Curr Clin Pharmacol.* 2009 Sep;4(3):198-219.  
Schisandra chinensis increase tolerance to mental exhaustion and enhance attention and mental endurance

10) *J Ethnopharmacol.* 2013 Mar 7;146(1):347-54.  
The effects of lignan-riched extract of Schisandra chinensis on amyloid- $\beta$ -induced cognitive impairment and neurotoxicity and treatment of Alzheimer's disease.

10) *Neurosci Lett.* 2017 Jan 18;638:121-128.  
Schisandra exerts neuroprotective properties and anti-neuroinflammatory effects and could be applied in Alzheimer's disease (AD).

11) *J Ethnopharmacol.* 2008 Jul 23;118(2):183-212.  
Schisandra increases endurance, mental performance and working capacity. Schisandra for depressive states, schizophrenia and alcoholism, hypotension and cardiotoxic disorders, influenza, in chronic sinusitis, otitis, pneumonia, allergic dermatitis, gastritis, ulcers, wound healing and trophic ulcers.

12) *Mol Med Rep.* 2015 Aug;12(2):2135-9.  
Effects of Schisandra chinensis fruit on contact dermatitis inhibited hyperplasia

12) *Immunopharmacol Immunotoxicol.* 2012 Apr;34(2):292-8.  
Inhibitory effects of Schisandra chinensis extract on atopic dermatitis

13) *Pharm Biol.* 2015 Feb;53(2):212-9.  
Schisandra inhibited the proliferation of gastric cancer cells and induced apoptosis.

13) *Phytother Res.* 2010 Feb;24(2):193-7.  
Schizandrin exhibited growth inhibitory activities in cultured human breast cancer cells,

14) *Phytomedicine.* 2015 May 15;22(5):528-35.  
Protective effect Schisandra sphenanthera against cisplatin-induced nephrotoxicity

15) *J Ethnopharmacol.* 2014 Oct 28;156(2):271-6.  
Effects of Schisandra chinensis extract on the human prostate tissues

16) *Nutr Res.* 2015 Aug;35(8):655-63.  
Schisandra chinensis fruit modulates the gut microbiota composition and showed a greater decrease in waist circumference, fat mass, fasting blood glucose, triglycerides,

curcumin.

2) *World J Gastroenterol.* 2016 Mar 7;22(9):2736-48.  
Curcumin as therapeutic against Helicobacter pylori associated diseases.

3) *PLoS One.* 2016 Nov 22;11(11):e0167135.  
Curcumin generates oxidative stress induces apoptosis schistosoma mansoni

3) *PLoS One.* 2016 Sep 22;11(9):e0162926.  
Curcumin against Leishmania, Trypanosoma (sleeping sickness), Plasmodium (malaria) and Trypanosoma (Chagas disease) .

3) *Wien Klin Wochenschr.* 2014 Apr;126 Suppl 1:S32-6.  
Curcumin on Trichomonas vaginalis; 100 % eradication of all trichomonas within 24 h.

4) *FEBS Lett.* 2010 Feb 19;584(4):707-12.  
Curcumin inhibits hepatitis C virus replication , anti-viral activity against the influenza virus, adenovirus, coxsackie virus, and the human immunodeficiency virus.

4) *Food Funct.* 2015 Nov;6(11):3412-9.  
Curcumin: a potential natural compound against HIV infection and AIDS.

5) *J Ethnopharmacol.* 2009 Jul 15;124(2):189-96.  
Antiviral effect of Curcuma longa Linn extract against hepatitis B virus replication.

5) *Gut.* 2014 Jul;63(7):1137-49.  
Turmeric curcumin inhibits entry of all hepatitis C virus genotypes into human liver cells

6) *Phytochem Anal.* 2008 May-Jun;19(3):236-43.  
Free radical-scavenging activity of Curcuma longa great than ascorbic acid.

7) *BMC Complement Altern Med.* 2016 Aug 26;16(1):316.  
Curcumin, protects against chronic carbon tetrachloride induced liver damage by enhancing glutathione production.

7) *BMC Complement Altern Med.* 2012 Sep 16;12:156.  
Anti-inflammatory effect of curcumin ameliorates the progression of liver fibrosis

8) *IUBMB Life.* 2015 Aug;67(8):645-58.  
Curcumin attenuates ethanol-induced hepatic steatosis Alcoholic liver disease (ALD).

8) *Liver Int.* 2016 Jan;36(1):5-20.  
Natural antioxidants for non-alcoholic steatohepatitis (NASH)

8) Yao Xue Xue Bao. 2014 Nov;49(11):1483-90.  
Recent advances in curcumin and its derivatives for treatment of liver diseases

9) *Phytother Res.* 2016 Sep;30(9):1540-8.  
Curcumin lowers liver fat content 78.9% and lowered total cholesterol, low-density lipoprotein, triglycerides, and glucose.

10) *Eur J Pharmacol.* 2016 Mar 15;775:22-34.  
Curcumin alleviates diabetic atherosclerosis by reducing fats and hyperglycemia and associated oxidative stress

11) *J Nephrol.* 2014 Apr;27(2):203-7.  
Efficacy of turmeric in decreasing hs-CRP and uremic pruritus in renal disease.

11) *Hemodial Int.* 2015 Jan;19(1):124-31.  
Role of turmeric in oxidative modulation in end-stage renal disease patients.

11) *Redox Biol.* 2013 Sep 17;1:448-56.  
Renoprotective effect of the antioxidant curcumin: including

## Chapter 16c

1) *PLoS One.* 2012;7(9):e44650.  
Curcuma longa myorelaxant effect on the ileum and colon, reduced contractions

1) *J Ethnopharmacol.* 2009 Jan 30;121(3):433-43.  
Uterine relaxant effects of Curcuma extracts.

2) *Biomed Res Int.* 2014;2014:186864.  
A review on antibacterial, antiviral, and antifungal activity of

diabetic nephropathy, chronic renal failure, ischemia.

12) *Adv Exp Med Biol.* 2007;595:379-405.

Curcumin protects from acute and chronic lung diseases by curcumin: chronic obstructive pulmonary disease, acute lung injury, acute respiratory distress syndrome, and allergic asthma

13) *Planta Med.* 2014 Mar;80(4):249-54.

Curcumin: therapeutical potential in ophthalmology: chronic anterior uveitis, diabetic retinopathy, glaucoma, age-related macular degeneration, and dry eye syndrome.

14) *Nutr J.* 2016 Jan 5;15:1.

Benefits of antioxidant supplements for knee osteoarthritis:

15) *Colloids Surf B Biointerfaces.* 2017 Feb 1;150:223-241.

Nanoencapsulation, of curcumin a promising approach to maximize wound healing.

16) *Theranostics.* 2016 Sep 25;6(12):2250-2266. eCollection 2016.

Curcumin for ulcerative colitis: prevent mucosal damage and relieve inflammation.

17) *Food Chem Toxicol.* 2015 Sep;83:111-24.

Curcumin and inflammation play a pivotal role in various diseases like diabetes, cancer, arthritis, Alzheimer's disease and cardiovascular diseases.

18) *Phytother Res.* 2016 Feb;30(2):175-83.

Curcumin showed a significantly higher reduction in depression symptoms.

19) *Phytother Res.* 2014 Apr;28(4):517-25.

Therapeutic potential of turmeric in Alzheimer's disease: curcumin or curcuminoids?

20) *Nutr Cancer.* 2010;62(7):919-30.

Curcumin is a chemosensitizer and radiosensitizer for tumors and chemoprotector and radioprotector for normal organs. Chemosensitization has been observed in cancers of the breast, colon, pancreas, gastric, liver, blood, lung, prostate, bladder, cervix, ovary, head and neck, and brain and in multiple myeloma, leukemia, and lymphoma.

20) *Mol Med Rep.* 2016 Feb;13(2):1570-6.

Curcumin enhances the antitumor effect of chemotherapy in hepatocellular carcinoma.

21) *Eur J Med Chem.* 2016 Apr 13;112:157-63.

Curcumin causes apoptosis in hepatocarcinoma through oxidative mediated pathway

21) *Rom J Morphol Embryol.* 2015;56(1):71-6.

In vitro evaluation of curcumin effects on breast adenocarcinoma.

21) *Biomed Pharmacother.* 2017 Feb;86:373-380.

Curcumin inhibits growth potential and induces apoptosis in colon adenocarcinoma

21) *APMIS.* 2017 Feb;125(2):134-140.

Curcumin inhibits the survival and metastasis of prostate cancer cells

21) *Nutrients.* 2017 Feb 4;9(2).

Curcumin inhibited cell growth, enhanced apoptosis, induced cell cycle arrest and retarded cell invasion in pancreatic cancer cells.

21) *Biomed Pharmacother.* 2017 Feb 3;88:832-834.

Curcumin and treatment of melanoma: The potential role of microRNAs.

2) *Posit Health News.* 1998 Fall;(No 17):14-5.

Hepatitis B and C viral load correlates to glutathione levels.

3) *In Vivo.* 2016 11-12;30(6):777-785.

licorice root extracts against human immunodeficiency virus (hiv) or herpes simplex

3) *J Ethnopharmacol.* 2013 May 2;147(1):114-21.

Glycyrrhizic acid against coxsackie virus and enterovirus of hand foot mouth disease.

4) *J Environ Sci (China).* 2017 Jan;51:181-190.

Hepatoprotective and antioxidant effects of dietary Glycyrrhiza polysaccharide

4) *BMC Complement Altern Med.* 2016 Jan 22;16:19.

Hepatoprotective effect of licorice in alcohol-induced fatty liver disease.

4) *Molecules.* 2015 Jul 20;20(7):13041-54.

Licorice inhibited pro-inflammatory cytokines (TNF- $\alpha$ , IL-1 $\beta$  and IL-6)

5) *Food Nutr Res.* 2016 Apr 22;60:30830.

Antiatherosclerotic effects of licorice. Following 1 year mean carotid intima-media thickness, total cholesterol, LDL levels, and blood pressure were decreased.

6) *Oral Dis.* 2012 Jan;18(1):32-9.

Licorice and its potential beneficial effects in dental caries, periodontitis, candidiasis, and recurrent aphthous ulcers

7) *Iran J Pharm Res.* 2015 Fall;14(4):1163-70.

Antitumor properties of Glycyrrhiza glabra L. extract was more potent than omeprazole

8) *BMC Complement Altern Med.* 2016 Nov 16;16(1):459.

Regulatory effects of glycyrrhizae radix GR extract on ulcerative colitis.

9) *Curr Pharm Des.* 2016 Oct 21.

Glycyrrhiza glabra for the treatment of asthma: A Traditional Persian Medicine

9) *Respir Physiol Neurobiol.* 2013 Jun 1;187(1):47-51.

Herbal polysaccharides and cough reflex. The strongest antitussive was G glabra which was comparable with the antitussive activity of codeine (62%).

10) *Mol Cell Endocrinol.* 2011 Apr 10;336(1-2):102-9.

Liquorice and glycyrrhethinic acid increase DHEA and deoxycorticosterone levels

11) *J Ethnopharmacol.* 2017 Jan 20;196:141-150.

Control of stress-induced depressive disorders

12) *J Dermatolog Treat.* 2003 Sep;14(3):153-7.

The treatment of atopic dermatitis with topical licorice gel.

13) *PLoS One.* 2014 Jul 18;9(7):e98137.

Glycyrol significantly alleviated cartilage and bone erosion and reduced inflammatory cytokines in RA.

14) *Nutr Cancer.* 2017 Feb-Mar;69(2):330-339.

Licorice showed anticancer properties inducing apoptosis in human colon cancer

14) *Oncotarget.* 2016 Oct 4;7(40):65732-65743.

Glycoumarin exerts anti-liver cancer activity for hepatocellular carcinoma (HCC)

## Chapter 16d

1) *Oncology.* 2002;62 Suppl 1:94-100.

Long-term treatment of chronic hepatitis C with glycyrrhizin to prevents liver cirrhosis and hepatocellular carcinoma.

## Chapter 16e

1) *Int J Med Mushrooms.* 2016;18(9):841-850.

Hepatoprotective Effects of Reishi on Amanitin-Induced Liver Injury

2) *Int J Med Mushrooms*. 2013;15(4):383-91.  
Hepatoprotective effects of *Ganoderma lucidum* (higher basidiomycetes) liver injury

2) *Zhongguo Zhong Yao Za Zhi*. 2012 Oct;37(20):3102-6.  
*Ganoderma* on oxidative stress of hyperlipidemic fatty liver in rats.

2) *Lipids Health Dis*. 2015 May 22;14:49.  
*Ganoderma* lowers blood glucose levels blood lipids in the type 2 diabetic rats.

3) *Biotechnol Lett*. 2006 Jun;28(11):837-41. Epub 2006 May 31.  
Anti-hepatitis B activities of ganoderic acid from *Ganoderma lucidum*.

3) *Nat Prod Res*. 2017 Jan 20:1-7.  
Anti-tumour and immunomodulatory properties of *Ganoderma lucidum*.

4) *Food Chem Toxicol*. 2017 Jan;99:199-208.  
*Ganoderma* ameliorates apoptosis in spleen and thymus of immunosuppressed mice.

5) *Zhongguo Yi Xue Ke Xue Yuan Xue Bao*. 2011 Jun;33(3):318-24.  
*Ganoderma lucidum* in treating simian acquired immune deficiency syndrome.

6) *Int J Med Mushrooms*. 2016;18(11):955-964.  
Antitumor Activity of Extracts from Medicinal Basidiomycetes Mushrooms.  
Kidney cancer tumor necrosis (up to 90%) was noted. Cytotoxicity studies of lung and laryngeal cancer determined.

7) *Cochrane Database Syst Rev*. 2016 Apr 5;4:CD007731.  
*G. lucidum* alongside with chemo/radiotherapy were more likely to respond positively compared to chemo/radiotherapy alone.

8) *Int J Med Mushrooms*. 2015;17(3):209-18.  
Evaluation of anticonvulsant, antidepressant-, and anxiolytic-like effects of reishi

9) *BMC Complement Altern Med*. 2013 Dec 26;13:370.  
Antidepressant-like effects of a water-soluble extract of *Ganoderma lucidum*

10) *Andrologia*. 2014 Aug;46(6):592-601.  
5 $\alpha$ -reductase inhibitory activity of *Ganoderma lucidum*

11) *Nutr Hosp*. 2015 Nov 1;32(5):2126-35.  
*Ganoderma lucidum* improves physical fitness in women with fibromyalgia.

12) *Am J Chin Med*. 2005;33(4):517-23.  
Herbal formula containing *Ganoderma lucidum* on reduction of herpes zoster pain

## Chapter 16f

1) *Phytochem Anal*. 2011 Mar-Apr;22(2):95-102.  
Analysis of antioxidant metabolites from *Inonotus obliquus* (Chaga).

2) *Int J Med Mushrooms*. 2015;17(11):1069-76.  
Hepatoprotective activity of water extracts from chaga against oxidative liver injury

3) *Zhongguo Zhong Xi Yi Jie He Za Zhi*. 2014 Jul;34(7):864-8.  
*Inonotus obliquus* significant protective effect on radiation induced testicular injury.

4) *Food Funct*. 2011 Jun;2(6):320-7.  
Amelioration cognitive dysfunction and oxidative stress by *Inonotus obliquus*

5) *J Biosci Bioeng*. 2009 Jan;107(1):42-8.

Antioxidant activity of *Inonotus obliquus* exhibited the strongest SOD activity

6) *Heliyon*. 2016 May 12;2(5):e00111.  
Chaga mushroom (*Inonotus obliquus*) aqueous extract suppresses cancer progression

6) *J Ethnopharmacol*. 2015 Mar 13;162:323-32.  
Chaga (*Inonotus obliquus*) demonstrated cytotoxic effect on breast cancer, lung cancer and liver cancer tumor cells and not on healthy liver cells.

6) *Food Chem*. 2013 Aug 15;139(1-4):503-8.  
*Inonotus obliquus* against human prostatic carcinoma cell PC3 and breast carcinoma

6) *World J Gastroenterol*. 2008 Jan 28;14(4):511-7.  
Chaga mushroom induces arrest and apoptosis in human hepatoma HepG2 cells.

6) *J Ethnopharmacol*. 2015 Sep 15;173:303-12.  
Chaga mushroom (*Inonotus obliquus*) exhibits anti- colorectal cancer.

6) *Fitoterapia*. 2015 Mar;101:34-40.  
*Inonotus obliquus* cytotoxicity against lung tumor, colorectal tumor and lymphocytic leukemia cell lines.

6) *Asian Pac J Cancer Prev*. 2014;15(7):3195-9.  
Inotodiol inhibits proliferation and induces apoptosis in human cervical cancer cells.

6) *Int J Oncol*. 2014 Dec;45(6):2533-40.  
*Inonotus obliquus* inhibits human non-small cell lung carcinoma cells

6) *Chin J Integr Med*. 2011 Mar;17(3):218-23.  
*Inonotus obliquus* on proliferation cycle and human lung adenocarcinoma cell line

7) *Mol Cells*. 2011 Feb;31(2):165-73.  
Immunostimulating activity by polysaccharides isolated from *Inonotus obliquus*.

8) *Carbohydr Polym*. 2012 Oct 1;90(2):870-4.  
Immunomodulatory activity of *Inonotus obliquus* enhanced the lymphocyte proliferation

8) *Zhongguo Zhong Yao Za Zhi*. 2011 Apr;36(8):1067-70.  
Protective effects of *Inonotus obliquus* on asthma lowers inflammation

9) *Bull Exp Biol Med*. 2011 Sep;151(5):612-4.  
*Inonotus obliquus* virucidal effect towards hepatitis C virus: reduced its infective properties within 10 min.

9) *Vopr Virusol*. 2014 Mar-Apr;59(2):45-8.  
Antitherpetic activity of the chaga mushroom

9) *Int J Med Mushrooms*. 2013;15(1):29-38.  
*Inonotus obliquus* prevents herpes simplex virus entry through inhibition of virus

9) *Vopr Virusol*. 2015;60(2):35-8.  
Antiviral activity of *Inonotus obliquus* on HIV.

10) *J Tradit Chin Med*. 2015 Aug;35(4):468-72.  
Effect of *Inonotus Obliquus* Polysaccharides on physical fatigue and swimming time

11) *Phytother Res*. 2014 Sep;28(9):1320-8.  
Insulin-sensitizing and beneficial lipid-metabolic effects of the water-soluble melanin

11) *Acta Biochim Biophys Sin (Shanghai)*. 2015 Sep;47(9):755-7.  
Ameliorating effects of *Inonotus obliquus* on high fat diet-induced obese rats.

## Chapter 17

- 1) *Nutrients*. 2013 Apr 22;5(4):1417-35.  
Oligosaccharides are the best known "prebiotics" found in acacia gum, psyllium, banana, whole grain wheat, and whole grain corn.
- 2) *Br J Nutr*. 2008 Dec;100(6):1269-75.  
Bifidobacteria and Lactobacilli were significantly higher after consuming Gum Arabic than Inulin alone: the optimal dose being around 10 g.
- 3) *Nutr Cancer*. 2010;62(6):802-10.  
Powerful anticarcinogenic effect of Gum Arabic used for the prophylaxis against colon carcinoma.
- 4) *Arch Oral Biol*. 2017 May 18;81:175-185.  
Acacia strong effect against bacteria plaque from dental carries as evident by up to 73% reduction in biofilm formation
- 5) *Int J Obes (Lond)*. 2017 Jul 10. doi: 10.1038/ijo.2017.161.  
Lactobacillus on body weight and fat in overweight subjects
- 6) *Nutr J*. 2012 Dec 15;11:111. doi: 10.1186/1475-2891-11-111.  
Gum Arabic ingestion causes significant reduction in BMI and body fat percentage among healthy adult females. The effect could be utilized in the treatment of obesity.
- 7) *Biomed Res Int*. 2014;2014:572013.  
Acacia significantly reduced fasting blood glucose level, total cholesterol, triglyceride, LDL, SGOT, and SGPT levels and improved HDL in diabetic rats
- 8) *Biochem Res Int*. 2014;2014:436848.  
Gum Arabic ingestion causes significant reduction in BMI and body fat percentage among healthy adult females. The effect could be utilized in the treatment of obesity.

## Chapter 17a

- 1) *Nutrients*. 2013 Apr 22;5(4):1417-35.  
Oligosaccharides are the best known "prebiotics" found in acacia gum, psyllium, banana, whole grain wheat, and whole grain corn.
- 2) *Br J Nutr*. 2008 Dec;100(6):1269-75.  
Bifidobacteria and Lactobacilli were significantly higher after consuming Gum Arabic than Inulin alone: the optimal dose being around 10 g.
- 3) *Nutr Cancer*. 2010;62(6):802-10.  
Powerful anticarcinogenic effect of Gum Arabic used for the prophylaxis against colon carcinoma.
- 4) *Arch Oral Biol*. 2017 May 18;81:175-185.  
Acacia strong effect against bacteria plaque from dental carries as evident by up to 73% reduction in biofilm formation
- 5) *Int J Obes (Lond)*. 2017 Jul 10. doi: 10.1038/ijo.2017.161.  
Lactobacillus on body weight and fat in overweight subjects
- 6) *Nutr J*. 2012 Dec 15;11:111. doi: 10.1186/1475-2891-11-111.  
Gum Arabic ingestion causes significant reduction in BMI and body fat percentage among healthy adult females. The effect could be utilized in the treatment of obesity.
- 7) *Biomed Res Int*. 2014;2014:572013.  
Acacia significantly reduced fasting blood glucose level, total cholesterol, triglyceride, LDL, SGOT, and SGPT levels and improved HDL in diabetic rats
- 8) *Biochem Res Int*. 2014;2014:436848.  
Acacia senegal seeds significantly lowered cholesterol and triglyceride levels and reversed abnormalities in the aorta wall, heart, kidney, and liver to normal.

## Chapter 17b

- 1) <http://antiquity.ac.uk/projgall/powis/index.html>, *Oldest Chocolate in the New World, Antiquity Vol 81 Issue 314 December 2007*
- 2) *J Nutr Biochem*. 2015 Jul;26(7):704-12.  
Cocoa-rich diet ameliorates hyperglycemia and hepatic insulin resistance
- 2) *Food Chem Toxicol*. 2014 Feb;64:10-9.  
Cocoa flavonoids improved insulin sensitivity of hepatic cells.
- 2) *Br J Nutr*. 2016 May;115(9):1661-8.  
Daily chocolate consumption is inversely associated with insulin resistance and liver enzymes
- 3) *Afr J Med Med Sci*. 2012 Dec;41 Suppl:39-49.  
Cocoa powder significantly lowers lipids in cholesterol-fed rats.
- 3) *Food Funct*. 2014 Nov;5(11):2931-9. doi: 10.1039/c4fo00616j.  
Cocoa protective against abnormal fat storage in liver
- 4) *Life Sci*. 2014 Sep 26;114(1):51-6.  
The flavonols of cocoa powder lowered blood pressure, enhanced thermogenesis and lipolysis, reduced adipose weight gain with early-stage metabolic syndrome in rats.
- 4) *Mol Nutr Food Res*. 2014 Jan;58(1):33-48.  
Cocoa polyphenols exhibit antioxidant and anti-inflammatory and antiobesity properties.
- 5) *Biosci Biotechnol Biochem*. 2015;79(10):1669-75.  
Cacao polyphenol inhibited oxidated effects of carbon tetrachloride hepatic and renal damage.
- 5) *Biosci Biotechnol Biochem*. 2013;77(8):1792-4.  
Cacao polyphenol ameliorated oxidation and may prevent alcoholic fatty liver