







MARATHON'S WATCH FACTORY
Located in La Chaux-de-Fonds, Switzerland.

BEST IN THE LONG RUN

PROUDLY CANADIAN

AUTHENTIC MILITARY HERITAGE WITH MODERN MILITARY DESIGN

The company that was to become Marathon Watch was founded in 1904 as Weinsturm Watch, later to be named Wein Brothers. In 1939, Morris Wein founded Marathon Watch, supplying fine precision timepieces throughout North America.

Since 1941, Marathon has been manufacturing timing instruments for the Allied Forces. Today, the fourth generation of the family continues the tradition with a wide range of instruments measuring time, temperature and distance. Marathon watches combine military durability with Swiss engineering and craftsmanship to ensure the highest level of quality and precision.

Marathon products are manufactured with the utmost care and go through various quality control measures. This attention to quality is supported by a commitment to excellent customer support to ensure the best possible product experience.



THIS FAMILY PHOTO WAS TAKEN IN 1892. Hirsch Wein is seated and on his lap is Morris Wein at approximately one year old.




MORRIS WEIN Founder



LEON WEIN
Former President




MITCHELL WEIN President



| 05-18 | | 24-27 | |
|--|----------|--|----|
| SEARCH AND RESCUE CLASS | | FIELD WATCH CLASS | |
| Watch, Wrist: 41mm Dive Automatic (GSAR) | 07 | Watch, Wrist: 34mm Field Mechanical (GPM) | 25 |
| Watch, Wrist: 41mm Dive Quartz (TSAR) | 08 | Watch, Wrist: 34mm Field Quartz (GPQ) | 26 |
| Watch, Wrist: 36mm Dive Auto (MSAR Auto) | 07 | Watch, Wrist: 34mm Field Quartz With Date (GPQ) | 26 |
| Watch, Wrist: 36mm Dive Quartz (MSAR Quartz) | 10 | Watch, Wrist: 34mm Field Quartz with Maraglo™ (GPQ) | 27 |
| Watch, Wrist: 46mm Chronograph Automatic (CSAR) | 11 | | |
| Watch, Wrist: 46mm Dive Auto (JDD) | 12 | 28-29 | |
| Watch, Wrist: 46mm Dive Quartz (JSAR) | 13 | OFFICER'S WATCH | |
| Watch, Wrist: 41mm Dive Automatic (Arctic GSAR) | 14 | UITIULII U WATUII | |
| Watch, Wrist: 36mm Dive Auto (Arctic MSAR Auto) | 15 | Watch, Wrist: 36mm Officer's Field Mechanical (GPM-SS) | 29 |
| Watch, Wrist: 36mm Dive Quartz (Arctic MSAR Quartz) | 16 | Watch, Wrist: 36mm Officer's Field Quartz (GPQ-SS) | 29 |
| Watch, Wrist: 41mm Dive Quartz (Arctic TSAR) | 16 | | |
| Watch, Wrist: 41mm Dive Automatic (Anthracite GSAR) | 17 | 30-36 | |
| 19-23 | | SPECIAL ADDITIONS | |
| | | | |
| NAVIGATOR CLASS | | USAF™ Collection | 31 |
| | 21 | US Army™ Collection | 32 |
| Watch, Wrist: 41mm Navigator Quartz (NAV) | 21 | USMC Collection | 33 |
| Watch, Wrist: 41mm Navigator Quartz W/ Date (NAV) | 21 23 | YAMAM Collection | 34 |
| Watch, Wrist: 41mm Navigator Quartz, Steel (SSNAV) | 23 | IDF Duvdevan Collection | 35 |
| Watch, Wrist: 41mm Navigator Quartz W/ Date, Steel (SSNAV-D) | 23 | Canadian Maple Collection | 36 |
| | | 400F000DIF0 | |
| | | ACCESSORIES | |
| | | Watch Strap, Rubber: 3-Piece Kit | 18 |
| | | Marathon X Bergeon Spring Bar Tool | 38 |
| | | Stainless Steel Spring Bars | 39 |
| | | | |





MARATHON MILITARY SEARCH AND RESCUE CLASS

Marathon Search and Rescue (SAR) watches were developed to Canadian Government requirements for use in SAR operations. Built to withstand extreme conditions and match the capabilities of the user. First introduced in the early 1990s, they are still in active use today.

Overbuilt bezels for manipulation with gloved hands; low-light illumination for use in night missions; screw-in crown and O-ring system for 30ATM water-resistance; high-torque pinions connecting movement to hands; IncablocTM shock absorbers on all automatic movements.

Powered by Swiss-made automatic or quartz movements, the SAR diver's watches are available in 36mm, 41mm, and 46mm case sizes.



41MM - GSAR

WATCH, WRIST: 41MM DIVE AUTOMATIC

Commonly known as the Government Search and Rescue (GSAR). The GSAR is the most storied and venerable of our SAR Class of watches. It is highly sought after from both warfighters and collectors alike.

Available Dial Options

Standard Issue Black Dial

No Government Markings, US Government, USMC Insignia (See Page 31), Grey Maple Markings (See Page 35)

Arctic White Dial

No Government Markings (See Page 15).

Available Case Finishes

Standard issue Brushed Stainless, or Anthracite IP Coated (see page 17).

Shown on Rubber: 3-Piece Rubber Kit (see page 18).





Movement: Sellita SW200 with Incabloc™

Shock Absorber No of Jewels: 26 Scale Quantity: 2 Scale Range: 1-12 (13-24) Calendar Type: Date

Luminous Features: Tritium Gas Tubes

and MaraGlo™

Crystal Material: Sapphire Crown Type: Screw-in

Case Material: 316L Stainless Steel

Case Finish: Brushed Bezel Type: Uni-Directional Bezel Scale: 60 Minute Submersibility: 30 ATM Case Diameter: 41mm Case Thickness: 14mm Lug Width: 20mm

IMAGES TO SCALE

- 1) Shown on Leather DEFSTAN
- 2) Shown on Stainless Steel Bracelet
- 3) Shown on Nylon DEFSTAN



ON RUBBER STRAP - WW194006SS-0130 NSN 6645-21-558-0133

ON BRACELET - WW194006SS-0112 NSN 6645-01-699-5585

41MM - TSAR

WATCH, WRIST: 41MM DIVE QUARTZ

Commonly known as the Tritium Search and Rescue (TSAR). The TSAR is also known as the GSAR Quartz, as it boasts the same capabilities but with a high-torque quartz movement.

Available Dial Options Standard Issue Black Dial No Government Markings, US Government Markings

Arctic White Dial No Government Markings (see page 16).

Shown on Rubber: 3-Piece Rubber Kit (see page 18).





Movement: ETA High-Torque FØ6

No of Jewels: 3 Scale Quantity: 2 Scale Range: 1-12 (13-24) Calendar Type: Date

Luminous Features: Tritium Gas Tubes

and MaraGlo™

Crystal Material: Sapphire Crown Type: Screw-in

Case Material: 316L Stainless Steel

Case Finish: Brushed Bezel Type: Uni-Directional Bezel Scale: 60 Minute Submersibility: 30 ATM Case Diameter: 41mm Case Thickness: 14mm Lug Width: 20mm

IMAGES TO SCALE

- 1) Shown on Leather DEFSTAN
- 2) Shown on Stainless Steel Bracelet
- 3) Shown on Nylon DEFSTAN



ON RUBBER STRAP - WW194007SS-0130 NSN 6645-20-001-9382

ON BRACELET - WW194007SS-0112 NSN 6645-01-699-8606

36MM - MSAR AUTO WATCH, WRIST: 36MM DIVE AUTO

Commonly known as the Medium Search and Rescue Automatic (MSAR Auto). The MSAR Auto matches the features of the GSAR but with a 36mm case.

Available Dial Options Standard Issue Black Dial No Government Markings, US Government Markings

Arctic White Dial No Government Markings (see page 15).

Shown on Rubber: 3-Piece Rubber Kit (see page 18).





Movement: Sellita SW200 with Incabloc™

Shock Absorber No of Jewels: 26 Scale Quantity: 2 Scale Range: 1-12 (13-24) Calendar Type: Date

Luminous Features: Tritium Gas Tubes

and MaraGlo™ Crystal Material: Sapphire

Crown Type: Screw-in Case Material: 316L Stainless Steel

Case Finish: Brushed Bezel Type: Uni-Directional Bezel Scale: 60 Minute Submersibility: 30 ATM Case Diameter: 36mm Case Thickness: 14mm Lug Width: 18mm

IMAGES TO SCALE

1) Shown on Leather DEFSTAN

2) Shown on Stainless Steel Bracelet

3) Shown on Nylon DEFSTAN



ON RUBBER STRAP - WW194026SS-0130 NSN 6645-01-697-4204

ON BRACELET - WW194026SS-0108 NSN 6645-01-699-8602

36MM - MSAR QUARTZ

WATCH, WRIST: 36MM DIVE QUARTZ

Commonly known as the Medium Search and Rescue Quartz (MSAR Quartz). The MSAR Quartz matches the features of the TSAR but with a 36mm case.

Available Dial Options Standard Issue Black Dial No Government Markings, US Government Markings

Arctic White Dial No Government Markings (see page 16).

Shown on Rubber: 3-Piece Rubber Kit (see page 18).





Movement: ETA High-Torque FØ6

No of Jewels: 3 Scale Quantity: 2 Scale Range: 1-12 (13-24) Calendar Type: Date

Luminous Features: Tritium Gas Tubes

and MaraGlo™

Crystal Material: Sapphire
Crown Type: Screw-in
Case Material: 3161 Stainle

Case Material: 316L Stainless Steel

Case Finish: Brushed Bezel Type: Uni-Directional Bezel Scale: 60 Minute Submersibility: 30 ATM Case Diameter: 36mm Case Thickness: 13mm Lug Width: 18mm

IMAGES TO SCALE

1) Shown on Leather DEFSTAN

2) Shown on Stainless Steel Bracelet

3) Shown on Nylon DEFSTAN



ON RUBBER STRAP - WW194027SS-0130 NSN 6645-01-697-4203

ON BRACELET - WW194027SS-0108 NSN 6645-01-697-4205

46MM - CSAR

WATCH, WRIST: 46MM CHRONOGRAPH AUTOMATIC

Commonly known as the Chronograph Search and Rescue (CSAR). The CSAR is the most coveted of our SAR Class and is considered the "Grail" of our watches.

The 25-Jewel automatic chronograph movement operates with 1/5th of a second accuracy, while the stopwatch feature uses 1/100 of a minute, decimal timing for use in flight record logbooks and tracking fuel consumption. It can track elapsed time up to 12 hours.

Available Dial Options Standard Issue Black Dial No Government Markings

Shown on Rubber: 3-Piece Rubber Kit (see page 18).





Movement: ETA Valjoux 7750 with Incabloc[™]

Shock Absorber
No of Jewels: 25
Scale Quantity: 2
Scale Range: 1-12 (13-24)
Calendar Type: Day & Date

Luminous Features: Tritium Gas Tubes

and MaraGlo™

Crystal Material: Sapphire Crown Type: Screw-in

Case Material: 316L Stainless Steel

Case Finish: Brushed Bezel Type: Uni-Directional Bezel Scale: 60 Minute Submersibility: 30 ATM Case Diameter: 46mm Case Thickness: 18mm Lug Width: 22mm

IMAGES TO SCALE

- 1) Shown on Leather DEFSTAN
- 2) Shown on Stainless Steel Bracelet
- 3) Shown on Nylon DEFSTAN



ON RUBBER STRAP - WW194014SS-0130 NSN 6645-01-544-0408

ON BRACELET - WW194014SS-0108

WATCH, WRIST: 46MM DIVE AUTO

Commonly known as the Jumbo Day/Date (JDD)

Featuring a bilingual day/date window that is available in English/ French, English/Spanish and French/Hebrew. Custom language options are available upon request.

Available Dial Options Standard Issue Black Dial No Government Markings, YAMAM Insignia (See Page 34).

Shown on Rubber: 3-Piece Rubber Kit (see page 18).





Movement: ETA 2836 with Incabloc™

Shock Absorber No of Jewels: 25 Scale Quantity: 2 Scale Range: 1-12 (13-24)

Calendar Type: Bilingual Day & Date Luminous Features: Tritium Gas Tubes

and MaraGlo™

Crystal Material: Sapphire Crown Type: Screw-in

Case Material: 316L Stainless Steel

Case Finish: Brushed Bezel Type: Uni-Directional Bezel Scale: 60 Minute Submersibility: 30 ATM Case Diameter: 46mm Case Thickness: 18mm Lug Width: 22mm

IMAGES TO SCALE

- 1) Shown on Leather DEFSTAN
- 2) Shown on Stainless Steel Bracelet
- 3) Shown on Nylon DEFSTAN



ON RUBBER STRAP - WW194021SS-0130 NSN 6645-21-886-8975 ON BRACELET - WW194021SS-0109 NSN 6645-01-697-8862

46MM - JSAR

WATCH, WRIST: 46MM DIVE QUARTZ

Commonly known as the Jumbo Search and Rescue (JSAR) or Le Grand Plongeur (LPG). The JSAR/LPG was developed for provincial police services throughout Canada.

Featuring luminescent MaraGlo™ on hour indices and on hour, minute and second hands.

Available Dial Options
Standard Issue Black Dial
No Government Markings, US Government Markings, Red Maple
Markings (See Page 36).

Shown on Rubber: 3-Piece Rubber Kit (see page 18).





Movement: ETA High-Torque FØ7

No of Jewels: 3 Scale Quantity: 2 Scale Range: 1-12 (13-24) Calendar Type: Date Luminous Features: MaraGlo™ Crystal Material: Sapphire Crown Type: Screw-in

Case Material: 316L Stainless Steel

Case Finish: Brushed Bezel Type: Uni-Directional Bezel Scale: 60 Minute Submersibility: 30 ATM Case Diameter: 46mm Case Thickness: 18mm Lug Width: 22mm

IMAGES TO SCALE

- 1) Shown on Leather DEFSTAN
- 2) Shown on Stainless Steel Bracelet
- 3) Shown on Nylon DEFSTAN



ON RUBBER STRAP - WW194018SS-0130 NSN 6645-01-697-8863 ON BRACELET - WW194018SS-0107 NSN 6645-01-697-8864

MARATHON MILITARY **ARCTIC EDITION** The Arctic Edition SARs are designed with the of the Canadian Territories in mind: the eternal daylight of the arctic summers, and the snow-blinding arctic winters. All while keeping the same robust

features as the standard issue versions, but with a high-contrast white dial for increased visibility in extreme environments.





41MM - ARCTIC GSAR

WATCH, WRIST: 41MM DIVE AUTOMATIC

Movement: Sellita SW200 with Incabloc™

Shock Absorber No of Jewels: 26 Scale Quantity: 2 Scale Range: 1-12 (13-24) Calendar Type: Date

Luminous Features: Tritium Gas Tubes

and MaraGlo™ Crystal Material: Sapphire Crown Type: Screw-in

Case Material: 316L Stainless Steel

Case Finish: Brushed Bezel Type: Uni-Directional Bezel Scale: 60 Minute Submersibility: 30 ATM Case Diameter: 36mm Case Thickness: 14mm Lug Width: 18mm



WW194006SS-0530 NSN 6645-01-699-5591



WW194006SS-0513 NSN 6645-01-699-5592



36MM - ARCTIC MSAR AUTO

WATCH, WRIST: 36MM DIVE AUTO

Movement: Sellita SW200 with Incabloc™

Shock Absorber No of Jewels: 26 Scale Quantity: 2

Scale Range: 1-12 (13-24) Calendar Type: Date

Luminous Features: Tritium Gas Tubes and MaraGlo™

Crystal Material: Sapphire

Crown Type: Screw-in

Case Material: 316L Stainless Steel

Case Finish: Brushed Bezel Type: Uni-Directional Bezel Scale: 60 Minute Submersibility: 30 ATM Case Diameter: 36mm Case Thickness: 14mm Lug Width: 18mm



WW194026SS-0530 NSN 6645-01-699-8607



WW194026SS-0506 NSN 6645-01-699-9623





36MM - ARCTIC MSAR QUARTZ

WATCH, WRIST: 36MM DIVE QUARTZ

Movement: ETA High-Torque FØ6

No of Jewels: 3 Scale Quantity: 2 Scale Range: 1-12 (13-24) Calendar Type: Date

Luminous Features: Tritium Gas Tubes

and MaraGlo™

Crystal Material: Sapphire Crown Type: Screw-in

Case Material: 316L Stainless Steel

Case Finish: Brushed Bezel Type: Uni-Directional Bezel Scale: 60 Minute Submersibility: 30 ATM Case Diameter: 36mm Case Thickness: 13mm Lug Width: 18mm



WW194027SS-0530 NSN 6645-01-697-4202



WW194027SS-0506 NSN 6645-01-697-4201



41MM - ARCTIC TSAR

WATCH, WRIST: 41MM DIVE QUARTZ

Movement: ETA High-Torque FØ6

No of Jewels: 3 Scale Quantity: 2 Scale Range: 1-12 (13-24) Calendar Type: Date

Luminous Features: Tritium Gas Tubes

and MaraGlo™

Crystal Material: Sapphire Crown Type: Screw-in

Case Material: 316L Stainless Steel

Case Finish: Brushed Bezel Type: Uni-Directional Bezel Scale: 60 Minute Submersibility: 30 ATM Case Diameter: 41mm Case Thickness: 14mm Lug Width: 20mm



WW194007SS-0530



WW194007SS-0512



MARATHON MILITARY ANTHRACITE SERIES

The Marathon Anthracite GSAR was first issued in 2018 for stealth during tactical night missions.

Hand-assembled, with a durable black anti-reflective Ion-Plating (IP) armour on it's 316L Stainless Steel case and movement. Each part is plated individually to ensure 100% coverage.

Available Dial Options Standard Issue Black Dial No Government Markings, US Government Markings

Shown on Rubber: 3-Piece Rubber Kit (see page 18).





41MM - ANTHRACITE GSAR

WATCH, WRIST: 41MM DIVE AUTOMATIC

Movement: Anthracite Sellita SW200 with

Incabloc™ Shock Absorber No of Jewels: 26 Scale Quantity: 2 Scale Range: 1-12 (13-24)

Calendar Type: Date Luminous Features: Tritium Gas Tubes

and MaraGlo™

Crystal Material: Sapphire Crown Type: Screw-in

Case Material: 316L Stainless Steel

Case Finish: Anthracite Bezel Type: Uni-Directional Bezel Scale: 60 Minute Submersibility: 30 ATM Case Diameter: 41mm Case Thickness: 14mm Lug Width: 20mm



WW194006BK-0130 NSN 6645-01-699-5586




WW194006BK-0109 NSN 6645-01-699-5583



ACCESSORIES

WATCH STRAP, RUBBER: 3-PIECE KIT

Manufactured in La Chaux-de-Fonds, Switzerland, our 3 Piece Rubber Strap Kit is crafted from FKM Rubber to meet the requirements of high-performance military applications. The 3-Piece Kit comes with one (6 o'clock) tail piece with 8 adjustment holes, and two (12 o'clock) buckle pieces of different sizing that allow the wearer to tailor the length to fit their wrist size.



18mm Lug | 5.75" to 8.75" (150mm to 220mm) Wrist Size

20mm Lug | 6" to 9" (155mm to 230mm) Wrist Size

22mm Lug | 6.5" to 9.25" (165mm to 240mm) Wrist Size

XX Replace with size selection - 18mm (18), 20mm (20) and 22mm (22).



1X TAIL SECTION

1X LONG BUCKLE SECTION

1X MEDIUM BUCKLE SECTION

1X BRUSHED STAINLESS STEEL CLASP & A SPRING BAR

For drilled-through lugs 4X SHOULDERLESS SPRING BARS

For standard lugs

4X SHOULDERED SPRING BARS





MARATHON MILITARY NAVIGATOR CLASS

The Navigator Class of Wristwatches were developed in partnership with Kelly Air Force Base in 1986. The Navigator issued today was last revised in 2019 with the addition of a sapphire crystal, steel crown and crystal retaining ring, as well as an easy-access battery hatch.

Featuring a high-torque movement, with an EOL (end-of-life) indicator to notify you when it is time to change your battery; tritium tubes at the hour markers as well as on hour and minute hands, to deliver superior legibility, day or night; a 41mm high-impact composite fibreshell case for ultra-light durability; and a 12-hour bi-directional bezel.



41MM - NAV

WATCH, WRIST: 41MM NAVIGATOR QUARTZ

Commonly known as Pilot's Navigator (NAV), is the standard issue Navigator watch.

Movement: ETA High-Torque FØ6

No of Jewels: 3 Scale Quantity: 2 Scale Range: 1-12 (13-24) Calendar Type: N/A

Luminous Features: Tritium Gas Tubes

Crystal Material: Sapphire Crown Type: Pressure

Case Material: High-Impact Composite

Fibreshell

Bezel Type: Bi-Directional Bezel Scale: 12 Hour Submersibility: 6 ATM Case Diameter: 41mm Case Thickness: 13mm Lug Width: 20mm

Shown on Nylon DEFSTAN Strap.



WW194001BK-0801 NSN 6645-01-364-4042

Available Case Options

Black, Desert Tan, and Sage Green

Available Dial Options Standard Issue Black Dial

No Government Markings, US Government Markings, USAF Insignia (See Page 29)



WW194001DT-0802 NSN 6645-01-696-1137



WW194001SG-0802 NSN 6645-01-696-2685

41MM - NAV

WATCH, WRIST: 41MM NAVIGATOR QUARTZ W/ DATE

Commonly known as the Pilot's Navigator with Date (NAV-D) is a modified version of the standard issue navigator that features a Redtipped second-hand and a date complication at the 4:30 position on the dial.

Movement: ETA High-Torque FØ6

No of Jewels: 3 Scale Quantity: 2 Scale Range: 1-12 (13-24) Calendar Type: Date

Luminous Features: Tritium Gas Tubes

Crystal Material: Sapphire Crown Type: Pressure

Case Material: High-Impact Composite

Fibreshell

Bezel Type: Bi-Directional Bezel Scale: 12 Hour Submersibility: 6 ATM Case Diameter: 41mm Case Thickness: 13mm Lug Width: 20mm

Shown on Nylon DEFSTAN Strap.



WW194013BK-0101 NSN 6645-01-544-9475

Available Case Options

Black, Desert Tan, and Sage Green

Available Dial Options Standard Issue Black Dial

No Government Markings, US Government Markings, USAF Insignia (See Page 29), USMC Insignia (See Page 31), IDF Duvdevan Insignia (See Page 33)



WW194013DT-0102 NSN 6645-01-699-5584



WW194013SG-0102 NSN 6645-01-699-5590

AVIATION HISTORY, RE-ENGINEERED



The original Steel Navigator was developed in partnership with Kelly Air Force Base in 1986 under NSN: 6645-01-150-8115. Marathon has now re-engineered Navigator in Steel with improvements to the function, features, accuracy, and durability.

The Steel Navigator Series features: Enhanced tapering of lug for a more comfortable fit; Bezel size increased for improved grip with flight gloves and inset-painted indices for better legibility; Sapphire crystal for increased altitude rating, scratch resistance, and clarity; ETA F06.412 High-Torque Quartz movement for unmatched accuracy.



41MM - SSNAV

WATCH, WRIST: 41MM NAVIGATOR QUARTZ, STFFI

Movement: ETA F06.412 HeavyDrive-

PreciDrive Quartz No of Jewels: 3 Accuracy: ± 10 s/year Scale Quantity: 2 Scale Range: 1-12 (13-24) Calendar Type: N/A

Luminous Features: Tritium Gas Tubes Crystal Material: Sapphire

Crown Type: Screw-Down
Case Material: 316L Stainless Steel
Bezel Type: Bi-Directional
Bezel Scale: 12 Hour

Bezel Scale: 12 Hour Submersibility: 10 ATM Case Diameter: 41mm Case Thickness: 11mm Lug Width: 20mm



WW194001SS-0802 NSN 6645-01-150-8115



WW194001SS-0830 NSN 6645-01-150-8115



41MM - SSNAV-D

WATCH, WRIST: 41MM NAVIGATOR QUARTZ W/ DATE, STEEL

Movement: ETA F06.412 HeavyDrive-

PreciDrive Quartz No of Jewels: 3 Accuracy: ± 10 s/year Scale Quantity: 2 Scale Range: 1-12 (13-24) Calendar Type: Date

Luminous Features: Tritium Gas Tubes

Crystal Material: Sapphire Crown Type: Screw-Down Case Material: 316L Stainless Steel Bezel Type: Bi-Directional

Bezel Scale: 12 Hour Submersibility: 10 ATM Case Diameter: 41mm Case Thickness: 11mm Lug Width: 20mm



WW194013SS-0103 NSN 6645-01-698-4275



WW194013SS-0130 NSN 6645-01-698-4275





MARATHON MILITARY FIELD WATCH CLASS

The General Purpose Field Watches are built to strict military standard, MIL-PRF-46374G, and finding it's heritage since the development of that spec. The GP Field is even named after the Spec; WATCH, WRIST: GENERAL PURPOSE.

Each General Purpose Field Watch features a 34mm high-impact composite fibreshell case for ultra-light durability.



34MM - GPM

WATCH, WRIST: 34MM FIELD MECHANICAL

Commonly known as the General Purpose Mechanical (GPM). It can be wound through the automatic self-winding rotor or by manually winding the crown. Manufactured in accordance with MIL-PRF-46374G, Type II, Class 4.

Movement: Seiko NH35A No of Jewels: 24 Scale Quantity: 2 Scale Range: 1-12 (13-24) Calendar Type: N/A

Luminous Features: Tritium Gas Tubes

Crystal Material: Sapphire Crown Type: Pressure

Case Material: High-Impact Composite

Fibreshell

Submersibility: 3 ATM Case Diameter: 34mm Case Thickness: 11mm Lug Width: 16mm 10 manus 3 manus 1 man

WW194003BK-0101 NSN 6645-00-066-4279

Available Case Options

Black, Desert Tan, and Sage Green

Available Dial Options Standard Issue Black Dial

No Government Markings, US Government Markings, US Army Insignia (See Page 32)



WW194003DT-0103 NSN 6645-01-699-8599



WW194003SG-0103 NSN 6645-01-696-8182

Shown on Nylon DEFSTAN Strap.

34MM - GPQ

WATCH, WRIST: 34MM FIELD QUARTZ

Commonly known as the General Purpose Quartz (GPQ) is manufactured in accordance with MIL-PRF-46374G, Type II, Class 1 Housing a Swiss-made, 3-Jewel high-torque quartz movement with an EOL (end-of-life) indicator for monitoring battery life.

Available Dial Options

Available Case Options

Black, Desert Tan, and Sage Green

Standard Issue Black Dial No Government Markings, US Government Markings

Movement: ETA High-Torque FØ6

No of Jewels: 3 Scale Quantity: 2 Scale Range: 1-12 (13-24) Calendar Type: N/A

Luminous Features: Tritium Gas Tubes

Crystal Material: Sapphire Crown Type: Pressure

Case Material: High-Impact Composite

Fibreshell

Submersibility: 3 ATM Case Diameter: 34mm Case Thickness: 11mm Lug Width: 16mm



WW194004BK-0101 NSN 6645-01-318-9833

WW194004DT-0103 NSN 6645-01-696-2687



WW194004SG-0103 NSN 6645-01-696-2688

Shown on Nylon DEFSTAN Strap.

34MM - GPQ WITH DATE

WATCH, WRIST: 34MM FIELD QUARTZ

The Marathon General Purpose Quartz with Date (GPQ-D) is manufactured in accordance with MIL-PRF-46374G, Type II, Class 1 and features a date complication at the 4:30 position.

Movement: ETA High-Torque FØ6

No of Jewels: 3 Scale Quantity: 2 Scale Range: 1-12 (13-24) Calendar Type: Date

Luminous Features: Tritium Gas Tubes

Crystal Material: Sapphire Crown Type: Pressure

Case Material: High-Impact Composite

Fibreshell

Submersibility: 3 ATM Case Diameter: 34mm Case Thickness: 11mm Lug Width: 16mm

WW194015BK-0101 NSN 6645-01-547-0300

Available Case Options

Black, Desert Tan, and Sage Green

Available Dial Options Standard Issue Black Dial

No Government Markings, US Government Markings



WW194015DT-0103 NSN 6645-01-699-9119



WW194015SG-0103 NSN 6645-01-699-9110

Shown on Nylon DEFSTAN Strap.

34MM - GPQ WITH MARAGLO

WATCH, WRIST: 34MM FIELD QUARTZ WITH MARAGLO™

The Marathon 34mm General Purpose Quartz with MaraGlo™ (GPQ-M) is manufactured in accordance with MIL-PRF-46374G, Type I, Class 1. The hour indices and hands utilize MaraGlo™ luminescent paint, delivering a bright glow that will shine for up to 8 hours.

Movement: ETA High-Torque FØ6

No of Jewels: 3 Scale Quantity: 2 Scale Range: 1-12 (13-24) Calendar Type: N/A Luminous Features: MaraGlo™ Crystal Material: Sapphire Crown Type: Pressure

Shown on Nylon DEFSTAN Strap.

Case Material: High-Impact Composite

Fibreshell

Submersibility: 3 ATM Case Diameter: 34mm Case Thickness: 11mm Lug Width: 16mm



WW194009BK-0101 NSN 6645-01-699-8247

Available Case OptionsBlack, Desert Tan, and Sage Green

Available Dial Options Standard Issue Black Dial

No Government Markings, US Government Markings



WW194009DT-0103 NSN 6645-01-699-9624



WW194009SG-0103 NSN 6645-01-699-9118





MARATHON MILITARY OFFICER'S WATCH

The Officer's Watch is a re-issue of the historic Marathon GG-W-113 field watch. It is a re-interpretation of the one used throughout the 1980s by the US Army. Built with a case made of 316L surgical grade stainless steel and featuring tritium illumination on the dial and hand set.



36MM - GPM-SS

WATCH, WRIST: 36MM OFFICER'S FIFID MECHANICAL

Commonly known as Officer's Field Watch Mechanical (OFM) or Stainless Steel General Purpose Mechanical (GPM-SS)

Movement: ETA 2801 No of Jewels: 17 Scale Quantity: 2 Scale Range: 1-12 (13-24) Calendar Type: N/A

Luminous Features: Tritium Gas Tubes

Crystal Material: Sapphire Crown Type: Pressure

Case Material: 316L Stainless Steel

Case Finish: Parkerized Submersibility: 5 ATM Case Diameter: 36mm Case Thickness: 11mm Lug Width: 16mm

Shown on Nylon DEFSTAN Strap.

Available Dial Options Standard Issue Black Dial

No Government Markings, US Government Markings, US Army Insignia (See Page 32)



WW194003SS-0101 NSN 6645-01-696-8175

36MM - GPQ-SS

WATCH, WRIST: 36MM OFFICER'S FIELD OUARTZ

Commonly known as Officer's Field Watch Quartz (OFQ) or Stainless Steel General Purpose Quartz (GPQ-SS). This variant of the Officer's Watch houses a Swiss-made, 3-Jewel high-torque quartz movement with an EOL (end-of-life) indicator for monitoring battery life.

Movement: ETA High-Torque FØ6

No of Jewels: 3 Scale Quantity: 2 Scale Range: 1-12 (13-24) Calendar Type: Date

Luminous Features: Tritium Gas Tubes

Crystal Material: Sapphire Crown Type: Pressure

Case Material: 316L Stainless Steel

Case Finish: Parkerized Submersibility: 5 ATM Case Diameter: 36mm Case Thickness: 11mm Lug Width: 16mm

Shown on Nylon DEFSTAN Strap.

Available Dial Options Standard Issue Black Dial

No Government Markings, US Government Markings, US Army Insignia (See Page 32), USAF Insignia (See Page 31)



WW194015SS-0101 NSN 6645-01-699-8603



Since 1941, Marathon has worked closely with our allied forces across the globe. To celebrate these partnerships, Marathon has built special variants of our most storied watches in partnership with the many divisions and departments around the world.



USAF™ COLLECTION



US ARMY™ COLLECTION



USMC COLLECTION







IDF DUVDEVAN COLLECTION



CANADIAN MAPLE COLLECTION



WW194015SS-1003 NSN 6645-01-697-8861



WW194001BK-1003 NSN 6645-01-694-7149



WW194013BK-1003 NSN 6645-01-699-5588

OFFICIALLY LICENSED USAF™ COLLECTION

In honour of the United States Air Force and their 70+ years of service, Marathon created the Official USAF Collection, featuring our Pilot's Navigators and Quartz Officer's Watch. The Official United States Air Force insignia is emblazoned on the dial and etched into every caseback. Each Watch is NSN assigned by The United States Department of Defense.

Officially licensed product of the Dept. of the Air Force. Endorsement by the Dept. of the Air Force is neither intended nor implied. www.airforce.com







WW194003SG-1101 NSN 6645-01-694-1800



WW194003SS-1101 NSN 6645-01-694-4636



WW194015SG-1101 NSN 6645-01-694-1795



WW194015SS-1101 NSN 6645-01-697-8865

OFFICIALLY LICENSED

US ARMY™ COLLECTION

The US Army™ Collection is engineered to withstand the demands of active duty. Manufactured in accordance with military specifications MIL-PRF-46374 these watches feature the officially licensed logo of the United States Army and are hand-crafted in honour of those who serve. Each Watch is NSN assigned by The United States Department of Defense.

By federal law, licensing fees paid to the U.S. Army for the use of its trademarks provide support for the Army Trademark Licensing Program, and net licensing revenue is devoted to U.S. Army Morale, Welfare and Recreation programs. U.S. Army name, trademarks and logos are protected under federal law and used under license by Marathon Watch Co.



WW194013BK-0201 NSN 6645-01-698-6037



WW194013DT-0202 NSN 6645-01-698-4273



WW194013SG-0202 NSN 6645-01-698-4274



WW194006SS-0230 NSN 6645-01-699-5589

OFFICIALLY LICENSED USMC COLLECTION

Founded in 1775, the United States Marine Corps is an elite team that excels at conducting land-based and amphibious operations of offensive, defensive, humanitarian, reconnaissance, or security nature.

Marathon created a collection of Pilot's Navigators and GSARs, with the USMC Insignia proudly displayed across the dial. Each Watch is NSN assigned by The United States Department of Defense.





VAMAM COLLECTION

Founded in 1974, The YAMAM – Israel's National Counter Terror Unit, is one of four special units of the Israel Border Police. They develop and practice a special CQB (Close Quarters Battles) doctrine for counter-terrorism operations in hostage rescues.

Date display available in English and Hebrew.

שבת SAT







WW194013DT-0611

OFFICIALLY LICENSED

IDF DUVDEVAN COLLECTION

Unit 217 – Duvdevan was established in June 1986 to deal with situations in densely populated civilian areas and works to prevent terrorist

activities. They are an elite tactical division of the Israel Defense Forces that performs classified high-risk and complicated operations.









WW194006SS-0330

WW194006SS-0309

WW194018SS-0404

PROUDLY CANADIAN

CANADIAN MAPLE COLLECTION

Founded in Montreal, Canada, in 1939, Marathon has remained proudly Canadian for over 80 years. To honour our heritage, we created our Canadian Maple Series. This series features the 41mm GSAR with a grey

maple appliqué and the 46mm JSAR with a red maple appliqué; both are featured under the 12-hour marker. Both pay homage to the 2008 issued Red Maple GSAR.





AUTHENTIC MARATHON ACCESSORIES

SCAN THE QR TO SEE OUR ACCESSORIES.







WP190001

SPRING BAR TOOL

The Marathon x Bergeon Spring Bar Tool is a Swiss-made precision instrument utilized during strap changes and watch maintenance. An essential tool for watch enthusiasts, horology professionals, and anyone that wants to refresh their daily-wear with a new strap.

SPARE PARTS

Forked Tip - WP190001-FORK Pin Tip (3 pack) - WP190001-POINT-3PK







| WP00300XX | WP0030YY |
|-----------|----------|
| 18mm Lug | 18mm Lug |
| 20mm Lug | 20mm Lug |
| 22mm Lug | 22mm Lug |
| | |

ACCESSORIES

STAINLESS STEEL SPRING BARS

These shoulderless stainless steel spring bars are designed for use with watch cases that have drilled-through holes. Sold in sets of two.

XX Replace with size selection - 18mm (08), 20mm (05) and 22mm (07). YY Replace with size selection - 18mm (09), 20mm (10) and 22mm (11).

GLOBAL HEADQUARTERS: CANADA

MARATHON WATCH COMPANY LTD.

1 - 8355 JANE ST, VAUGHAN, ONTARIO, CANADA, L4K 5Y3

+1 905-764-9420

+1 800-822-4329

info@MarathonWatch.com

FACTORY: SWITZERLAND

MARATHON WATCH COMPANY SA.

RUE DES TILLEULS 2, 2300 LA CHAUX-DE-FONDS, SWITZERLAND +41 32-913-186 6



SPECIAL ORDERS AND CUSTOM COLOURS ARE AVAILABLE UPON REQUEST.



