



## ISO/IEC 17025:2005 Accredited

## Marihuana Potency Analysis by High Performance Liquid Chromatography

Testing Accreditation #: 77802

Client Name, Sample Details

Ananda

Cynthiana, KY 41031 Sample: 19W3085 Type: Tincture

Method: FE04U HPLC1100-1

Test Conditions

Prepsheet ID#: MIP190314a

Scale: XS205-MI2 Temp: 23.8 °C Baro PE: 965.5 hPa Analyst: JRT Technician: JRT Sample ID#: 115615

Harvest/Process Date: 03/14/2019

Serving Size (g): 0.92

Date Received: 03/14/2019

Test Date: 03/14/2019

Valid Through: 03/14/2020



Test Certificate #: 115615-001





Test Compounds	тнс	THCA	CBD	CBDA	СВИ	CBG*	СВС*	THCV*	CBDV*	Total Cannabinoids*	Total THC	Total CBD	Calc Max Total Cannabinoids*	
Amount (%)	0.3	N/D	0.9	0.0	0.1	0.1	0.1	0.1	0.1	1.5	0.3	0.9	1.5	
Amount (mg/g)	2.6	N/D	9.1	0.3	0.6	0.5	0.8	0.6	0.5	15	2.6	9.4	15.0	
Amount per Serving (mg)	2.4	N\D	8.4	0.3	0.6	0.5	0.7	0.6	0.5	13.8	Serving Size~ (g):		0.9	
LOQ (mg/g)	0.11	0.11	0.11	0.11	0.11	0.11	0.11	0.11	0.11		%Decarb.	THC	CBD	
±%RPD	7.0	5.9	2.0	8.1	3.6	1.4	3.0	1.3	2.5			100%	97	

<sup>1</sup> serving ~ 1 mL (declared)

Total THC and CBD is the calculated sum of THC or CBD and the amount of THC or CBD derived from THCA or CBDA, respectively. These values are calculated by applying a molar correction factor of 0.877 to the THCA or the CBDA value. Calc Max Total Cannabinoids is the sum of Total THC, Total CBD, CBD, CBC, THCV, and CBDV.

%Decarb. THC and CBD refers to the percentage of THC or CBD relative to THCA or CBDA, respectively.

This certificate shall not be reproduced except in full, without written approval of Iron Laboratories, LLC.

Andrea C. Ruppel, Lab Manager

CERTIFICATION OF THE PROPERTY OF THE PROPERTY

Mackenzie E. Hyman, Quality Manage

Iron Laboratories, LLC is an ISO/IEC 17025:2005 Testing Laboratory laboratory, accredited by (PJLA) Perry Johnson Laboratory Accreditation, Certificate No. 77802

Tested by Iron Laboratories Michigan, 1825 E. West Maple Walled Lake, MI 48390

Page 1 of 2

LOQ = Limit of Quantitation; %RPD = Relative Percent Deviation; %RSD = Relative Standard Deviation; N/D = Not Detected

<sup>\*</sup>Designates values that are not currently included in the accredited scope of Iron Laboratories Michigan.

<sup>\*\*\*</sup> Designates tests that use the method FE-45.