



CONTENTS

COMPRESSION FITTINGS	P4-5
COBRA BRASS TAPS	
COBRA BRASS STOP TAPS	
COBRA BRASS GATE VALVES	
COBRA BALL VALVES	
COBRA GEYSER VALVES	
APEX GEYSER VALVES	
COBRA ZAMBEZI	P15
COBRA NILE	
COBRA AMAZON	
COBRA STELLA	P18
COBRA STAR	P19-20
COBRA METSI	P21
COBRA SEINE EBONY	P22
COBRA SEINE CHROME	P23
COBRA DEN	
COBRA PAUSE	
COBRA RECESS	P26
COBRA SHOWERS	P27
COBRA NEW SHOWERS	
COBRA SANWARE	P30
COBRA SANWARE SPARES	P31
TRAPS & WASTE FITTINGS	P32
CLOSE COUPLED TOILETS	P33
WALL HUNG PANS	
GROHE CONCEALED CISTERN & ACTUATOR PLATES	
GROHE HYGIENE PRODUCTS	P36
METERING TAPS	
URINALS	
COBRA FLUSHMASTERS	
FLUSHMASTERS SPARES	P40
SPARES	
WADDANTY	D/12 /12



Straight Coupling Copper x Copper

D-1XS-15/N, 22/N, 28/N, 35/N, 42/N, 54/N



Reducing Coupling Copper x Copper

D-1RXS-22X15/N



Straight Coupling Copper x Male

D-2XS-15/N, 22/N 28/N, 35/N, 42/N, 54/N.



Straight Coupling Copper x Copper

D-2RXS-3/4X15/N.



Straight Coupling Copper x Female

D-3XS-15/N, 22/N 28/N, 35/N, 42/N, 54/N.



Reducing Coupling Copper x Female

D-3RXS-3/4X15/N



Elbow Copper x Copper

D-4XS-15/N, 22/N 28/N, 35/N, 42/N, 54/N



Reducing Elbow Copper x Copper

D-4RXS-22X15/N



Elbow Copper x Male

D-8XS-15/N, 22/N 28/N, 35/N, 42/N, 54/N.



Reducing Elbow 90 deg Copper x Male

D-8RXL-3/4X15/N



Straight Coupling Copper x Female

D-10XS-15/N, 22/N 28/N. 54/N.



Reducing Elbow Copper x Female

D-10RXS3/4X15/N



Equal Tee Copper x Copper

D-12XS-15/N, 22/N 28/N, 35/N, 42/N, 54/N.



Wallplate Elbow Copper x Male

D-33XS-15/N, 22/N



Wallplate Elbow Copper X Female

D-29XS-15/N.





Male Tee C x C x Male

D-15XS-15/N. 22/N



Female Tee C x C x Female

D-17XS-15/N, 22/N



Reducing Tee Copper x Copper x Female

D-17RXS22X1/2/N



Reducing Tee C x C x C Run reduced

D-279XS-15X22/N, 22X28/N,



Reducing Tee C x C x C. Run & branch reduced

D-280XS-22X15/N



Reducing Tee C x C x C Branch reduced

D-80XS-22X15/N



Multistop Reducer Copper x Copper

D-268XS-28X15/N, 35X22/N, 42X22/N, 42X28/N. 54X22/N.



Nut

64XS-15/25/N, 22/25/N, 28, 35 42, 54.



Compression Ring 2 Pieces

D-65XS-15/10/N, 22/10/N, 28/N, 35/N, 42/N, 54/N.



Stop End Copper

D-23XS-15/N, 22/N, 28/N.







Cobra standard brass hose bib tap. Light pattern type.

209/1-15X3/4/N



Cobra standard brass hose bib tap. Heavy pattern low resistance type.

108-15/



Cobra standard brass hose bib tap. Heavy pattern low resistance type.

108-20/N



Cobra standard brass hose bib tap. Light pattern type.

208-15/N



Cobra standard brass hose bib tap. Heavy pattern low resistance type.

208-20/N







Standard brass stoptap. Heavy pattern low resistance type.

121-15/N



Standard brass stoptap. Heavy pattern low resistance type.

121-20/



Standard brass stoptap. Heavy pattern very low resistance type.

121-25/N



Standard brass stoptap. Light pattern type.

221-15/N



Standard brass stoptap. Heavy pattern low resistance type.

221-20/8



Standard brass stoptap. Heavy pattern low resistance type.

131-15/N



Standard brass stoptap. Heavy pattern low resistance type.

131-22/N



Standard brass stoptap. Heavy pattern low resistance type.

231-15/1







Cobra fullway light-duty gate valve, brass. SABS approved valve FXF.

1001/125-15



Cobra green steel full-way gate valve, cast brass. SABS approved valve FXF.

1001/125-20



Cobra green steel full-way gate valve, cast brass. SABS approved valve FXF.

1001/125-25



Cobra green steel full-way gate valve, cast brass. SABS approved valve FXF.

1001/125-32



Cobra green steel full-way gate valve, cast brass. SABS approved valve FXF.

1001/125-40



Cobra sreen steel full-way gate valve, cast brass. SABS approved valve FXF.

1001/125-50



Cobra full-way gate valve, cast brass. FXF.

1002/125-15



Cobra full-way gate valve, cast brass. FXF.

1002/125-20



Cobra full-way gate valve, cast brass. FXF.

1002/125-25



Cobra full-way gate valve, cast brass. FXF.

1002/125-32



Cobra full-way gate valve, cast brass. FXF.

1002/125-40



Cobra full-way gate valve, cast brass. FXF.

1002/125-50



Cobra full-way gate valve, cast brass. FXF.

1002/125-65



Cobra full-way gate valve, cast brass. FXF.

1002/125-80



Cobra green steel full-way gate valve, cast brass. SABS approved valve CXC.

1003/125-15





Cobra green steel full-way gate valve, cast brass. SABS approved valve CXC.





Cobra green steel full-way gate valve, cast brass. SABS approved valve CXC.

1003/125-28



Cobra green steel full-way gate valve, cast brass. SABS approved valve CXC.

1003/125-35



Cobra green steel full-way gate valve, cast brass. SABS approved valve CXC.

1003/125-42



Cobra green steel full-way gate valve, cast brass. SABS approved valve CXC.

1003/125-54





COBRA BALL VALVES COBRA COBR

Ball-O-Stop ball valve, with plastic coated plated steel lever, brass. SABS approved.



Ball-O-Stop ball valve, with plastic coated plated steel lever, brass. SABS approved.



Ball-O-Stop ball valve, with plastic coated plated steel lever, brass. SABS approved.



1090-15

Ball-O-Stop ball valve, with plastic coated plated steel lever, brass. SABS approved.



Ball-O-Stop ball valve, with plastic coated plated steel lever, brass. SABS approved.



Ball-O-Stop ball valve, with plastic coated plated steel lever, brass. SABS approved.



1090-32

Ball-O-Stop ball valve, with plastic coated aluminium die-cast lever, brass. SABS approved.



Ball-O-Stop ball valve, with plastic coated aluminium die-cast lever, brass. SABS approved.



Isolating ball valve, 1/2 BSP 15mm fxf, nickel-plated.



1090-80

Lever ball valve, 3/4 BSP 20mm fxf, nickel-plated.





Lever ball valve, 1 BSP 25mm fxf, nickel-plated.

1096-25



Lever ball valve, 1 1/4 BSP 32mm fxf, nickel-plated.





Lever ball valve, 11/2 BSP 40mm fxf, nickel-plated.





Lever ball valve, 2 BSP 50mm fxf, nickel-plated.


1096-50







INSTALLATION DIAGRAM



Description:	Cod∈:
1. Cobra Strainer 20mm FXF	1050-20/N
2. Elbow - 22mm compression x 22mm compression connection	COB-D-4X5-22/N
3. Stoptap	131-22/N
4. Masterflo II Pressure Control valve 22CXC	PA4-332/N
5. Cobra Draincock Female X ¾ Male	557-20/N
6. Straight coupler. 22mm compression x 3/4BSP male	COB-D-2XS-22/N
7. Tee. 22mm compression x 22mm compression x 22mmCXC	COB-D-12X5-22/N
8. Cobra Safety Valve	PB1-43/N
9. Cobra vacuum breaker	P-PB6-303/N
10. Masterflo II Replaceable Cartridge	C-PA4-832/N



Masterflow I

Cobra Masterflo I Pressure Control Valve 400kpa Male x Male 3/4. 400 kPa.





Masterflow II

Cobra Masterflo II Pressure Control Valve 400kpa Copper x Copper

PA4-331 (15mm)



Cobra Masterflo II Pressure Control Valve 200kpa Copper x Copper

PA4-722 (22mm PA4-321



Cobra Masterflo II Pressure Control Valve 100kpa Copper x Copper 22mm

PA4-712 (22mm)



Valve Packs

Cobra Masterflo II Pressure Control Valve Pack 400kpa Copper x Copper

PA4-331PK (15mm) PA4-332PK (22mm)



Spares

Cobra Masterflo II Geyser Valve Cartridge 400kpa

C-PA3-832 C-PA1-51 C-PA4-832



Cobra Masterflo II Geyser Valve Cartridge 200kpa

C-PA4-822



Cobra Masterflo II Geyser Valve Cartridge 100kpa


C-PA4-812







INSTALLATION DIAGRAM



Description:	Cod∈:
1. Pressure Control Valve with Shut-off	LSEV-600;22CxC
2. Replaceable Cartridge	LVC-600
3. Vacuum breaker	VRV-22CxC
4. Draincock	DC-¾STD
5. Straight coupler. 22mm compression x 3/4BSP male	COB-D-2X5-22/N
6. Tee. 22mm compression x 22mm compression x 22mmCXC	COB-D-12X5-22/N
7. Safety Valve	TP-600;M
8. Elbow - 22mm compression x 22mm compression connection	COB-D-4X5-22/N
9. High pressure tempering valve	TV-22CXC;HP



Apex Replaceable cartridge, 400kpa

IVC-400



Apex Replaceable cartridge, 600kpa

IVC-600



Apex Pressure Control Valve; 22CXC - 400kpa

LVEV-400:22CXC



Pressure Control Valve; 22CXC -600kpa

LVEV-600:22CXC



Apex 5 Year Warranty Multi-Smart Pressure control Valve with a shut off; 400kpa



5 Year Warranty Multi-Smart Pressure control Valve with a shut off; 600kpa

LSEV-600;22CXC



Apex Pressure Control Valve with 2 x VRV; 400kPa - 22CXC

LVEV-400P;22CX0



Apex Temperature, Pressure Safety Valve - Male (Std); 400kPa

TP-400;N



Apex Temperature, Pressure Safety Valve - Male Long Probe; 400kPa

TP-400:M-LONG



Apex Draincock with Thermo-pocket; 22CxC - 197mm

DC-THER-197;



Apex Temperature, Pressure Solar Safety Valve -Male extra port 22cxc 400kPa

TP-400;S-S;22CX



Apex Vacuum Control Valve; 15CxC

VRV-15CXC-RED



Apex Vacuum Control Valve; 22CxC

VRV-22CXC:RED



Apex Vacuum Control Valve; ¾ BSP

VDV 3/ DC



Pressure Tempering Valve; 22CxC

Apex High

TV-22CXC:HF



Apex Low Pressure Tempering Valve; 22CxC

TV-22CXC:LI



Apex Diverter Valve; 22CxC

V-DIV-22CXC



Apex Isotec Temperature Relief Valve; 400kPa

ISOTEC-400







Zambezi pillar type single lever basin mixer

7M-95



Zambezi exposed bath mixer (no hand shower) single lever with diverter

ZM-959



Zambezi concealed diverter mixer single lever with diverter

ZM-96



Zambezi concealed shower or bath mixer single lever

7M-956



Zambezi pillar type sink mixer single lever

7M-970








Nile pillar type single lever basin mixer

NI -95



Nile exposed bath mixer (no hand shower) single lever with diverter

NI -95



Nile concealed diverter mixer single lever with diverter

ZM-961



Nile concealed shower or bath mixer single lever

NI -956



Nile pillar type sink mixer single lever

NI -970







Amazon pillar type single lever basin mixer

AM-95



Amazon exposed bath mixer (no hand shower) single lever with diverter

AM-959



Amazon concealed diverter mixer single lever with diverter

AM-961



Amazon concealed shower or bath mixer single lever

M-956



Amazon pillar type sink mixer single lever

AM-970







Cobra Stella Wall Type Bath Mixer With Diverter, Hand Shower Hose and Hand Shower Attachment.



Cobra Stella Screw Down Bib Tap -Chrome

3306ST-15/N



Cobra Stella Screw Down Bib Tap

3306ST-20/N



Cobra Stella Screw Down Bib Tap



Cobra Stella Screw Down Pillar Tap -Chrome

3311ST-15/N



Cobra Stella Screw Down Prep Bowl Tap - Chrome

3215ST/N



Cobra Stella Screw Down Sink Mixer



Cobra Stella Screw Down Stop Tap -Chrome

3328ST-15/N



Cobra Stella Screw Down Stop Tap -Chrome.





Cobra Stella Screw Down Stop Tap -Chrome.



Cobra Stella Low-pressure, Standard Head Part, 1/2, Chrome.

P-61-1ST



Cobra Stella Handle, G 1/2 Euro, Chrome.





Cobra Stella low-pressure, underwall head part, 1/2, chrome-plated.










Cobra Star Screw Down Bath Mixer. Excludes hand shower and flexi.

249/1



Cobra Star Screw Down Bath Mixer. Excludes hand shower and flexi.

251-15/N



Cobra Star Screw Down Bib Tap

206FXT-15/N



Cobra Star Screw Down Bib Tap

206-15/N



Cobra Star Screw Down Bib Tap

206-20/



Cobra Star Screw Down Hose Bibtap

207EC-20/N




Cobra Star Screw Down Prep Bowl Tap

15/N



Cobra Star Screw
Down Sink Mixer

266/041/10/N



Cobra Star Screw Down Sink Mixer

oge/N



Cobra Star Screw Down Sink Mixer

171/041/\



Cobra Star Screw Down Stop Tap

226-15/N




Cobra Star Screw Down Stop Tap



238-15/N



228-15/N



Cobra Star Wall Type, Bath Mixer -Chrome

251-15







Cobra Star Standard Head Part - Spare Part

D-5/N



Cobra Star low-pressure, underwall head part, 1/2, chrome.

P-7/N



Cobra Star High-pressure Standard Head Part

P-6/N



Cobra Star Low-pressure Standard Head Part

P-8/N



Cobra Star High-pressure, Underwall Standard Headpart - G 1/2"

P-32/N



Cobra Star High-pressure, Underwall Standard Headpart - G 3/4"

P-33/N






Cobra Metsi Basin Mixer Screw Down

MI-294/N



Cobra Metsi Bath Mixer Screw Down

MI-251-15-HQ/N



Cobra Metsi Bib Tap Screw Down - -

MI-206-15/N



Cobra Metsi Pillar Tap Screw Down

MI-211-15/N



Cobra Metsi Sink Mixer Screw Down

MI-296/N



Cobra Metsi Sink Mixer Screw Down

MI-266/041/10/ N



Cobra Metsi Stop Tap Screw Down

MI_238_15/N



Cobra Metsi Stop Tap Screw Down

MI_228_15/I



Cobra Metsi Stop Tap Screw Down

MI-228-20/N



Cobra Metsi light pattern head part, 1/2, pre-packed.

P-51-1M



Cobra Metsi underwall head part, 1/2, light pattern, pre-packed.

P-53-2MI







Cobra Seine Single Lever Standard Basin Mixer. Pillar Type With Single Hole.





Cobra Seine Single Lever Concealed Shower or Bath Mixer.

5800EB/N



Cobra Seine Single Lever Concealed Diverter Mixer.

5811EB/N



Cobra Seine Single Lever Raised Basin Mixer for Counter Top Basins.

5825FR/N



Cobra Seine Single Lever Exposed Bath Mixer with Diverter. Wall Mounted, 2 hole.

5832FR/N



Cobra Seine Single Lever Sink Mixer. Pillar Type With Single Hole.

5837FR/N



Cobra Seine Ebony Shower Arm Round 300mm Stainless Steel. Matte Black.

029SEINE/EB



Cobra Seine Ebony Shower Head Round 200mm Stainless Steel. Matte Black.

O75SEINE/EE







Cobra Seine Single Lever Standard Basin Mixer. Pillar Type With Single Hole.





Cobra Seine Single Lever Concealed Shower or Bath Mixer.

5800CH/N



Cobra Seine Single Lever Concealed Diverter Mixer.

5811CH/N



Cobra Seine Single Lever Raised Basin Mixer for Counter Top Basins.

5825CH/N



Cobra Seine Single Lever Exposed Bath Mixer with Diverter. Wall Mounted, 2 hole.

5832CH/N



Cobra Seine Single Lever Sink Mixer. Pillar Type With Single Hole.

5837CH/N









Cobra Den basin Mixer, One Hole SingleLever, Looped Handle.





Cobra Den Basin Mixer, Raised, One Hole Single Lever, Looped Handle.

DN-951R



Cobra Den Bath or Shower Mixer, Undertile, Single Lever, Wall Plate, Looped Handle.

DN-956



Cobra Den Bath/ Shower Diverter Mixer, Undertile, Single Lever, Wall Plate, Looped Handle.





Cobra Den Exposed Bath Mixer Without Hand Shower, Wall-Type, Chrome.

DN-959



Cobra Den C-spout Pillar Sink Mixer, Swivel Outlet, Chrome Plated.

DN-970







Cobra Pause Basin Mixer, One Hole Single Lever, Chrome.





Cobra Pause Basin Mixer, Raised, One Hole Single Lever, Chrome.

PS-951F



Cobra Pause Bath or Shower Mixer, Undertile, Single Lever, Chrome Plated Wall Plate.

PS-956



Cobra Pause Bath/ Shower Diverter Mixer, Undertile, Single Lever, Chrome Plated Wall Plate.

PS-96



Cobra Pause Exposed Bath Mixer Without Hand Shower, Wall-Type, Chrome.

PS-959



Cobra Pause C-spout Pillar Sink Mixer, Swivel OutLet, Chrome Plated.

PS-970







Cobra Recess Single Lever Standard Basin Mixer.

DC_051



Cobra Recess Single Lever Raised Basin Mixer.

RS-951R



Cobra Recess Bath or Shower Mixer, Undertile, Single Lever, Chrome Plated, Wall Plate.

RS-956



Cobra Recess Bath/ Shower Diverter Mixer, Undertile, Single Lever, Chrome Plated, Wall Plate.

RS-961



Cobra Recess C-spout Pillar Sink Mixer, Swivel Outlet, Chrome Plated.

RS-970













Cobra Zambezi Wall Mounted Shower Arm Long - Chrome

0277M-LON



Cobra Shower Arm Shower arm vertical brass 300. Chrome plated. 300mm. Brass construction.

027VERTICAL



Cobra - Zambezi -Showers - Shower Heads - Chrome

0767M-TRI



Cobra Zambezi Round Shower Head - Chrome

0767M-RNI



Cobra Zambezi Round 200mm Shower Head -Chrome

076ZM-RND-200



Cobra Zambezi Square Shower Head - Chrome

076ZM-SQ



Cobra Spectra Duo Shower Head -Silver

076SPECTRA/DU



Cobra Spectra E-Touch Shower Head - Silver

076SPECTRA/ETO







Cobra Breathe Shower head rectangle 360. White face plate. 360x240mm. Classic Spray



Cobra Pause Shower head square 200. White face plate. 200x200mm. Classic Spray



Cobra Den Shower head square 152. White face plate. 152x152mm. Classic Spray



O76RREATHE-RECT

U/ODKLAITIL-KEGI

Cobra Den Shower rose 6 spray 115. Chrome. 115mm. 6 Spray Patterns.




Cobra Welcome Shower rose 2 spray 100. Chrome. 100mm. 2 Spray Patterns.

OZEWELCOM



Cobra Recess Hand Shower wand brass. Chrome plated. 25mm. Brass construction shell.





Cobra Breathe
Hand shower round
3 spray. Chrome
plated. 125mm.
3 Spray patterns.





Cobra Pause
Hand shower round.
Chrome plated.
115x120mm

007PAUSE-RND



Cobra Pause Hand shower square. Chrome plated. 115x120mm





Cobra Den Hand shower round 3 spray. White face plate. 100mm. 3 Spray patterns.

007DEN







Cobra Pause Shower Rail Round. Chrome plated. 22mm. Tube length: 600mm. Easy slider. Quick installation. Stainless steel.



Cobra Arrive Shower Rail Square. Chrome plated. 30 X 15mm Tube length: 600mm Convienent button slider. Stainless steel.



Cobra Hand Shower Hose 1700. Stainless. Length: 1700mm. Stainless steel construction.



Cobra Shower Hose Hand shower hose 1700mm. Chrome. Length: 1700mm.



Anti-Tangle.



Cobra Hand shower holder multi. Chrome.



Cobra Wall Outlet Wall outlet brass water way. Chrome shell with brass elbow G1/2 M X G1/2 M.





Cobra Zambezi Shower wall outlet elbow for hand shower brass G1/2 connection ends chrome.













Cobra Welcome Wall Hung Basin -White



Cobra Welcome Basin Semi Pedestal - White



709100WH

Cobra Shelter Basin Pedestal - White

717000WH



Cobra Shelter Wall Hung Basin -White

709200WL



Cobra Shelter Wall Hung Basin -White

709300WH



Cobra Arrive Basin Semi Pedestal -White

717200WH



Cobra Arrive Wall Hung Basin - White

709400WH



Vaal HR Symmetry Countertop Basin -White

704800WH



Vaal HR Symmetry Countertop Basin -White

704900WH



Vaal Weaver Countertop Basin -White

704201WH



Vaal Midi Weaver Countertop Basin -White

706601WH



Vaal Mini Weaver Countertop Basin -White

706600WH



Vaal Alto Art Countertop Basin - White

706800WH







Cobra Sola Basin Fixation - White



Cobra-Vaal Basin Fixations - Chrome



Cobra Isolating Angle Valve



81312300

Cobra Waste, Trap & Overflow - Bottle Trap

340/







Cobra Waste, Trap & Overflow - Waste Basin

302-32N0SL0T/N



Cobra Waste, Trap & Overflow - Waste Basin

302-32/N



Cobra Waste, Trap & Overflow - Waste Basin

303/N



Cobra Waste, Trap & Overflow - Waste Basin

201/N



Cobra Waste, Trap & Overflow - Waste Basin

308/N



Cobra Waste, Trap & Overflow - Waste Bath

317-40/N



Cobra Waste, Trap & Overflow - Waste Bath

316/N



Cobra Waste, Trap & Overflow - Waste Bath

318-40/



Cobra Waste, Trap & Overflow - Waste Shower

373/N



Cobra Waste, Trap & Overflow - Waste Shower

373SQ/N



Cobra Waste, Trap & Overflow - Bottle Trap

340/N



Cobra Waste, Trap & Overflow - Bottle Trap



Bottle trap 340 included with adapters to form 350 and 360.

Cobra Waste, Trap & Overflow - Bottle Trap

385/35SQ/N







Cobra Arrive Toilet Close Couple -White



Cobra Pause Toilet Close Couple -White



Cobra Shelter **Toilet Close Couple** - White



Cobra Welcome Toilet Close Cople -White



Vaal Entice Toilet Close-Coupled -White



Vaal Refine Toilet Close Couple Suite - White



Cobra Isolating Angle Valve





Cobra Flexible Connector, FxF, Chrome.









Cobra Shelter Toilet Pan Wall Hung -White

Cobra Arrive Toilet Pan Wall Hung -White



Cobra Arrive Toilet Seat - White



Vaal Urban Toilet Wall-Hung - White



Vaal Refine Toilet Back To Wall -White

439820WH



Cobra Pause Toilet Seat - White



Cobra Pause Toilet Pan Wall-Hung -White



Cobra Welcome **Toilet Pan** Wall-Hung - White



Cobra Welcome **Toilet Seat - White**



Vaal Entice Toilet

439600WH



Cobra Orchid Bidet Fixations -**Galvanised Silver**



C-CCSEAT/WEL

Cobra Orchid Toilet Fixations -**Galvanised Silver**





SCAN QR CODE TO VIEW THE **FULL RANGE**

8084Z000





GROHE Uniset for Wc Concealed Cistern Flush System 6 - 9L Adjustable

G-38729000



GROHE GD2 Flushing Cistern GD 2 Factory Set 6L and 3L Adjustable

G-38661000



GROHE Uniset
Element for WC,
0.82m Installation
Height With Flushing
Cistern 6-9L

G-38415001



GROHE Rapid SL 4
Outlet Adaptor
Female Black

G-42242000



GROHE Skate Cosmopolitan Wall Plate Chrome

G-38732000



GROHE Nova Cosmopolitan Wall Plate Chrome

G-38765000



GROHE Arena Cosmopolitan WC Wall Plate Vertical Chrome

G-38844000



GROHE Uniset
Element for WC with
EPS housing.
Flushing cistern GD
2, 6 - 9L

G-38643001





GROHE HYGIENE PRODUCTS



GROHE New Tempesta-F Trigger Spray 30 Set Chrome

G-26353000



GROHE New Tempesta-F Trigger Spray Set Chrome

G-2751300



GROHE New Tempesta-F Trigger Spray Set With Valve Chrome

G-27514001



GROHE Tempesta-F Trigger Spray 30 Set Chrome

C-26354000



GROHE Trigger Spray 30 Set w Self- Closing Valve Chrome

G-26358000



GROHE Universal Pillar Tap Wall Mounted 185mm Projection Chrome

G-20203000



GROHE Universal Pillar Tap Wall Mounted 105mm Projection Chrome

G-20205000



GROHE New Tempesta-F Trigger Spray Chrome

G-2751200



GROHE Bau Manual Bidet Seat Soft Close. With Lid, 2 Dedicated Spray Arms (1 for Anal Area, 1 for Lady Spray).

G-39648SH0







GROHE Euroeco Cosmo T Self-Closing Pillar Tap 1/2" Wall Mounted Chrome



GROHE Euroeco Cosmopolitan T Self-closing Pillar Tap 1/2" Chrome

G-36265000



Cobra Tap & Mixer Public Pillar Tap

KM2-100/N



Cobra Taps Metering Tap -Chrome





Cobra Tap & Mixer Public Bib Tap -

KM2-202-15/N



Cobra Tap & Mixer Public - Bib Tap -

KM2-203-15/N



Cobra Valve & Connector Flush Valves

KM3-000







Cobra Pause Urinal Wall Hung -White

CPSURWH1-6DTD01



GROHE Rapido U roughing-in set for urinal

G-37338000



GROHE Skate Cosmopolitan Actuation plate manual activation for urinal

G-38784000



Cobra Snug Urinal Wall Hung -White

CSNURWH1-6DT01



Cobra Flush Junior Valve Flush Urinal

FJ6000/N



Cobra Flush Junior Urinal Flush Pipe Offset, for junior flushmaster urinal flushvalves

IT5-5/N









Cobra Flush Junior Valve Flush Toilet





Cobra Flush Junior Valve Flush Toilet

FJ4-001/N



Cobra Flush Junior Valve Flush Toilet

FJ2-000/N



Cobra Flush Junior Valve Flush Urinal

FJ6-000/N



Cobra Flush Junior Valve Flush Urinal

FJ6-001/N



Cobra Flush Master Valve Flush Toilet

FM1-100/N



Cobra Flush Master Valve Flush Toilet

FM1-210/N



Cobra Flush Master Valve Flush Toilet

FM1-000/N







Cobra Flush Master Elbow





Cobra Flush Master Extension Piece

C-FM8-90/N



Cobra Flush Master Handle -Nut

C-FMC1-5/N



Cobra Flush Master -Headpart

C-FM8-32/N



Cobra Flush Master Piston Urinal

C-FM8-31/N



Cobra Flush Master Spares Valves Flush Piston

C-FM8-30/N



Cobra Valves & Connector Spare Part - Chrome

C-FJC1-2



Cobra Flush Junior Spares Valves Flush Piston

C-FJ8-10/N



Cobra Flush Junior Spare Valve, Flush Piston

C-FJ8-11/N



Cobra Flush Junior Spare Valves Flush Pushbutton

C-FJ8-20/N



Cobra Flush Junior Valve Flush Flushpipe

FJT5-5/N



Cobra Toilet Flush Valve Top Cover and Piston Kit

C-FJC1-2.C-FJ8-10



Cobra Urinal Flush Valve Top Cover and Piston Kit

C-FJC1-2.C-FJ8-11



Cobra Flush Master Stop Control

C-FMC1-3/N



Cobra Flush Master Cover Top

C-FMC1-2



Cobra Flush Master Pipe Connector

C-FMV8-3/N





Cobra Overarm Swivel Outlet -Chrome Plated.

S-041/N



Cobra Swivel Outlet for 266 - Chrome Plated.

S-041/10



Cobra Water Saving Tap Washer 15mm HP/20MMLP 100 Pieces - Black.

C-097-15/100/N



Cobra Water Saving Tap Washer 20mm HP/20MMLP 100 Pieces - Black.

C-097-20/100/N



Cobra Water Saving Tap Washer Light Pattern 100 - Black.

C-098-15/100/N



Cobra Cartridge 40mm Ceramic Cartridge.

EX7001P/N



Cobra Bordo Top Seal Catridge, 35mm in a Prepack.

9824P/N



WARRANTY 01

LIXIL Africa warrants that their products will be clear of material and manufacturing defects. Appraisal of the above will be done against ruling manufacturing specifications and standards at the date of manufacture. Defective product will be repaired or exchanged at LIXIL Africa's sole discretion. LIXIL Africa shall not be liable for indirect or consequential loss or damage.

THE WARRANTY WILL BE VOIDED UNDER THE FOLLOWING CONDITIONS:

- Products used with water pH falling outside of the guidelines set by the Department of Water Affairs and Forestry or similar body
- Products not installed by a registered or accredited installer
- Products fitted with unbalanced water pressure
- Products fitted without an inline strainer
- Products used with or included in installations where water temperatures are outside of the temperature range stipulated for that product, or as laid down in the Standards for water supply and drainage (SANS 10252 & 10254) or an equivalent international standard
- Products not installed according to LIXIL Africa's or its suppliers' installation instructions or according to valid Water Regulations and general good plumbing practice
- Products which have failed as a result of dirt or debris in pipe-work which has not been flushed prior to the use of terminal fittings
- Where a defect is attributable to the incorrect use or incorrect handling of the product
- Where routine maintenance has been neglected
- If spare parts other than the original spare parts are used during repairs or maintenance of the product;
- If damage was caused by transport by a third-party transporter
- If products are used or intended for display purposes
- If consumables (e.g. filters, filter cartridges, aerators or batteries) or material subject to wear and tear (such as seals or hoses) are affected
- If product damage is as a result of chemicals and cleaning agents, lime-scale build-up, aggressive environmental influences, or disruptions resulting in damage which are caused by freezing or lime-scale build-up
- If the defect is caused by specific environmental circumstances (e.g. excess or negative pressure in the line, excess voltage or under voltage on the line)
- If the defect is attributable to willful or negligent damage to the product by the user or a third party
- Any product installed in such a manner that it is not accessible to do maintenance will not be covered under our warranty

WARRANTY 02

LIXIL Africa reserves the right to review any specific case in order to assess the validity of this warranty. LIXIL Africa may charge a discretionary service fee as may be reasonably determined by itself from time to time, when called out to inspect products which are not LIXIL Africa products or where there is an illegitimate claim.

THE WARRANTY IS VALID FOR:

- 1. 20 years on taps & mixers, wastes and compression fittings, this excludes the ***economy single lever mixer ranges
- 2. 10 years in respect of the ***economy single lever mixers
- 3. 2 years in respect of the black coating of any product. The standard 20 year warranty will apply to the functionality or any other aspect apart from the coating, and in the case of ***economy single lever mixers 10 years
- 4. 5 years in respect of shower heads, shower rails, wall outlets, shower arms and accessories
- 5. 2 years electronic mixers, components and valves within the electronic range
- 6. 2 years valves (isolating, geyser and toilet)
- 7. 10 years Cobra-Safe multi-layer pipe system (must be used with Cobra compression fittings and Cobra-Safe inserts or warranty shall be void)
- 8. 10 years on all baths and shower trays
- 9. 10 years on all ceramic sanitaryware
- 10. 6 months on all toilet seats supplied
- 11. 2 years on all other valves not covered elsewhere in our warranty
- 12. 15 years on ceramic disc mixer cartridges, this excluding cartridges used in the ***economy single lever mixer ranges
- 13. 2 years in respect of ceramic disc mixer cartridges used in ***economy single lever mixer ranges
- 14. 10 years in respect of GROHE concealed cisterns
- 15. 5 years in respect of Cobra concealed cisterns

The ***economy single lever mixer ranges are Zambezi, Nile, Amazon and Seine

Note: Cartridge warranties are void should the cartridge be damaged in a situation where there is no inline strainer/filter.

MISCELLANEOUS:

This warranty shall apply in the above-mentioned scope and subject to the above-mentioned prerequisites. Proof of purchase will be required. This LIXIL Africa warranty is carried by LIXIL Africa. Please contact our Service Department on +27 (0) 861 21 21 21 for warranty enquiries or further warranty information.

LIXIL

CONTACT US

National After Sales Service: 0861 21 21 21 customer.helpdesk@lixil.com

www.lixil.co.za

Regional Office Contact Details KZN: 031 393 0026

Lixil Africa (PTY) LTD 20 Wright Street, Factoria, Krugersdorp, 1739 South Africa







