

# Safety Data Sheet

# **Section 01 - Product And Company Identification**

Product Identifier Activated carbon (Steam Activated)

Other Means of Identification Activated granular carbon, activated powdered carbon, pelleted activated carbon,

activated charcoal, animal bone black.

Product Use and Restrictions on Water purification, gold recovery, and air scrubbing

Use

Initial Supplier Identifier ClearTech Industries Inc.

1500 Quebec Avenue Saskatoon, SK. Canada

S7V 1V7

Prepared By ClearTech Industries Inc. Technical Writer

Phone: 1 (800) 387-7503

**24-Hour Emergency Phone** Phone: 1 (306) 664 – 2522

### Section 02 - Hazard Identification

### **GHS-Classification**

Eye Corrosion/Irritation Category 2
STOT-Repeated Exposure Category 2

### **Physical Hazards**

No known physical hazards.

#### Warning

#### **Hazard Statements**

H319 - Causes serious eye irritation.

H373 – May cause damage to organs through prolonged or repeated exposure.

#### **Pictograms**



#### **Precautionary Statements**

P264 – Wash hands thoroughly after handling.

P280 – Wear eye protection and face protection.

P305 + P351 + P338 – IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337 + P313 – If eye irritation persists: Get medical advice/attention.

P260 – Do not breathe dust.

P314 – Get medical advice/attention if you feel unwell.

P501 – Dispose of contents/container in accordance with all federal, provincial, and/or local regulations including the Canadian Environmental Protection Act.

# Section 03 - Composition / Information on Ingredients

Chemical NameCAS NumberWeight %Unique IdentifiersActivated Carbon7440-44-0100%Not Available

### Section 04 - First Aid Measures

**Inhalation** Remove victim to fresh air. Give artificial respiration only if breathing has stopped. If

breathing is difficult, give oxygen. Seek immediate medical attention.

Skin Contact / Absorption Remove contaminated clothing. Wash affected area with soap and water. Seek medical

attention if irritation occurs or persists.

**Eye Contact** Contact lenses should never be worn when working with this product. Flush immediately

with water for at least 30 minutes. Forcibly hold eyelids apart to ensure complete irrigation

of eye tissue. If irritation persists, seek medical attention.

**Ingestion**No known health effects. Seek medical attention if any problems are experienced.

Additional Information Not Available

### Section 05 - Fire Fighting Measures

Suitable Extinguishing Media Small fires: Carbon dioxide dry chemical powder, sand.

Large fires: regular foam.

Unsuitable Extinguishing Media NOTE: Violent steam generation and frothing may occur on direct application of water

stream.

**Specific Hazards Arising From** 

the Chemical

During a fire, toxic gases are generated.

**Special Protective Equipment for** 

Fire-Fighters

Wear NIOSH-approved self-contained breathing apparatus and protective clothing.

**Further Information** Wet activated carbon removes oxygen from air and can lower the concentration of

oxygen inside vessels containing carbon and other confined spaces. During a fire, toxic

gases are generated.

### Section 06 - Accidental Release Measures

Personal Precautions/ Protective

Equipment/ Emergency

**Procedures** 

Wear appropriate personal protective equipment. Ventilate area. Only enter area with PPE. Stop or reduce leak if safe to do so. Prevent material from entering sewers. Flush

with water to remove any residue.

**Environmental Precautions** Prevent materials from entering sewers.

Methods For Cleaning Up Vacuum or shovel spilled material and place in closed container for proper disposal.

### **Section 07 - Handling and Storage**

**Precautions for Safe Handling**Use proper equipment for lifting and transporting all containers. Use sensible industrial

hygiene and housekeeping practices. Wash thoroughly after handling. Avoid all situations

that could lead to harmful exposure. Minimize airborne spreading of dust.

Conditions for Safe Storage Store in a clean, well-ventilated area away from oxidizers, acids, ignition sources, heat,

and combustible materials.

**Incompatibilities** Strong oxidizers such as ozone, liquid oxygen, chlorine, potassium permanganate. Strong

acids, Acetone, Alkali metals.

### **Section 08 - Exposure Controls and Personal Protection**

**Exposure Limit(s)** 

Component Regulation Type of Listing Value

Activated Carbon Not established.

**Engineering Control(s)** 

**Ventilation Requirements** Mechanical ventilation (dilution or local exhaust), process or personnel enclosure and

control of process conditions must be provided in accordance with all fire codes and regulatory requirements. Supply sufficient replacement air to make up for air removed by

exhaust systems.

Other Emergency shower and eyewash must be available and tested in accordance with

regulations and be in close proximity.

**Protective Equipment** 

Eyes/Face Chemical goggles, full-face shield, or a full-face respirator is to be worn at all times when

product is handled. Contact lenses should not be worn; they may contribute to severe eye

injury.

Hand Protection Impervious gloves of chemically resistant material (rubber or PVC) should be worn at all

times. Wash contaminated clothing and dry thoroughly before reuse.

**Skin and Body Protection**Body suite, aprons, and/or coveralls of chemical resistant material should be worn at all

times. Wash contaminated clothing and dry thoroughly before reuse.

No special footwear is required other than what is mandated at place of work.

Respiratory Protection Respiratory protection is not normally required. If use creates dust formations, then a

NIOSH-approved respirator with a dust cartridge is recommended. Wet activated carbon removes oxygen from air causing a severe hazard to workers inside confined spaces. Before entering such an area, sampling and work procedures for low oxygen levels

should be taken (such as wearing a self-contained breathing apparatus).

Thermal Hazards Not Available

# Section 09 - Physical and Chemical Properties

**Appearance** 

Physical State Particulate solid, pellet or powder

**Colour** Black

**Odour** Odourless

Odour Threshold Not Applicable

### **Property**

pH Not applicable. Activated carbon bearing inorganic and chemically active groups on its

surface may alter the pH of liquids to which it is added.

Melting Point/Freezing Point >3500°C

Initial Boiling Point and Boiling Maximum 4000°C

Range

Flash Point Not Applicable

Evaporation Rate Not Applicable

Flammability Not Applicable

Upper Flammable Limit Not Applicable

Lower Flammable Limit Not Applicable

Vapour Pressure (mm Hg, 20°C) Not Applicable

Vapour Density (Air=1) Not Applicable

Relative Density Not Available

Solubility(ies) Insoluble in water

Partition Coefficient:

n-octanol/water

Not Applicable

**Auto-ignition Temperature** ~ 300°C [Depends on particle size and physical form.]

**Decomposition Temperature** Not Available

Viscosity Not Applicable

**Explosive Properties** Airborne dust may create an explosion hazard.

Specific Gravity (Water=1) 0.25 - 0.60

% Volatiles by Volume 0%

Formula C

Molecular Weight 12.011

# Section 10 - Stability and Reactivity

Reactivity Not Available

Chemical Stability Stable under normal conditions.

Possibility of Hazardous

Reactions

Self-heats due to slow oxidation by air. Presence of moisture accelerates self-heating.

**Conditions to Avoid** High temperatures, sparks, open flames and all other sources of ignition. Minimize

airborne spreading of dust. High concentrations of organics in air will cause temperature rise due to heat of adsorption. At very high concentration levels this may cause a bed fire. High concentrations of Ketones and Aldehydes may cause a bed temperature rise due to

adsorption and oxidation.

**Incompatible Materials** Strong oxidizers such as ozone, liquid oxygen, chlorine, potassium permanganate.

Strong acids, Acetone, Alkali metals.

**Hazardous Decomposition** 

Carbon monoxide may be generated in the event of a fire (especially with incomplete **Products** 

combustion in an enclosed space).

# Section 11 - Toxicological Information

**Acute Toxicity** 

Component Oral LD<sub>50</sub> Dermal LD<sub>50</sub> LC<sub>50</sub>

Activated Carbon >10,000 mg/kgNot Available >64.4mg/L (rat, inhalation)

Chronic Toxicity - Carcinogenicity

**IARC** Component

**Activated Carbon** 

Not considered to be carcinogenic as per IARC, NTP, and

Skin Corrosion/Irritation Dust may cause mechanical irritation.

Ingestion Non-toxic though ingestion Non-toxic though inhalation Inhalation

Serious Eye Damage/Irritation Causes slight to mild irritation of the eyes.

None known. Respiratory or Skin Sensitization

**Germ Cell Mutagenicity** No adverse mutagenic effects are anticipated. **Reproductive Toxicity** No adverse reproductive effects are anticipated.

**STOT-Single Exposure** May cause respiratory tract irritation

**STOT-Repeated Exposure** May cause damage to organs through prolonged or repeated exposure.

Not Available **Aspiration Hazard Synergistic Materials** None known

# Section 12 - Ecological Information

**Ecotoxicity** 

Component **Toxicity to Algae Toxicity to Fish** Toxicity to Daphnia and Other Aquatic Invertebrates

Carbon Not Available Not Available Not Available

**Biodegradability** Not Available

Bioaccumulation No evidence of bioaccumulation or tainting of seafood.

Not Available Mobility

Other Adverse Effects Not Available

# Section 13 - Disposal Considerations

Waste From Residues/Unused

**Products** 

Dispose in accordance with all federal, provincial, and/or local regulations including the

Canadian Environmental Protection Act.

Dispose in accordance with all federal, provincial, and/or local regulations including the **Contaminated Packaging** 

Canadian Environmental Protection Act.

### **Section 14 - Transport Information**

UN Number Not Regulated
UN Proper Shipping Name Not Regulated
Transport Hazard Class(es) Not Regulated

Environmental Hazards Not listed as a marine pollutant under Canadian TDG Regulations, schedule III.

Not Regulated

Special Precautions Not Available

Transport in Bulk Not Available

<u>TDG</u>

**Packaging Group** 

Other Secure containers (full and/or empty) with suitable hold down devises during shipment

and ensure all caps, valves, or closures are secured in the closed position.

TDG PRODUCT CLASSIFICATION: This product has been classified on the preparation date specified at section 14 of this MSDS / SDS, for transportation in accordance with the requirements of part 2 of the Transportation of Dangerous Goods Regulations. If applicable, testing and/or published test data regarding the classification of this product are listed in the references at section 16 of this MSDS / SDS.

### Section 15 - Regulatory Information

NOTE: THE PRODUCT LISTED ON THIS SDS HAS BEEN CLASSIFIED IN ACCORDANCE WITH THE HAZARD CRITERIA OF THE CANADIAN CONTROLLED PRODUCTS REGULATIONS. THIS SDS CONTAINS ALL INFORMATION REQUIRED BY THOSE REGULATIONS.

### Section 16 - Other Information

#### **Preparation Date**

August 4, 2018

**Note:** The responsibility to provide a safe workplace remains with the user. The user should consider the health hazards and safety information contained herein as a guide and should take those precautions required in an individual operation to instruct employees and develop work practice procedures for a safe work environment. The information contained herein is, to the best of our knowledge and belief, accurate. However, since the conditions of handling and use are beyond our control, we make no guarantee of results, and assume no liability for damages incurred by the use of this material. It is the responsibility of the user to comply with all applicable laws and regulations.

#### Attention: Receiver of the chemical goods / SDS coordinator

As part of our commitment to the Canadian Association of Chemical Distributors (CACD) Responsible Distribution<sup>®</sup> initiative, ClearTech Industries Inc. and its associated companies require, as a condition of sale, that you forward the attached Safety Data Sheet(s) to all affected employees, customers, and end-users. ClearTech will send any available supplementary handling, health, and safety information to you at your request.

#### References:

- 1) CHEMINFO
- 2) eChemPortal
- 3) TOXNET
- 4) Transportation of Dangerous Goods Canada
- 5) HSDB

#### ClearTech Industries Inc. - Locations

Corporate Head Office: 1500 Quebec Avenue, Saskatoon, SK, S7K 1V7

Phone: 1(306) 664 – 2522

Fax: 1(888) 281-8109

www.cleartech.ca

24 Hour Emergency Number - All Locations - 1(306) 664-2522