

DESIGN WITHIN REACH



ThinAir[®] ADA-COMPLIANT HAND DRYER

The ThinAir[®] Hand Dryer is a high-efficiency model that is surface-mounted and ADA-compliant. ThinAir dries hands in 15 seconds*, uses 950 watts or less (as low as 300 watts) and has a slimmer profile to meet ADA compliance standards. The ThinAir Hand Dryer features adjustable speed and sound control, variable heat settings and a washable pre-filter.



ThinAir[®] HAND DRYER

MODELS: TA - ABS -VOLTAGE (See Chart)



TA-ABS
White Polymer (ABS)
With SanaFor[™] Antimicrobial Additive



FEATURES & BENEFITS


- ✓ 15 Second Dry Time*
 - ✓ Wattage: 950 Watts (Heat On) - 300 Watts (Heat Off)
 - ✓ Meets 4" ADA protrusion guidelines to accommodate the visually impaired
- ✓ Adjustable Speed and Sound Controller
 - ✓ Variable Heat - High, Medium, Low and Off
 - ✓ Washable Pre-Filter
 - ✓ 5-Year Limited Warranty

OPTIONAL ACCESSORIES

- ✓ MICROBAN[®] Antimicrobial Wall Guards: 89W (White), 89B (Black)
Stainless Steel: 89S (Brushed)

ADA COMPLIANCE

ADA guidelines state that fixtures mounted above 27" must not protrude more than 4" from the wall.



Maximum: 48"
Recommended: 37"

OVERALL DIMENSIONS

Width: 9 5/32" (233 mm) Height: 13 15/16" (354 mm) Depth: 4" (102 mm)

ACTIVATION

Automatic Sensor Activated

MOUNTING

Surface-Mounted

WEIGHT

TA-ABS : 8 lbs. (3.6 kgs.)

ELECTRICAL


Units are Single Phase; 950 Watts or as low as 300 Watts (without heat) and available as specified in:

VOLTS	AMPS	WATTS	NO HEAT AMPS	NO HEAT WATTS	HERTZ	
110-120V	7-7.7A	770-915W	3-3.2A	310-370W	50/60 Hz	
208-277V	3.6-4.0A	735-950W	1.5-1.9A	300-375W	50/60 Hz	
230V	3.9A	890W	1.7A	375W	50 Hz	

SUGGESTED MOUNTING HEIGHTS

from floor to bottom of dryer:

Men	45" (114 cm)
Women	43" (109 cm)
Teenagers	41" (104 cm)
Small Children	35" (89 cm)
Handicapped	37" (94 cm)



RoHS



* Dry time based on third party testing performed by SGS International on standard Thin Air hand dryer to 0.2g or less of residual moisture.