

B P O P CPM-200G

Save time Save money

Improve processes





Safety Signage



Labels



*A4 size is approximate page size excluding margins. The largest printing range is 200mmx2m(8"x78,7"). **Guideance Signage** **Guideance Signage** **The largest printing range is 200mmx2m(8"x78,7"). **The largest printing range is 200mmx2m(8"x78,7"). **Guideance Signage** **The largest printing range is 200mmx2m(8"x78,7").



CPM-200G Overview

- Meet your sign and leabeling needs in real-time by printing in-house.
- Eliminate waste due to lot size.
- Eliminate the need to place orders and stock labels and signs.
- Customize content and shapes freely to fit the needs of your site.

Bepop High quality signs and labels on-demand!

Print and cut the exactly what you need in-house, anytime!

Case Study: Safety Guidance Signage



2) Generic guidance mark



Sign is made on site:

After



Contents:

- 1) "NEED PROTECTIVE FOOTWEAR?"
- 2) "Go to the Safety Department 1st Floor-Admin Building."
- 3) Photo of destination is displayed with red arrow marking entrance.
- 4) Safety shoes guidance mark is used.

Conclusion: The CPM-200 allows you to tailor content to the exact needs of your site. In this case, leading to improvements in safety compliance for both employees and visitors.

•Built-in plotter can cut any shape you need!













Print in full color on 200mm wide vinyl!

The CPM-200G can print in vivid full color using 4 specialized process color ink ribbons (Cyan, Magenta, Yellow, and Black). For the first time you can print and cut combinations of photos, illustrations, and text on





*A4 size is approximate page size excluding margins. The largest printing range is 200 mm x 2 m(8" x 78.7").

Make labels, signs, and cut-lettering easily!

Anyone can design labels or signage easily using BepopPC EX editing software. After designing your labels or signs, send the data to your Bepop. The Bepop will print the colors, and then cut your shape.







Import your logos and photos!

Convenient features of the BepopPC EX software.



OVER 1,400 symbols and templates

Enjoy a large variety of symbols

- GHS
- •ISO
- Facilities maintenance
- Way finding
- •Fire safety
- Holiday themes

And much, much more!



Templates

Choose templates like bilingual (Spanish and English) safety signage, product management labels, safety labels, and much more!



Crammed full of convenient features!

• Import Photo Images

Print full color photo images.

Import Documents

From Word, Excel and Powerpoint.

Auto Copy

Make automatic copies of labels, and let the software position the data in the most cost efficient way.

Serial Numbering

Serialize numbers, letters, and barcodes. The software automatically positions your serialized labels.

● CSV Database Connect

Automatically fill in labels using content from a spreadsheet.

BepopScanEX

Import company logos as symbols using BepopScanEX.


Bordering

Automatically draw a unique cut-shape around selected objects.

• Import CAD Data (.dxf file type only)

Import CAD printing data (.dxf file type). Check with your local dealer for information on testing compatibility with your software.

DXF File Import



Barcoding

Make QR codes, UPC codes and much more!

Cut Lettering

Change letters into cutting data with the click of a button.

• Automatic Spacing and Alignment

Save time finalizing your designs by using the automatic spacing and alignment functions in the software.



Please use MAX double wide (approx. 200mm/ 8in) width ribbons and tape rolls

For new users, remember that both ink ribbons and tape rolls are needed to use the printer.


Bepop Tape Rolls


Max dedicated tape rolls (Available Colors)

Package: 2 rolls per carton Vinyl size: 205mm×10m (8.07in×32.81ft)




e to variations in printing inks, the actual color of the tape roll may differ from the catalog representation.





Package: 1pc. per box / 5 boxes per carton. Size: 212mm×50m (8.35in×164.04 ft.)



Package: 1pc. per box / 5 boxes per carton. Size: 212mm×50m (8.35in×164.04 ft.)



Package: 1pc. per box / 5 boxes per carton. Size: 212mmx50m (8.35inx164.04 ft.)

- 1)The cassette can be re-used, so please request ribbon refills after use.
- 2)The ribbon cassette should be exchanged after 10~15 refills.

3)Be careful not to use spot color black/yellow instead of CMYK yellow/CMYK black (or vice versa), as it will not reproduce the correct colors.

Process Color Ink Ribbon Refill

Max dedicated ribbon Refills (Available Colors)

SL-TR215T	SL-TR216T	SL-TR217T	SL-TR218T
CMYK-C	CMYK-M	CMYK-Y	CMYK-K

Package: 1pc. per box / 5 boxes per carton. Size: 212mm×50m (8.35in×164.04 ft.)

*Bepop can only use the dedicated ribbon refills. Refills must be inserted into the Max dedicated ribbon cassette.

PRODUCT SPECIFICATIONS

Product		CPM-200G	
Printer	Printing method	Thermal transfer	
	Print resolution	300dpi	
	Printing speed	25mm (1.0") /sec. at standard	
Cutter	Accuracy	0.025mm (0.001") /step	
	Cutting speed	120mm (4.7") /sec. at maximum	
Maximum printing range		200mm (8") × 2000mm (78.7")	
Interface		USB: USB2.0 Full Speed, Allowable cable length 2meters (78.7") Ethernet: 10BASE-T / 100BASE-TX	
Working environment		Temperature:10-35°C, (50-95°F) Humidity:35-80% (No dew condensation allowed)	
Power source		AC 100-240V 50/60Hz 1A	
Power consumption		150W at maximum, 20W at standby	
Outer dimensions		317mm (12.5") × 425mm (16.7") × 315mm (12.4") (W)×(D)×(H)	
Weight		15.5kg (34.2lbs)	



CONTENTS CPM-200G, power cord, cutting blade, weeding tool, squeegee, blade holder(pre-attached), blade holder replacing spanner, BepopPC EX software, and operation manual. PC REQUIREMENTS For windows 10/8,1/8/7 operating systems, Windows® is a registered trademark of Microsoft Corporation (US) in U.S.A. or other countries.

The specifications and design of the products in this catalogue will be subject to change without advance notice due to our continuous efforts to improve the quality of our products.



MAX CO.,LTD.

6-6, NIHONBASHI, HAKOZAKI-CHO, CHUO-KU, TOKYO, JAPAN PHONE: 81-3-3669-8131 FAX: 81-3-3669-7104 Web:http://www.max-Itd.co.jp/int/

Distributor: