

PRODUCT CATALOGUE



Cable Identification | Cable Management | Cable Fastening | Signage

V2.02



Wiremarkers Australia® is Your Premier Cable Identification, Cable Management, Signage and Cable Fastening Company.

We serve the entire Australasian & New Zealand region, offering you an extensive range of effective, long-lasting labels, wiremarkers, and cable markers, most off the shelf from our warehouse in Brisbane. Wiremarkers Australia® specialises in tags and fasteners for cables, allowing you quick and easy Management and Identification of all your Company's cables and onsite printers for creating all of the above onsite, when time is of the essence.

Our stainless range of tags and labels have all been developed locally with emphasis on what the market needs. Every range of label, every cable tag and every tie has been tested for quality as to material as well as strength, by ALS Global in Brisbane. We continue to develop and make labels and tags to meet customer demands, then test them relentlessly. Coupled with our ISO ratings, quality is assured.

With the high quality of our products, and excellent pricing, also comes excellent service and turnaround. We currently serve renewables, industrial, petrochemical, mining, electrical, power generation, instrumentation, data, and telecoms industries throughout Australasia. Our products meet, or exceed, every specification set by these demanding industries.

Our own in-house printing service offers an easy turnkey solution to your needs, with amazing turnaround times. Our plastic is permanently marked using special thermal ribbons, and our stainless printing service is on our special Galvo and Fibre lasers. These markings are permanent, and specified by our customers.

Our range of cable ties is extensive, and we also offer colour coated ties. Our strapping products have been approved by Energex. With our several year UV block signage, we ensure that all safety information is on site and no maintenance will be necessary for the entire life span of the asset.



WIREMARKERS

Australia®

**www.wiremarkers.com.au | salesadmin@wiremarkers.com.au
+61 733 939 313 | Unit 1/31 Industry Place, Wynnum, QLD 4178**



Index	Page
Bureau (Printing services)	12
Bolt clamp	20
Bolt on pylon clamp for marine	20
Cable tag PVC/ABS & sleeve Bureau (Printing services)	12
Cable tag sleeves Smartmark	8
Cable tags Smartmark	7
Cable tags stainless steel	9
Cable tags Stainless steel COLOUR	11
Cable tie sleeves Smartmark	8
Cable Ties Nylon	16
Cable Ties Stainless steel (SS, black and colour)	13-15
Ferrule tags (ABS and PVC) Smartmark	4
Heatshrink MAX Letatwin	22
Printer MAX Bepop & blade and printer head	23
Printer MAX Letatwin and consumables (Ribbon & tape labels)	21
Printer MAX Letatwin spares (cutter)	22
Printer Smartmark & spares (Head Assembly & Ribbon & cleaning head)	3
Ratchet ties stainless steel	17
Ribbon refill MAX	25
Ribbons MAX	24
Signage	30
Sleeves for wire markers/core markers for ferrule tags, Smartmark	5-6
Smart ring	16
Smartlaze / Industrial Traffolyte Bureau (Printing services)	12
Smartwrap	29
Solar panel clips Smartmark	18
Steel plates Bureau (Printing services)	10
Steel plates stainless steel	10
Strapping stainless steel	17
Tools	19-20
Tubing MAX Letatwin	22
Vinyl rolls MAX	25-28
Wrap around Vinyl labels	29



Smartmark Printer


SM651459 Printer 31S Smartmark



- The Smartmark printer from Wiremarkers is a unique fast feed printer
- These are onsite, ferrule and tag cable marker printers
- Ferrules (4 mm) with lengths of 15/18/23/30/40 mm printer
- 12 ferrules every 5-6 seconds, 600 ferrules in 5-6 minutes
- Tags (10mm) with lengths of 35/50/70 mm printed (slotted or unslotted with sleeves for fastening)
- 4 tags every 5-6 seconds, 200 tags every 5-6 minutes
- Sleeves are available for tags and ferrules
- UV stabilised ribbon and consumables
- Installation, training and support is included
- Prints with thermal head
- Has field proven ribbons and accessories
- Printers are field tested extensively
- Made in Korea, these products are of a premium quality
- The printers include an easy-to-use user manual
- Printers are "plug and play", simple to use with Excel
- Printers have 100 card stacker with lid closed and 200 card stacker with lid open
- Ribbon has 1200 card print duration which is 14400 ferrules or 4800 cable tags
- Printer box excludes a ribbon

Smartmark Head Assembly

SM651411 Print Head Assembly S51S Smartmark



Smartmark Ribbon

- SM650740** Ribbon BLACK S50 Smartmark. Incl. ribbon & cleaning roller.
- SM650634** Ribbon COLOUR CMYK S50 Smartmark. Incl. ribbon & cleaning roller.
- SM659383** Ribbon BLACK S51/31 Smartmark. Incl. ribbon & cleaning roller.
- SM659366** Ribbon COLOUR CMYK S51/31 Smartmark. Incl. ribbon & cleaning roller.


Smartmark Cleaning Card

SM659004 Cleaning Head Card Smartmark



Smartmark Ferrule Tags

- Smartmark Ferrule markers are manufactured to exceed industry standard
- Highly spec'd in PVC or ABS (Halogen free)
- Easily inserted in our special PVC sleeves, locally designed and manufactured
- Available in lengths of 15/18/23/30/40 mm
- Tags are 4 mm in width and 1 mm in thickness, and available in white and yellow base and can be colour CMYK printed
- Tags lock into sleeves and do not fall out due to special design
- VO-UL94 (Self extinguishing standard)
- Maximum continuous temperature of 140°



Smartmark Ferrule Tags White PVC

- SF01504WN** Ferrule Tag 15 mm x 4 mm WHITE PVC
- SF01804WN** Ferrule Tag 18 mm x 4 mm WHITE PVC
- SF02304W** Ferrule Tag 23 mm tag x 4 mm WHITE PVC
- SF03004W** Ferrule Tag 30 mm tag x 4 mm WHITE PVC
- SF04004W** Ferrule Tag 40 mm tag x 4 mm WHITE PVC



Smartmark Ferrule Tags White ABS (Halogen Free)

- SF01504WHF** Ferrule Tag 15 mm Tag x 4 mm WHITE ABS
- SF01804WHF** Ferrule Tag 18 mm Tag x 4 mm WHITE ABS
- SF02304WHF** Ferrule Tag 23 mm Tag x 4 mm WHITE ABS
- SF03004WHF** Ferrule Tag 30 mm Tag x 4 mm WHITE ABS
- SF04004WHF** Ferrule Tag 40 mm Tag x 4 mm WHITE ABS



Smartmark Ferrule Tags Yellow PVC

- SF01504Y** Ferrule Tag 15mm tag x 4mm YELLOW PVC
- SF01804Y** Ferrule Tag 18mm tag x 4mm YELLOW PVC
- SF02304Y** Ferrule Tag 23mm tag x 4mm YELLOW PVC
- SF03004Y** Ferrule Tag 30mm tag x 4mm YELLOW PVC



**We can print all tags WHITE or YELLOW.
Sleeves can be included at an additional cost.**



Ferrule Tags Bureau Printing Service

- SF01504WP** Ferrule Tag 15 mm Tag Without Sleeve
- SF01804WP** Ferrule Tag 18 mm Tag Without Sleeve
- SF02304WP** Ferrule Tag 23 mm Tag Without Sleeve
- SF03004WP** Ferrule Tag 30 mm Tag Without Sleeve
- SF04004WP** Ferrule Tag 40 mm Tag Without Sleeve



Smartmark Ferrule Tag Sleaving

- Wire markers/core markers for ferrule tag sleeves available in 15/18/23/30 mm lengths
- Ferrule sleeves fit 4 mm wide tags
- PVC sleeves with 2 openings, one for tag and one for wire
- PVC wire markers/core markers for ferrule sleeves available in cable OD's of 1-22mm
- The material is PVC clear
- VO-UL94 (Self extinguishing standard)
- Sleeves will lock onto correct size cable
- Sleeve length is designed to cover the correct length of wire markers/core markers/ ferrule tag
- Maximum of 140° continuous temperature



Smartmark Ferrule Tag Sleeves



SL0018	Sleeve for Wire Tag OD 1 - 2 mm 18 mm
SL0023	Sleeve for Wire Tag OD 1 - 2 mm 23 mm
SL0118	Sleeve for Wire Tag OD 1.8 mm - 2.5 mm 18 mm
SL0130	Sleeve for Wire Tag OD 1.8 mm - 2.5 mm 30 mm
SL0218	Sleeve for Wire Tag OD 2 mm - 4 mm 18 mm
SL0223	Sleeve for Wire Tag OD 2 mm - 4 mm 15 mm
SL0315	Sleeve for Wire Tag OD 4 mm - 6 mm 15 mm
SL0318	Sleeve for Wire Tag OD 4 mm - 6 mm 18 mm
SL0323	Sleeve for Wire Tag OD 4 mm - 6 mm 23 mm
SL0415	Sleeve for Wire Tag OD 6 mm - 10 mm 15 mm
SL0418	Sleeve for Wire Tag OD 6 mm - 10 mm 18 mm
SL0423	Sleeve for Wire Tag OD 6 mm - 10 mm 23 mm
SL0430	Sleeve for Wire Tag OD 6 mm - 10 mm 30 mm
SL0515	Sleeve for Wire Tag OD 10 mm - 14 mm 15 mm
SL0518	Sleeve for Wire Tag OD 10 mm - 14 mm 18 mm
SL0523	Sleeve for Wire Tag OD 10 mm - 14 mm 23 mm
SL0530	Sleeve for Wire Tag OD 10 mm - 14 mm 30 mm
SL0615	Sleeve for Wire Tag OD 14 mm - 22 mm 15 mm
SL0618	Sleeve for Wire Tag OD 14 mm - 22 mm 18 mm
SL0623	Sleeve for Wire Tag OD 14 mm - 22 mm 23 mm
SL0630	Sleeve for Wire Tag OD 14 mm - 22 mm 30 mm



Smartmark Ferrule Tag Slewing

- Sleeves available in 15/18/23/30/40 mm lengths
- Ferrule sleeves fit 1 - 22 mm OD cable
- Sleeves have 2 openings, one for tag and one for wire
- The material is PVC clear
- VO-UL94 (Self extinguishing standard)
- Sleeves will lock onto correct size cable
- Sleeve length is designed to cover the correct length ferrule tag
- Maximum of -15° to +70° temperature
- Made in Australia




Smartmark Flat Tag Sleeves (cut from rolls)

- SLF018** Sleeve Flat for Wire Tag OD 1 - 2 mm 18 mm
- SLF023** Sleeve Flat for Wire Tag OD 1 - 2 mm 23 mm
- SLF115** Sleeve Flat for Wire Tag OD 1.5 - 2.5 15 mm
- SLF118** Sleeve Flat for Wire Tag OD 1.5 - 2.5 18 mm
- SLF123** Sleeve Flat for Wire Tag OD 1.5 - 2.5 23 mm
- SLF130** Sleeve Flat for Wire Tag OD 1.5 - 2.5 30 mm
- SLF140** Sleeve Flat for Wire Tag OD 1.5 - 2.5 40 mm
- SLF215** Sleeve Flat for Wire Tag OD 2.0 - 4.0 15 mm
- SLF218** Sleeve Flat for Wire Tag OD 2.0 - 4.0 18 mm
- SLF223** Sleeve Flat for Wire Tag OD 2.0 - 4.0 23 mm
- SLF230** Sleeve Flat for Wire Tag OD 2.0 - 4.0 30 mm
- SLF240** Sleeve Flat for Wire Tag OD 2.0 - 4.0 40 mm
- SLF315** Sleeve Flat for Wire Tag OD 4.0 - 6.0 15 mm
- SLF318** Sleeve Flat for Wire Tag OD 4.0 - 6.0 18 mm
- SLF323** Sleeve Flat for Wire Tag OD 4.0 - 6.0 23 mm
- SLF330** Sleeve Flat for Wire Tag OD 4.0 - 6.0 30 mm
- SLF340** Sleeve Flat for Wire Tag OD 4.0 - 6.0 40 mm
- SLF415** Sleeve Flat for Wire Tag OD 6.0 - 10 15 mm
- SLF418** Sleeve Flat for Wire Tag OD 6.0 - 10 18 mm
- SLF423** Sleeve Flat for Wire Tag OD 6.0 - 10 23 mm
- SLF430** Sleeve Flat for Wire Tag OD 6.0 - 10 30 mm
- SLF440** Sleeve Flat for Wire Tag OD 6.0 - 10 40 mm
- SLF515** Sleeve Flat for Wire Tag OD 10 - 14 15 mm
- SLF518** Sleeve Flat for Wire Tag OD 10 - 14 18 mm
- SLF523** Sleeve Flat for Wire Tag OD 10 - 14 23 mm
- SLF530** Sleeve Flat for Wire Tag OD 10 - 14 30 mm
- SLF615** Sleeve Flat for Wire Tag OD 14 - 22 15 mm
- SLF618** Sleeve Flat for Wire Tag OD 14 - 22 18 mm
- SLF623** Sleeve Flat for Wire Tag OD 14 - 22 23 mm
- SLF630** Sleeve Flat for Wire Tag OD 14 - 22 30 mm



Smartmark Printed Cable Tags


- Smartmark flat yellow or white cable tags are suitable for cable marking indoors and outdoors with or without tie slots
- Materials are PVC or halogens free, with PVC being VO-UL94
- Recommend only printing using THT thermal printer, specifically as Smartmark S31 printer
- Easily inserted in our special PVC sleeve, if slots not needed
- Available in 35/50/70 mm
- Tags are 10 mm in width and 1 mm in thickness, and available in white and yellow and can be printed in any colour using CMYK ribbon
- Made in PRC using our proprietary moulds
- VO-UL94 (Self extinguishing standard)
- Maximum continuous temperature of 140 °



SC03510W	Cable Tag PVC Unslotted 35 mm x 10 mm x 4 WHITE	
SC03510Y	Cable Tag PVC Unslotted 35 mm x 10 mm x 4 YELLOW	
SC05010W	Cable Tag PVC Unslotted 50 mm x 10 mm x 4 WHITE	
SC05010Y	Cable Tag PVC Unslotted 50 mm x 10 mm x 4 YELLOW	
SC07010SW4HF	Cable Tag ABS Slotted 70 mm x 10 mm x 4 WHITE (halogen free)	
SC07010W4	Cable Tag PVC Unslotted 70 mm x 10 mm x 4 WHITE	
SC07010Y4	Cable Tag PVC Unslotted 70 mm x 10 mm x 4 YELLOW	
SC05010WS	Cable Tag PVC Slotted 50 mm x 10 mm WHITE	
SC05010YS	Cable Tag PVC Slotted 50 mm x 10 mm YELLOW	
SC07010WS4	Cable Tag PVC Slotted 70 mm x 10 mm x 4 WHITE	
SC07010YS4	Cable Tag PVC Slotted 70 mm x 10 mm x 4 YELLOW	


Cable Tags Slotted or Unslotted, Bureau (Printing Service). Sleeves extra if required.

SC03510YSP	Cable Tag PVC 35 mm x 10 mm Slotted YELLOW	(1)	
SC05010WSP	Cable Tag PVC 50 mm x 10 mm Slotted WHITE	(1)	
SC05010YSP	Cable Tag PVC 50 mm x 10 mm Slotted YELLOW	(1)	
SC07010WSP	Cable Tag PVC 70 mm x 10 mm Slotted WHITE	(1)	
SC07010YSP	Cable Tag PVC 70 mm x 10 mm Slotted YELLOW	(1)	



Smartmark Cable Tag Sleeves

- PVC/LDPE sleeves available in lengths 35/50/70/100 mm
- PVC/LDPE sleeves for 10 mm wide cable markers
- PVC/LDPE sleeves with 2 slots for cable ties
- PVC is clear, LDPE is slightly opaque
- Made in PRC
- PVC suitable for cabinet indoor cables, LDPE suitable for cables in the food industry
- PVC is not UV stabilised but is VO-UL94, LDPE naturally UV stable and HALOGENS free
- PVC indoors has a 30 year warranty. LDPE indoors has a 30 years warranty and LDPE has 15 years outdoor warranty
- Self extinguishing VO-UL94 for PVC sleeves only
- Maximum of 140° continuous temperature



Smartmark Cable Tag Sleeves


SL03510PVC	Cable Tag Sleeve PVC 35 mm x 10 mm
SL05010PVC	Cable Tag Sleeve PVC 50 mm x 10 mm
SL07010PVC	Cable Tag Sleeve PVC 70 mm x 10 mm
SL10010PVC	Cable Tag Sleeve PVC 100 mm x 10 mm



Smartmark Cable Tie Ferrule Tag Sleeves

- Ferrule sleeves available in 15/18/23/30 mm lengths
- Ferrule sleeves fit 4 mm wide tags
- The material is PVC clear
- Made in Australia
- VO-UL94 Self extinguishing standard. Designed and manufactured in Australia
- Sleeve length is designed to cover the correct length ferrule tag and can fit any cable size
- Maximum of -15° to +70° temperature

SL3015	Cable Tie Sleeve 15/18 mm
SL3023	Cable Tie Sleeve 23 mm
SL3030	Cable Tie Sleeve 30 mm



Stainless Steel Cable Tags

- 316 Grade Stainless Steel
- Suitable for indelible fibre laser engraving
- Design life is 40 years plus
- Maximum continuous temperature of 920°
- Made in PRC
- Available in lengths of 70/75/88/90/110 mm, thickness of 0.25 mm suitable for embossing and 0.25 mm and 0.5 mm for lazering with widths of 7/10/13/19/25 mm
- Stainless Steel AS2837 tested and approved



SS31607507.5	Stainless Tag 75 mm x 7 mm x .5 mm
SS31607507.5R	Stainless Tag 75 mm x 7 mm x .5 mm 4.6 mm Slot on a Roll
SS31607507.5C	Stainless Tag 75 mm x 7 mm x .5 mm 4.6 mm Slot on a Card
SS31607010.5	Stainless Tag 70 mm x 10 mm x .5 mm
SS31607010.5C	Stainless Tag 70 mm x 10 mm x .5 mm on a Card
SS31608808.5C	Stainless Tag 88 mm x 8 mm x .5 mm Wide on a Card
SS31609010.5	Stainless Tag 90 mm x 10 mm x .5 mm 4.6 mm Slot
SS31609010.5W	Stainless Tag 90 mm x 10 mm x .5 mm 7.9 mm Slot
SS31609010.5WR	Stainless Tag 90 mm x 10 mm x .5 mm 7.9 mm Slot on a Roll
SS31609010.8	Stainless Tag 90 mm x 10 mm x .8 mm 4.6 mm Slot
SS31609010.25W	Stainless Tag 90 mm x 10 mm x 0.25 mm 7.9 Slot
SS31609010.5WC	Stainless Tag 90 mm x 10 mm x .5 mm 7.9 Slot on a Card
SS31609013.5	Stainless Tag 90 mm x 13 mm x .5 mm
SS31609019.25	Stainless Tag 90 mm x 19 mm x .25 mm
SS31609019.5	Stainless Tag 90 mm x 19 mm X .5 mm
SS31609019.5NR	Stainless Tag 90 mm x 19 mm X .5 mm 4.6 mm on a Roll
SS31609019.5C	Stainless Tag 90 mm x 19 mm X .5 mm 4.6 mm on a Card
SS31611010.5	Stainless tag 110mm x 10mm x .5mm 4.6mm slot
SS31611010.5W	Stainless tag 110mm x 10mm x .5mm 7.9mm slot
SS31611010.25W	Stainless Tag 110mm x 10mm x 0.25 Wide
SS31611013.5	Stainless tag 110mm x 13mm x .5mm
SS31607525.84H	Stainless tag 75mm x 25mm x .8mm 4 holes




Stainless Steel Cable Tags Bureau (Printing Service)

SS31607507.5P	Stainless Tag 75 mm x 7 mm x .5 mm
SS31607010.5P	Stainless Tag 70 mm x 10 mm x .5 mm
SS31608808.5WP	Stainless Tag 88 mm x 8 mm x .5 mm
SS31609010.5P	Stainless Tag 90 mm x 10 mm x .5 mm 4.6 mm Slot
SS31609010.5WP	Stainless Tag 90 mm x 10 mm x .5 mm 7.9 mm Slot
SS31609010.8P	Stainless Tag 90 mm x 10 mm x .8 mm
SS31609013.5P	Stainless Tag 90 mm x 13 mm x .5 mm
SS31609019.25P	Stainless Tag 90 mm x 19 mm x .25 mm
SS31609019.5P	Stainless Tag 90 mm x 19 mm X .5 mm
SS31611010.5P	Stainless Tag 110 mm x 10 mm x .5 mm
SS31611013.5P	Stainless tag 110 mm x 13 mm x .5 mm



- Stainless Steel Grade 316, AS2387 certified
- Fibre laser for permanent finish
- The fibre laser source causes the carbon to turn black and permanently etch the label surface
- The depth of the burn depends on the laser power applied and can vary from 0.01 mm to 0.05 mm
- Not embossed or paint filled
- Maximum continuous temperature of 950°
- Cut and lazered in Australia.
- 40 year design life, outdoors
- Variable lengths, standard items below (limited list, we have many more sizes of tags)
- WMA can provide **any** size or shape you may require
- SS316 grade sheets sourced in Australia


Stainless Steel Printed Plates Bureau (Printing Service)



SS316056111.52P	SS Plate 56 mm x 11 mm x 1.5 mm
SS316060401.54P	SS Plate 60 mm x 40 mm x 1.5 mm
SS316070081.52P	SS Plate 70 mm x 8 mm x 1.5 mm
SS316070181.52P	SS Plate 70 mm x 18 mm x 1.5 mm
SS316070201.52P	SS Plate 70 mm x 20 mm x 1.5 mm
SS316070201.5P	SS Plate 70 mm x 20 mm x 1.5 mm
SS316075254HP	SS Plate 75 mm x 25 mm x 1.5 mm
SS316100171.52P	SS Plate 100 mm x 17 mm x 1.5 mm
SS316100251.54P	SS Plate 100 mm x 25 mm x 1.5 mm
SS316100301.52P	SS Plate 100 mm x 30 mm x 1.5 mm
SS316125361.54P	SS Plate 125 mm x 36 mm x 1.5 mm
SS31615010024HP	SS Plate 150 mm x 100 mm x 1.5 mm




316 GRADE



Smartmark Stainless Steel Cable Tags Coloured

- Grade 316 stainless steel
- Suitable for indelible fibre laser engraving
- Not suitable for mechanical embossing
- Coating is epoxy which has good adhesion, it's corrosion resistant and is outdoor durable
- Maximum continuous temperature of 90°
- Made in PRC
- Available in length 90mm, thickness of 0.5mm and widths of 10/19 mm. Can customise sizes to suit
- Stainless steel AS2837 tested and approved



- SS31609010.5B** Stainless Tag 90 mm x 10 mm x 0.5 mm BLACK
- SS31609010.5G** Stainless Tag 90 mm x 10 mm x 0.5 mm GREEN
- SS31609010.5R** Stainless Tag 90 mm x 10 mm x 0.5 mm RED
- SS31609010.5U** Stainless Tag 90 mm x 10 mm x 0.5 mm BLUE
- SS31609010.5W** Stainless Tag 90 mm x 10 mm x 0.5 mm WHITE
- SS31609010.5Y** Stainless Tag 90 mm x 10 mm x 0.5 mm YELLOW
- SS31609019.5B** Stainless Tag 90 mm x 19 mm x 0.5 mm BLACK
- SS31609019.5G** Stainless Tag 90 mm x 19 mm x 0.5 mm GREEN
- SS31609019.5R** Stainless Tag 90 mm x 19 mm x 0.5 mm RED
- SS31609019.5U** Stainless Tag 90 mm x 19 mm x 0.5 mm BLUE
- SS31609019.5W** Stainless Tag 90 mm x 19 mm x 0.5 mm WHITE
- SS31609019.5Y** Stainless Tag 90 mm x 19 mm x 0.5 mm YELLOW




Printing of tags is available on request.

Stainless Steel Cable Colour Tags Bureau (Printing Service)

WMA uses fibre lasers to etch tags in house.



Coloured tags - Epoxy Coated, Bureau (Printing Service)



- SS31609010.5RP** Stainless Tag 90 mm x 10 mm RED
- SS31609010.5UP** Stainless Tag 90 mm x 10 mm BLUE
- SS31609010.5WP** Stainless Tag 90 mm x 10 mm WHITE
- SS31609010.5YP** Stainless Tag 90 mm x 10 mm YELLOW
- SS31609019.5RP** Stainless Tag 90 mm x 19 mm RED
- SS31609019.5UP** Stainless Tag 90 mm x 19 mm BLUE
- SS31609019.5WP** Stainless Tag 90 mm x 19 mm WHITE
- SS31609019.5YP** Stainless Tag 90 mm x 19 mm YELLOW



Bureau PVC Cable Tags & Ferrule Tags



Smartmark printer "plug and play" uses excel to input then export data for printing.



Smartmark PVC tag after printing.



Smartmark PVC tag (slotted & unslotted) installed with cable tie.

Bureau SS 316 Grade Cable Tags



Fibre lazer printer, etches images onto SS cable tags effortlessly.



SS tags are packed as per customers request by site for customer convenience. **Our packing method saves 30-40% time on tag installation.**



316 grade SS tags installed with 316 or 304 grade SS cable ties.

Bureau SS Cut Steel



Fibre Lazer steel machine cuts tags and plates from steel sheeting.



Steel tags & plates are then buffed/polished and deburred.



SS steel tags & plates are printed/etched and ready for installation.

Bureau Smartlaze (Industrial Traffolyte Engraving)



CO2 Lazer printing on Smartlaze industrial Traffolyte sheet.



Smartlaze / Industrial Traffolyte complete product after cleaning. Protective film is placed on all Smartlaze. Film must be removed on installation.



Smartlaze is packaged as per customers request.

Cable ties are used for heavy duty fastening, such as HVAC (high voltage air conditioning), insulation, renewables, cable management and attaching electrical cables to poles, attaching tags to cable and many more applications

- The cable tie has a ball locking mechanism
- Cable ties are available in 304 and 316 Grade (Marine Grade)
- 40 years design life
- Made in PRC
- Maximum continuous temperature of 950°
- Available in 130/150/200/300/350/450/500/550/700/840/1200 lengths and many more
- Available in widths of 4.6 mm, 7.9 mm and 12 mm



Smartmark SS Cable Tie 304 Grade 4.6 mm (1.05kN/107 kg)



- 304-130ST** SS Cable Tie 4.6 mm x 130 mm x 0.25 mm
- 304-150ST** SS Cable Tie 4.6 mm x 150 mm x 0.25 mm
- 304-200ST** SS Cable Tie 4.6 mm x 200 mm x 0.25 mm
- 304-300ST** SS Cable Tie 4.6 mm x 300 mm x 0.25 mm
- 304-350ST** SS Cable Tie 4.6 mm x 350 mm x 0.25 mm
- 304-450ST** SS Cable Tie 4.6 mm x 450 mm x 0.25 mm
- 304-500ST** SS Cable Tie 4.6 mm x 500 mm x 0.25 mm
- 304-550ST** SS Cable Tie 4.6 mm x 550 mm x 0.25 mm
- 304-700ST** SS Cable Tie 4.6 mm x 700 mm x 0.25 mm
- 304-840ST** SS Cable Tie 4.6 mm x 840 mm x 0.25 mm
- 304-1200ST** SS Cable Tie 4.6 mm x 1200 mm x 0.25 mm



304 GRADE

Smartmark SS Cable Tie 304 Grade 7.9 mm HD (1.85kN/189 kg)

- 304-200HD** SS Cable Tie 7.9 mm x 200 mm x 0.25 mm
- 304-300HD** SS Cable Tie 7.9 mm x 300 mm x 0.25 mm
- 304-350HD** SS Cable Tie 7.9 mm x 350 mm x 0.25 mm
- 304-500HD** SS Cable Tie 7.9 mm x 500 mm x 0.25 mm
- 304-680HD** SS Cable Tie 7.9 mm x 680 mm x 0.25 mm
- 304-750HD** SS Cable Tie 7.9 mm x 750 mm x 0.25 mm
- 304-840HD** SS Cable Tie 7.9 mm x 840 mm x 0.25 mm
- 304-1200HD** SS Cable Tie 7.9 mm x 1200 mm x 0.25 mm



304 GRADE



Smartmark SS Cable Tie 316 Grade 4.6 mm (1.08kN/110 kg)

- 316-200ST** SS Cable Tie 4.6 mm x 200 mm x 0.25 mm
- 316-300ST** SS Cable Tie 4.6 mm x 300 mm x 0.25 mm
- 316-350ST** SS Cable Tie 4.6 mm x 350 mm x 0.25 mm
- 316-550ST** SS Cable Tie 4.6 mm x 550 mm x 0.25 mm
- 316-850ST** SS Cable Tie 4.6 mm x 850 mm x 0.25 mm
- 316-1200ST** SS Cable Tie 4.6 mm x 1200 mm x 0.25 mm



316 GRADE

Smartmark SS Cable Tie 316 Grade 7.9 mm HD (1.93kN/197kg)

- 316-150HD** SS Cable Tie 7.9 mm x 150 mm x 0.25 mm
- 316-200HD** SS Cable Tie 7.9 mm x 200 mm x 0.25 mm
- 316-300HD** SS Cable Tie 7.9 mm x 300 mm x 0.25 mm
- 316-350HD** SS Cable Tie 7.9 mm x 350 mm x 0.25 mm
- 316-550HD** SS Cable Tie 7.9 mm x 550 mm x 0.25 mm
- 316-650HD** SS Cable Tie 7.9 mm x 650 mm x 0.25 mm
- 316-850HD** SS Cable Tie 7.9 mm x 850 mm x 0.25 mm
- 316-1000HD** SS Cable Tie 7.9 mm x 1000 mm x 0.25 mm
- 316-60012.4** SS Cable Tie 12.0 mm x 600 mm x 0.4 mm (3.40kN/346kg)



316 GRADE



Cable ties are used for heavy duty fastening, such as HVAC (high voltage air conditioning), insulation, renewables, cable management and attaching electrical cables to poles, attaching tags to cable and many more applications.

- The cable tie has a ball locking mechanism
- Cable ties are available in 304 and 316 Grade
- 40 years design life
- Made in PRC
- Maximum continuous temperature of 180° for epoxy coated stainless steel
- Available in 130/150/200/300/350/450/500/550/700/840/1200 lengths
- Available in widths of 4.6 mm and 7.9 mm
- The thickness of the ties are 0.25 mm



304 Grade Standard 4.6 mm Coated Black (105kN/107 kg)



- 304C-130STB** SS Cable Tie 4.6 mm x 130 mm x 0.25 mm BLACK
- 304C-150STB** SS Cable Tie 4.6 mm x 150 mm x 0.25 mm BLACK
- 304C-200STB** SS Cable Tie 4.6 mm x 200 mm x 0.25 mm BLACK
- 304C-300STB** SS Cable Tie 4.6 mm x 300 mm x 0.25 mm BLACK
- 304C-350STB** SS Cable Tie 4.6 mm x 350 mm x 0.25 mm BLACK
- 304C-500STB** SS Cable Tie 4.6 mm x 500 mm x 0.25 mm BLACK
- 304C-550STB** SS Cable Tie 4.6 mm x 550 mm x 0.25 mm BLACK
- 304C-600STB** SS Cable Tie 4.6 mm x 600 mm x 0.25 mm BLACK
- 304C-700STB** SS Cable Tie 4.6 mm x 700 mm x 0.25mm BLACK



304 GRADE

304 Grade 7.9 mm Coated Black HD (1.85kN/189 kg)

- 304C-550HDB** SS Cable Tie 7.9 mm x 550 mm x 0.25 mm BLACK
- 304C-600HDB** SS Cable Tie 7.9 mm x 600 mm x 0.25 mm BLACK
- 304C-750HDB** SS Cable Tie 7.9 mm x 750 mm x 0.25 mm BLACK



304 GRADE



316 Grade Standard 4.6 mm Coated Black (1.08kN/110 kg)

- 316C-200STB** SS Cable Tie 4.6 mm x 200 mm x 0.25 mm BLACK
- 316C-300STB** SS Cable Tie 4.6 mm x 300 mm x 0.25 mm BLACK
- 316C-350STB** SS Cable Tie 4.6 mm x 350 mm x 0.25 mm BLACK



316 GRADE

316 Grade 7.9 mm Coated Black HD (1.93kN/197 kg)

- 316C-200HDB** SS Cable Tie 7.9 mm x 200 mm x 0.25 mm BLACK (100)
- 316C-350HDB** SS Cable Tie 7.9 mm x 350 mm x 0.25 mm BLACK (100)
- 316C-550HDB** SS Cable Tie 7.9 mm x 550 mm x 0.25 mm BLACK (100)



316 GRADE



- AISI 304
- Ball locking mechanism
- Maximum continuous temperature of 180° for epoxy coated stainless steel



316 Grade Standard 4.6 mm Coated Colours (1.08kN/110 kg)




316C-200STG	SS Cable Tie 4.6 mm x 200 mm x 0.25 mm GREEN
316C-200STR	SS Cable Tie 4.6 mm x 200 mm x 0.25 mm RED
316C-200STU	SS Cable Tie 4.6 mm x 200 mm x 0.25 mm BLUE
316C-200STW	SS Cable Tie 4.6 mm x 200 mm x 0.25 mm WHITE
316C-200STY	SS Cable Tie 4.6 mm x 200 mm x 0.25 mm YELLOW
316C-350STG	SS Cable Tie 4.6 mm x 350 mm x 0.25 mm GREEN
316C-350STR	SS Cable Tie 4.6 mm x 350 mm x 0.25 mm RED
316C-350STU	SS Cable Tie 4.6 mm x 350 mm x 0.25 mm BLUE
316C-350STW	SS Cable Tie 4.6 mm x 350 mm x 0.25 mm WHITE
316C-350STY	SS Cable Tie 4.6 mm x 350 mm x 0.25 mm YELLOW



316 Grade Heavy Duty 7.9 mm Coated Colours HD (1.93kN/197 kg)

316C-200HDG	SS Cable Tie 7.9 mm x 200 mm x 0.25 mm GREEN
316C-200HDR	SS Cable Tie 7.9 mm x 200 mm x 0.25 mm RED
316C-200HDU	SS Cable Tie 7.9 mm x 200 mm x 0.25 mm BLUE
316C-200HDW	SS Cable Tie 7.9 mm x 200 mm x 0.25 mm WHITE
316C-200HDY	SS Cable Tie 7.9 mm x 200 mm x 0.25 mm YELLOW
316C-350HDG	SS Cable Tie 7.9 mm x 350 mm x 0.25 mm GREEN
316C-350HDR	SS Cable Tie 7.9 mm x 350 mm x 0.25 mm RED
316C-350HDU	SS Cable Tie 7.9 mm x 350 mm x 0.25 mm BLUE
316C-350HDW	SS Cable Tie 7.9 mm x 350 mm x 0.25 mm WHITE
316C-350HDY	SS Cable Tie 7.9 mm x 350 mm x 0.25 mm YELLOW



- Cable ties are PA6
- Nylon ties exhibit high temperature, electrical and chemical resistance
- Nylon tags have very good mechanical and barrier properties. These materials can easily be flame retardant
- The polyamide 66 absorbs moisture which increase impact resistance and flexibility
- PA6 is UV stabilised
- Cable ties have a 30 year design life
- Cable ties have a zip type lock
- Maximum continuous temperatures of -40°, +85° and momentarily 120°
- Available in lengths of 100/150/200/250/300/370/600/700 mm and many more
- Available in widths of 2.5/3.6/4.8 mm and many more
- Available in thickness of 0.38 mm and more
- Tensile loads of 9/20/24 Kg's
- Made in PRC



Nylon UV Cable Ties

CT10025BU	Nylon Cable Tie 100 x 2.5 mm BLACK UV PA6
CT15036BU	Nylon Cable Tie 150 x 3.6 mm UV BLACK PA6
CT20039BU	Nylon Cable Tie 200 x 3.9 mm UV PA6
CT20048BU	Nylon Cable Tie 200 x 4.8 mm BLACK UV PA6
CT25048BU	Nylon Cable Tie 250 x 4.8 mm PA6
CT30036BU	Nylon Cable Tie 300 x 3.6 mm BLACK UV PA6
CT30048BU	Nylon Cable Tie 300 x 4.8 mm BLACK UV PA6
CT37048BU	Nylon Cable Tie 370 x 4.8 mm BLACK UV PA6
CT60048U	Nylon Cable Tie 600 x 4.8 mm BLACK UV PA6
CT70076BU	Nylon Cable Tie 700 x 7.6 mm BLACK UV PA6

Smart Ring


- Grade 316 ring AS2387, for cables, asset tags, valve tags etc
- Cable lengths 100 mm or 200 mm with screw buckle. OD is 1 or 2 mm
- Nickel plated brass buckle thus rust resistant
- Application is suitable for securing asset labels onto assets
- Maximum continuous temperature of 920°
- Made in PRC
- Can be crimped for permanent installation or swagelok



SR1001S	Smart Ring 100 mm x 1 mm OD with Screw Buckle
SR2001S	Smart Ring 200 mm x 1 mm OD with Screw Buckle
SR1002S	Smart Ring 100 mm x 2 mm OD with Screw Buckle
SR2002S	Smart Ring 200 mm x 2 mm OD with Screw Buckle



- Ratchet ties are for fastening cables or signs to poles or trays
- Ties are smooth edged and limit injury
- Ratchet ties require no tools
- 304 Grade stainless steel, tested by ALS Global Brisbane to AS2837
- SCCR 50kA complaint. Tested at Powerlab New Zealand.
Short Circuit Current Rating (SCCR 50kA) is a rating on components and assemblies representing the maximum level of short-circuit current that a component or assembly can withstand. This rating is used to determine compliance with NEC 110.10. "SCCR 50kA" cable management is required on all panels and assemblies
- 40 Years design life
- Made in PRC
- Test standard GB/T 228-2010 & ASTM E8
- Maximum continuous tempertaure of 950°
- Available in lengths of 500/800 mm and widths of 10/15/19 mm
Thickness of 0.2/0.4 mm



Ratchet Straps Grade 304 (Many other sizes available)

- RT304050010.2** SS 304 Ratchet Tie 500 mm x 10 mm x .2 mm
- RT304050015.4** SS 304 Ratchet Tie 500 mm x 15 mm x .4 mm
- RT304050019.4** SS 304 Ratchet Tie 500 mm x 19 mm x .4 mm
- RT304080010.2** SS 304 Ratchet Tie 800 mm x 10 mm x .2 mm
- RT304080015.4** SS 304 Ratchet Tie 800 mm x 15 mm x .4 mm
- RT304080019.4** SS 304 Ratchet Tie 800 mm x 19 mm x .4 mm



COATED Ratchet Straps Grade 304 Black

- RT304080015.4B** SS 304 Ratchet Tie 800 x 15 x .4 mm BLACK
- RT304080019.4B** SS 304 Ratchet Tie 800 x 19 x .4 mm BLACK



Stainless Steel Strapping

Strapping AISI 316 Tested to meet SCCR 50kA



- SST304-1907R** Stainless Strapping Grade 304 19 mm x .7 mm REEL 30.5 m
- SST304-3211** Stainless Strapping Grade 304 32mm x 1.0 mm (No Reel) 30.5 m
- SST316-1207R** Stainless Strapping Grade 316 12.7mm x .7 mm REEL 30.5 m
- SST316-1907R** Stainless Strapping Grade 316 19mm x .7 mm REEL 30.5 m



Tensile Strength:

Size	kN	Mpa	KG/lbs
12m x 0.4mm	4.1	778	413/910
12.7mx0.7mm	6.6	740	671/1479
19mmx0.7mm	9.6	721	976/2151
32mmx1.1mm	22.5	682	2294/5057

- 304 Grade Stainless Steel AS2837
- Weight restriction of 50 kg
- Clips can be rotated 90°
- Suitable for holding cables to solar panels
- 40 year warranty
- Maximum continuous temperature of -55° to 985°
- Tested to meet AS standards
- Approved by all major solar farms in Australia



MFC30422



MFC304229

Stainless Clips in SS 304


- MFC30422** Smart Solar Clip 2 Wire 0° SS304
- MFC304229** Smart Solar Clip 2 Wire 90° SS304

Module Frame Clips

- MFC30444** Smart Solar Clip 4 Wire 90° SS304
- MFC30446SC** Smart Solar Clip 6-8 wire 90° SS304



MFC30444



MFC30446SC



CCTPA605



SC304040142M8

Solar Edge Clip & Smart Clip

- CCTPA605** Solar Edge Clip 304 & PA66 for Cable Tie
- SC304040142M8** Smart solar Hanging Clip 12 Wire for M8 Bolt

CCTPA605



1 Wire

MFC30422



2 Wire
Straight

MFC304229



2 Wire
90°

MFC30444



4 Wire
90°

MFC30446SC




6-8 Wire
90°


Stainless Steel Cable Tools




- 795** Stainless Steel Cable Tie Tool
- Grey handled cinching tool for SS cable ties 4.6 mm and 7.9 mm
 - Teeth and blade are replaceable, spares are sold
 - Suitable for plastic cable ties
 - Made in Taiwan
 - Tested under arduous conditions and is very rugged
 - Approved for use by OPTUS/VHA subcontractors
 - Has adjusted torque



795-33 Stainless Steel Cable Tie Tool Blade



795-34 Stainless Steel Cable Tie Tool Teeth



JV-4580MG Stainless Steel Cable Tie Tool Rugged Teeth



JV-4580 Stainless Steel Cable Tie Tool Rugged



JV-4580SP SS Cable Tie Tool Heavy Duty Spring



Strapping Tool
CH-260 Strapping Tool





Stainless Steel Buckles

- Stainless AISI 304, Bolt Lock Buckle, Aluminium Square
- Coated Dacromet Bolt clamp 32 mm
- Maximum continuous temperature of 920°



- BK304-12712T** Stainless Toothed Buckle 12.7 mm x 1.2 mm
- BK304-19017T** Stainless Toothed Buckle 19 mm x 1.7 mm
- BK304-32025T** Stainless Toothed Buckle 32 mm x 2.3 mm
- BK316-12712T** Stainless Toothed Buckle 12.7 mm x 1.2 mm
- BK316-19015T** Stainless Toothed Buckle 19 mm x 1.5 mm




Bolt Clamp
BL-032 Bolt Clamp for 32 mm Strapping Bolt on Pylon Clamps For Marine



Bolt On Pylon Clamp For Marine (Tested to 87kN by Labs)

- D.1-1GB** D1.1-200 - 240 mm Clamps RED
- D.1-2GB** D1.2-240 - 300 mm Clamps BLUE
- D.1-3GB** D1.3-300 - 400 mm Clamps GREEN



MAX Printer

- MAX LETATWIN LM-550A2BH is portable, high speed thermal transfer printer for control panel marking, wire numbering, and device labeling
- Maximum of 250 000 characters (50 files) built in large storage memory capability.
- High speed printing makes wire markers at a top speed of 40mm/sec
- Using thermal transfer technology, it is ideal for printing directly onto heat-shrink and PVC tubing and for printing on MAX polyester tapes for marker strip labeling
- Unique features include the ability to make half-cut or full cut parts
- A warming element and optional power capability. (AA Battery)
- Our enhanced software LETATWIN PC Editor and driver can be downloaded from our website
- Connect to a computer and print directly to the machine, or save marker data to the machine's large internal memory and take it with you on-site
- Engineered for high productivity and robust environments
- Including a shock resistant rubber keyboard and case, you will use your LETATWIN trouble free for many years to come
- Made by MAX in Japan



LM91350/550A2BH

Printer LM 550A With Battery

LM Consumables 390A

LM90160/IR300BP

Ribbon BLACK Heatshrink

LM91155/RC300

Ribbon Case Refillable



LM Consumables 550A

LM90251/IR50B

Ribbon BLACK 550A (110 m)

LM90253/IR50W

Ribbon WHITE 550A Normal (70 m)

LM90255/IR50BP

Ribbon WHITE 550A Heatshrink (110 m)

LM91158/RC500

Ribbon Case 550A Refillable (1)



LM Tape Labels

LM90170/TP505W

Vinyl Tape 5mm WHITE (16 m)

LM90173/TP509W

Vinyl Tape 9mm WHITE (16 m)

LM90175/TP509T

Vinyl Tape 9mm TRANSPARENT (8 m)

LM90176/TP512W

Vinyl Tape 12mm WHITE (16 m)



LM90054/HC340

Printer Half Cutter



LM Tubing PVC VO-UL94

LM90081/TU436L	Tubing PVC 3.6mm WHITE	(200 m)
LM90082/TU442L	Tubing PVC 4.2mm WHITE	(200 m)
LM90083/TU452L	Tubing PVC 5.2mm WHITE	(135 m)
LM90084/TU464L	Tubing PVC 6.4mm WHITE	(100 m)
LM90085/TU480L	Tubing PVC 8.0mm WHITE	(70 m)
LM90600/TU452L2	Tubing PVC 2.5mm WHITE	(250 m)
LM90602/TU432L2	Tubing PVC 3.2mm WHITE	(250 m)
LM90604/TU436L2	Tubing PVC 3.6mm WHITE	(250 m)



LM Tubing MAX GRIP PVC VO-UL94

LM90650/TU29G	Grip Tube PVC 1.9-2.1mm OD	(100)
LM90651/TU37G	Grip Tube PVC 2.5-2.7mm OD	(100)

LM Heatshrink Tubing

- Flexible
- Zero halogens
- Flame retardant
- Low smoke generation after burning
- Continuous operating temperature of -45° to 125°
- Shrink temperature of 120°
- RoHS (Restriction of Hazardous Substances in Electrical and Electronic Equipment)
- 2 to 1 (shrinking capabilities)



Self extinguishing VO, 2 to 1

M1015HSW200	Heatshrink Tubing 1.5 mm WHITE 3 to 1	(200 m)
M1020WHS400	Heatshrink Tubing 2.0 mm ID 2 to 1	(400 m)
M1030WHS400	Heatshrink Tubing 3.0 mm ID 2 to 1	(400 m)
M1030YHS200	Heatshrink Tubing 3 mm YELLOW 2 to 1	(200 m)
M1040WHS400	Heatshrink Tubing 4.0 mm ID 2 to 1	(400 m)
M1050WHS200	Heatshrink Tubing 5.0 mm ID 2 to 1	(200 m)
M1060WHS200	Heatshrink Tubing 6.0 mm ID 2 to 1	(200 m)
M1060YHS100	Heatshrink Tubing 6 mm YELLOW 2 to 1	(100 m)
M1070WHS100	Heatshrink Tubing 7.0 mm ID 2 to 1	(100 m)
M1080WHS100	Heatshrink Tubing 8.0 mm ID 2 to 1	(100 m)



BEPOP - CPM 100 mm and CPM 200 Printers

- Bepop is a sign printer and cutter
- Prints in full colour for outdoor labels, signs, wires etc standards. Prints in full colour for outdoor labels, signage, wire marking & asset marking. Defence grade certified, marine and mining compliant
- The print area for the CPM-100HG5 is 100 mm x 2000 mm
- The print area for the CPM-200HG5 is 200 mm x 2000 mm
- The Bepop has a 360° XY plotter cutter. The labels are cut to size & shape with a built in cutter blade
- By inputting data directly from CSV file in excel, the printing is seamless and easy to use
- Direct UV guarantee for 5 years and 8 - 10 years life span for outdoors (night & day)
- No Software license cost. Over 1400 Templates installed in free software
- Certified to use outdoors by Optus, Vodafone, Rheinmetal military manufacturing, Roy Hill Mine & many more. UV laminate exceeds 15 years
- Printing wire markers danger signs, safety signs, pipe marking, labels, different forms of identification, vehicle VIN numbers / STU Plates, assets and plenty more
- Over 50 vinyl options including high-vis, photo, reflective, GN UV vinyl, PET silver vinyl. We can source vinyl to suite our clients individual needs
- Plug and play installation, indepth training videos online
- Support is included



IL99897100HG5
IL99902

Printer BEPOP 400 DPI 100mm
Printer BEPOP 600 DPI 100mm



IL99884S


Printer BEPOP 300 DPI 200mm



CPM Printer Spares

IL99510/100CC
IL81411

Printer Blade for BEPOP
Printer Head for BEPOP





CPM100 & CPM200 Ribbons

CPM100 Ribbons



IL90551/R150T	Ribbon LAMINATE 100mm	(50 m)
IL90744/R101T	Ribbon BLACK 100mm	(55 m)
IL90746/R103T	Ribbon RED 100mm	(55 m)
IL90747/R104T	Ribbon BLUE 100mm	(55 m)
IL90748/R105T	Ribbon DARK BLUE 100mm	(55 m)
IL90749/R106T	Ribbon DARK GREEN 100mm	(55 m)
IL90750/R107T	Ribbon GREEN 100mm	(55 m)
IL90751/R108T	Ribbon YELLOW 100mm	(55 m)
IL90753/R112T	Ribbon ORANGE 100mm	(55 m)
IL92205/R102T	Ribbon SUPER WHITE 100mm	(55 m)

CPM100 HG5 CMYK Ribbons (This is for full colour print)

IL92222/R115T	Ribbon CMYK CYAN 100mm	(55 m)
IL92223/R116T	Ribbon CMYK MAGENTA 100mm	(55 m)
IL92224/R117T	Ribbon CMYK YELLOW 100mm	(55 m)
IL92225/R118T	Ribbon CMYK BLACK 100mm	(55 m)

Over 1 Million different colours available using CMYK ribbons.



CPM200 Ribbons



IL92101/R201T	Ribbon BLACK 200mm	(55 m)
IL92102/R203T	Ribbon RED 200mm	(55 m)
IL92103/R204T	Ribbon BLUE 200mm	(55 m)
IL92104/R206T	Ribbon DEEP GREEN 200mm	(55 m)
IL92105/R208T	Ribbon YELLOW 200mm	(55 m)
IL92106/R212T	Ribbon ORANGE 200mm	(55 m)
IL92200/R222TH	Ribbon SUPER WHITE 200mm	(55 m)
IL92202/R207T	Ribbon GREEN 200mm	(55 m)

CPM200 CMYK Ribbons (This is for full colour print)

IL92107/R215T	Ribbon CMYK CYAN 200mm	(55 m)
IL92108/R216T	Ribbon CMYK MAGENTA 200mm	(55 m)
IL92109/R217T	Ribbon CMYK YELLOW 200mm	(55 m)
IL92110/R218T	Ribbon CMYK BLACK 200mm	(55 m)

Over 1 Million different colours available.




CPM100 & CPM 200 Speciality Ribbons - POLYESTER



CPMSR40-RC	Ribbon for Polyester BLACK 100mm	(50 m)
CPMSR41-RC	Ribbon for Polyester WHITE 100mm	(50 m)
CPMSR42-RC	Ribbon for Polyester RED 100mm	(50 m)
CPMSR43-RC	Ribbon for Polyester BLUE 100mm	(50 m)
CPMSR44-RC	Ribbon for Polyester GREEN 100mm	(50 m)
CPMSR240-RC	Ribbon for Polyester BLACK 200mm	(50 m)



CPM200 Ribbon Refills



CPMSR40	Ribbon for Polyester BLACK 100mm Refill	(50 m)
CPMSR240	Ribbon for Polyester BLACK 200mm Refill	(50 m)
IL92121/TR201T	Ribbon BLACK 200mm Refill	(55 m)
IL92122/TR203T	Ribbon RED 200mm Refill	(55 m)
IL92123/TR204T	Ribbon BLUE 200mm Refill	(55 m)
IL92124/TR206T	Ribbon DEEP GREEN 200mm Refill	(55 m)
IL92125/TR208T	Ribbon YELLOW 200mm Refill	(55 m)
IL92126/TR212T	Ribbon ORANGE 200mm Refill	(55 m)
IL92201/TR202TH	Ribbon SUPER WHITE 200mm Refill	(55 m)



CPM100 and CPM200 CMYK Ribbon Refills

IL92127/TR215T	Ribbon CMYK CYAN 200mm Refill	(55 m)
IL92128/TR216T	Ribbon CMYK MAGENTA 200mm Refill	(55 m)
IL92129/TR217T	Ribbon CMYK YELLOW 200mm Refill	(55 m)
IL92130/TR218T	Ribbon CMYK BLACK 200mm Refill	(55 m)

Over 1 Million different colours available with CMYK ribbons.



CPM100 Protective Film Laminator & Application Rolls

IL99297/L100	Lamination Film 100mm	(15 m)
IL99366/L100UV	Protection Film UV 100mm	(15 m)
IL99367/L100	Protection Film Abrasion 100mm	(15 m)
IL99601/S100AP	Application Sheet 100mm	(15 m)


CPM100 Vinyl Rolls

- Printing wire markers danger signs, asset labels, multiple identification options, safety signs, pipe marking, vehicle asset and many more
- Over 50 vinyl options including high-vis, photo, reflective, GN UV vinyl PET silver vinyl. We can source vinyl to suite our clients individual needs
- Many colours available on request



IL90782/S141N	Vinyl Reflective WHITE 100mm	(8 m)
IL90738/S125N2	Vinyl AMETHYST 100mm	(10 m)
IL91186/S153N	Vinyl PET WHITE 100mm	(10 m)
IL90718/S118N2	Vinyl ORANGE 100mm	(10 m)
IL90791/SL112N2	Vinyl WHITE 100mm	(10 m)
IL90792/S113N2	Vinyl RED 100mm	(10 m)
IL90793/S114N2	Vinyl BLUE 100mm	(10 m)

CPM100 Vinyl Rolls Continued



IL90794/S115N2	Vinyl Std YELLOW 100mm	(10 m)
IL90795/S116N2	Vinyl Std GREEN 100mm	(10 m)
IL92354/S100CNL	Vinyl Std CLEAR 100mm	(15 m)
IL92339/S111NL	Vinyl Std BLACK 100mm	(15 m)
IL92340/S112NL	Vinyl Std WHITE 100mm	(15 m)
IL92341/S113NL	Vinyl Std RED 100mm	(15 m)
IL92342/S114NL	Vinyl Std BLUE 100mm	(15 m)
IL92343/S115NL	Vinyl Std YELLOW 100mm	(15 m)
IL92344/S116NL	Vinyl Std GREEN 100mm	(15 m)
IL92345/S117NL	Vinyl Std PINK 100mm	(15 m)
IL92346/S118NL	Vinyl Std ORANGE 100mm	(15 m)
IL92347/S119NL	Vinyl Std SKY BLUE 100mm	(15 m)
IL92348/S120NL	Vinyl Std GREY 100mm	(15 m)
IL92349/S121NL	Vinyl Std LETTUCE GREEN 100mm	(15 m)
IL92350/S123NL	Vinyl Std COBALT BLUE 100mm	(15 m)
IL92351/S124NL	Vinyl Std NAVY BLUE 100mm	(15 m)
IL92352/S125NL	Vinyl Std AMETHYST 100mm	(15 m)
IL92353/S126NL	Vinyl Std MAHOGANY 100mm	(15 m)
IL91189/SMG712	Vinyl Std FLOURESCENT YELLOW 100mm	(15 m)
IL91190/S133KN	Vinyl Std FLOURESCENT GREEN 100mm	(10 m)
IL91188/S131KN	Vinyl Std FLOURESCENT RED 100mm	(10 m)

CPM200 Vinyl Rolls

IL90759/S201N2	Vinyl Std BLACK 200mm	(10 m)
IL90764/S202N2	Vinyl Std WHITE 200mm	(10 m)
IL90771/S203N2	Vinyl Std RED 200mm	(10 m)
IL90773/S205N2	Vinyl Std YELLOW 200mm	(10 m)
IL90774/S206N2	Vinyl Stdd GREEN 200mm	(10 m)
IL91889/S204N	Vinyl Std BLUE DISC 200mm	(10 m)
IL91891/S206N	Vinyl Std GREEN DISC 200mm	(10 m)
ZI90901/S262N	Vinyl PET SILVER 200mm Disc	(10 m)
IL99604/S200AP	Vinyl Application Sheet 200mm	(10 m)



CPM100 Vinyl Rolls - GN Series




IL92714/S111GN	Vinyl Premium UV BLACK 100mm	(15 m)
IL92715/S112GN	Vinyl Premium UV WHITE 100mm	(15 m)
IL92716/S113GN	Vinyl Premium UV RED 100mm	(15 m)
IL92717/S114GN	Vinyl Premium UV BLUE 100mm	(15 m)
IL92718/S115GN	Vinyl Premium UV YELLOW 100mm	(15 m)
IL92719/S116GN	Vinyl Premium UV GREEN 100mm	(15 m)
IL92720/S110GN	Vinyl Premium UV CLEAR 100mm	(15 m)
IL92721/S126GN	Vinyl Premium UV BROWN 100mm	(15 m)
IL92722/S118GN	Vinyl Premium UV ORANGE 100mm	(15 m)
IL92723/S109GN	Vinyl Premium UV GOLD 100mm	(15 m)
IL92724/S108GN	Vinyl Premium UV SILVER 100mm	(15 m)
IL92725/S163N	Vinyl Premium UV PET HAIRLINE SILVER 100mm	(15 m)
IL92726/S164N	Vinyl Premium UV PET HAIRLINE GOLD 100mm	(15 m)

CPM200 Vinyl Rolls - GN Series



IL92700/S201GN	Vinyl Premium UV BLACK 200mm	(15 m)
IL92701/S202GN	Vinyl Premium UV WHITE 200mm	(15 m)
IL92702/S203GN	Vinyl Premium UV RED 200mm	(15 m)
IL92703/S204GN	Vinyl Premium UV BLUE 200mm	(15 m)
IL92704/S205GN	Vinyl Premium UV YELLOW 200mm	(15 m)
IL92705/S206GN	Vinyl Premium UV GREEN 200mm	(15 m)
IL92706/S218GN	Vinyl Premium UV ORANGE 200mm	(15 m)
IL92707/S210GN	Vinyl Premium UV CLEAR 200mm	(15 m)
IL92708/S226GN	Vinyl Premium UV BROWN 200mm	(15 m)
IL92709/S208GN	Vinyl Premium UV SILVER 200mm	(15 m)
IL92710/S209GN	Vinyl Premium UV GOLD 200mm	(15 m)
IL92712/S236N	Vinyl Premium UV PET HAIRLINE SILVER 200mm	(15 m)
IL92713/S264N	Vinyl Premium UV PET HAIRLINE GOLD 200mm	(15 m)



CPM100 and CPM 200 speciality Vinyl

IL90112/CPM26	Vinyl Tamperproof WHITE 100mm	(15 m)
CPMSP23	Vinyl Cryogenic Polyester WHITE 100mm	(15 m)
IL90836/S145N	Vinyl Oily Surface WHITE 100mm	(10 m)
IL902001/CPMS49	Vinyl Tamper-Evident (VOID) 200mm	(15 m)

CPM100 and CPM200 Ultrabond Vinyl

IL90111/CPMUB01	Vinyl Ultrabond WHITE 100mm	(15 m)
CPMUB201	Vinyl Ultrabond WHITE 200mm	(15 m)

**CPM100 and CPM200 Polyester Vinyl**

IL90113/CPMSP22	Vinyl Polyester LSE WHITE 100mm	(15 m)
IL90114/CPMSP02	Vinyl Polyester Gloss YELLOW 100mm	(15 m)
IL90115/CPMSP01	Vinyl Polyester Gloss WHITE 3M 100mm	(15 m)
CPMSP201	Vinyl Polyester Gloss WHITE 3M 200mm	(15 m)



Smartwrap™ Printer Consumables (Use standard A4 lazer printer)

SW06202519W	Laminate 62 x 25 x 19 mm WHITE	(500 Roll)
SW05902519W	Laminate 59 x 25 x 19 mm WHITE	(270 A4 - 10pp of 27)
SW09005030W	Laminate 90 x 50 x 30 mm WHITE	(100 A4 - 10pp of 10)
SW03302512W	Laminate 33 x 25 x 12 mm WHITE	(560 A4 - 10pp of 56)

Telstra Wrap Around Vinyl Labels

WMA09BM	Telstra Numbers Mixed Numbers 0 - 9
WMA00BM	Telstra Numbers (Specify Character)
WMAAABW	Telstra Alphabet (Specify Character)



Bureau (Printing Service) Cards 86 mm x 54 mm

Printed on quality PVC, we can do a large range of black on white or coloured cards.

ST08654WPBO	Tag 86 mm x 54 mm Boundary Print Both Sides
ST08654WPIS	Tag 86 mm x 54 mm Isolation Print Both Sides
ST08654WPBO	Tag 86 mm x 54 mm Boundary Print One Side
ST08654WPIS	Tag 86 mm x 54 mm Isolation Print One Side

OPTUS/VODAFONE Approved UV Vinyl Labels (Yellow for Optus, red for Vodafone)

V10050UVP	Vinyl Label 100 mm x 50 mm YELLOW
V15050UVP	Vinyl Label 150 mm x 50 mm YELLOW
V20050UVH	Vinyl Label 200 mm x 50 mm YELLOW
V25050UVP	Vinyl Label 250 mm x 50 mm YELLOW




SMARTLAZER Services

- SmartLazer® is Industrial "Traffolyte" UV tested.
- Tested for 1000 hours by Australian lab according to ISO 4892-2, passed test.
- 3m 468MP Industrial adhesive.

**Simply send us your PDF, JPEG, or Corel files to laser print.
Advise us what colours are required, we do the rest.**

- Wiremarkers Australia supplies safety signs and labels.
- Simply send us your size & design & let us know what UV tolerance you require and leave the rest to us.
- Signage can be printed on Vinyl, Corflute, Steel, Aluminium, Polypropylene, Self adhesive.
- Signage is available in UV coating, non-reflective, reflective, anti-graffiti.
- Standard signage has a 3-5 year design life, UV coating is 10 years & UV block has 32 years design life.
- Signage complies to Australian Standard AS1319-1994.



Arc Flash Labels & Signs



Biosecurity Signs



Danger Signs



Construction Site Signs



Parking Signs



Warning Signs



Emergency Signs



Pipe Markers



Contact Us



(07) 3393 9313

0417 169 440

A: Unit 1/31 Industry Place, Wynnum QLD 4178

A: Unit 13/6 Production Road, Canning Vale WA 6155

www.wiremarkers.com.au



We manufacture several Smartmark products in Brisbane Australia.
Designed and made in AUSTRALIA, so BUY Australian!