

# Kia Stinger Ambient Air Vents RGB LED Kit Installation Guide

Ambient Air Vents RGB LED KIT Installation Guide \*Install demonstrated on a 2019 Kia Stinger GT1

www.K8StingerStore.com

P.1

## **Ambient Air Vents RGB LED KIT Installation Guide**

Click the link below to view the installation video: https://www.youtube.com/watch?v=T5vRyli85CY





## **Tools Needed:**

- 1. Super Glue
- 2. Dremmel
- 3. Screw Driver
- 4. Trim Tools
- 5. Wire Cutters

### What's Included:

- 1. (3) Air Vents
- 2. (3) LEDs
- 3. Bluetooth Module
- 4. Wiring Kit





# Kia Stinger Ambient Air Vents RGB LED Kit Installation Guide

Ambient Air Vents RGB LED KIT Installation Guide \*Install demonstrated on a 2019 Kia Stinger GT1

www.K8StingerStore.com

P.2

+

# Installation is shown step-by-step below

#### Step #1

Remove the interior dash trim pieces

- 1. Start with the passenger side first
- 2. Pull upwards to protect your tabs
- Remove all screws and keep them in a pile for later

#### Step #2

Remove the factory vents

1. Take out the screws holding the factory vents in place.

### Step #3

Use a Dremmel to shave off the bottom lip of the new middle air vent










# Kia Stinger Ambient Air Vents RGB LED Kit Installation Guide

Ambient Air Vents RGB LED KIT Installation Guide \*Install demonstrated on a 2019 Kia Stinger GT1

P.3

#### Step #4

You can either run the wiring to a fuse or you can tap into the ambient lighting in your dash. For this installation, we decided to tap into the dash. \*Please note: it is a good idea to pull the fuse for your ambient lights before tapping in.



#### Step #5

After you have your wiring set up and you have made sure the lights work as well as the bluetooth you can then glue your new air vents to the dashboard. For this step you may either use plastiweld or super glue.

\* It is important to make sure that no glue seeps out to the front of the dashboard in this process. You also want to make sure everything is aligned perfectly before gluing your vents.



### Step #6

After the glue settles put your dashboard back on, insert the screws and the trim pieces and then you are completed with your installation

