

QUALITY AND RELIABILITY SINCE 1985



LAMCO® FEEDERS
INC.



PRODUCT CATALOG

LOW & THROW CORN FEEDER



AVAILABLE CAPACITIES:

350 lb. 600 lb. and 1000 lb.

600 LB. LOW & THROW

FEATURES:

- Low & Easy to Fill
- Control Box with The Timer, 12-Volt Rechargeable Battery, & Solar Panel
- No Exposed Wires or Cables
- Evenly Broadcasts Corn 155 ft. in Circumference
- Low Center of Gravity to Avoid Tipping
- Skids for Easy Moving

- Built with Heavy Gauge Galvanized Material
- Two all-weather latches hold the lid tight and secure



Low & Throw 350 lb.



Low & Throw 600 lb.



Low & Throw 1000 lb.

SPECIFICATIONS:

Feeder Capacity	350 lb.	600 lb.	1000 lb.
Feeder Height	54"	48"	60"
Feeder Footprint	55" l x 45" w	61" l x 54" w	61" l x 54" w

ECONO CORN FEEDER



The Econo Corn Feeder is affordable, easy to fill and has the popular broadcast style. This feeder is available in both 12 volt and 6 volt systems.

AVAILABLE CAPACITIES:

350 lb., 500 lb., 1000 lb.

FEATURES:

- 12 or 6 volt system
- Heavy gauge galvanized construction
- Unique leg design eliminates turnovers
- Bottom braces keep feeder level
- Easy to fill / no ladder needed
- Two all-weather latches hold the lid tight and secure
- Solar panel is mounted to the control unit and protected by steel bracket

- No exposed wires or cables
- Extra large, heavy duty galvanized varmint cage keeps varmints away from spinner
- Unit is standard with : "The Timer," rechargeable battery, stainless steel gate plate and varmint cage

ACCESSORIES:

Wireless Remote

350 LB. CAPACITY



SPECIFICATIONS:

Feeder Capacity	350 lb.	500 lb.	1000 lb.
Feeder Height	83"	93"	90"
Feeder Footprint	60"	60"	68"

WINCH-UP FEEDER



AVAILABLE CAPACITIES:

350 lb.

FEATURES:

- Galvanized hopper and double pulley system for easier cranking and handling
- Heavy steel square tubing for the legs and header
- Brake winch holds the load in position automatically
- Lockable 12 volt feeder control unit (*includes The Timer, rechargeable battery and a 12 volt solar panel*)
- **5-Year warranty** (*excludes the battery*)

ACCESSORIES:

Wireless Remote and Varmint Cage

SPECIFICATIONS:

Feeder Capacity	350 lb.
Tripod Height	145"
Spinner Height	92"
Feeder Footprint	112"



▲ 350 LB. CAPACITY



UTV FEEDER

The Lamco UTV feeder is designed for the Ranger, Mule and all other utility terrain vehicles. Lamco makes this feeder in both 2" and 1 1/4" square tubing to fit your personal vehicle. You can lower the UTV tailgate with the feeder in place.

The Lamco UTV feeder includes a 12 volt system, Lamco Cup Plate and toggle switch.

AVAILABLE CAPACITIES:

50 lb., 100 lb.

ACCESSORIES:

Wireless Remote



RECEIVER HITCH ROAD FEEDER

The unique design of the Lamco Low Profile Road Feeders allow you to open the tailgate of your truck with the feeder in the receiver. The all welded construction and heavy gauge material make this a very reliable, tough unit.

AVAILABLE CAPACITIES:

50 lb., 100 lb.

FEATURES:

- All-weather latch holds the lid tight and secure
- 12 volt, heavy duty sealed motor is mounted inside to keep it clear of dirt and debris
- Lamco Cup Plate
- Comes equipped with toggle switch

100 LB. CAPACITY



“THE ORIGINAL” TIMED TROUGH

Lamco's Timed Protein Feeder is a one of kind. Its unique style and quality is unbeatable. The Lamco Timed Trough Feeder is the “original” trough feeder designed to effectively feed deer in a manner that saves feed and maintains a healthy, clean feeding station. *US Patent No. 5,259,337, 5,463,980, 6,575,117 B1*

AVAILABLE CAPACITIES:

300 lb., 500 lb., 800 lb., 1500 lb.



300 LB. CAPACITY



500 LB. CAPACITY

FEATURES:

- Feeds from 1 pound to 150 pounds of feed per day with 6 optional feed times
- 21' Trough area – feeds multiple animals at one time (*excludes 300 lb.*) And its 18" height allows for fawns to eat.
- The trough maintains the cleanest feeding station possible resulting in fewer parasites and less wasted feed.
- It encourages daytime feeding so you can enjoy your animals
- Easy to fill and move
- All galvanized structure includes: The Timer, 12 volt rechargeable battery, 12 volt motor setup and 12v solar panel with bracket. The timer and battery are enclosed in a conveniently mounted, lockable steel box outside the feeder. The 12 volt motor setup is mounted inside the feeder to keep it away from varmints and moisture. All wires are enclosed in ridged conduit for protection.
- **5 Year Warranty** (*Excludes the Battery*)

PROTEIN FEEDERS



▲
800 LB. CAPACITY



▲
1500 LB. CAPACITY

ACCESSORIES:

Rain Sensor, Goat Guards and Leg Extensions (24" and 32" heights)

SPECIFICATIONS:

Feeder Capacity	300 lb.	500 lb.	800 lb.	1500 lb.
Feeder Height	60"	65"	78"	94"
Trough Height (Standard)	14"	18"	18"	18"
Trough Legth	49"	60"	60"	60"
Feeder Footprint	66"	80"	80"	80"

GRAVITY FEEDER



AVAILABLE CAPACITIES:

700 lb., 1100 lb., 2000 lb.

FEATURES:

- Counter balanced galvanized trays – helps to eliminate feed waste and protects the feed ports from varmints
- Tubes designed to eliminate clogging, water drains out the bottom of the feed ports
- Dual skids allows for easy moving from one location to another
- Low profile design for easy filling
- All welded, heavy gauge steel construction
- Patent pending
- **5-year warranty**

700 LB. CAPACITY



1100 LB. CAPACITY

SPECIFICATIONS:

Feeder Capacity	700 lb.	1100 lb.	2000 lb.
Feeder Height	72"	72"	85"
Feeder Width	32"	32"	48"
Feeder Length	49"	82"	82"
Feeder Tube Height	36"	36"	36"

HAY FEEDER



CAPACITY:

Two Bales

FEATURES:

- Galvanized trays minimize waste and maintain a clean feeding station
- Galvanized lid with two all-weather latches

SPECIFICATIONS:

Feeder Capacity	2 Bales
Feeder Height	55"
Feeder Width	45"
Feeder Length	75"
Tray Height	32"

QUAIL AND TURKEY FEEDER



The Quail and Turkey Feeder is designed to effectively feed quail and turkey while keeping varmints out. The design also provides shelter for quail. The mesh floor of the feeder keeps varmints from digging in. The feeder has four adjustable feeding ports so you can regulate the amount of feed on the tray.

AVAILABLE CAPACITIES:

150 lb., 350 lb.

150 LB. CAPACITY
▼



SPECIFICATIONS:

Feeder Capacity	150 lb.	350 lb.
Feeder Height	30"	42"
Feeder Footprint	34"	39"

PET AND FISH FEEDER



PET FEEDER

The Lamco Automatic Pet Feeder allows you to consistently feed your pet on a daily basis. You set the time and the amount you want to feed and the pet feeder will feed for you every day. The adjustable feed tray can be easily removed for easy cleaning. The feeder is constructed of heavy gauge galvanized iron for years of trouble free use. The feeder includes : Digital Timer, rechargeable battery and heavy duty motor.

A solar panel can be added to maintain the battery.

AVAILABLE CAPACITIES:
Small, Large

25 LB. CAPACITY



50 LB. CAPACITY



FISH FEEDER

AVAILABLE CAPACITIES:
Small, Large

FEATURES:

- Securely mounts to edge of pier with mounting bracket
- Lockable 12 volt Feeder Control Unit
- Solar panel protected by galvanized steel bracket
- All galvanized construction

SPECIFICATIONS:

Feeder Capacity	(Pet) 25 lb.	(Pet) 50 lb.	(Fish) 50 lb.	(Fish) 100 lb.
Feeder Height	25"	34"	34"	47"
Feeder Width	15"	15"	15"	15"
Feeder Length	15"	15"	15"	15"

LAMCOFEEDERS.COM

25406 US 59 HWY
EL CAMPO, TEXAS 77437
PHONE: (800) 889-5671
INFO@LAMCOFEEDERS.COM



Find us on
Facebook

FACEBOOK.COM/LAMCOFEEDERS