







# **Ancillary Brochure**







# CONTENTS

OVERVIEW	03
DELTA PLUGS & QWIK-SEAL PLUGS	04
DELTA PT PLUGS & PT PLUGS WITH GROMMETS	05
FLEXIDRI-PLUS PLUGS & DELTA PT ULTRA FIX PLUG	06
DELTA ROPE & CORNERSTRIP	07
DELTA TAPE & FLEECE TAPE	08
PUDDLE FLANGE & MS20 ACCESS PORT	09
DELTA THAN & DELTA MASTIC	10
VENTILATION STRIP	11

### **OVERVIEW**


Our range of Delta Ancillary products compliment the Delta Cavity Drain System. Allowing for application on different substrates and surfaces both sealing the membranes and detailing with any provisions whilst preventing condensation.

Delta Ancillary products come in the form of plug fixings, tapes and mastics. We endeavour to offer you everything you need to complete a waterproofing installation. If you can't find what you need, feel free to contact us.



#### **BENEFITS**

- · Controls water ingress
- · Tough, durable design
- Quick & easy application



### **DELTA PLUGS & QWIK-SEAL PLUGS**



#### **DELTA PLUGS**

Product Code: DMS014 11mm drill bit / 5 per m2

Provides a fixing point for our Delta MS500 membrane. Delta fixing plugs when used in conjunction with Delta Rope offer a watertight seal. These plugs have a centrally located internal shank which accommodates a 5.5mm dia./size 12 screw at a maximum depth of 30mm for subsequent installation of wall ties and/or dry lining systems (11mm shank x 70mm).

#### **QWIK-SEAL PLUGS**

Product Code: DMS131 10mm drill bit / 5 per m2

A watertight self-sealing fixing plug suitable for our MS500 or PT membranes. These plugs have a centrally located internal shank that can accommodate a 5mm dia./size 10 screw at a maximum depth of 30mm for subsequent installation of wall ties and/or dry lining systems (10mm shank x 58mm).



### DELTA PT PLUGS & PT PLUGS WITH GROMMETS



#### **DELTA PT PLUGS**


Product Code: DMS015 8mm drill bit / 18 per m2

A watertight self-sealing fixing plug which works in harmony with our PT or PT Slimline membranes. Delta PT Plugs are available with or without grommets. Delta rope can be used as an alternative to grommets to give a watertight finish (8mm shank x 52mm).

#### PT PLUGS WITH GROMMETS

Product Code: DMS133 8mm drill bit / 18 per m2

Watertight self-sealing fixings plugs for our PT-Lath membrane Comes with watertight grommets. Grommets allow for a watertight, self-sealing finish. (8mm x 52mm)



### FLEXIDRI-PLUS PLUGS & PT ULTRA FIX PLUG



#### **FLEXIDRI-PLUS PLUGS**

Product Code: DMS239

10mm drill bit / 5 per m2 MS500 - 18 per m2 Delta PT

Patented expandable watertight fixing plugs that have an additional self-sealing grommet, meaning no need for additional Delta rope. Delta FlexiDri Plus Plugs are unique to Delta Membrane Systems Limited. These fixing plugs have a centrally located watertight pin which when inserted expand to allow the plug to give a firm grip into the substrate. The pin has an internal shank that accommodates a 5mm dia./size 10 screw at a maximum depth of 30mm for subsequent installation of wall ties and/or dry lining systems (10mm shank x 90mm).

#### **DELTA PT ULTRA FIX PLUG**

DMS050 - with grommets DMS051 - without 200 per box

Hybrid fixing plug will bring installers & technicians a superior alternative to install our 3 & 8 mm membranes.



### **DELTA ROPE & CORNERSTRIP**



#### **DELTA ROPE**

Product Code: DMS011

Delta rope a robust and dependable product used for the application of sealing Delta plugs which do not have grommets. Delta Rope is ideal for sealing joints in MS20 and stud to stud joints in other Delta Membranes (4.75m x 10mm).

#### **CORNERSTRIP**

Product Code: DMS020-1

Delta Cornerstrip is a waterproof, firm and lasting single-sided sealing tape, applied to seal wall to floor junctions. Delta Corner Strip creates a vapour seal, an ideal solution for patch repairs and detailing around service penetrations (150mm x 20m).



### **DELTA TAPE & FLEECE TAPE**



#### **DELTA TAPE**

Product Code: DMS012

Used for the application of joining membranes. This strong and durable double sided butyl tape is ideal for sealing membranes together at overlaps/adjacent seals (22.5 m x 28 mm)

#### FLEECE TAPE

Product Code: DMS238

Delta Fleece Tape has been designed for use with our Delta PT membrane. This exceptional onesided sealing tape with its fleece backing is ideal for plastering or rendering directly onto (100mm x 20m).



### PUDDLE FLANGE & MS20 ACCESS PORT



#### **PUDDLE FLANGE**

Product Code: DMS161

A Delta Puddle Flange offers a waterproof seal when applying Delta Modular Drainage (Detail 129). A Delta Modular Drainage System prevents ground water percolating up between the 110mm pipe work/RC slab or wall junction, reducing water ingress. The Delta Puddle Flange range is available in various sizes from 32mm to 160mm.

#### **MS20 ACCESS PORT**

Product Code: DMS124

Access ports allow for inspection of the drainage system and a suitable access for flushing (using a suitable lime solution). The MS20 Access Ports are supplied pre fixed into a rectangular piece of Delta MS20 which can be linked and sealed in the standard manner for our MS20 membranes.



## **DELTA THAN & DELTA MASTIC**



#### **DELTA THAN**

Product Code: DMS019

Delta Than is a superior waterproof mastic which is suitable for sealing joints and detailing.

#### **DELTA MASTIC**

Product Code: DMS013

Delta acrylic mastic is a universal mastic, ideal for sealing joints and detailing. Delta mastic is not suitable for use as a waterproof mastic.



### **VENTILATION STRIP**



#### PT PROFILE

Product Code: DMS016

Delta PT Profile Ventilation Strip is designed for use with our meshed membranes. PT Profile Ventilation Strip is suitable for both upper and lower application to the membrane. This niche profile strip has ventilation slots incorporated to the design ensuring optimum ventilation is achieved behind the membrane. The profile section also acts as a guide or stop bead for plaster or render coats. Delta PT Profile Ventilation Strip is for suitable for above ground application (2m strip).