

FIX ALL HIGH TACK

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier:

Product name : FIX ALL HIGH TACK
Registration number REACH : Not applicable (mixture)
Product type REACH : Mixture (Organic)

1.2 Relevant identified uses of the substance or mixture and uses advised against:

1.2.1 Relevant identified uses

Sealing compound

1.2.2 Uses advised against

No uses advised against known

1.3 Details of the supplier of the safety data sheet:

Supplier of the safety data sheet

SOULDAL N.V.
Everdongenlaan 18-20
B-2300 Turnhout
Tel: +32 14 42 42 31
Fax: +32 14 44 39 71
msds@soudal.com

Manufacturer of the product

SOULDAL N.V.
Everdongenlaan 18-20
B-2300 Turnhout
Tel: +32 14 42 42 31
Fax: +32 14 44 39 71
msds@soudal.com

1.4 Emergency telephone number:

24h/24h : +32 14 58 45 45 (BIG) (Telephone advice: English, French, German, Dutch):

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture:

2.1.1 Classification according to Regulation EC No 1272/2008

Not classified as dangerous according to the criteria of Regulation (EC) No 1272/2008

2.1.2 Classification according to Directive 67/548/EEC-1999/45/EC

Not classified as dangerous according to the criteria of directive(s) 67/548/EEC and/or 1999/45/EC

2.2 Label elements:

Labelling according to Regulation EC No 1272/2008 (CLP)

Not classified as dangerous according to the criteria of Regulation (EC) No 1272/2008

Labelling according to Directive 67/548/EEC-1999/45/EC (DSD/DPD)

Not classified as dangerous in compliance with Directive 67/548/EEC and/or Directive 1999/45/EC

2.3 Other hazards:

DSD/DPD

Contains traces of a (possible) fertility impairing substance
Contains traces of a (possible) teratogenic substance

CLP

Contains traces of a (possible) fertility impairing substance
Contains traces of a (possible) teratogenic substance

FIX ALL HIGH TACK

SECTION 3: Composition/information on ingredients

3.1 Substances:

Not applicable

3.2 Mixtures:

| Name (REACH Registration No) | CAS No EC No | Conc. (C) | Classification according to DSD/DPD | Classification according to CLP | Note | Remark |
|---|-------------------------|-------------|---|---|------|------------------|
| bis(2,2,6,6-tetramethyl-4-piperidyl)sebacate (Not applicable) | 52829-07-9 258-207-9 | 0.1%<C<2.5% | Xi; R36 N; R51-53 | Eye Irrit. 2; H319 Aquatic Chronic 2; H411 | (1) | Mono-constituent |

(1) For R-phrases and H-statements in full: see heading 16

SECTION 4: First aid measures

4.1 Description of first aid measures:

General:

If you feel unwell, seek medical advice.

After inhalation:

Remove the victim into fresh air. Respiratory problems: consult a doctor/medical service.

After skin contact:

Wash immediately with lots of water. Soap may be used. Take victim to a doctor if irritation persists.

After eye contact:

Rinse with water. Take victim to an ophthalmologist if irritation persists.

After ingestion:

Rinse mouth with water. Consult a doctor/medical service if you feel unwell.

4.2 Most important symptoms and effects, both acute and delayed:

4.2.1 Acute symptoms

After inhalation:

No effects known.

After skin contact:

ON CONTINUOUS EXPOSURE/CONTACT: Dry skin. Cracking of the skin.

After eye contact:

No effects known.

After ingestion:

No effects known.

4.2.2 Delayed symptoms

No effects known.

4.3 Indication of any immediate medical attention and special treatment needed:

If applicable and available it will be listed below.

SECTION 5: Firefighting measures

5.1 Extinguishing media:

5.1.1 Suitable extinguishing media:

Polyvalent foam. ABC powder. Carbon dioxide.

5.1.2 Unsuitable extinguishing media:

No unsuitable extinguishing media known.

5.2 Special hazards arising from the substance or mixture:

Upon combustion: formation of CO, CO₂ and small quantities of nitrous vapours, hydrogen chloride, sulphur oxides.

5.3 Advice for firefighters:

5.3.1 Instructions:

No specific fire-fighting instructions required.

5.3.2 Special protective equipment for fire-fighters:

Gloves. Protective clothing. Heat/fire exposure: compressed air/oxygen apparatus.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:

Reason for revision: CLP

Publication date: 2011-05-20

Date of revision: 2012-05-23

Revision number: 0200

Product number: 51156

2 / 10

FIX ALL HIGH TACK

No naked flames.

6.1.1 Protective equipment for non-emergency personnel

See heading 8.2

6.1.2 Protective equipment for emergency responders

Gloves. Protective clothing.

Suitable protective clothing

See heading 8.2

6.2 Environmental precautions:

Use appropriate containment to avoid environmental contamination.

6.3 Methods and material for containment and cleaning up:

Scoop solid spill into closing containers. Clean contaminated surfaces with a soap solution. Wash clothing and equipment after handling.

6.4 Reference to other sections:

See heading 13.

SECTION 7: Handling and storage

The information in this section is a general description. If applicable and available, exposure scenarios are attached in annex. Always use the relevant exposure scenarios that correspond to your identified use.

7.1 Precautions for safe handling:

Keep away from naked flames/heat. Observe normal hygiene standards. Keep container tightly closed.

7.2 Conditions for safe storage, including any incompatibilities:

7.2.1 Safe storage requirements:

Store in a dry area. Store at room temperature. Meet the legal requirements. Max. storage time: 1 year(s).

7.2.2 Keep away from:

Heat sources.

7.2.3 Suitable packaging material:

Synthetic material.

7.2.4 Non suitable packaging material:

No data available

7.3 Specific end use(s):

If applicable and available, exposure scenarios are attached in annex. See information supplied by the manufacturer.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters:

8.1.1 Occupational exposure

a) Occupational exposure limit values

If limit values are applicable and available these will be listed below.

b) National biological limit values

If limit values are applicable and available these will be listed below.

8.1.2 Sampling methods

| Product name | Test | Number |
|-------------------|------|--------|
| No data available | | |

8.1.3 Applicable limit values when using the substance or mixture as intended

If limit values are applicable and available these will be listed below.

8.1.4 DNEL/PNEC values

Workers

bis(2,2,6,6-tetramethyl-4-piperidyl)sebacate

| Effect level (DNEL/DMEL) | Type | Value | Remark |
|--------------------------|---------------------------------------|-----------------------|--------|
| DNEL | Acute systemic effects inhalation | 2 mg/kg bw/day | |
| | Acute systemic effects dermal | 5.6 mg/m ³ | |
| | Long-term systemic effects dermal | 2 mg/kg bw/day | |
| | Long-term systemic effects inhalation | 5.6 mg/m ³ | |

General population

Reason for revision: CLP

Publication date: 2011-05-20

Date of revision: 2012-05-23

Revision number: 0200

Product number: 51156

3 / 10

FIX ALL HIGH TACK

bis(2,2,6,6-tetramethyl-4-piperidyl)sebacate

| Effect level (DNEL/DMEL) | Type | Value | Remark |
|--------------------------|---------------------------------------|-----------------------|--------|
| DNEL | Acute systemic effects dermal | 1 mg/kg bw/day | |
| | Acute systemic effects inhalation | 1.4 mg/m ³ | |
| | Acute -systemic effects oral | 1 mg/kg bw/day | |
| | Long-term systemic effects dermal | 1 mg/kg bw/day | |
| | Long-term systemic effects inhalation | 1.4 mg/m ³ | |
| | Long-term systemic effects oral | 1 mg/kg bw/day | |

PNEC

bis(2,2,6,6-tetramethyl-4-piperidyl)sebacate

| Compartments | Value | Remark |
|------------------------------|-------------------------|--------|
| Fresh water | 0.005 mg/l | |
| Marine water | 0.0005 mg/l | |
| aqua (intermittent releases) | 0.011 mg/l | |
| STP | 1 mg/l | |
| Fresh water sediment | 8.02 mg/kg sediment dw | |
| Fresh water | 0.802 mg/kg sediment dw | |
| Soil | 1.6 mg/kg soil dw | |

8.1.5 Control banding

If applicable and available it will be listed below.

8.2 Exposure controls:

The information in this section is a general description. If applicable and available, exposure scenarios are attached in annex. Always use the relevant exposure scenarios that correspond to your identified use.

8.2.1 Appropriate engineering controls

Keep away from naked flames/heat. Carry operations in the open/under local exhaust/ventilation or with respiratory protection.

8.2.2 Individual protection measures, such as personal protective equipment

Observe normal hygiene standards. Keep container tightly closed. Do not eat, drink or smoke during work.

a) Respiratory protection:

Insufficient ventilation: wear respiratory protection.

b) Hand protection:

Gloves.

c) Eye protection:

Safety glasses.

d) Skin protection:

Protective clothing.

8.2.3 Environmental exposure controls:

See headings 6.2, 6.3 and 13

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties:

| | |
|-------------------------|--|
| Physical form | Paste |
| Odour | Characteristic odour |
| Odour threshold | No data available |
| Colour | Variable in colour, depending on the composition |
| Particle size | No data available |
| Explosion limits | No data available |
| Flammability | Literature reports: not easily combustible |
| Log Kow | No data available |
| Dynamic viscosity | No data available |
| Kinematic viscosity | No data available |
| Melting point | No data available |
| Boiling point | No data available |
| Flash point | No data available |
| Evaporation rate | No data available |
| Vapour pressure | No data available |
| Relative vapour density | No data available |
| Solubility | water ; insoluble organic solvents ; soluble |

Reason for revision: CLP

Publication date: 2011-05-20

Date of revision: 2012-05-23

Revision number: 0200

Product number: 51156

4 / 10

FIX ALL HIGH TACK

| | |
|---------------------------|--|
| Relative density | 1.6 |
| Decomposition temperature | No data available |
| Auto-ignition temperature | No data available |
| Explosive properties | No chemical group associated with explosive properties |
| Oxidising properties | No chemical group associated with oxidising properties |
| pH | No data available |

Physical hazards

No physical hazard class

9.2 Other information:

| | |
|------------------|------------------------|
| Surface tension | No data available |
| Absolute density | 1600 kg/m ³ |

SECTION 10: Stability and reactivity

10.1 Reactivity:

Heating increases the fire hazard.

10.2 Chemical stability:

Stable under normal conditions.

10.3 Possibility of hazardous reactions:

No data available.

10.4 Conditions to avoid:

Keep away from naked flames/heat.

10.5 Incompatible materials:

No data available.

10.6 Hazardous decomposition products:

Upon combustion: formation of CO, CO₂ and small quantities of nitrous vapours, hydrogen chloride, sulphur oxides.

SECTION 11: Toxicological information

11.1 Information on toxicological effects:

11.1.1 Test results

Acute toxicity

FIX ALL HIGH TACK

No (test) data on the mixture available

bis(2,2,6,6-tetramethyl-4-piperidyl)sebacate

| Route of exposure | Parameter | Method | Value | Exposure time | Species | Gender | Value determination |
|----------------------|-----------|------------------------|-----------------|------------------------------|---------|-------------|---------------------|
| Oral | LD50 | Equivalent to OECD 423 | 3700 mg/kg bw | 4 h | Rat | Male/female | Experimental value |
| Dermal | LD50 | Equivalent to OECD 402 | > 3170 mg/kg bw | 24 h | Rat | Male/female | Experimental value |
| Inhalation (aerosol) | LC50 | Equivalent to OECD 403 | 0.5 mg/l air | 4 weeks (daily, 5 days/week) | Rat | Male/female | Experimental value |

Classification of the mixture is based on the relevant ingredients of the mixture.

Conclusion

Low acute toxicity by the dermal route

Low acute toxicity by the oral route

Low acute toxicity by the inhalation route

Corrosion/irritation

FIX ALL HIGH TACK

No (test) data on the mixture available

bis(2,2,6,6-tetramethyl-4-piperidyl)sebacate

| Route of exposure | Result | Method | Exposure time | Time point | Species | Value determination |
|-------------------|-------------------|----------|---------------|--------------------------|---------|---------------------|
| Eye | Highly irritating | OECD 405 | 24 h | 1; 24; 48; 72; 168 hours | Rabbit | Experimental value |
| Skin | Not irritating | OECD 404 | 24 h | 24; 48; 72 hours | Rabbit | Experimental value |

Reason for revision: CLP

Publication date: 2011-05-20

Date of revision: 2012-05-23

Revision number: 0200

Product number: 51156

5 / 10

FIX ALL HIGH TACK

Classification of the mixture is based on the relevant ingredients of the mixture

Conclusion

Not classified as irritating to the skin
Not classified as irritating to the eyes

Respiratory or skin sensitisation

FIX ALL HIGH TACK

No (test)data on the mixture available

bis(2,2,6,6-tetramethyl-4-piperidyl)sebacate

| Route of exposure | Result | Method | Exposure time | Observation time point | Species | Gender | Value determination |
|-------------------|-----------------|----------|---------------|------------------------|------------|-------------|---------------------|
| Skin | Not sensitizing | OECD 406 | | 24 hours | Guinea pig | Male/female | Experimental value |

Classification of the mixture is based on the relevant ingredients of the mixture

Conclusion

Not sensitizing for skin

Specific target organ toxicity

FIX ALL HIGH TACK

No (test)data on the mixture available

bis(2,2,6,6-tetramethyl-4-piperidyl)sebacate

| Route of exposure | Parameter | Method | Value | Organ | Effect | Exposure time | Species | Gender | Value determination |
|-------------------|-----------|------------------------|------------------|-------|------------------|---------------|---------|--------|---------------------|
| Oral | NOAEL | Equivalent to OECD 408 | <29 mg/kg bw/day | | No effect | 13 week(s) | Rat | Female | Experimental value |
| Oral | LOAEL | Equivalent to OECD 408 | 29 mg/kg bw/day | | Weight reduction | 13 week(s) | Rat | Female | Experimental value |

Classification of the mixture is based on the relevant ingredients of the mixture

Conclusion

Low sub-chronic toxicity by the oral route

Mutagenicity (in vitro)

FIX ALL HIGH TACK

No (test)data on the mixture available

bis(2,2,6,6-tetramethyl-4-piperidyl)sebacate

| Result | Method | Test substrate | Effect | Value determination |
|---|------------------------|----------------------------------|--------|---------------------|
| Negative with metabolic activation, negative without metabolic activation | OECD 476 | Chinese hamster lung fibroblasts | | Experimental value |
| Negative with metabolic activation, negative without metabolic activation | OECD 473 | Human lymphocytes | | Experimental value |
| Negative with metabolic activation, negative without metabolic activation | Equivalent to OECD 471 | Bacteria (S.typhimurium) | | Experimental value |

Mutagenicity (in vivo)

FIX ALL HIGH TACK

No (test)data on the mixture available

Carcinogenicity

FIX ALL HIGH TACK

No (test)data on the mixture available

Reproductive toxicity

FIX ALL HIGH TACK

No (test)data on the mixture available

bis(2,2,6,6-tetramethyl-4-piperidyl)sebacate

| | Parameter | Method | Value | Exposure time | Species | Gender | Effect | Organ | Value determination |
|------------------------|--------------|----------|-----------------|---------------|---------|-------------|----------------|-------|---------------------|
| Developmental toxicity | NOAEL (P/F1) | OECD 415 | 30 mg/kg bw/day | | Rat | Male/female | Weight changes | | Experimental value |

Classification of the mixture is based on the relevant ingredients of the mixture

Conclusion CMR

Reason for revision: CLP

Publication date: 2011-05-20

Date of revision: 2012-05-23

Revision number: 0200

Product number: 51156

6 / 10

FIX ALL HIGH TACK

Not classified for reprotoxic or developmental toxicity
 Not classified for mutagenic or genotoxic toxicity
 Not classified for carcinogenicity

Toxicity other effects

FIX ALL HIGH TACK

No (test)data on the mixture available

Conclusion

No (test)data available

11.1.2 Other information

FIX ALL HIGH TACK

No (test)data on the mixture available

SECTION 12: Ecological information

12.1 Toxicity:

FIX ALL HIGH TACK

No (test)data on the mixture available

bis(2,2,6,6-tetramethyl-4-piperidyl)sebacate

| | Parameter | Method | Value | Duration | Species | Test design | Fresh/salt water | Value determination |
|--|-----------|---------------|------------|-----------|---------------------------------|---------------------|------------------|---------------------|
| Acute toxicity fishes | LC50 | | 4.4 mg/l | 96 h | Brachydanio rerio | | | |
| | LC50 | OECD 203 | 4.4 mg/l | 96 h | Lepomis macrochirus | Flow-through system | Fresh water | Experimental value |
| | LC50 | OECD 203 | 5.29 mg/l | 96 h | Oryzias latipes | Semi-static | Fresh water | Experimental value |
| Acute toxicity invertebrates | EC50 | OECD 202 | 17 mg/l | 24 h | Daphnia magna | | | |
| | LC50 | OECD 202 | 8.58 mg/l | 48 h | Daphnia magna | Semi-static | Fresh water | Experimental value |
| | NOEC | OECD 202 | 4 mg/l | 48 h | Daphnia magna | Semi-static | Fresh water | Experimental value |
| Toxicity algae and other aquatic plants | EC50 | OECD 201 | 1.1 mg/l | 72 h | Pseudokirchneriella subcapitata | Static system | Fresh water | Experimental value |
| | NOEC | OECD 201 | 0.05 mg/l | 72 h | Pseudokirchneriella subcapitata | Static system | Fresh water | Experimental value |
| | EC50 | EU Method C.3 | 1.9 mg/l | 72 h | Desmodesmus subspicatus | Static system | Fresh water | Experimental value |
| | NOEC | EU Method C.3 | <1.23 mg/l | 72 h | Desmodesmus subspicatus | Static system | Fresh water | Experimental value |
| Long-term toxicity aquatic invertebrates | EC50 | OECD 211 | 1.31 mg/l | 21 day(s) | Daphnia magna | Semi-static | Fresh water | Experimental value |
| | EC50 | OECD 211 | 0.96 mg/l | 21 day(s) | Daphnia magna | Semi-static | Fresh water | Experimental value |
| | NOEC | OECD 211 | 0.23 mg/l | 21 day(s) | Daphnia magna | Semi-static | Fresh water | Experimental value |
| | LOEC | OECD 211 | 0.61 mg/l | 21 day(s) | Daphnia magna | Semi-static | Fresh water | Experimental value |
| Toxicity aquatic micro-organisms | IC50 | OECD 209 | >100 mg/l | 3 h | Activated sludge | Static system | Fresh water | Experimental value |

Conclusion

No data available on ecotoxicity

12.2 Persistence and degradability:

bis(2,2,6,6-tetramethyl-4-piperidyl)sebacate

Biodegradation water

| Method | Value | Duration | Value determination |
|---|---------|-----------|---------------------|
| OECD 301E: Modified OECD Screening Test | 29 % | 28 day(s) | Experimental value |
| OECD 301B: CO2 Evolution Test | 10-24 % | 28 day(s) | Experimental value |

Phototransformation air (DT50 air)

| | Value | Conc. OH-radicals | Value determination |
|---------------|--------|---------------------------------|---------------------|
| SRC AOP v1.92 | 2.54 h | 500000 molecule/cm ³ | Calculated value |

Conclusion

Contains non readily biodegradable component(s)

Reason for revision: CLP

Publication date: 2011-05-20

Date of revision: 2012-05-23

Revision number: 0200

Product number: 51156

7 / 10

FIX ALL HIGH TACK

12.3 Bioaccumulative potential:

bis(2,2,6,6-tetramethyl-4-piperidyl)sebacate

Log Kow

| Method | Value | Temperature | Value determination |
|--------|-------|-------------|---------------------|
| | 0.35 | | |

Conclusion

No test data of component(s) available

12.4 Mobility in soil:

FIX ALL HIGH TACK

bis(2,2,6,6-tetramethyl-4-piperidyl)sebacate

(log) Koc

| Parameter | Method | Value | Value determination |
|-----------|----------|-----------------------|---------------------|
| Koc | OECD 106 | $\geq 780 \leq 16000$ | Experimental value |
| log Koc | OECD 106 | $\geq -2.89 \leq 4.2$ | Experimental value |

Volatility (Henry's Law constant H)

| Value | Method | Temperature | Remark | Value determination |
|--------------------------|--------------------|-------------|--------|---------------------|
| 0 Pa.m ³ /mol | SRC HenryWIN v3.20 | 25 °C | | Calculated value |

Conclusion

No (test) data on mobility of the components of the mixture available

12.5 Results of PBT and vPvB assessment:

Due to insufficient data no statement can be made whether the component(s) fulfil(s) the criteria of PBT and vPvB according to Annex XIII of Regulation (EC) No 1907/2006.

12.6 Other adverse effects:

FIX ALL HIGH TACK

Ozone-depleting potential (ODP)

Not classified as dangerous for the ozone layer (Regulation (EC) No. 1272/2008 and 1005/2009)

bis(2,2,6,6-tetramethyl-4-piperidyl)sebacate

Ozone-depleting potential (ODP)

Not classified as dangerous for the ozone layer (Regulation (EC) No. 1272/2008 and 1005/2009)

Ground water

Ground water pollutant

SECTION 13: Disposal considerations

The information in this section is a general description. If applicable and available, exposure scenarios are attached in annex. Always use the relevant exposure scenarios that correspond to your identified use.

13.1 Waste treatment methods:

13.1.1 Provisions relating to waste

Waste material code (Directive 2008/98/EC, decision 2001/118/EC).

08 04 10 (waste adhesives and sealants other than those mentioned in 08 04 09). Depending on branch of industry and production process, also other EURAL codes may be applicable. Can be considered as non hazardous waste according to Directive 2008/98/EC.

13.1.2 Disposal methods

Remove waste in accordance with local and/or national regulations. Remove to an authorized waste treatment plant. Do not discharge unmonitored into the environment.

13.1.3 Packaging/Container

Waste material code packaging (Directive 2008/98/EC).

15 01 02 (plastic packaging).

SECTION 14: Transport information

Road (ADR)

14.1 UN number:

| | |
|-----------|-------------|
| Transport | Not subject |
| UN number | |

14.2 UN proper shipping name:

14.3 Transport hazard class(es):

| | |
|------------------------------|--|
| Hazard identification number | |
|------------------------------|--|

Reason for revision: CLP

Publication date: 2011-05-20

Date of revision: 2012-05-23

Revision number: 0200

Product number: 51156

8 / 10

FIX ALL HIGH TACK

| | |
|--|----|
| Class | |
| Classification code | |
| 14.4 Packing group: | |
| Packing group | |
| Labels | |
| 14.5 Environmental hazards: | |
| Environmentally hazardous substance mark | no |
| 14.6 Special precautions for user: | |
| Special provisions | |
| Limited quantities | |

Rail (RID)

| | |
|--|-------------|
| 14.1 UN number: | |
| Transport | Not subject |
| UN number | |
| 14.2 UN proper shipping name: | |
| 14.3 Transport hazard class(es): | |
| Hazard identification number | |
| Class | |
| Classification code | |
| 14.4 Packing group: | |
| Packing group | |
| Labels | |
| 14.5 Environmental hazards: | |
| Environmentally hazardous substance mark | no |
| 14.6 Special precautions for user: | |
| Special provisions | |
| Limited quantities | |

Inland waterways (ADN)

| | |
|--|-------------|
| 14.1 UN number: | |
| Transport | Not subject |
| UN number | |
| 14.2 UN proper shipping name: | |
| 14.3 Transport hazard class(es): | |
| Class | |
| Classification code | |
| 14.4 Packing group: | |
| Packing group | |
| Labels | |
| 14.5 Environmental hazards: | |
| Environmentally hazardous substance mark | no |
| 14.6 Special precautions for user: | |
| Special provisions | |
| Limited quantities | |

Sea (IMDG)

| | |
|--|-------------|
| 14.1 UN number: | |
| Transport | Not subject |
| UN number | |
| 14.2 UN proper shipping name: | |
| 14.3 Transport hazard class(es): | |
| Class | |
| 14.4 Packing group: | |
| Packing group | |
| Labels | |
| 14.5 Environmental hazards: | |
| Marine pollutant | - |
| Environmentally hazardous substance mark | no |
| 14.6 Special precautions for user: | |
| Special provisions | |
| Limited quantities | |
| 14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code: | |

Reason for revision: CLP

Publication date: 2011-05-20

Date of revision: 2012-05-23

FIX ALL HIGH TACK

Annex II of MARPOL 73/78

Air (ICAO-TI/IATA-DGR)

14.1 UN number:

| | |
|-----------|-------------|
| Transport | Not subject |
| UN number | |

14.2 UN proper shipping name:

14.3 Transport hazard class(es):

| | |
|-------|--|
| Class | |
|-------|--|

14.4 Packing group:

| | |
|---------------|--|
| Packing group | |
| Labels | |

14.5 Environmental hazards:

| | |
|--|----|
| Environmentally hazardous substance mark | no |
|--|----|

14.6 Special precautions for user:

| | |
|---|--|
| Special provisions | |
| Passenger and cargo transport: limited quantities: maximum net quantity per packaging | |

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

European legislation:

Volatile organic compounds (VOC)

2 %

National legislation

- The Netherlands

| | |
|---|---|
| Waterbezwaarlijkheid (for NL) | 1 |
| Waste identification other lists of waste materials | LWCA (the Netherlands): KGA category 05 |

- Germany

| | | |
|-----|---|--|
| WGK | 1 | Classification water polluting based on the components in compliance with Verwaltungsvorschrift wassergefährdender Stoffe (VwVwS) of 27 July 2005 (Anhang 4) |
|-----|---|--|

15.2 Chemical safety assessment:

No chemical safety assessment has been conducted.

SECTION 16: Other information

Full text of any R-phrases referred to under headings 2 and 3:

R36 Irritating to eyes

R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment

Full text of any H-statements referred to under headings 2 and 3:

H319 Causes serious eye irritation.

H411 Toxic to aquatic life with long lasting effects.

(*) = INTERNAL CLASSIFICATION BY BIG

PBT-substances = persistent, bioaccumulative and toxic substances

DSD Dangerous Substance Directive

DPD Dangerous Preparation Directive

CLP (EU-GHS) Classification, labelling and packaging (Globally Harmonised System in Europe)

The information in this safety data sheet is based on data and samples provided to BIG. The sheet was written to the best of our ability and according to the state of knowledge at that time. The safety data sheet only constitutes a guideline for the safe handling, use, consumption, storage, transport and disposal of the substances/preparations/mixtures mentioned under point 1. New safety data sheets are written from time to time. Only the most recent versions may be used. Old versions must be destroyed. Unless indicated otherwise word for word on the safety data sheet, the information does not apply to substances/preparations/mixtures in purer form, mixed with other substances or in processes. The safety data sheet offers no quality specification for the substances/preparations/mixtures in question. Compliance with the instructions in this safety data sheet does not release the user from the obligation to take all measures dictated by common sense, regulations and recommendations or which are necessary and/or useful based on the real applicable circumstances. BIG does not guarantee the accuracy or exhaustiveness of the information provided. Use of this safety data sheet is subject to the licence and liability limiting conditions as stated in your BIG licence agreement. All intellectual property rights to this sheet are the property of BIG and its distribution and reproduction are limited. Consult your BIG licence agreement for details.

Reason for revision: CLP

Publication date: 2011-05-20

Date of revision: 2012-05-23

Revision number: 0200

Product number: 51156

10 / 10