

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture  
 Product name : HYDRADRY  
 Product code : FG152

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### 1.2.1. Relevant identified uses

Main use category : Professional use, Consumer use

##### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

Wykamol Group Ltd.  
 Unit 3. Boran Court. Network 65 Business Park.  
 Hapton, Burnley BB11 5TH - United Kingdom  
 T +44 (0) 1282 473100  
[info@wykamol.com](mailto:info@wykamol.com) - [www.wykamol.com](http://www.wykamol.com)

#### 1.4. Emergency telephone number

Emergency number : +44 (0) 1282 473100 (0800 - 1700 UK time)

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion/irritation, Category 2 H315  
 Serious eye damage/eye irritation, Category 1 H318  
 Sensitisation — Skin, category 1 H317  
 Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation H335

Full text of H statements : see section 16

##### Adverse physicochemical, human health and environmental effects

May cause respiratory irritation. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage.

#### 2.2. Label elements

##### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS05

GHS07

Signal word (CLP) :

Danger

Hazardous ingredients :

Portland Cement Clinker; Flue dust from production of cement clinker

Hazard statements (CLP) :

H315 - Causes skin irritation  
 H317 - May cause an allergic skin reaction  
 H318 - Causes serious eye damage  
 H335 - May cause respiratory irritation

Precautionary statements (CLP) :

P261 - Avoid breathing dust  
 P264 - Wash hands, forearms and face thoroughly after handling  
 P271 - Use only outdoors or in a well-ventilated area  
 P272 - Contaminated work clothing should not be allowed out of the workplace  
 P280 - Wear eye protection, face protection, protective clothing, protective gloves  
 P302+P352 - IF ON SKIN: Wash with plenty of water  
 P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing  
 P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
 P333+P313 - If skin irritation or rash occurs: Get medical advice/attention  
 P362+P364 - Take off contaminated clothing and wash it before reuse

# HYDRADRY

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 453/2010

### 2.3. Other hazards

PBT: not relevant – no registration required

vPvB: not relevant – no registration required

## SECTION 3: Composition/information on ingredients

### 3.1. Substance

Not applicable

### 3.2. Mixture

| Name  | Product identifier                             | %     | Classification according to Regulation (EC) No. 1272/2008 [CLP]   |
|---|--|-------|---|
| Portland Cement Clinker                     | (CAS No) 65997-15-1<br>(EC no) 266-043-4       | >= 20 | Acute Tox. 4 (Dermal), H312<br>Skin Irrit. 2, H315<br>Eye Dam. 1, H318<br>Skin Sens. 1, H317<br>STOT SE 3, H335 |
| Flue dust from production of cement clinker | (CAS No) 68475-76-3<br>(EC index no) 270-659-9 | < 50  | Acute Tox. 4 (Dermal), H312<br>Skin Irrit. 2, H315<br>Eye Dam. 1, H318<br>Skin Sens. 1, H317<br>STOT SE 3, H335 |

Full text of H-phrases: see section 16

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

- First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). Call a poison center or a doctor if you feel unwell.
- First-aid measures after inhalation : Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.
- First-aid measures after skin contact : Wash with plenty of soap and water. Wash contaminated clothing before reuse. If skin irritation or rash occurs: Get medical advice/attention.
- First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.
- First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

### 4.2. Most important symptoms and effects, both acute and delayed

- Symptoms/injuries after inhalation : May cause an allergic skin reaction. May cause respiratory irritation.
- Symptoms/injuries after skin contact : Causes skin irritation. Irritation. May cause an allergic skin reaction.
- Symptoms/injuries after eye contact : Causes serious eye damage. Serious damage to eyes.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

- Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.
- Unsuitable extinguishing media : Do not use a heavy water stream.

### 5.2. Special hazards arising from the substance or mixture

- Hazardous decomposition products in case of fire : Toxic fumes may be released.

### 5.3. Advice for firefighters

- Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment.
- Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection. Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

# HYDRADRY

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 453/2010

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

##### 6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Evacuate unnecessary personnel. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes.

##### 6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. Equip cleanup crew with proper protection. For further information refer to section 8: "Exposure controls/personal protection".

Emergency procedures : Ventilate area.

#### 6.2. Environmental precautions

Avoid release to the environment. Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

#### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Recover mechanically the product. On land, sweep or shovel into suitable containers. Minimize generation of dust. Store away from other materials.

Other information : Dispose of materials or solid residues at an authorized site.

#### 6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection. For further information refer to section 13.

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Avoid breathing dust. Use only outdoors or in a well-ventilated area. Avoid contact with skin and eyes. Wear personal protective equipment.

Hygiene measures : Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep only in the original container in a cool, well ventilated place away from children. Keep container tightly closed. Store locked up. Store in a well-ventilated place. Keep cool.

Incompatible products : Keep away from. Oxidizing agent. Strong acids. Strong bases.

#### 7.3. Specific end use(s)

See technical instructions for use of this substance/mixture.

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

| Portland Cement Clinker (65997-15-1) |                              |  |
|--------------------------------------|------------------------------|--|
| United Kingdom                       | Local name                   | Portland cement  |
| United Kingdom                       | WEL TWA (mg/m <sup>3</sup> ) | 10 mg/m <sup>3</sup> inhalable dust<br>4 mg/m <sup>3</sup> respirable dust |

#### 8.2. Exposure controls

##### Appropriate engineering controls:

Ensure good ventilation of the work station.

##### Personal protective equipment:

Avoid all unnecessary exposure.

##### Materials for protective clothing:

Wear suitable protective clothing and gloves

##### Hand protection:

Wear protective gloves

##### Eye protection:

Chemical goggles or safety glasses. Safety glasses

##### Skin and body protection:

# HYDRADRY

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 453/2010

Wear suitable protective clothing

### Respiratory protection:

Wear appropriate mask



### Environmental exposure controls:

Avoid release to the environment.

### Other information:

Do not eat, drink or smoke during use.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

|  |   |
|--|---|
| Physical state                             | : Solid                                   |
| Appearance                                 | : Powder.                                 |
| Colour                                     | : Grey.                                   |
| Odour                                      | : Cementitious.                           |
| Odour threshold                            | : No data available                       |
| pH   | : 11 - 13 When mixed with water.          |
| Relative evaporation rate (butylacetate=1) | : No data available                       |
| Melting point                              | : No data available                       |
| Freezing point                             | : Not applicable                          |
| Boiling point                              | : No data available                       |
| Flash point                                | : Not applicable                          |
| Auto-ignition temperature                  | : Not applicable                          |
| Decomposition temperature                  | : No data available                       |
| Flammability (solid, gas)                  | : Non flammable.                          |
| Vapour pressure                            | : No data available                       |
| Relative vapour density at 20 °C           | : No data available                       |
| Relative density                           | : Not applicable                          |
| Density                                    | : 1850 - 2100 kg/m <sup>3</sup> Fresh wet |
| Solubility                                 | : No data available                       |
| Log Pow                                    | : No data available                       |
| Viscosity, kinematic                       | : Not applicable                          |
| Viscosity, dynamic                         | : No data available                       |
| Explosive properties                       | : No data available                       |
| Oxidising properties                       | : No data available                       |
| Explosive limits                           | : Not applicable                          |

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

None under normal use.

### 10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

### 10.5. Incompatible materials

Strong acids. Strong bases.

# HYDRADRY

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 453/2010

### 10.6. Hazardous decomposition products

Carbon monoxide. Carbon dioxide.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity : Not classified

#### Portland Cement Clinker (65997-15-1)

|   |  |
|---|--|
| LD50 dermal rabbit                                  | 2000 mg/kg   |
| Skin corrosion/irritation                           | : Causes skin irritation.<br>pH: 11 - 13 When mixed with water.                      |
| Serious eye damage/irritation                       | : Causes serious eye damage.<br>pH: 11 - 13 When mixed with water.                   |
| Respiratory or skin sensitisation                   | : May cause an allergic skin reaction.   |
| Germ cell mutagenicity                              | : Not classified<br>Based on available data, the classification criteria are not met |
| Carcinogenicity                                     | : Not classified   |
| Additional information                              | : Based on available data, the classification criteria are not met                   |
| Reproductive toxicity                               | : Not classified   |
| Additional information                              | : Based on available data, the classification criteria are not met                   |
| Specific target organ toxicity (single exposure)    | : May cause respiratory irritation.  |
| Specific target organ toxicity (repeated exposure)  | : Not classified   |
| Additional information                              | : Based on available data, the classification criteria are not met                   |
| Aspiration hazard                                   | : Not classified   |
| Additional information                              | : Based on available data, the classification criteria are not met                   |
| Potential adverse human health effects and symptoms | : Based on available data, the classification criteria are not met.                  |

## SECTION 12: Ecological information

### 12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.

### 12.2. Persistence and degradability

#### HYDRADRY

Persistence and degradability : Not established.

#### Portland Cement Clinker (65997-15-1)

Persistence and degradability : Not established.

### 12.3. Bioaccumulative potential

#### HYDRADRY

Bioaccumulative potential : Not established.

#### Portland Cement Clinker (65997-15-1)

Bioaccumulative potential : Not established.

### 12.4. Mobility in soil

No additional information available

### 12.5. Results of PBT and vPvB assessment

#### HYDRADRY

PBT: not relevant – no registration required

vPvB: not relevant – no registration required

### 12.6. Other adverse effects

Additional information : Avoid release to the environment

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

# HYDRADRY

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 453/2010

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.

Ecology - waste materials : Avoid release to the environment.

### SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

| ADR                                     | IMDG  |
|---|---|
| <b>14.1. UN number</b>                  |   |
| Not applicable                          | Not applicable  |
| <b>14.2. UN proper shipping name</b>    |   |
| Not applicable                          | Not applicable  |
| <b>14.3. Transport hazard class(es)</b> |   |
| Not applicable                          | Not applicable  |
| Not applicable                          | Not applicable  |
| <b>14.4. Packing group</b>              |   |
| Not applicable                          | Not applicable  |
| <b>14.5. Environmental hazards</b>      |   |
| Dangerous for the environment : No      | Dangerous for the environment : No<br>Marine pollutant : No |
| No supplementary information available  |   |

### 14.6. Special precautions for user

#### - Overland transport

No data available

#### - Transport by sea

No data available

### 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Not applicable

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

##### 15.1.1. EU-Regulations

Contains no substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

##### 15.1.2. National regulations

###### Germany

VwVwS Annex reference : Water hazard class (WGK) 1, low hazard to waters (Classification according to VwVwS, Annex 4)

12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV : Is not subject of the 12. BImSchV (Hazardous Incident Ordinance)

###### Netherlands

SZW-lijst van kankerverwekkende stoffen : Portland Cement Clinker is listed

SZW-lijst van mutagene stoffen : Portland Cement Clinker is listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Borstvoeding : None of the components are listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Vruchtbaarheid : None of the components are listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling : None of the components are listed

###### Denmark

Recommendations Danish Regulation : Young people below the age of 18 years are not allowed to use the product  
Pregnant/breastfeeding women working with the product must not be in direct contact with the product

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

# HYDRADRY

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 453/2010

### SECTION 16: Other information

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Other information : None.

Full text of H- and EUH-phrases:

|                       |  |
|-----------------------|--|
| Acute Tox. 4 (Dermal) | Acute toxicity (dermal), Category 4  |
| Eye Dam. 1            | Serious eye damage/eye irritation, Category 1  |
| Skin Irrit. 2         | Skin corrosion/irritation, Category 2  |
| Skin Sens. 1          | Sensitisation — Skin, category 1   |
| STOT SE 3             | Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation |
| H312                  | Harmful in contact with skin   |
| H315                  | Causes skin irritation   |
| H317                  | May cause an allergic skin reaction  |
| H318                  | Causes serious eye damage  |
| H335                  | May cause respiratory irritation   |

SDS EU (REACH Annex II)

*The information provided in this safety data sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information provided is designed only as guidance for safe use, processing, handling, storage, transport, release and disposal. It is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for use in combination with any other materials or in any process, unless specified in this safety data sheet.*