System 600

NEWTON 603 TILE

Decoupling Mat for Tiling



Rev 1.0 - 12 May 2020 PRODUCT CODE - M7

1. Identification of the substance/mixture and of the company/undertaking

PRODUCT IDENTIFIER

Product form LDPE

Product name
Newton 603-Tile

Product code
M7

Description
Decoupling mat for tiling

Company Address
Newton Waterproofing Systems, Newton House, 17-19 Sovereign

Way, Tonbridge, Kent TN9 1RH

Web www.newtonwaterproofing.co.uk

Email address of the competent person

info@newtonwaterproofing.co.uk

Emergency telephone number +44 (0)1732 360 095

9am - 5pm (GMT) Mon - Fri

2. Hazards identification

Classification of the substance or mixture

According to Regulation EEC 1999/45, 67/548 and EC 1907/2006

polyethylene belong to non-toxic

3. Composition

Main component of the substances LDPE

4. First aid measures

• General information In case of persistent discomfort, seek medical advice

Inhalation
In case of irregular breathing or respiratory arrest take the artificial

respiration. Remove to fresh air and seek medical attention

Skin contact
For thermal skin burns, seek medical attention

Eye contact
No specific measures. Seek medical advice if necessary

Ingestion
No specific measures. Seek medical advice if necessary

NEWTON 603 TILE

Decoupling Mat for Tiling

5. Fire-fighting measures

 Special hazards from the substance or mixture
If product combusts, water, carbon dioxide, carbon monoxide (in case of oxygen deficiency) and other organic compounds can be produced. At the

oxygen deficiency) and other organic compounds can be produced. At the beginning of the combustion (especially between 400°C-700°C) it may generate also the Hydrocarbons and aldehydes (acetic acid and crotonic

acid)

Extinguishing media
Water, foam, dry chemical media

6. Accidental release measures

Precautions for people No specific measures necessary

Environmental precautions
Prevent the entry of LDPE granulate in the soil, surface water or

groundwater

7. Handling and storage

• Instructions for handling Should be noted when the product is handled and pneumatically

transported: VDI guideline 3673, 2263 (Germany). Fine particle material (< 0,125 mm) should not be allowed to accumulate, particularly when transported pneumatically. The product contains combustible polymers.

The relevant fire protection measures apply.

Measures against fire and explosion Not applicable

Storage
Store away from smoking and flames

8. Exposure controls/personal protection

General instruction on the protection and hygiene

No further data

Personal protection
No respirator, no goggles, no gloves, no further equipment required

9. Physical and chemical properties

Appearance Sheet and film

Colour Diverse

Odour
Essentially odourless

Melting Point Ca. 130°C
Density 956 kg/m³

Vapour pressure N/A

Solubility in water Insoluble g/l

pH in g/IH20 N/A

• Flash point +/- 340 °C

Explosive limits N/A N/A

NEWTON 603 TILE

Decoupling Mat for Tiling

10. Stabili	ty and	reactivity
-------------	--------	------------

Thermal decomposition
With normal handling and storage the product is stable. At temperature

above 300°C some degree of thermal degradation will occur

Materials to avoid
Strong oxidizing agents

Hazardous reactivity
Not known

Hazardous decomposition products At ambient temperature – not known

11. Toxicological information

Toxicology
In our experience and according to information available to us the product

is not harmful to health provided it is correctly handled and processed

according to the given recommendations

12. Ecological information

Ecology Material is not readily biodegradable. Material is not expected to be harmful

to aquatic organisms

13. Disposal considerations

Waste disposal Dispose of in accordance with appropriate government and local

regulations

14. Transport information

Transport The material is not hazardous for transport by sea, air and road/rail

15. Regulatory information

Regulations According to GeStoffV (Germany) from 1986.08.26 the material is not

hazardous.

16. Other information

Other information Existing laws and definitions have to be respected from the consignee of

our products