

Safety Data Sheet

PLATINUM MICRO MASONRY BIOCIDES

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 453/2010



Date of issue: 1/25/2016 Revision date: 12/09/2022 Supersedes: 4/11/2017 Version: 13

1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : **Mixture**
Product name : **PLATINUM MICRO MASONRY BIOCIDES**
Product code : **FG41**

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Consumer use, Professional use
Industrial/Professional use spec : intended for use by professionals and general public

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Address: 65 Colvilles Place, Kelvin Industrial Estate, East Kilbride, G75 0PZ.

Telephone: (+44) 01355 222777

1.4. Emergency telephone number

Emergency number : (+44) 01355 222777 (0800 - 1700 UK time)

2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion/irritation, Category 1 H314

Skin sensitisation, Category 1 H317

Specific target organ toxicity - Repeated exposure, Category 2 H373

Hazardous to the aquatic environment - Acute Hazard, Category 1 H400

Hazardous to the aquatic environment - Chronic Hazard, Category 2 H411

Full text of H- and EUH- statements : see section 16

Adverse physicochemical, human health and environmental effects

May cause damage to organs through prolonged or repeated exposure. Harmful if inhaled. Harmful if swallowed. Causes severe skin burns and eye damage. May cause an allergic skin reaction. Very toxic to aquatic life. Toxic to aquatic life with long lasting effects.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



Signal word (CLP) :

Danger

Contains :

DODECYLBENZENE SULFONIC ACID, 3-iodo-2-propynyl butylcarbamate;
3-iodoprop-2-yn-1-yl butylcarbamate

Hazard statements (CLP) :

H314 - Causes severe skin burns and eye damage
H317 - May cause an allergic skin reaction
H373 - May cause damage to organs (respiratory system) through prolonged or repeated exposure (Inhalation)
H410 - Very toxic to aquatic life with long lasting effects

Precautionary statements (CLP) :

P261 - Avoid breathing fume, mist, spray, vapours.

2.2. Label elements (Cont.)

Precautionary statements (CLP) :

P264 - Wash hands, forearms and face thoroughly after handling
P280 - Wear protective clothing, eye protection, face protection, protective gloves.
P301+P330+P331+P310 - IF SWALLOWED: rinse mouth. DO NOT induce vomiting.
Immediately call a POISON CENTRE or doctor.
P303+P361+P353+P310 - IF IN EYES: Rinse cautiously with water for several minutes.
Remove contact lenses, if present and easy to do so. Continue rinsing. Immediately call a
POISON CENTRE or doctor.
P314 - Get medical advice/attention if you feel unwell.
P391 - Collect spillage.
P202 - Do not handle until all safety precautions have been read and understood.
P273 - Avoid release into the environment.

2.3. Other hazards

PBT: not relevant – no registration required

vPvB: not relevant – no registration required

Contains no PBT/vPvB substances $\geq 0.1\%$ assessed in accordance with REACH Annex XIII

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

3.2. Mixture

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Hydrocarbons, C9, aromatics	CAS-No.: 64742-95-6 EC-No.: 918-668-5	$\geq 5 - < 10$	Muta. 1B, H340 Carc. 1B, H350 Asp. Tox. 1, H304
DODECYLBENZENE SULFONIC ACID	CAS-No.: 85536-14-7 EC-No.: 287-494-3 REACH-No.: 01-2119490234-40	$\geq 5 - < 10$	Acute Tox. 4 (Oral), H302 Skin Corr. 1, H314 Aquatic Chronic 3, H412
PEG/PPG-1/2 COPOLYMER	CAS-No.: 9003-11-6	$\geq 5 - < 10$	Skin Irrit. 2, H315
3-iodo-2-propynyl butylcarbamate; 3-iodoprop-2-yn-1-yl butylcarbamate	CAS-No.: 55406-53-6 EC-No.: 259-627-5 EC Index-No.: 616-212-00-7	$\geq 1 - < 3$	Acute Tox. 3 (Inhalation), H331 Acute Tox. 4 (Oral), H302 STOT RE 1, H372 Eye Dam. 1, H318 Skin Sens. 1, H317 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410
SODIUM HYDROXIDE substance with national workplace exposure limit(s) (GB)	CAS-No.: 001310-73-2 EC-No.: 215-185-5	$\geq 1 - < 3$	Met. Corr. 1, H290 Skin Corr. 1A, H314

Full text of H- and EUH- statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general :	Call a physician immediately. Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation :	Allow affected person to breath fresh air. Allow the victim to rest.
First-aid measures after skin contact :	Take off immediately all contaminated clothing. Rinse skin with water/shower. Immediately call a POISON CENTER or doctor. If skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing before reuse. Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. Wash with plenty of water/... get medical advice/attention. Specific treatment (see supplemental first aid instruction on this label).
First-aid measures after eye contact :	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do so. Continue rinsing. Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists.
First-aid measures after ingestion :	Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation :	May cause an allergic skin reaction.
Symptoms/ effects after skin contact:	Burns. May cause an allergic skin reaction.
Symptoms/injuries after eye contact :	Serious damage to eyes.
Symptoms/injuries after ingestion :	Burns.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media :	Foam. Dry powder. Carbon dioxide. Water spray. Sand.
Unsuitable extinguishing media :	Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire: Toxic fumes may be released.

5.3. Advice for firefighters

Firefighting instructions :	Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment.
Protection during firefighting :	Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing. Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures :	Ventilate spillage area. Evacuate unnecessary personnel. Do not breathe mist, spray, vapours. Avoid contact with skin and eyes.
------------------------	---

6.1.2. For emergency responders

Protective equipment :	Do not attempt to take action without suitable protective equipment. Equip clean-up crew with proper protection. For further information refer to section 8: "Exposure controls/personal protection".
Emergency procedures :	If spilled, may cause the floor to be slippery. Ventilate area.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters. Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.
Methods for cleaning up : Take up liquid spill into absorbent material. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.
Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection. For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Do not breathe vapours, spray, mist. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Eliminate all ignition sources if safe to do so. Use only outdoors or in a well-ventilated area. Avoid contact with skin and eyes. Wear personal protective equipment. Avoid breathing dust/fume/gas/mist/vapours/spray.

Hygiene measures : Do not eat, drink or smoke when using this product. Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Direct sunlight. Keep container closed when not in use. Store locked up. Store in a well-ventilated place. Keep cool.
Incompatible products : Keep away from. Oxidizing agent. Strong acids. Strong bases.
Incompatible materials : Sources of ignition. Direct sunlight.

7.3. Specific end use(s)

See technical instructions for use of this substance/mixture.

8.1. Control parameters/ Personal protection

8.1.1. National occupational exposure and biological limit values.

SODIUM HYDROXIDE (001310-73-2)		
United Kingdom	Local name	Sodium hydroxide
United Kingdom	WEL STEL (OEL STEL)	2 mg/m ³

8.1.2. Recommended monitoring procedures

No additional information available.

8.1.3. Air contaminants formed

No additional information available.

8.1.4. DNEL and PNEC

SODIUM HYDROXIDE (001310-73-2)	
DNEL/DMEL (workers)	
Long-term - local effects, inhalation	1 mg/m ³
DNEL/DMEL (General Population)	
Long-term - local effects, inhalation	1 mg/m ³
calcium chloride (10043-52-4)	
DNEL/DMEL (workers)	
Acute - local effects, inhalation	10 mg/m ³
Long-term - local effects, inhalation	5 mg/m ³
DNEL/DMEL (General Population)	
Acute - local effects, inhalation	5 mg/m ³
Long-term - local effects, inhalation	2.5 mg/m ³
DODECYLBENZENE SULFONIC ACID (85536-14-7)	
DNEL/DMEL (workers)	
Long-term - systemic effects, dermal	170 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	12 mg/m ³
Long-term - local effects, inhalation	12 mg/m ³
DNEL/DMEL (General Population)	
Long-term - systemic effects, oral	0.85 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	3 mg/m ³
Long-term - systemic effects, dermal	85 mg/kg bodyweight/day
Long-term - local effects, inhalation	3 mg/m ³
PNEC (Water)	
PNEC Aqua (freshwater)	0.287 mg/l
PNEC Aqua (marine water)	0.0287 mg/l
PNEC (Sediment)	
PNEC Sediment (freshwater)	0.287 mg/kg dwt
PNEC Sediment (marine water)	0.287 mg/kg dwt
PNEC (Soil)	
PNEC Soil	35 mg/kg dwt

8.1.5. Control Banding

No additional information available

8.2. Exposure controls

8.2.1 Appropriate Engineering Controls:

Ensure good ventilation of the work station.

8.2.2. Personal Protective Equipment:

Gloves. Avoid all unnecessary exposure. Wear a mask. Safety glasses.

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection: Safety glasses or chemical goggles

8.2.2.2. Skin protection

Skin and body protection: Protective clothing

Other skin protection: Wear suitable protective clothing and gloves

8.2.2.3. Respiratory protection

[In case of inadequate ventilation] wear respiratory protection. Wear ventilation mask.

8.2.2.4 Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Avoid release into the environment.

Other information: Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	Liquid
Appearance:	Clear liquid
Colour:	Colourless
Odour:	Strong. Characteristic
Odour threshold:	No data available
pH:	4 - 4.5
Relative evaporation rate (butylacetate=1) :	No data available
Melting point:	Not applicable
Freezing point:	No data available
Boiling point:	No data available
Flash point:	No data available
Auto-ignition temperature:	No data available
Decomposition temperature:	No data available
Flammability (solid, gas):	Non flammable
Vapour pressure:	No data available
Relative vapour density at 20°C:	No data available
Relative density:	1 - 1.02
Solubility:	Miscible in water
Partition coefficient n-octanol/water (Log Pow):	No data available
Viscosity, kinematic:	No data available
Viscosity, dynamic:	No data available
Explosive properties:	No data available
Oxidising properties:	No data available
Explosive limits:	No data available:

9.2 Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available.

10.2. Chemical stability

Stable under normal conditions. Not established

10.3. Possibility of hazardous reactions

No dangerous reactions know under normal conditions of use. Not established

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures

10.5. Incompatible materials

Strong acids. Strong bases

10.6. Hazardous decomposition products

Carbon monoxide. Carbon dioxide. Thermal decomposition generates : Corrosive vapours. Fume.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral): Not classified

Acute toxicity (dermal): Not classified

Acute toxicity (inhalation): Not classified

DODECYLBENZENE SULFONIC ACID (85536-14-7)	
LD50 oral rat	300 - 2000 mg/kg
LD50 dermal rat	2000 mg/kg
PEG/PPG-1/2 COPOLYMER (9003-11-6)	
LD50 oral rat	> 5000 mg/kg
3-iodo-2-propynyl butylcarbamate; 3-iodoprop-2-yn-2-yl butylcarbamate (55406-53-6)	
LD50 oral rat	300 - 500 mg/kg
LD50 dermal rat	> 5000 mg/kg
LC50 Inhalation - rat	0.67 g/m ³ 4 hours
Hydrocarbons, C9, aromatics (64742-95-6)	
LD50 oral rat	3492 mg/kg
LD50 dermal rabbit	> 3160 mg/kg
LC50 Inhalation - rat (vapours)	> 6193 mg/l/4h

Skin corrosion/irritation: Causes severe skin burns.

pH: 4 - 4.5

Additional information: Based on available data, the classification criteria are not met.

DODECYLBENZENE SULFONIC ACID (85536-14-7)	
pH	1
PEG/PPG-1/2 COPOLYMER (9003-11-6)	
pH	≈ 7

Serious eye damage/irritation: Assumed to cause serious eye damage.

pH: 4 - 4.5

Additional information: Based on available data, the classification criteria are not met.

DODECYLBENZENE SULFONIC ACID (85536-14-7)	
pH	1
PEG/PPG-1/2 COPOLYMER (9003-11-6)	
pH	≈ 7

SECTION 11: Toxicological information continued.

Respiratory or skin sensation:	May cause an allergic skin reaction.
Germ cell mutagenicity:	Note P: The classification as a carcinogen or mutagen need not apply if it can be shown that the substance contains less than 0.1% w/w benzene (EINECS No 200-753-7). When the substance is not classified as a carcinogen at least the precautionary statements (P102) P260-P262-P301 + P310-P331 (Table 3.1) or the S-phrases (2-)23-24-62 (Table 3.2) shall apply. This note applies only to certain complex oil-driven substances in Part 3.
Additional information:	Based on the available data, the classification criteria are not met.
Carcinogenicity:	Note P: The classification as a carcinogen or mutagen need not apply if it can be shown that the substance contains less than 0.1% w/w benzene (EINECS No 200-753-7). When the substance is not classified as a carcinogen at least the precautionary statements (P102) P260-P262-P301 + P310-P331 (Table 3.1) or the S-phrases (2-)23-24-62 (Table 3.2) shall apply. This note applies only to certain complex oil-driven substances in Part 3.
Additional information:	Based on the available data, the classification criteria are not met.
Reproductive toxicity:	Not classified.
Additional information:	Based on the available data, the classification criteria are not met.

DODECYLBENZENE SULFONIC ACID (85536-14-7)	
NOAEL (animal/male, F1)	350 mg/kg
NOAEL (animal/female, F1)	350 mg/kg

STOT-single exposure:	Not classified.
Additional information:	Based on the available data, the classification criteria are not met.
STOT-repeated exposure:	May cause damage to organs (respiratory system) through prolonged or repeated exposure (inhalation).

3-iodo-2-propynyl butylcarbamate; 3-iodoprop-2-yn-2-yl butylcarbamate (55406-53-6)	
NOAEC (inhalation, rat, vapour, 90 days)	1.16 mg/l
STOT-repeated exposure	Causes damage to organs (larynx) through prolonged or repeated exposure (inhalation, oral).

Aspiration hazard:	Not classified
Additional information:	Based on the available data, the classification criteria are not met.

DODECYLBENZENE SULFONIC ACID (85536-14-7)	
Viscosity, kinematic	2264.151 mm ² /s
PEG/PPG-1/2 COPOLYMER (9003-11-6)	
Viscosity, kinematic	673.077 mm ² /s

Potential adverse human health effects and symptoms:	Based on the available data, the classification criteria are not met.
--	---

SECTION 12: Ecological Information

12.1. Toxicity

Ecology - general:	Very toxic to aquatic life. Toxic to aquatic life with long-lasting effects.
Ecology - water:	Very toxic to aquatic life. Toxic to aquatic life with long-lasting effects.
Hazardous to the aquatic environment, short-term (acute):	Very toxic to aquatic life.
Hazardous to the aquatic environment, long-term (chronic):	Toxic to aquatic life with long-lasting effects.

DODECYLBENZENE SULFONIC ACID (85536-14-7)	
EC50 72h- Algae [1]	10 - 100 mg/l <i>Scenedesmus subspicatus</i>
NOEC chronic fish	1 mg/l <i>Lepomis macrochirus</i> (Bluegill sunfish)
PEG/PPG-1/2 COPOLYMER (9003-11-6)	
LC50 - fish [1]	> 100 mg/l <i>Oncorhynchus mykiss</i> (Rainbow trout)
EC50 - Other aquatic organisms [1]	> 100 mg/l
EC50 72h - Algae [1]	> 100 mg/l <i>Selenastrum capricornutum</i> (Microalga)

SECTION 12: Ecological Information continued.

3-iodo-2-propynyl butylcarbamate; 3-iodoprop-2-yn-2-yl butylcarbamate (55406-53-6)	
LC50 50- fish [1]	0.067 mg/l Oncorhynchus mykiss (Rainbow trout)
EC50 - crustacea [1]	0.65 mg/l EC50 48h - Daphnia magna [mg/l]
ECO50 72h - Algae [1]	0.022 mg/l Desmodesmus subspicatus (Green algae)
NOEC chronic fish	0.0084 mg/l Pimephales promelas (Fathead minnow)
NOEC chronic algae	0.0046 mg/l Desmodesmus subspicatus (Green algae)

12.2. Persistence and degradability

PLATINUM MICRO MASONRY BIOCIDES	
Persistence and degradability	May cause long-term adverse effects in the environment.
DODECYLBENZENE SULFONIC ACID (85536-14-7)	
Biodegradation	> 70% 28 Days OECD
3-iodo-2-propynyl butylcarbamate; 3-iodoprop-2-yn-2-yl butylcarbamate (55406-53-6)	
Biodegradation	> 80%

12.3. Bioaccumulative potential

PLATINUM MICRO MASONRY BIOCIDES	
Bioaccumulative potential	Not established
3-iodo-2-propynyl butylcarbamate; 3-iodoprop-2-yn-2-yl butylcarbamate (55406-53-6)	
Partition coefficient n-octanol/water (Log Pow)	2.8

12.4. Mobility in soil

No additional information available.

12.5. Results of PBT and vPvB assessment

PLATINUM MICRO MASONRY BIOCIDES	
PBT: Not relevant. No registration required.	
PLATINUM MICRO MASONRY BIOCIDES	
vPvB: Not relevant. No registration required.	
Component	
3-iodo-2-propynyl butylcarbamate; 3-iodoprop-2-yn-2-yl butylcarbamate (55406-53-6)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII. This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII.

12.6. Other adverse effects





Additional information: Avoid release to the environment.

SECTION 13: Disposal Considerations**13.1. Waste treatment methods**

Waste treatment methods:	Dispose of contents/container in accordance with licensed collector's sorting instructions.
Product/Packaging disposal recommendations:	Dispose in a safe manner in accordance with local/national regulations. Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.
Ecology - waste materials:	Avoid release to the environment
European List of Waste (LoW) Code:	01 01 01 - wastes from mineral metalliferous excavation

SECTION 14: Transport information

In accordance with ADR / IMDG

ADR	IMDG
14.1. UN number	
UN 3264	UN 3264
14.2. UN proper shipping name	
CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.
Transport document description	
UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (CONTAINS ; DODECYLBENZENE SULFONIC ACID(85536-14-7)), 8, II, (E), ENVIRONMENTALLY HAZARDOUS	UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (CONTAINS; DODECYLBENZENE SULFONIC ACID (85536-14-7), 8, II, MARINE POLLUTANT/ENVIRONMENTALLY HAZARDOUS
14.3. Transport hazard class(es)	
 	 
14.4. Packing group	
II	II
14.5. Environmental hazards	
Dangerous for the environment : Yes	Dangerous for the environment : Yes Marine pollutant : Yes
No supplementary information available	

14.6. Special precautions for user

Overland transport

Classification code (ADR) :	C1		
Special provisions (ADR) :	274		
Limited quantities (ADR) :	1I		
Excepted quantities (ADR) :	E2		
Packing instructions (ADR) :	P001, IBC02		
Mixed packing provisions (ADR) :	MP15		
Portable tank and bulk container instructions (ADR) :	T11		
Portable tank and bulk container special provisions (ADR) :	TP2, TP27		
Tank code (ADR) :	L4BN		
Tank special provisions (ADR):	TU42		
Vehicle for tank carriage :	AT		
Transport category (ADR) :	2		
Hazard identification number (Kemler No.) :	80		
Orange plates :	<table border="1"><tr><td>80</td></tr><tr><td>3264</td></tr></table>	80	3264
80			
3264			

Tunnel restriction code (ADR) :	E
EAC code :	2X

Transport by sea

Special provisions (IMDG) :	274
Limited quantities (IMDG) :	1 L
Excepted quantities (IMDG) :	E2
Packing instructions (IMDG) :	P001
IBC packing instructions (IMDG) :	IBC02
Tank instructions (IMDG) :	T11
Tank special provisions (IMDG) :	TP2, TP27
EmS-No. (Fire) :	F-A
EmS-No. (Spillage) :	S-B
Stowage category (IMDG) :	B
Stowage and handling (IMDG) :	SW2
Segregation (IMDG) :	SGG1, SG36, SG49
Properties and observations (IMDG) :	Causes burns to skin, eyes and mucous membranes.

14.7. Transport in bulk according to Annex II of Marpol and the IBC code

Not applicable

SECTION 15: Regulatory Information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-regulations

REACH Annex XVII (Restriction list)

Contains no REACH substances with Annex XVII restrictions

REACH Annex XIV (Authorisation list)

Contains no REACH Annex XIV substances

REACH Candidate List (SVHC)

Contains no substance on the REACH candidate list

PIC Regulation (Prior Informed Consent)

Contains no substance subject to Regulation (EU) No 469/2012 of the European Parliament and of the council of 4 July 2012 concerning the import and export of hazardous chemicals.

POP Regulation (Persistent Organic Pollutants)

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the council of 20 June 2019 on persistent organic pollutants.

Ozone Regulation (1005/2009)

Contains no substance subject to Regulation (EU) No 1005/2009 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 September 2009 on substances that deplete to ozone layer.

Explosive Precursors Regulation (2019/1148)

Contains no substance subject to Regulation (EU) 2019/1148 of the European Parliament and of the council of 20 June 2019 on the marketing and use of explosive precursors.

Drug Precursors Regulations (273/2004)

Contains no substance(s) listed on the drug precursor list (Regulation EC 273/2004 on drug precursors).

15.1.2. National Regulations

No additional information available

15.2 Chemical Safety Assessment

A chemical safety assessment has been carried out

No chemical safety assessment has been carried out

Use only in accordance with Statutory Precautions given under the control of Pesticide Regulations 1986. HSE No. 7361. Professional use only. FOR USE ONLY AS A SURFACE BIOCIDES.

SECTION 16: Other Information

Indication of Changes			
Section	Changed Item	Change	Comments
	Supersedes	Added	
	Revision Date	Added	
	Carcinogenicity - Comment	Added	
	Germ cell mutagenicity - Comment	Added	
	Issue Date	Modified	
2.1	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Modified	
2.1	Adverse physicochemical, human health and environmental effects	Added	
2.1	Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]	Added	
2.2	Hazard Statement (CLP)	Modified	
2.2	Precautionary Statements (CLP)	Modified	
2.2	S-phrases	Removed	
2.2	R-phrases	Removed	
2.2	Extra phrases	Removed	
2.2	Hazard symbols	Modified	

SECTION 16: Other Information Continued.

Indication of Changes			
Section	Changed Item	Change	Comments
3	Composition information on ingredients	Modified	
4.1	First-aid measures after skin contact	Modified	
4.1	First-aid measures after inhalation	Modified	
4.1	First-aid measures after ingestion	Modified	
4.1	First-aid measures general	Modified	
4.2	Symptoms/effects after skin contact	Added	
4.2	Symptoms/effects after eye contacts	Added	
4.2	Symptoms/effects after ingestion	Modified	
4.3	Other medical advice or treatment	Added	
5.2	Hazardous decomposition products in case of fire	Added	
5.3	Protection during fire fighting	Modified	
6.1	Protective equipment	Modified	
6.1	Emergency procedures	Modified	
6.3	Other information	Added	
6.3	For containment	Added	
6.3	Methods for cleaning up	Modified	
6.4	Reference to other sections (8, 13)	Modified	
7.1	Hygiene measures	Modified	
7.1	Precautions for safe handling	Modified	
7.2	Storage conditions	Modified	
8.2	Personal protective equipment	Modified	
8.2	Environmental exposure controls	Added	
8.2	Appropriate engineering controls	Added	
8.2	Respiratory controls	Modified	
8.2	Eye protection	Modified	
9.1	Melting point	Added	
10.2	Chemical stability	Modified	
10.3	Possibilities of hazardous reactions	Modified	
11.1	ATE CLP (oral)	Modified	
12.1	Ecology - general	Added	
13.1	Waste treatment methods	Added	
15.2	Chemical safety assessment	Modified	

Data sources: REGULATION (EC) NO 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 Classification, labelling and packaging of substances and mixtures, amending and appealing directives, 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Other information: None.

Full text of H- and EUH- statements:	
Acute Tox. 3 (inhalation)	Acute toxicity (inhalation), Category 3
Acute Tox. 3 (inhalation: dust, mist)	Acute toxicity (inhalation: dust, mist), Category 3
Acute Tox. 4 (oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment - Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment - Chronic Hazard, Category 1
Aquatic Chronic 3	Hazardous to the aquatic environment - Chronic Hazard, Category 3
Asp. Tox. 1	Aspiration hazard, Category 1
Carc. 1B	Carcinogenicity, Category 1B
Eye Dam. 1	Serious eye damage/ eye irritation, Category 1
H290	May be corrosive to metals
H302	Harmful if swallowed
H304	May be fatal if swallowed and enters airways
H314	Causes severe burns and eye damage
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H331	Toxic if inhaled
H340	May cause genetic defects
H350	May cause cancer
H372	Causes damage to organs through prolonged or repeated exposure
H373	May causes damage to organs through prolonged or repeated exposure
H400	Very toxic to aquatic life
H410	Very toxic to aquatic life with long-lasting effects
H411	Toxic to aquatic life with long-lasting effects
H412	Harmful to aquatic life with long-lasting effects
Met. Corr. 1	Corrosive to metals, Category 1
Muta. 1B	Germ cell mutagenicity, Category 1B
Skin Corr. 1	Skin corrosion/irritation, Category 1
Skin Corr. 1A	Skin corrosion/irritation, Category 1, Sub-category 1A
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin sens. 1	Skin sensitisation, Category 1
STOT RE 1	Specific target organ toxicity - Repeated exposure, Category 1

Safety data sheet (SDS), EU

The information provided in this safety data sheet is correct to the best of our knowledge, information and belief at the date of publication. The information provided is designed only as guidance for safe use, processing, handling, storage, transport, release and disposal. It is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for us in combination with any other materials or in any process, unless specified in this safety data sheet.