

# SAFETY DATA SHEET

Based upon Regulation (EC) No. 1907/2006, as amended by Regulation (EC) No. 453/2010

# Soudal SMX 506

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier:

Product name : Soudal SMX 506 Registration number REACH : Not applicable (mixture)

Product type REACH : Mixture

1.2 Relevant identified uses of the substance or mixture and uses advised against:

## 1.2.1 Relevant identified uses

Sealant

#### 1.2.2 Uses advised against

No uses advised against known

#### 1.3 Details of the supplier of the safety data sheet:

### Supplier of the safety data sheet

SOUDAL N.V. Everdongenlaan 18-20 B-2300 Turnhout **2** +32 14 42 42 31 +32 14 42 65 14 msds@soudal.com

#### Manufacturer of the product

SOUDAL N.V. Everdongenlaan 18-20 B-2300 Turnhout **2** +32 14 42 42 31 +32 14 42 65 14 msds@soudal.com

#### 1.4 Emergency telephone number:

24h/24h (Telephone advice: English, French, German, Dutch): +32 14 58 45 45 (BIG)

# SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture:

#### 2.1.1 Classification according to Regulation EC No 1272/2008

Not classified as dangerous according to the criteria of Regulation (EC) No 1272/2008

# 2.1.2 Classification according to Directive 67/548/EEC-1999/45/EC

Not classified as dangerous according to the criteria of Directive(s) 67/548/EEC and/or 1999/45/EC

#### 2.2 Label elements:

#### Labelling according to Regulation EC No 1272/2008 (CLP)

Not classified as dangerous according to the criteria of Regulation (EC) No 1272/2008

### Labelling according to Directive 67/548/EEC-1999/45/EC (DSD/DPD)

Not classified as dangerous in compliance with Directive 67/548/EEC and/or Directive 1999/45/EC

# 2.3 Other hazards:

CLP

Slightly irritant to eyes

DSD/DPD

Slightly irritant to eyes

# SECTION 3: Composition/information on ingredients

#### 3.1 Substances:

Not applicable

Created by: Brandweerinformatiecentrum voor gevaarlijke stoffen vzw (BIG)

Technische Schoolstraat 43 A, B-2440 Geel

http://www.big.be © BIG vzw

Reason for revision: ATP4 Revision number: 0300

Publication date: 2010-09-06 Date of revision: 2014-11-04

1/13

Product number: 51088

#### 3.2 Mixtures:

Name REACH Registration No		CAS No EC No	(,Obc ((,)	Classification according to DSD/DPD	Classification according to CLP	Note	Remark
trimethoxyvinylsilane 01-2119513215-52		2768-02-7 220-449-8	1% <c<10 <mark>%</mark></c<10 	*	Flam. Liq. 3; H226 Acute Tox. 4; H332	(1)(10)	Constituent
hydrocarbons, C13-C23, n-alkar cyclics, <0.03% aromatics 01-2119552497-29	es, isoalkanes,		1% <c<10 %</c<10 	Xn; R65	Asp. Tox. 1; H304	(1)(10)	Constituent
reaction mass of: N,N'-ethane-1 diylbis(hexanamide)/12-hydrox oxyhexyl)amino]ethyl]octadeca ethane-1,2-diylbis(12-hydroxyo 01-0000017860-69	y-N-[2-[(1- namide/N,N'-	432-430-3	1% <c<10 %</c<10 	R53	Aquatic Chronic 4; H413	(1)	Constituent

<sup>(1)</sup> For R-phrases and H-statements in full: see heading 16

# **SECTION 4: First aid measures**

### 4.1 Description of first aid measures:

General:

If you feel unwell, seek medical advice.

After inhalation:

Remove the victim into fresh air. Respiratory problems: consult a doctor/medical service.

After skin contact:

Rinse with water. Soap may be used. Take victim to a doctor if irritation persists.

After eye contact:

Rinse with water. Take victim to an ophthalmologist if irritation persists.

After ingestion:

Rinse mouth with water. Consult a doctor/medical service if you feel unwell.

#### 4.2 Most important symptoms and effects, both acute and delayed:

4.2.1 Acute symptoms

After inhalation:

No effects known.

After skin contact:

No effects known.

After eye contact:

Slight irritation.

After ingestion:

No effects known.

4.2.2 Delayed symptoms

No effects known.

## 4.3 Indication of any immediate medical attention and special treatment needed:

If applicable and available it will be listed below.

# SECTION 5: Firefighting measures

#### 5.1 Extinguishing media:

5.1.1 Suitable extinguishing media:

Water spray. Polyvalent foam. ABC powder. Carbon dioxide.

5.1.2 Unsuitable extinguishing media:

No unsuitable extinguishing media known.

### 5.2 Special hazards arising from the substance or mixture:

Upon combustion: formation of CO, CO2 and small quantities of nitrous vapours, hydrogen chloride.

#### 5.3 Advice for firefighters:

5.3.1 Instructions:

No specific fire-fighting instructions required.

5.3.2 Special protective equipment for fire-fighters:

Gloves. Protective clothing. Heat/fire exposure: compressed air/oxygen apparatus.

## SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures:

No naked flames.

Reason for revision: ATP4 Publication date: 2010-09-06
Date of revision: 2014-11-04

Revision number: 0300 Product number: 51088 2 / 13

<sup>(10)</sup> Subject to restrictions of Annex XVII of Regulation (EC) No. 1907/2006

### 6.1.1 Protective equipment for non-emergency personnel

See heading 8.2

#### 6.1.2 Protective equipment for emergency responders

Gloves. Protective clothing.

Suitable protective clothing

See heading 8.2

#### 6.2 Environmental precautions:

Contain leaking substance. Use appropriate containment to avoid environmental contamination.

#### 6.3 Methods and material for containment and cleaning up:

Scoop solid spill into closing containers. Clean contaminated surfaces with a soap solution. Wash clothing and equipment after handling.

#### 6.4 Reference to other sections:

See heading 13.

# SECTION 7: Handling and storage

The information in this section is a general description. If applicable and available, exposure scenarios are attached in annex. Always use the relevant exposure scenarios that correspond to your identified use.

#### 7.1 Precautions for safe handling:

Keep away from naked flames/heat. Observe normal hygiene standards. Keep container tightly closed. Remove contaminated clothing immediately.

### 7.2 Conditions for safe storage, including any incompatibilities:

#### 7.2.1 Safe storage requirements:

Storage temperature: 20 °C. Store in a dry area. Keep container in a well-ventilated place. Store at room temperature. Meet the legal requirements. Max. storage time: 1 year(s).

#### 7.2.2 Keep away from:

Heat sources, water/moisture.

#### 7.2.3 Suitable packaging material:

Synthetic material.

#### 7.2.4 Non suitable packaging material:

No data available

#### 7.3 Specific end use(s):

If applicable and available, exposure scenarios are attached in annex. See information supplied by the manufacturer.

# SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters:

### 8.1.1 Occupational exposure

#### a) Occupational exposure limit values

If limit values are applicable and available these will be listed below.

#### b) National biological limit values

If limit values are applicable and available these will be listed below.

#### 8.1.2 Sampling methods

If applicable and available it will be listed below.

### 8.1.3 Applicable limit values when using the substance or mixture as intended

If limit values are applicable and available these will be listed below.

#### 8.1.4 DNEL/PNEC values

### **DNEL - Workers**

trimethoxyvinylsilane

	Effect level (DNEL/DMEL)  DNEL		Туре	Value	Remark			
			Long-term systemic effects dermal	0.69 mg/kg bw/day				
			Long-term systemic effects inhalation	4.9 mg/m³				
1.	.1	1						

hydrocarbons, C13-C23, n-alkanes, isoalkanes, cyclics, <0.03% aromatics

Effect level (DNEL/DMEL)	Туре	Value	Remark
		No data available	

#### DNEL - General population

trimethoxyvinylsilane

Effect level (DNEL/DMEL)		Туре	Value	Remark
DNEL		Acute systemic effects dermal	26.9 mg/kg bw/day	
		Acute systemic effects inhalation	93.4 mg/m³ day	
		Long-term systemic effects dermal	0.3 mg/kg bw/day	
		Long-term systemic effects inhalation	1.04 mg/m³	
		L <mark>ong-term systemic effec</mark> ts oral	0.3 mg/kg bw/day	
vdrocarbons C13-C23 n	-alkanes isc	nalkanes cyclics <0.03% aromatics		<u> </u>

hy	drocarbons,	C13-C23,	n-alkanes,	isoalkanes,	cyclics,	<0.03% aromatics	

ffect level (DNEL/DMEL) Type		Value	Remark
		No data available	

Reason for revision: ATP4 Publication date: 2010-09-06
Date of revision: 2014-11-04

Revision number: 0300 Product number: 51088 3 / 13

#### **PNEC**

<u>trimethoxyvinylsilane</u>

Compartments	Value	Remark
Fresh water	0.34 mg/l	
Marine water	0.034 mg/l	
Aqua (intermittent rele <mark>ases)</mark>	3.4 mg/l	
STP	110 mg/l	
Fresh water sediment	1.24 mg/kg sediment dw	
Marine water sediment	0.12 mg/kg sediment dw	
Soil	0.052 mg/kg soil dw	

hydrocarbons, C13-C23, n-alkanes, isoalkanes, cyclics, <0.03% aromatics

Compartments	Value	Remark	
	No data available		

#### 8.1.5 Control banding

If applicable and available it will be listed below.

## 8.2 Exposure controls:

The information in this section is a general description. If applicable and available, exposure scenarios are attached in annex. Always use the relevant exposure scenarios that correspond to your identified use.

#### 8.2.1 Appropriate engineering controls

Keep away from naked flames/heat. Carry operations in the open/under local exhaust/ventilation or with respiratory protection.

#### 8.2.2 Individual protection measures, such as personal protective equipment

Observe normal hygiene standards. Keep container tightly closed. Do not eat, drink or smoke during work.

#### a) Respiratory protection:

Insufficient ventilation: wear respiratory protection.

#### b) Hand protection:

Gloves.

#### c) Eye protection:

Eye protection not required in normal conditions.

#### d) Skin protection:

Protective clothing.

#### 8.2.3 Environmental exposure controls:

See headings 6.2, 6.3 and 13

# SECTION 9: Physical and chemical properties

# 9.1 Information on basic physical and chemical properties:

Physical form	Paste
Odour	<u>Characteristic</u> odour
Odour threshold	No data available
Colour	Variable in colour, depending on the composition
Particle size	Not applicable
Explosion limits	No data available
Flammability	Not easily combustible
Log Kow	Not applicable (mixture)
Dynamic viscosity	No data available
Kinematic viscosity	No data available
Melting point	No data available
Boiling point	No data available
Flash point	> 240 °C
Evaporation rate	No data available
Relative vapour density	No data available
Vapour pressure	No data available
Solubility	water ; insoluble
	organic solvents ; soluble
Relative density	1.4; 20°C
Decomposition temperature	No data available
Auto-ignition temperatu <mark>re</mark>	No data available
Explosive properties	No chemical group associated with explosive properties
Oxidising properties	No chemical group associated with oxidising properties
рН	No data available

## 9.2 Other information:

_			
	Surface tension	No data availa	ble
	Absolute density	1400 kg/m³; 2	0°C

# SECTION 10: Stability and reactivity

### 10.1 Reactivity:

Reason for revision: ATP4	Publication date: 2010-09-06
	Date of revision: 2014-11-04

Revision number: 51088 4 / 13

Heating increases the fire hazard. No data available.

#### 10.2 Chemical stability:

Stable under normal conditions.

### 10.3 Possibility of hazardous reactions:

No data available.

#### 10.4 Conditions to avoid:

Keep away from naked flames/heat.

### 10.5 Incompatible materials:

Water/moisture.

### 10.6 Hazardous decomposition products:

Upon combustion: formation of CO, CO2 and small quantities of nitrous vapours, hydrogen chloride.

# SECTION 11: Toxicological information

### 11.1 Information on toxicological effects:

11.1.1 Test results

#### Acute toxicity

Soudal SMX 506

No (test)data on the mixture available

trimethoxyvinylsilane

Route of exposure	Parameter	Method	Value	Exposure time		Value determination	Remark
Oral	LD50	Equivalent to OECD 401	7120 mg/kg		Rat (male)	Experimental value	
Oral	LD50	Equivalent to OECD 401	7236 mg/kg bw		Rat (female)	Experimental value	
Dermal	LD50	Equivalent to OECD 402	3.36 ml/kg bw		Rabbit (male/female)	Experimental value	
Inhalation (vapours)	LC50	Equivalent to OECD 403	<mark>2773 pp</mark> m	4 h	Rat (male/female)	Experimental value	

hydrocarbons, C13-C23, n-alkanes, isoalkanes, cyclics, <0.03% aromatics

Route of exposure	Parameter	Method	Value	Exposure time	Species	Value	Remark
						determination	
Oral	LD50	OECD 401	>5000 mg/kg bw		Rat (male/female)	Experimental value	
Dermal	LD50	OECD 402	<mark>&gt;3160 m</mark> g/kg bw	24 h	Rabbit	Experimental value	
					(male/female)		
Inhalation (aerosol)	LC50	OECD 403	>5266 mg/m³ air	4 h	Rat (male/female)	Experimental value	

reaction mass of: N,N'-ethane-1,2-diylbis(hexanamide)/12-hydroxy-N-[2-[(1-oxyhexyl)amino]ethyl]octadecanamide/N,N'-ethane-1,2-diylbis(12-

<u>hydroxyoctadecanamide</u>)

Route of exposure	Parameter	Method	Value	Exposure time	- P	Value determination	Remark
Oral	LD50		> 2000 mg/kg		Rat	Literature study	
Dermal	LD50		<mark>&gt; 2000 m</mark> g/kg		Rat	Literature study	

Judgement is based on the relevant ingredients

#### Conclusion

Not classified for acute toxicity

### Corrosion/irritation

Soudal SMX 506

No (test)data on the mixture available

 $\underline{\mathsf{trimethoxyvinylsilane}}$ 

Route of exposure Result		Method	ethod Exposure time		Species	Value	Remark
						determination	
Eye	Not irrit <mark>ating</mark>	OECD 405	24 h	1; 24; 48; 72 hours	Rabbit	Experimental value	
Skin	Not irritating	Other	24 h	24; 48; 72 hours	Rabbit	Experimental value	

hydrocarbons, C13-C23, n-alkanes, isoalkanes, cyclics, <0.03% aromatics

Route of exposure	Result	Method	Exposure time	Time point		Value determination	Remark
Eye	Not irritating	OECD 405	24 h	24; 48; 72 hours		Experimental value	
Skin	Not irrit <mark>ating</mark>	OECD 404	4 h	24; 48; 72 hours	Rabbit	Experimental value	
Skin	Not irritating	Other	24 h	21. 18. 72 hours	Human	Evnerimental value	

Judgement is based on the relevant ingredients

Conclusion

Not classified as irritating to the skin

Reason for revision: ATP4 Publication date: 2010-09-06
Date of revision: 2014-11-04

Revision number: 0300 Product number: 51088 5/13

Not classified as irritating to the eyes

#### Respiratory or skin sensitisation

Soudal SMX 506

No (test)data on the mixture available

trimethoxyvinylsilane

Route of exposure	Result	Method	Exposure time	Observation time point	Species	Value determination	Remark
Skin	Not sen <mark>sitizir</mark>	ng OECD 406			Guinea pig (male/female)	Experimental value	

hydrocarbons, C13-C23, n-alkanes, isoalkanes, cyclics, <0.03% aromatics

Route of exposure	Result	Method		Observation time point	Species	Value determination Remark
Skin	Not sens <mark>itizing</mark>	OECD 406	24 h		Guinea pig (female)	Read-across
Skin	Not sensitizing	Other	216 h	,	Human (male/female)	Experimental value

reaction mass of: N,N'-ethane-1,2-diylbis(hexanamide)/12-hydroxy-N-[2-[(1-oxyhexyl)amino]ethyl]octadecanamide/N,N'-ethane-1,2-diylbis(12-

hydroxyoctadecanamide)

Route of exposure	Result	Method	 Observation time point	Species	Value determination I	Remark
Skin	Not sensitizing	OECD 429		Mouse	Experimental value	

Judgement is based on the relevant ingredients

Conclusion

Not classified as sensitizing for skin

#### Specific target organ toxicity

Soudal SMX 506

No (test)data on the mixture available

 $\underline{\mathsf{trim}}\underline{\mathsf{ethoxyvinylsilane}}$ 

Route of exposure	Parameter	Method	Value	Organ	Effect	Exposure time	Species	Value
								determination
Oral (stomach	LOAEL	OECD 422	62.5 mg/kg	Thymus	Weight	6 - 8 weeks (daily)	Rat	Experimental
tube)			bw/day		reduction		(male/female)	value
Inhalation	LOAEC	Other	100 ppm		Change in urine	14 weeks (6h/day, 5	Rat	Experimental
(vapours)					composition	days/week)	(male/female)	value
Inhalation	NOAEC	Other	10 ppm		No effect	14 weeks (6h/day, 5	Rat	Experimental
(vapours)						days/week)	(male/female)	value

hydrocarbons, C13-C23, n-alkanes, isoalkanes, cyclics, <0.03% aromatics

Parameter	Method	Value	Organ	Effect	Exposure time	Species	Value
							determination
NOAEL	Equivalent to	≥5000 mg/kg		No effect	13 weeks (daily)	Rat	Read-across
	OECD 408	bw/day				(male/female)	
NOAEC	Equivalent to	>10400 mg/m <sup>3</sup>		No effect	13 weeks (6h/day, 5	Rat	Read-across
	OECD 413	air			days/week)	(male/female)	
	NOAEL NOAEC	NOAEL Equivalent to OECD 408  NOAEC Equivalent to	NOAEL Equivalent to DECD 408 bw/day  NOAEC Equivalent to >10400 mg/m³	NOAEL Equivalent to OECD 408 bw/day  NOAEC Equivalent to >10400 mg/m³	NOAEL Equivalent to OECD 408 bw/day  NOAEC Equivalent to >10400 mg/m³ No effect  No effect	NOAEL Equivalent to OECD 408 bw/day  NOAEC Equivalent to >10400 mg/m³  No effect 13 weeks (daily)  No effect 13 weeks (6h/day, 5	NOAEL Equivalent to OECD 408 bw/day  NO AEC Equivalent to >10400 mg/m³  No effect 13 weeks (daily)  No effect 13 weeks (6h/day, 5 Rat

reaction mass of: N,N'-ethane-1,2-diylbis(hexanamide)/12-hydroxy-N-[2-[(1-oxyhexyl)amino]ethyl]octadecanamide/N,N'-ethane-1,2-diylbis(12-iyldroxy-N-12-[(1-oxyhexyl)amino]ethyl]octadecanamide/N,N'-ethane-1,2-diylbis(12-iyldroxy-N-12-[(1-oxyhexyl)amino]ethyl]octadecanamide/N,N'-ethane-1,2-diylbis(12-iyldroxy-N-12-[(1-oxyhexyl)amino]ethyl]octadecanamide/N,N'-ethane-1,2-diylbis(12-iyldroxy-N-12-[(1-oxyhexyl)amino]ethyl]octadecanamide/N,N'-ethane-1,2-diylbis(12-iyldroxy-N-12-[(1-oxyhexyl)amino]ethyl]octadecanamide/N,N'-ethane-1,2-diylbis(12-iyldroxy-N-12-[(1-oxyhexyl)amino]ethyl]octadecanamide/N,N'-ethane-1,2-diylbis(12-iyldroxy-N-12-[(1-oxyhexyl)amino]ethyl]octadecanamide/N,N'-ethane-1,2-diylbis(12-iyldroxy-N-12-[(1-oxyhexyl)amino]ethyl]octadecanamide/N,N'-ethane-1,2-diylbis(12-iyldroxy-N-12-[(1-oxyhexyl)amino]ethyl]octadecanamide/N,N'-ethane-1,2-diylbis(12-iyldroxy-N-12-[(1-oxyhexyl)amino]ethyl]octadecanamide/N,N'-ethane-1,2-diylbis(12-iyldroxy-N-12-[(1-oxyhexyl)amino]ethyl]octadecanamide/N,N'-ethane-1,2-diylbis(12-iyldroxy-N-12-[(1-oxyhexyl)amino]ethyl]octadecanamide/N,N'-ethane-1,2-diylbis(12-iyldroxy-N-12-[(1-oxyhexyl)amino]ethylloctadecanamide/N,N'-ethane-1,2-diylbis(12-iyldroxy-N-12-[(1-oxyhexyl)amino]ethylloctadecanamide/N,N'-ethane-1,2-diylbis(12-iyldroxy-N-12-[(1-oxyhexyl)amino]ethylloctadecanamide/N,N'-ethane-1,2-diylbis(12-iyldroxy-N-12-[(1-oxyhexyl)amino]ethylloctadecanamide(N-12-[(1-oxyhexyl)amino]ethylloctadecanamide(N-12-[(1-oxyhexyl)amino]ethylloctadecanamide(N-12-[(1-oxyhexyl)amino]ethylloctadecanamide(N-12-[(1-oxyhexyl)amino]ethylloctadecanamide(N-12-[(1-oxyhexyl)amino]ethylloctadecanamide(N-12-[(1-oxyhexyl)amino]ethylloctadecanamide(N-12-[(1-oxyhexyl)amino]ethylloctadecanamide(N-12-[(1-oxyhexyl)amino]ethylloctadecanamide(N-12-[(1-oxyhexyl)amino]ethylloctadecanamide(N-12-[(1-oxyhexyl)amino]ethylloctadecanamide(N-12-[(1-oxyhexyl)amino]ethylloctadecanamide(N-12-[(1-oxyhexyl)amino]ethylloctadecanamide(N-12-[(1-oxyhexyl)amino]ethylloctadecanamide(N-12-[(1-oxyhexyl)amino]ethylloctadecanamide(N-12-[(1-o

<u>hydroxyoctadecanamide)</u>

Route of exposure	Parameter	Method	Value	Organ	Effect	Exposure time		Value determination
Oral	NOAEL		1000 mg/kg bw/day		No effect	28 day(s)	Rat	Literature study

Judgement is based on the relevant ingredients

Conclusion

Not classified for subchronic toxicity

Mutagenicity (in vitro)

Soudal SMX 506

No (test)data on the mixture available

Reason for revision: ATP4 Publication date: 2010-09-06
Date of revision: 2014-11-04

Revision number: 0300 Product number: 51088 6/13

<u>trimethoxyvinylsilane</u>					
Result		Method	Test substrate	Effect	Value determination
Positive with metabolic activation, positive without metabolic activation		OECD 473	CHL/IU cells	Chromosome aberrations	Experimental value
Negative with metabolic activation, negative withou metabolic activation		OECD 476	Chinese hamster ovary (CHO)	No effect	Experimental value
Negative with metabolic activation, negative withou metabolic activation		OECD 471	Bacteria (S.typhimurium)	No effect	Experimental value
Negative with metabolic activation, negative withou metabolic activation	it	OECD 471	Escherichia coli	No effect	Experimental value

hydrocarbons, C13-C23, n-alkanes, isoalkanes, cyclics, <0.03% aromatics

Method

Result	Method	Test substrate	Effect	Value determination
Negative	Equivalent to OECD 471	Bacteria (S.typhimurium)		Experimental value

reaction mass of: N,N'-ethane-1,2-diylbis(hexanamide)/12-hydroxy-N-[2-[(1-oxyhexyl)amino]ethyl]octadecanamide/N,N'-ethane-1,2-diylbis(12-nydroxy-N-1)

Exposure time

hydroxyoctadecanamide)

Result	Method	Test substrate	Effect	Value determination
Negative	Ames test	Bacteria (S.typhimurium)		Literature study
Negative	Ames test	Escherichia coli		Literature study
Negative	Chromosome aberration assay	Human lymphocytes		Literature study

### Mutagenicity (in vivo)

# Soudal SMX 506

No (test)data on the mixture available

 $\underline{\mathsf{trim}}\underline{\mathsf{ethoxyvinylsilane}}$ Result

	Negative		EPA 560/6-83-001		Mouse (male/female)	Blood	Experimental value				
hyd	hydrocarbons, C13-C23, n-alkanes, isoalkanes, cyclics, <0.03% aromatics										
			Method	Exposure time	Test substrate	Organ	Value determination				
			Equivalent to OECD	<mark>8 we</mark> eks (6h/day, 5	Mouse (male)		Read-across				
			483	<mark>days/</mark> week)							

Test substrate

Organ

Value determination

Result			Exposure time	lest substrate	Organ	Value determination
Negative		Equivalent to OECD	<mark>8 we</mark> eks (6h/day, 5	Mouse (male)		Read-across
		483	days/week)			
Negative		Equivalent to OECD 475		Rat (male/female)		Read-across
Negative		Equivalent to OECD 474		Mouse (male/female)		Read-across

# Carcinogenicity

Soudal SMX 506

No (test)data on the mixture available

### Reproductive toxicity

Soudal SMX 506

No (test)data on the mixture available

trimethoxyvinylsilane

	Parameter	Method	Value	Exposure time	Species	Effect	Organ	Value determination
Developmental toxicity	NOAEL	EPA OTS 798.4350	100 ppm	10 days (6h/day)	Rat (female)	No effect		Experimental value
Maternal toxicity	NOAEL	EPA OTS 798.4350	25 ppm	10 days (6h/day)	Rat (female)	No effect		Experimental value
Effects on fertility	NOAEL (F1)	OECD 422	1000 mg/kg bw/day	6 - 8 week(s)	Rat (male/female)	No effect		Experimental value
	NOAEL (P)	OECD 422	1000 mg/kg bw/day	8 week(s)	Rat (male)	No effect		Experimental value
	NOAEL (P)	OECD 422	250	6 week(s)	Rat (female)	No effect		Experimental value

Reason for revision: ATP4 Publication date: 2010-09-06 Date of revision: 2014-11-04

Revision number: 0300 Product number: 51088 7/13

hydrocarbons, C13-C23, n-alkanes, isoalkanes, cyclics, <0.03% aromatics

	Parameter	Method	Value	Exposure time	Species	Effect	Organ	Value determination
Developmental toxicity	NOAEL	Equivalent to OECD 414	>1000 mg/kg bw/day	10 day(s)	Rat	No effect		Experimental value
Effects on fertility	NOAEC	Equivalent to OECD 416	≥1500 ppm	13 weeks (6h/day, 5 days/week)	Rat (male/female)	No effect		Read-across
	NOAEC	Equivalent to OECD 421	≥300 ppm	8 weeks (6h/day, 5 days/week)	Rat (male/female)	No effect		Read-across
	NOAEL	Equivalent to OECD 422	>1000 mg/kg bw/day	6 weeks (daily)	Rat (male/female)	No effect		Read-across

Judgement is based on the relevant ingredients

**Conclusion CMR** 

Not classified for carcinogenicity

Not classified for mutagenic or genotoxic toxicity

Not classified for reprotoxic or developmental toxicity

Toxicity other effects

Soudal SMX 506

No (test)data on the mixture available

Chronic effects from short and long-term exposure

Soudal SMX 506

No effects known.

# SECTION 12: Ecological information

## 12.1 Toxicity:

Soudal SMX 506

No (test)data on the mixture available

trimethoxyvinylsilane

	Parameter	Method	Value	Duration	Species	Test design	Fresh/salt	Value determination
							water	
Acute toxicity fishes	LC50		191 mg/l	96 h	Oncorhynchus		Fresh water	Experimental value;
					mykiss			Nominal
								concentration
Acute toxicity invertebrates	EC50	EU Method	168.7 mg/l	48 h	Daphnia magna	Static system	Fresh water	Experimental value;
		C.2						GLP
Toxicity algae and other aquation	EC50	EPA 67014-	<mark>210 mg/</mark> l	7 day(s)	Pseudokirchnerie	Static system	Fresh water	Experimental value;
plants		73-0			lla subcapitata			Nominal
								concentration

hydrocarbons, C13-C23, n-alkanes, isoalkanes, cyclics, <0.03% aromatics

		Parameter	Method	Value	Duration	Species	Test design	Fresh/salt water	Value determination
Acute toxicity fishes		LC50	OECD 203	>1028 mg/l	96 h	Scophthalmus maximus			Experimental value
Acute toxicity invertebrates		LC50	Other	>3193 mg/l	48 h	Acartia tonsa			Experimental value
Toxicity algae and other aqua plants	tic	ErC50	ISO 10253	>10000 mg/l	72 h	Skeletonema costatum			Experimental value
Long-term toxicity fish		NOEL		>1000 mg/l	28 day(s)	Oncorhynchus mykiss			QSAR
Long-term toxicity aquatic invertebrates		NOEL		>1000 mg/l	21 day(s)	Daphnia magna			QSAR
Toxicity aquatic micro- organisms		EC50	OECD 209	>100 mg/l	3 h	Activated sludge	Static system	Fresh water	Experimental value

reaction mass of: N,N'-ethane-1,2-diylbis(hexanamide)/12-hydroxy-N-[2-[(1-oxyhexyl)amino]ethyl]octadecanamide/N,N'-ethane-1,2-diylbis(12-nydroxy-N-[2-[(1-oxyhexyl)amino]ethyl]octadecanamide/N,N'-ethane-1,2-diylbis(12-nydroxy-N-[2-[(1-oxyhexyl)amino]ethyl]octadecanamide/N,N'-ethane-1,2-diylbis(12-nydroxy-N-[2-[(1-oxyhexyl)amino]ethyl]octadecanamide/N,N'-ethane-1,2-diylbis(12-nydroxy-N-[2-[(1-oxyhexyl)amino]ethyl]octadecanamide/N,N'-ethane-1,2-diylbis(12-nydroxy-N-[2-[(1-oxyhexyl)amino]ethyl]octadecanamide/N,N'-ethane-1,2-diylbis(12-nydroxy-N-[2-[(1-oxyhexyl)amino]ethyl]octadecanamide/N,N'-ethane-1,2-diylbis(12-nydroxy-N-[2-[(1-oxyhexyl)amino]ethyl]octadecanamide/N,N'-ethane-1,2-diylbis(12-nydroxy-N-[2-[(1-oxyhexyl)amino]ethyl]octadecanamide/N,N'-ethane-1,2-diylbis(12-nydroxy-N-[2-[(1-oxyhexyl)amino]ethyl]octadecanamide/N,N'-ethane-1,2-diylbis(12-nydroxy-N-[2-[(1-oxyhexyl)amino]ethyl]octadecanamide/N,N'-ethane-1,2-diylbis(12-nydroxy-N-[2-[(1-oxyhexyl)amino]ethyl]octadecanamide/N,N'-ethane-1,2-diylbis(12-nydroxy-N-[2-[(1-oxyhexyl)amino]ethyl]octadecanamide/N,N'-ethane-1,2-diylbis(12-nydroxy-N-[2-[(1-oxyhexyl)amino]ethyl]octadecanamide/N,N'-ethane-1,2-diylbis(12-nydroxy-N-[2-[(1-oxyhexyl)amino]ethylloctadecanamide/N,N'-ethane-1,2-diylbis(12-nydroxy-N-[2-[(1-oxyhexyl)amino]ethylloctadecanamide/N,N'-ethane-1,2-diylbis(12-nydroxy-N-[2-[(1-oxyhexyl)amino]ethylloctadecanamide/N,N'-ethane-1,2-diylbis(12-nydroxy-N-[2-[(1-oxyhexyl)amino]ethylloctadecanamide/N,N'-ethane-1,2-diylbis(12-nydroxy-N-[2-[(1-oxyhexyl)amino]ethylloctadecanamide/N,N'-ethane-1,2-diylbis(12-nydroxy-N-[2-[(1-oxyhexyl)amino]ethylloctadecanamide/N,N'-ethane-1,2-diylbis(12-nydroxy-N-[2-[(1-oxyhexyl)amino]ethylloctadecanamide/N,N'-ethane-1,2-diylbis(12-nydroxy-N-[2-[(1-oxyhexyl)amino]ethylloctadecanamide/N,N'-ethane-1,2-diylbis(12-nydroxy-N-[2-[(1-oxyhexyl)amino]ethylloctadecanamide/N,N'-ethane-1,2-diylbis(12-nydroxy-N-[2-[(1-oxyhexyl)amino]ethylloctadecanamide/N,N'-ethane-1,2-diylbis(12-nydroxy-N-[2-[(1-oxyhexyl)amino]ethylloctadecanamide/N,N'-ethane-1,2-

hvdroxvoctadecanamide)

iyuroxyoctauecariariiue)								
	Parameter	Method	Value	Duration	Species	Test design	Fresh/salt	Value determination
							water	
Acute toxicity fishes	LC50		> 1000 mg/l	96 h	Oncorhynchus			Literature study
					mykiss			-
Acute toxicity invertebrates	EC50		> 1000 mg/l	48 h	Daphnia magna			Literature study
Toxicity algae and other aquatic	EC50	EPIWIN 3.10	85 mg/l	96 h	Algae			Calculated value
plants								
Long-term toxicity aquatic	NOEC		0.9 mg/l	21 day(s)	Daphnia magna	Semi-static	Fresh water	Experimental value
invertebrates						system		

Reason for revision: ATP4 Publication date: 2010-09-06
Date of revision: 2014-11-04

Revision number: 0300 Product number: 51088 8 / 13

Judgement is based on the relevant ingredients of the mixture

Not classified as dangerous for the environment according to the criteria of Regulation (EC) No 1272/2008

; No effect

; No effect

### 12.2 Persistence and degradability:

trimethoxyvinylsilane

Biodegradation water

	Method	Value	Duration	Value determination	ı
	OECD 301F: Manometric Respirometry Test	51 %; GLP	28 day(s)	Experimental value	1
D	hototransformation air (DT50 air)				

Method	Value	Conc. OH-radicals	Value determination
	0.56 day(s)	500000 /cm³	Calculated value

Half-life water (t1/2 water)

Method	Value	Primary degradation/mineralisation	Value determination	
OECD 111: Hydrolysis as a function of pH	< 2.4 h; pH = 7	Primary degradation	Weight of evidence	

hydrocarbons, C13-C23, n-alkanes, isoalkanes, cyclics, <0.03% aromatics

Biodegradation water

	ivietnoa	value	Duration	value determination	
	OECD 306: Biodegradability in Seawater	74 %	28 day(s)	Experimental value	
P	hototransformation water (DT50 water)				
	Method	Value	Conc. OH-radicals	Value determination	

Method

Half-life soil (t1/2 soil)			
Method	Value	Primary	Value determination
		degradation/mineralisation	

reaction mass of: N,N'-ethane-1,2-diylbis(hexanamide)/12-hydroxy-N-[2-[(1-oxyhexyl)amino]ethyl]octadecanamide/N,N'-ethane-1,2-diylbis(12-pydroxy-N-[2-[(1-oxyhexyl)amino]ethyl]octadecanamide/N,N'-ethane-1,2-diylbis(12-pydroxy-N-[2-[(1-oxyhexyl)amino]ethyl]octadecanamide/N,N'-ethane-1,2-diylbis(12-pydroxy-N-[2-[(1-oxyhexyl)amino]ethyl]octadecanamide/N,N'-ethane-1,2-diylbis(12-pydroxy-N-[2-[(1-oxyhexyl)amino]ethyl]octadecanamide/N,N'-ethane-1,2-diylbis(12-pydroxy-N-[2-[(1-oxyhexyl)amino]ethyl]octadecanamide/N,N'-ethane-1,2-diylbis(12-pydroxy-N-[2-[(1-oxyhexyl)amino]ethyl]octadecanamide/N,N'-ethane-1,2-diylbis(12-pydroxy-N-[2-[(1-oxyhexyl)amino]ethyl]octadecanamide/N,N'-ethane-1,2-diylbis(12-pydroxy-N-[2-[(1-oxyhexyl)amino]ethyl]octadecanamide/N,N'-ethane-1,2-diylbis(12-pydroxy-N-[2-[(1-oxyhexyl)amino]ethyl]octadecanamide/N,N'-ethane-1,2-diylbis(12-pydroxy-N-[2-[(1-oxyhexyl)amino]ethyl]octadecanamide/N,N'-ethane-1,2-diylbis(12-pydroxy-N-[2-[(1-oxyhexyl)amino]ethyl]octadecanamide/N,N'-ethane-1,2-diylbis(12-pydroxy-N-[2-[(1-oxyhexyl)amino]ethyl]octadecanamide/N,N'-ethane-1,2-diylbis(12-pydroxy-N-[2-[(1-oxyhexyl)amino]ethyl]octadecanamide/N,N'-ethane-1,2-diylbis(12-pydroxy-N-[2-[(1-oxyhexyl)amino]ethyl]octadecanamide/N,N'-ethane-1,2-diylbis(12-pydroxy-N-[2-[(1-oxyhexyl)amino]ethyl]octadecanamide/N,N'-ethane-1,2-diylbis(12-pydroxy-N-[2-[(1-oxyhexyl)amino]ethyl]octadecanamide/N,N'-ethane-1,2-diylbis(12-pydroxy-N-[2-[(1-oxyhexyl)amino]ethyl]octadecanamide(N-[(1-oxyhexyl)amino)ethylloctadecanamide(N-[(1-oxyhexyl)amino)ethylloctadecanamide(N-[(1-oxyhexyl)amino)ethylloctadecanamide(N-[(1-oxyhexyl)amino)ethylloctadecanamide(N-[(1-oxyhexyl)amino)ethylloctadecanamide(N-[(1-oxyhexyl)amino)ethylloctadecanamide(N-[(1-oxyhexyl)amino)ethylloctadecanamide(N-[(1-oxyhexyl)amino)ethylloctadecanamide(N-[(1-oxyhexyl)amino)ethylloctadecanamide(N-[(1-oxyhexyl)amino)ethylloctadecanamide(N-[(1-oxyhexyl)amino)ethylloctadecanamide(N-[(1-oxyhexyl)amino)ethylloctadecanamide(N-[(1-oxyhexyl)amino)ethylloctadecanamide(N-[(1-oxyhexyl)amino)ethylloct

hydroxyoctadecanamide) Biodegradation water

Method		Value		Duration		Value determination	
		20 %		28 dav(s)		Literature study	

#### Conclusion

Contains non readily biodegradable component(s)

### 12.3 Bioaccumulative potential:

Soudal SMX 506

Log Kow

	/g				
1	Method	Remark	Value	Temperature	Value determination
		Not applicable (mixture)			

trimethoxyvinylsilane

Log Kow

Method	Remark Value		Temperature	Value determination
KOWWIN	Calculated	2	20 °C	QSAR

hydrocarbons, C13-C23, n-alkanes, isoalkanes, cyclics, <0.03% aromatics

Log Kow

Method	Remark	Value	Temperature	Value determination
	No data available			

reaction mass of: N,N'-ethane-1,2-diylbis(hexanamide)/12-hydroxy-N-[2-[(1-oxyhexyl)amino]ethyl]octadecanamide/N,N'-ethane-1,2-diylbis(12-pydroxy-N-12-[(1-oxyhexyl)amino]ethyl]octadecanamide/N,N'-ethane-1,2-diylbis(12-pydroxy-N-12-[(1-oxyhexyl)amino]ethyl]octadecanamide/N,N'-ethane-1,2-diylbis(12-pydroxy-N-12-[(1-oxyhexyl)amino]ethyl]octadecanamide/N,N'-ethane-1,2-diylbis(12-pydroxy-N-12-[(1-oxyhexyl)amino]ethyl]octadecanamide/N,N'-ethane-1,2-diylbis(12-pydroxy-N-12-[(1-oxyhexyl)amino]ethyl]octadecanamide/N,N'-ethane-1,2-diylbis(12-pydroxy-N-12-[(1-oxyhexyl)amino]ethyl]octadecanamide/N,N'-ethane-1,2-diylbis(12-pydroxy-N-12-[(1-oxyhexyl)amino]ethyl]octadecanamide/N,N'-ethane-1,2-diylbis(12-pydroxy-N-12-[(1-oxyhexyl)amino]ethyl]octadecanamide/N,N'-ethane-1,2-diylbis(12-pydroxy-N-12-[(1-oxyhexyl)amino]ethyl]octadecanamide/N,N'-ethane-1,2-diylbis(12-pydroxy-N-12-[(1-oxyhexyl)amino]ethyl]octadecanamide/N,N'-ethane-1,2-diylbis(12-pydroxy-N-12-[(1-oxyhexyl)amino]ethyl]octadecanamide/N,N'-ethane-1,2-diylbis(12-pydroxy-N-12-[(1-oxyhexyl)amino]ethyl]octadecanamide/N,N'-ethane-1,2-diylbis(12-pydroxy-N-12-[(1-oxyhexyl)amino]ethyl]octadecanamide/N,N'-ethane-1,2-diylbis(12-pydroxy-N-12-[(1-oxyhexyl)amino]ethyl]octadecanamide/N,N'-ethane-1,2-diylbis(12-pydroxy-N-12-[(1-oxyhexyl)amino]ethyl]octadecanamide/N,N'-ethane-1,2-diylbis(12-pydroxy-N-12-[(1-oxyhexyl)amino]ethyl]octadecanamide/N,N'-ethane-1,2-diylbis(12-pydroxy-N-12-[(1-oxyhexyl)amino]ethyl]octadecanamide(N-12-[(1-oxyhexyl)amino)ethyl]octadecanamide(N-12-[(1-oxyhexyl)amino)ethylloctadecanamide(N-12-[(1-oxyhexyl)amino)ethylloctadecanamide(N-12-[(1-oxyhexyl)amino)ethylloctadecanamide(N-12-[(1-oxyhexyl)amino)ethylloctadecanamide(N-12-[(1-oxyhexyl)amino)ethylloctadecanamide(N-12-[(1-oxyhexyl)amino)ethylloctadecanamide(N-12-[(1-oxyhexyl)amino)ethylloctadecanamide(N-12-[(1-oxyhexyl)amino)ethylloctadecanamide(N-12-[(1-oxyhexyl)amino)ethylloctadecanamide(N-12-[(1-oxyhexyl)amino)ethylloctadecanamide(N-12-[(1-oxyhexyl)amino)ethylloctadecanamide(N-12-[(1-oxyhexyl)amino)ethylloctade hydroxyoctadecanamide)

Log Kow

Method		Remark	Value	Temperature	Value determination
EU Method A.8	8		> 6		Experimental value

Contains bioaccumulative component(s)

### 12.4 Mobility in soil:

trimethoxyvinylsilane

Volatility (Henry's Law constant H)

Value	Method	Temperature	Remark	Value determination
8.72E-5 atm m³/mol		<mark>25 °C</mark>		Estimated value

hydrocarbons, C13-C23, n-alkanes, isoalkanes, cyclics, <0.03% aromatics

Percent distribution

Method	Fraction air	 Fraction sediment	Fraction soil	Fraction water	Value determination
Mackay level III	8.3 %	83.2 %	7.4 %	1%	Calculated value

Reason for revision: ATP4

Publication date: 2010-09-06 Date of revision: 2014-11-04

Revision number: 0300 Product number: 51088 9/13

#### Conclusion

No straightforward conclusion can be drawn based upon the available numerical values

#### 12.5 Results of PBT and vPvB assessment:

Due to insufficient data no statement can be made whether the component(s) fulfil(s) the criteria of PBT and vPvB according to Annex XIII of Regulation (EC) No 1907/2006.

#### 12.6 Other adverse effects:

Soudal SMX 506

Global warming potential (GWP)

None of the known components is included in the list of fluorinated greenhouse gases (Regulation (EC) No 517/2014)

Ozone-depleting potential (ODP)

Not classified as dangerous for the ozone layer (Regulation (EC) No 1005/2009)

reaction mass of: N,N'-ethane-1,2-diylbis(hexanamide)/12-hydroxy-N-[2-[(1-oxyhexyl)amino]ethyl]octadecanamide/N,N'-ethane-1,2-diylbis(12hydroxyoctadecanamide)

**Ground water** 

Ground water pollutant

### SECTION 13: Disposal considerations

The information in this section is a general description. If applicable and available, exposure scenarios are attached in annex. Always use the relevant exposure scenarios that correspond to your identified use.

#### 13.1 Waste treatment methods:

#### 13.1.1 Provisions relating to waste

Waste material code (Directive 2008/98/EC, Decision 2000/0532/EC).

08 04 10 (wastes from MFSU of adhesives and sealants (including waterproofing products); waste adhesives and sealants other than those mentioned in 08 04 09). Depending on branch of industry and production process, also other waste codes may be applicable. Can be considered as non hazardous waste according to Directive 2008/98/EC.

#### 13.1.2 Disposal methods

Remove to an authorized incinerator equipped with an afterburner and a flue gas scrubber with energy recovery. Remove waste in accordance with local and/or national regulations. Do not discharge into drains or the environment.

#### 13.1.3 Packaging/Container

Waste material code packaging (Directive 2008/98/EC). 15 01 02 (plastic packaging).

Road (ADR)		
14.1 UN number:		
Transport		Not subject
14.2 UN proper shipping nar	ne:	
14.3 Transport hazard class(		
Hazard identification nu	mber	
Class		
Classification code		
14.4 Packing group:		
Packing group		
Labels		
14.5 Environmental hazards		
Environmentally hazardo	ous substance mark	no
14.6 Special precautions for	user:	
Special provisions		
Limited quantities		
Rail (RID)		
14.1 UN number:		
Transport		Not subject
14.2 UN proper shipping nar	me.	Not subject
14.3 Transport hazard class(		
Hazard identification nu		
Class		
Classification code		
14.4 Packing group:		
Packing group		
Labels		
14.5 Environmental hazards		
1 110 21111 01111 01111 011 010		

Revision number: 0300 Product number: 51088 10/13

### Soudal SMX 506 no Environmentally hazardous substance mark 14.6 Special precautions for user: Special provisions Limited quantities Inland waterways (ADN) 14.1 UN number: Transport Not subject 14.2 UN proper shipping name: 14.3 Transport hazard class(es): Class Classification code 14.4 Packing group: Packing group Labels 14.5 Environmental hazards: Environmentally hazardous substance mark 14.6 Special precautions for user: Special provisions Limited quantities Sea (IMDG/IMSBC) 14.1 UN number: Not subject Transport 14.2 UN proper shipping name: 14.3 Transport hazard class(es): Class 14.4 Packing group: Packing group Labels 14.5 Environmental hazards: Marine pollutant Environmentally hazardous substance mark 14.6 Special precautions for user: Special provisions Limited quantities 14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Annex II of MARPOL 73/78 Air (ICAO-TI/IATA-DGR) 14.1 UN number: Not subject Transport 14.2 UN proper shipping name: 14.3 Transport hazard class(es): Class 14.4 Packing group: Packing group Labels 14.5 Environmental hazards: Environmentally hazardous substance mark no 14.6 Special precautions for user: Special provisions Passenger and cargo transport: limited quantities: maximum net quantity **SECTION 15: Regulatory information** 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture: **European legislation:** VOC content Directive 2010/75/EU

VOC content	Remark
8.57 %	

#### **REACH Annex XVII - Restriction**

Contains component(s) subject to restrictions of Annex XVII of Regulation (EC) No 1907/2006: restrictions on the manufacture, placing on the market

	and use of certain dangerous substances, mixtures and articles.					
	· trimethoxyvinylsilane		Liquid substances or mixtures whic	h are	1. Shall not be used in:	
	· hydrocarbons, C13-C23, n-alkanes,		regarded as dangerous in accordan	ce with	— ornamental articles intended to produce light or colour effects by means of different	
	isoalkanes, cyclics, <0.03% aromatics		Directive 1999/45/EC or are fulfilling	g the	phases, for example in ornamental lamps and ashtrays,	
Rea	ason for revision: ATP4				Publication date: 2010-09-06	
1					Date of revision: 2014-11-04	

Revision number: 0300 Product number: 51088 11/13

	criteria for any of the following hazard classe or categories set out in Annex I to Regulation (EC) No 1272/2008:  (a) hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories and 2, 2.14 categories 1 and 2, 2.15 types A t F;  (b) hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10;  (c) hazard class 4.1;  (d) hazard class 5.1.	— games for one or more participants, or any article intended to be used as such, even with ornamental aspects, 2. Articles not complying with paragraph 1 shall not be placed on the market. 3. Shall not be placed on the market if they contain a colouring agent, unless required for fiscal reasons, or perfume, or both, if they:  — can be used as fuel in decorative oil lamps for supply to the general public, and, — present an aspiration hazard and are labelled with R65 or H304,4. Decorative oil lamps for supply to the general public shall not be placed on the market unless they conform to the European Standard on Decorative oil lamps (EN 14059) adopted by the European
- trimethoxyvinylsilane	Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to that Regulation or not.	1. Shall not be used, as substance or as mixtures in aerosol dispensers where these aerosol dispensers are intended for supply to the general public for entertainment and decorative purposes such as the following:  — metallic glitter intended mainly for decoration,  — artificial snow and frost,  — "whoopee" cushions,  — silly string aerosols,
National legislation The Nether	lands	placing on the market that the packaging of aerosol dispensers referred to above is marked visibly, legibly and indelibly with:  "For professional users only".3. By way of derogation, paragraphs 1 and 2 shall not apply to the aerosol dispensers referred to Article 8 (1a) of Council Directive 75/324/EEC.4. The aerosol dispensers referred to in paragraphs 1 and 2 shall not be placed on the market unless they conform to the requirements indicated.
Soudal SMX 506  Waste identification (the	LWCA (the Netherlands): KGA category	05
Netherlands) Waterbezwaarlijkheid	11	
National legislation Germany Soudal SMX 506		
WGK	1; Classification water polluting based of Stoffe (VwVwS) of 27 July 2005 (Anhang	on the components in compliance with Verwaltungsvorschrift wassergefährdender
<u>trimethoxyvinylsilane</u>	profile (vwvws) of 27 July 2005 (Affilially	5 4)
TA-Luft	5.2.5	2-[(1-oxyhexyl)amino]ethyl]octadecanamide/N,N'-ethane-1,2-diylbis(12-
hydroxyoctadecanamide)		-(1-0xyriexy)/animojetnyijottauetanamiue/n,n -etnane-1,z-diyibis(12-
TA-Luft	5.2.5; I	
National legislation France Soudal SMX 506 No data available		
National legislation Belgium Soudal SMX 506		
No data available		
Other relevant data Soudal SMX 506 No data available  15.2 Chemical safety assess	ment:	
Reason for revision: ATP4		Publication date: 2010-09-06
		Date of revision: 2014-11-04
		Burd at a sub-se E4000

Revision number: 0300 Product number: 51088 12 / 13

No chemical safety assessment is required.

## SECTION 16: Other information

Full text of any R-phrases referred to under headings 2 and 3:

R10 Flammable

R20 Harmful by inhalation

R53 May cause long-term adverse effects in the aquatic environment

R65 Harmful: may cause lung damage if swallowed

Full text of any H-statements referred to under headings 2 and 3:

H226 Flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

H332 Harmful if inhaled.

H413 May cause long lasting harmful effects to aquatic life.

(\*) = INTERNAL CLASSIFICATION BY BIG

PBT-substances = persistent, bioaccumulative and toxic substances

DSD Dangerous Substance Directive
DPD Dangerous Preparation Directive

CLP (EU-GHS) Classification, labelling and packaging (Globally Harmonised System in Europe)

The information in this safety data sheet is based on data and samples provided to BIG. The sheet was written to the best of our ability and according to the state of knowledge at that time. The safety data sheet only constitutes a guideline for the safe handling, use, consumption, storage, transport and disposal of the substances/preparations/mixtures mentioned under point 1. New safety data sheets are written from time to time. Only the most recent versions may be used. Old versions must be destroyed. Unless indicated otherwise word for word on the safety data sheet, the information does not apply to substances/preparations/mixtures in purer form, mixed with other substances or in processes. The safety data sheet offers no quality specification for the substances/preparations/mixtures in question. Compliance with the instructions in this safety data sheet does not release the user from the obligation to take all measures dictated by common sense, regulations and recommendations or which are necessary and/or useful based on the real applicable circumstances. BIG does not guarantee the accuracy or exhaustiveness of the information provided and cannot be held liable for any changes by third parties. This safety data sheet is only to be used within the European Union, Switzerland, Iceland, Norway and Liechtenstein. Any use outside of this area is at your own risk. Use of this safety data sheet is subject to the licence and liability limiting conditions as stated in your BIG licence agreement or when this is failing the general conditions of BIG. All intellectual property rights to this sheet are the property of BIG and its distribution and reproduction are limited. Consult the mentioned agreement/conditions for details.

Reason for revision: ATP4 Publication date: 2010-09-06
Date of revision: 2014-11-04

Revision number: 0300 Product number: 51088 13 / 13