

Test Report

CUSTOMER: ATTENTION: Johanna Ackerman

Tags for Tots, LLC. 2924 Tiara Ln Evansville, IN 60515

Conclusion:

<u>Tested Samples</u> <u>Standard</u> <u>Result</u>

Car Seat Cover California Prop. 65 – Lead and Cadmium Complies¹

16 CFR 1500.44 – Flammability Pass

SIGNED FOR THE COMPANY BY:

William M. Baumann Laboratory Director

The test results stated in this report relate only to the item(s) tested. This test report may not be reproduced except in full, without written approval of AM Testing & Services.

Tests identified with an asterisk (+) have been subcontracted.

Note 1: Based on safe levels established by products of a similar nature.

Baumann



Technical Report

Sample ID: Car Seat Cover

Sample No.

1) Coating, white

2) Coating, black

3) Substrate, Fabric cover – exempt

Item 1: California Prop. 65 – Lead and Cadmium

Item 2: 16 CFR 1500.44 – Flammability

Item 1: Results for California Prop.65, Total Lead and Cadmium

Test Method: CPSC-CH-E1003-09.1, CPSC-CH-E1002-08.3 & CPSC-CH-E1001-08.3 Analytical Method: Inductively Coupled Plasma-Optical Emission Spectrometry

California Prop. 65: Total Lead and Cadmium					
Analyte	Lead (Pb)	Cadmium (Cd)			
Limit (mg/kg)	40	25			
Sample No.	Results (mg/kg)				
1	BDL	BDL			
2	BDL	BDL			

BDL = <10ppm

ppm = parts per million = mg/kg = milligrams per kilogram

This data is for informational purposes only.

Item 2: Results for 16 CFR 1500.44, Method for Determining Flammable Solids

16 CFR 1500.44 Method for Determining Flammable Solids						
Sample	Ignition Point	Burn Length (in)	Burn Time (sec)	Burn Rate (in/sec)	Pass / Fail	
1	Seat cover – bottom edge	0.75	60.0	0.01	Pass	

DNI = Did not ignite in = Inches sec = Seconds IBSE = Ignited but self extinguished

Note 1: A material is considered "flammable" if it ignites and burns with a self-sustained flame at rate greater than 0.1 inches per second along its major axis.

Note 2: A sample passes the test requirement if it self-extinguishes before burning 6 inches and prior to the lapse of 60 seconds.



SAMPLE PHOTOS:























*** END OF REPORT ***