

Test Report

CUSTOMER: ATTENTION: Johanna Ackerman

Tags for Tots, LLC. 2924 Tiara Ln Evansville, IN 60515

Conclusion:

<u>Tested Samples</u>	<u>Standard</u>	<u>Result</u>
Silicone Paci Clip - Twist / Waverly / Classic	16 CFR 1500 – Use and Abuse Testing 16 CFR 1500.44 – Flammability CPSIA Section 101 – Total Lead in Substrates CPSIA Section 103 – Tracking Label	Pass Pass Pass Pass

SIGNED FOR THE COMPANY BY:

William M. Baumann Laboratory Director

The test results stated in this report relate only to the item(s) tested. This test report may not be reproduced except in full, without written approval of AM Testing & Services.

Baumann

Tests identified with an asterisk (+) have been subcontracted.



Technical Report

Sample ID: Silicone Paci Clip

Sample No.

- 1) Substrate, Red Silicone
- 2) Substrate, Metal clip
- 3) Substrate, White plastic inside clip
- 4) Substrate, Olive silicone
- 5) Substrate, Rose silicone
- 6) Substrate, White silicone
- 7) Substrate, Purple silicone
- 8) Substrate, Pink silicone
- 9) Substrate, Yellow silicone
- 10) Substrate, Orange silicone
- 11) Substrate, Pale blue silicone
- 12) Substrate, Grey silicone
- 13) Substrate, Hot pink silicone
- 14) Substrate, Black silicone
- 15) Substrate, Tan silicone
- 16) Substrate, Blue silicone

Item 1: 16 CFR 1500 – Use and Abuse Testing

Item 2: 16 CFR 1500.44 – Flammability

Item 3: CPSIA Section 101 – Total Lead in Substrates

Item 4: CPSIA Section 103 – Tracking Label



Item 1: Results for Use and Abuse testing according to 16 CFR 1500 are listed below

Sample ID: 20359 (0 Months+)			
Test	Sharp Point (1500.48)	Sharp Edge (1500.49)	Small Part (1501)
As Received	Pass	Pass	Pass
After Impact (1500.51(b))	Pass	Pass	Pass
After Bite (1500.5-(c))	N/A	N/A	N/A
After Flexure (1500.5-(d))	N/A	N/A	N/A
After Torque (1500.53(e))	Pass	Pass	Pass
After Tension (1500.53(f))	Pass	Pass	Pass
After Compression (1500.53(g))	Pass	Pass	Pass

NA = Not Applicable

Item 2: Results for 16 CFR 1500.44, Method for Determining Flammable Solids

16 CFR 1500.44 Method for Determining Flammable Solids					
Sample	Ignition Point	Burn Length (in)	Burn Time (sec)	Burn Rate (in/sec)	Pass / Fail
1	Clip – Metal edge	DNI	DNI	DNI	Pass
2	Clip – Loop	IBE	IBE	IBE	Pass

DNI = Did not ignite in = Inches sec = Seconds IBSE = Ignited but self extinguished

Note 1: A material is considered "flammable" if it ignites and burns with a self-sustained flame at rate greater than 0.1 inches per second along its major axis.

Note 2: A sample passes the test requirement if it self-extinguishes before burning 6 inches and prior to the lapse of 60 seconds.



Item 3: Results for CPSIA Section 101 & 15 USC 1278a, Total Lead in Substrate Materials

Test Method: CPSC-CH-E1002-08.3 & CPSC-CH-E1001-08.3

Analytical Method: Inductively Coupled Plasma-Optical Emission Spectrometry

CPSIA Section 101 & 15 USC 1278a		
Analyte		Lead (Pb)
	Limit (mg/kg)	100
Sample No.	Sample Type	Results (mg/kg)
1	Nonmetal	BDL
2	Metal	BDL
3	Nonmetal	BDL
4	Nonmetal	BDL
5	Nonmetal	BDL
6	Nonmetal	BDL
7	Nonmetal	BDL
8	Nonmetal	BDL
9	Nonmetal	BDL
10	Nonmetal	BDL
11	Nonmetal	BDL
12	Nonmetal	BDL
13	Nonmetal	BDL
14	Nonmetal	BDL
15	Nonmetal	BDL
16	Nonmetal	BDL

BDL = <10ppm

ppm = parts per million = mg/kg = milligrams per kilogram



Item 4: Results for testing according to CPSIA Section 103 are listed below

Tracking label found on the packaging:

Requirement	Pass	Fail
Identification of Manufacturer or Private Labeler		
Location of Production of Product (Name of the country, <i>and</i> city, state or administrative region, as appropriate)	\boxtimes	
Date of Production of Product	\boxtimes	
Cohort Information (including batch, run number or	\boxtimes	
other identifying characteristic)	Unable to ascertain	
Label Permanency	\boxtimes	
Legible		

Tracking label found on the product:

Requirement	Pass	Unable to ascertain
Identification of Manufacturer or Private Labeler		
Location of Production of Product (Name of the country, and city, state or administrative region, as appropriate)		
Date of Production of Product		
Cohort Information (including batch, run number or other identifying characteristic)		
Label Permanency		\boxtimes
Legible		

Label Review: Country of Origin Marking 19 CFR 134		
	Notes: Made in USA	



SAMPLE PHOTOS:













*** END OF REPORT ***