

SAFETY DATA SHEET

Ouster Jetted Bath Restoration Plumbing Cleanse

Prepared to U.S. OSHA, CMA, ANSI, Canadian WHMIS, Australian WorkSafe, Japanese Industrial Standard JIS Z 7250:2000, and European Union REACH Regulations

SECTION 1 - PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME:	Ouster Jetted Bath Restoration Plumbing Cleanse
SYNONYMS:	None Known
CAS NUMBER:	Mixture
PRODUCT DESCRIPTION:	Ouster Jetted Bath Restoration is a unique non-acidic, blend of "new generation" cleaners, scrubbers and deodorizers that clean the surface and pipes of hot tubs, jetted bathtubs, whirlpools, pedicure tubs, hydrotherapy tubs and other recirculating tubs.
U.N. NUMBER:	NA
U.N. DANGEROUS GOODS CLASS:	Non-Regulated Material
SUPPLIER/MANUFACTURER'S NAME:	OUSTER SOLUTIONS LLC.
ADDRESS:	1220 Broadway, Rm 502, New York, NY 10001
EMERGENCY PHONE:	(877) 857-4422
BUSINESS PHONE:	866-8-OUSTER
EMAIL ADDRESS:	Support@Ousterwater.com
WEB SITE:	ousterwater.com/pages/msds
DATE OF PREPARATION:	May 10, 2023
DATE OF LAST REVISION:	New

SECTION 2 - HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW:

Product Description: This product is a liquid with a slight organic odor.

Health Hazards: This product contains ingredients that may cause skin, eye and/or respiratory irritation. Direct eye contact may cause burning and irritation. Ingestion may cause gastrointestinal irritation. Exposure to mist/vapor may cause respiratory irritation.

Flammability Hazards: This product is a non-flammable liquid.

Environmental Hazards: The Environmental effects of this product have not been investigated.

Emergency Recommendations: Emergency responders must have personal protective equipment and fire protection appropriate for the situation to which they are responding.

US DOT SYMBOLS

Non-Regulated Material

CANADA (WHMIS) SYMBOLS

Complies with WHMIS 2015

GHS Hazard Symbols



Signal Word: **Warning!**

GHS CLASSIFICATION OF SUBSTANCE OR MIXTURE IN ACCORDANCE WITH 29 CFR 1910.1200 (OSHA HCS) AND THE EUROPEAN UNION DIRECTIVES:

This product does meet the definition of a hazardous substance or preparation as defined by 29 CFR 1910.1200 (USA) and the European Union Council Directives 67/548/EEC, 1999/45/EC, 1272/2008/EC and subsequent Directives.

EU HAZARD CLASSIFICATION OF INGREDIENTS PER DIRECTIVE 1272/2008/EC:

EC# 231-791-2 This substance is not classified in the Annex VI of Directive 67/548/EEC

No CAS# / EC# is assigned to this ingredient (Reacted Alkyl Dimethyl Benzyl Ammonium Chloride)

Trade Secret Ingredient - This substance is not classified in the Annex VI of Directive 67/548/EEC

COMPONENT(S) CONTRIBUTING TO CLASSIFICATION(S)

All Ingredients

LABEL ELEMENTS:

GHS HAZARD CLASSIFICATION(S):

- Skin Corrosive/Irritant Cat 2
- Acute Oral Toxicity Category 4
- Acute Dermal Toxicity Category 4
- Aquatic Toxicity Category 1
- Eye Irritant Category 2
- STOT SE Category 3

SAFETY DATA SHEET

Ouster Jetted Bath Restoration Plumbing Cleanse

HAZARD STATEMENT(S):

- H315: Causes skin irritation
- H302: Harmful if swallowed
- H312: Harmful in contact with skin
- H410: Very toxic to aquatic life with long lasting effects
- H319: Causes severe eye irritation
- H335: May cause respiratory irritation

PRECAUTIONARY STATEMENT(S):

- P261: Avoid breathing mist/vapors/spray
- P264: Wash hands thoroughly after handling
- P273: Avoid release to the environment
- P280: Wear protective gloves/protective clothing/eye protection/face protection

HEALTH HAZARDS OR RISKS FROM EXPOSURE:

ACUTE: Exposure to this product may cause irritation of the eyes with redness and tearing. Prolonged or repeated exposure or contact with skin may cause irritation with redness. Inhalation of this products mist/vapors may cause irritation to the respiratory tract. Ingestion may cause gastrointestinal irritation including pain, vomiting or diarrhea.

CHRONIC: None Known

TARGET ORGANS:

ACUTE: Eye, Respiratory System, Skin **CHRONIC:** None Known

SECTION 3 - COMPOSITION and INFORMATION ON INGREDIENTS

HAZARDOUS INGREDIENTS:	CAS #	EINECS #	ICSC #	WT %	GHS HAZARD CLASSIFICATION(S);
Water	7732-18-5	231-791-2	Not Listed	>70%	Not Classified
Reacted Alkyl Dimethyl Benzyl Ammonium Chloride	Not Assigned	Not Listed in ESIS	Not Listed	15 – 20%	H315: Skin Corrosion/Irritation Cat 2, H302: Acute Oral Toxicity Cat 4, H312: Acute Dermal Toxicity Cat 4, H410: Hazardous to aquatic environment, long term hazard
Trade Secret	Proprietary	Proprietary	Not Listed	<10%	H315: Skin Irritation Cat 2, H319: Eye Irritation Cat 2, H335: STOT SE Cat 3
Balance of other ingredients are non-hazardous or less than 1% in concentration (or 0.1% for carcinogens, reproductive toxins, or respiratory sensitizers).					

NOTE: This product has been classified in accordance with the hazard criteria of OSHA 29CFR1910.1200 and the SDS contains all the information required by the CPR, EU Directives and the Japanese Industrial Standard JIS Z 7250: 2000.

SECTION 4 - FIRST-AID MEASURES

Contaminated individuals of chemical exposure must be taken for medical attention if any adverse effect occurs. Rescuers should be taken for medical attention, if necessary. Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact the National Pesticide Information Center at 800-858-7378 for general or medical information.

EYE CONTACT: If product enters the eyes, hold eye open and rinse slowly and gently with water for 15 – 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

SKIN CONTACT: Remove contaminated clothing. Rinse skin immediately with plenty of water for 15 – 20 minutes. Call a poison control center or doctor for treatment advice. Launder clothing before re-use.

INHALATION: If breathing becomes difficult, remove person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth to mouth, if possible. Call a poison control center or doctor for further treatment advice.

INGESTION: If product is swallowed, call physician or poison control center immediately for the most current treatment information. If professional advice is not available, do not induce vomiting. Never induce vomiting or give diluents (milk or water) to someone who is unconscious, having convulsions, or who cannot swallow. Seek medical advice. Take a copy of the label and/or SDS with the victim to the health professional.

MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE: Pre-existing skin, or respiratory problems may be aggravated by prolonged exposure to this product.

RECOMMENDATIONS TO PHYSICIANS: Treat symptoms and reduce over-exposure.

SECTION 5 - FIRE-FIGHTING MEASURES

FLASH POINT: Non-Flammable
AUTOIGNITION TEMPERATURE: Not Applicable
FLAMMABLE LIMITS (in air by volume, %): Lower (LEL): NA Upper (UEL): NA
FIRE EXTINGUISHING MATERIALS: Dry chemical, foam, carbon dioxide or water fog.

SAFETY DATA SHEET

Ouster Jetted Bath Restoration Plumbing Cleanse

UNUSUAL FIRE AND EXPLOSION HAZARDS:

Explosion Sensitivity to Mechanical Impact:

Explosion Sensitivity to Static Discharge:

SPECIAL FIRE-FIGHTING PROCEDURES:


Water based solution that is not expected to be a fire or explosion hazard.

No



No

Incipient fire responders should wear eye protection. Structural firefighters must wear Self-Contained Breathing Apparatus and full protective equipment. Isolate materials not yet involved in the fire and protect personnel. Move containers from fire area if this can be done without risk; otherwise, cool with carefully applied water spray. If possible, prevent runoff water from entering storm drains, bodies of water, or other environmentally sensitive areas.

NFPA RATING SYSTEM



HMIS RATING SYSTEM

HAZARDOUS MATERIAL IDENTIFICATION SYSTEM			
HEALTH HAZARD (BLUE)	1		
FLAMMABILITY HAZARD (RED)	0		
PHYSICAL HAZARD (YELLOW)	0		
PROTECTIVE EQUIPMENT			
EYES	RESPIRATORY	HANDS	BODY
	See Sect 8		See Sect 8
For Routine Industrial Use and Handling Applications			

Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe * = Chronic hazard

SECTION 6 - ACCIDENTAL RELEASE MEASURES

SPILL AND LEAK RESPONSE: Personnel should be trained for spill response operations.

SPILLS: Contain spill if safe to do so. Eliminate all sources of ignition. Prevent entry into drains, sewers, and other waterways. Soak up with an absorbent material and place in an appropriate container for disposal. Dispose of in accordance with applicable Federal, State, and local procedures (see Section 13, Disposal Considerations).

SECTION 7 - HANDLING and STORAGE

WORK PRACTICES AND HYGIENE PRACTICES: As with all chemicals, avoid getting this product ON YOU or IN YOU. Wash thoroughly after handling this product. Do not eat, drink, smoke, or apply cosmetics while handling this product. Avoid breathing vapors/mists/sprays generated by this product. Use in a well-ventilated location. Remove contaminated clothing immediately.

STORAGE AND HANDLING PRACTICES: Containers of this product must be properly labeled. Store containers in a cool, dry location away from heat and sources of ignition. Keep container tightly closed when not in use. Store away from incompatible materials.

SECTION 8 - EXPOSURE CONTROLS - PERSONAL PROTECTION

EXPOSURE LIMITS/GUIDELINES:

Chemical Name	CAS#	ACGIH TWA	OSHA TWA
Water	7732-18-5	Not Listed	Not Listed
Reacted Alkyl Dimethyl Benzyl Ammonium Chloride	Not Assigned	Not Listed	Not Listed
Trade Secret	Proprietary	Not Listed	Not Listed

SAFETY DATA SHEET

Ouster Jetted Bath Restoration Plumbing Cleanse

Currently, International exposure limits are not established for the components of this product. Please check with competent authority in each country for the most recent limits in place.

VENTILATION AND ENGINEERING CONTROLS: Use with adequate ventilation to ensure exposure levels are maintained below the limits provided below. Use local exhaust ventilation to control airborne mist/vapor/dust. Ensure eyewash/safety shower stations are available near areas where this product is used.

The following information on appropriate Personal Protective Equipment is provided to assist employers in complying with OSHA regulations found in 29 CFR Subpart I (beginning at 1910.132) or equivalent standard of Canada, or standards of EU member states (including EN 149 for respiratory PPE, and EN 166 for face/eye protection), and those of Japan. Please reference applicable regulations and standards for relevant details.

RESPIRATORY PROTECTION: Maintain airborne contaminant concentrations below guidelines listed above, if applicable. If necessary, use only respiratory protection authorized in the U.S. Federal OSHA Respiratory Protection Standard (29 CFR 1910.134), equivalent U.S. State standards, Canadian CSA Standard Z94.4-93, the European Standard EN149, or EU member states.

EYE PROTECTION: Splash goggles or safety glasses with side shields recommended where splashing is possible. If necessary, refer to U.S. OSHA 29 CFR 1910.133, Canadian Standards, and the European Standard EN166, Australian Standards, or relevant Japanese Standards.

HAND PROTECTION: Compatible chemical protective gloves recommended as appropriate for task. Wash hands after removing gloves. If necessary, refer to U.S. OSHA 29 CFR 1910.138, the European Standard DIN EN 374, the appropriate Standards of Canada, Australian Standards, or relevant Japanese Standards.

BODY PROTECTION: Use body protection appropriate to prevent contact (e.g. lab coat, overalls). If necessary, refer to appropriate Standards of Canada, or appropriate Standards of the EU, Australian Standards, or relevant Japanese Standards.

SECTION 9 - PHYSICAL and CHEMICAL PROPERTIES

PHYSICAL STATE:	Liquid
APPEARANCE & ODOR:	Liquid with a slight organic odor.
ODOR THRESHOLD (PPM):	Not Available
VAPOR PRESSURE (mmHg):	Not Available
VAPOR DENSITY (AIR=1):	Not Available
EVAPORATION RATE (nBuAc = 1):	Not Available
BOILING POINT (C°):	212°F
FREEZING POINT (C°):	Not Available
pH:	4.0 – 6.6
SPECIFIC GRAVITY 20°C: (WATER =1)	1.0
SOLUBILITY IN WATER (%):	Complete
VOC:	Nil

SECTION 10 - STABILITY and REACTIVITY

STABILITY: Product is stable

DECOMPOSITION PRODUCTS: When heated to decomposition this product produces Oxides of carbon (COx) and hydrogen chloride fumes.

MATERIALS WITH WHICH SUBSTANCE IS INCOMPATIBLE: Strong oxidizing agents, soap, or other anionic materials.

HAZARDOUS POLYMERIZATION: Will not occur.

CONDITIONS TO AVOID: Contact with incompatible materials, extreme temperatures and freezing conditions.

SECTION 11 - TOXICOLOGICAL INFORMATION

TOXICITY DATA: Toxicity data not available for mixture:

Chemical Name	CAS#	Oral LD50	Dermal LD50	Inhalation LC50
Water	7732-18-5	No Data Available	No Data Available	No Data Available
Reacted Alkyl Dimethyl Benzyl Ammonium Chloride	Not Assigned	No Data Available	No Data Available	No Data Available

SAFETY DATA SHEET

Ouster Jetted Bath Restoration Plumbing Cleanse

Trade Secret	Proprietary	No Data Available	No Data Available	No Data Available
Acute Oral Toxicity		Oral Toxicity Category 4		
Skin Corrosion / Irritation		Skin Irritant Category 2		
Serious Eye Damage / Irritation		Eye Irritant Category 2		
Respiratory or Skin Sensitization		Based on available data, the classification criteria are not met		
Germ Cell Mutagenicity		Based on available data, the classification criteria are not met		
Carcinogenicity		Based on available data, the classification criteria are not met		
Reproductive Toxicity		Based on available data, the classification criteria are not met		
STOT – Single Exposure		May cause irritation to skin and eyes		
STOT – Repeated Exposure		Repeated or prolonged exposure may cause skin irritation		
Aspiration Hazard		Based on available data, the classification criteria are not met		

HEALTH HAZARDS OR RISKS FROM EXPOSURE:

ACUTE:

EYE CONTACT: Eye contact may produce irritation.

SKIN CONTACT: Prolonged or repeated skin contact may product irritation.

INHALATION HAZARDS: Inhalation of this products mist/vapors may cause irritation to the respiratory tract.

INGESTION HAZARDS: This material may be harmful if swallowed.

CHRONIC: None know

SUSPECTED CANCER AGENT: None of the ingredients are found on the following lists: FEDERAL OSHA Z LIST, NTP, CAL/OSHA, IARC and therefore is not considered to be, nor suspected to be a cancer-causing agent by these agencies.

IRRITANCY OF PRODUCT: Contact with this product can be irritating to exposed skin and/or eyes.

SENSITIZATION OF PRODUCT: This product is not considered a sensitizer.

REPRODUCTIVE TOXICITY INFORMATION: No data available

SPECIFIC TARGET ORGAN TOXICITY – SINGLE EXPOSURE: May cause irritation to skin and eyes

SPECIFIC TARGET ORGAN TOXICITY – REPEATED EXPOSURE: Repeated or prolonged exposure may cause skin irritation.

ASPIRATION HAZARD: None

OTHER INFORMATION: A stronger concentration of this product has been tested by Corrosion Testing Laboratories, Inc. for corrosivity and the product was determined to be non-corrosive on skin and metal.

SECTION 12 - ECOLOGICAL INFORMATION

ALL WORK PRACTICES MUST BE AIMED AT ELIMINATING ENVIRONMENTAL CONTAMINATION.

TOXICITY:

This product has not been tested for its effects on aquatic life.

PERSISTENCE AND DEGRADABILITY:

No specific data available on this product.

BIOACCUMULATIVE POTENTIAL:

No data available.

MOBILITY IN SOIL:

No data available.

RESULTS OF PBT AND vPvB ASSESSMENT:

No specific data available on this product.

OTHER ADVERSE EFFECTS:

Harmful to aquatic life.

WATER ENDANGERMENT CLASS:

Water endangering in accordance with EU Guideline 91/155-EWG. Not determined

SECTION 13 - DISPOSAL CONSIDERATIONS

PREPARING WASTES FOR DISPOSAL: Waste disposal must be in accordance with appropriate Federal, State, and local regulations, those of Canada, Australia, EU Member States and Japan.

SAFETY DATA SHEET

Ouster Jetted Bath Restoration Plumbing Cleanse

SECTION 14 - TRANSPORTATION INFORMATION

US DOT; IATA; IMO; ADR:

THIS PRODUCT IS NOT HAZARDOUS AS DEFINED BY 49 CFR 172.101 BY THE U.S. DEPARTMENT OF TRANSPORTATION.

PROPER SHIPPING NAME: Non-Regulated Material

HAZARD CLASS NUMBER and DESCRIPTION: None

UN IDENTIFICATION NUMBER: None

PACKING GROUP: None

DOT LABEL(S) REQUIRED: None

NORTH AMERICAN EMERGENCY RESPONSE GUIDEBOOK NUMBER (2004): NA

MARINE POLLUTANT: None of the ingredients are classified by the DOT as a Marine Pollutant (as defined by 49 CFR 172.101, Appendix B)

U.S. DEPARTMENT OF TRANSPORTATION (DOT) SHIPPING REGULATIONS:

This product is not classified as dangerous goods, per U.S. DOT regulations, under 49 CFR 172.101.

TRANSPORT CANADA, TRANSPORTATION OF DANGEROUS GOODS REGULATIONS:

This product is not classified as Dangerous Goods, per regulations of Transport Canada.

INTERNATIONAL AIR TRANSPORT ASSOCIATION (IATA):

This product is not classified as Dangerous Goods, by rules of IATA:

INTERNATIONAL MARITIME ORGANIZATION (IMO) DESIGNATION:

This product is not classified as Dangerous Goods by the International Maritime Organization.

EUROPEAN AGREEMENT CONCERNING THE INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY ROAD (ADR):

This product is not classified by the United Nations Economic Commission for Europe to be dangerous goods.

SECTION 15 - REGULATORY INFORMATION

UNITED STATES REGULATIONS:

SARA REPORTING REQUIREMENTS: This product is subject to the reporting requirements of Sections 302, 304 and 313 of Title III of the Superfund Amendments and Reauthorization Act., as follows: None

TSCA: All components in this product are listed on the US Toxic Substances Control Act (TSCA) inventory of chemicals.

SARA 311/312:

Acute Health: Yes Chronic Health: No Fire: No Reactivity: No

U.S. SARA THRESHOLD PLANNING QUANTITY: There are no specific Threshold Planning Quantities for this product. The default Federal MSDS submission and inventory requirement filing threshold of 10,000 lb (4,540 kg) may apply, per 40 CFR 370.20.

U.S. CERCLA REPORTABLE QUANTITY (RQ): None

CALIFORNIA SAFE DRINKING WATER AND TOXIC ENFORCEMENT ACT (PROPOSITION 65): This product does not contain ingredient(s) are on the California Proposition 65 lists.

CANADIAN REGULATIONS:

CANADIAN DSL/NDL INVENTORY STATUS: All of the components of this product are on the DSL Inventory

CANADIAN ENVIRONMENTAL PROTECTION ACT (CEPA) PRIORITIES SUBSTANCES LISTS: No component of this product is on the CEPA First Priorities Substance Lists.

CANADIAN WHMIS CLASSIFICATION and SYMBOLS: Complies with WHMIS 2015

EUROPEAN ECONOMIC COMMUNITY INFORMATION:

EU LABELING AND CLASSIFICATION:

Classification of the mixture according to Regulation (EC) No1272/2008. See section 2 for details.

AUSTRALIAN INFORMATION FOR PRODUCT:

AUSTRALIAN INVENTORY OF CHEMICAL SUBSTANCES (AICS) STATUS: All components of this product are listed on the AICS.

STANDARD FOR THE UNIFORM SCHEDULING OF DRUGS AND POISONS: Not applicable.

JAPANESE INFORMATION FOR PRODUCT:

JAPANESE MINISTER OF INTERNATIONAL TRADE AND INDUSTRY (MITI) STATUS: The components of this product are not listed as Class I Specified Chemical Substances, Class II Specified Chemical Substances, or Designated Chemical Substances by the Japanese MITI.

SAFETY DATA SHEET

Ouster Jetted Bath Restoration Plumbing Cleanse

SECTION 16 - OTHER INFORMATION

PREPARED BY: Paul Eigbrett

GHS MSDS Compliance PLUS

Disclaimer: To the best of Ouster Water Solutions knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness is not guaranteed and no warranties of any type either express or implied are provided. The information contained herein relates only to this specific product.

END OF SDS SHEET