

# 2018 Catalog




# **INNOVATIVE BATH SAFETY PRODUCTS**

# WWW.EAGLEHEALTH.COM

535 W. Walnut Ave., Orange, CA 92868 Toll Free #: (800) 755 - 8999 Tel #: (714) 532 - 1777 Fax #: (714) 532 - 9777

# **Specifications Guide**

Need assistance reading our product specifications? We're here to help!



- A. Seat Size (Length x Width x Thickness)
- B. Back Size (Length x Width x Thickness)
- C. Seat Height (Low High)
- D. Base Length (Left Right)
- E. Base Depth (Front Back)
- F. Required Clearance (Low High)
- G. Back Height From Floor (Low High)
- H. Seat to the Top of Back
- I. Arm Height from Floor (Low High)
- J. Seat to Top of Arm
- K. Sliding Distance

#### TUB-MOUNT SWIVEL SLIDING TRANSFER BENCH

#### 77762 Tub-Mount Sliding Transfer Bench

(Weight Capacity: 350 lbs.)

- \* Innovative Tub-Mount design saves space and is ideal for smaller bathrooms.
- \* Strong clamp mounts to most tub walls.
- \* Swivel Seat rotates 360° and locks every 90°, allowing easy entry and exit from the bench.
- \* Seat smoothly glides in and out of the tub on durable, polished aluminum-tube sliding rails.
- \* Specially-designed sliding rings securely lock the seat at each end of the sliding rails.
- \* Lightweight, rust-proof, sturdy aluminum frame construction.
- \* MSRP: \$320.00 each

pecifications



#### PADDED TUB-MOUNT SWIVEL SLIDING TRANSFER BENCH



# 77761 Padded Tub-Mount Sliding Transfer Bench (Weight Capacity: 350 lbs.)

- \* Comfortable, ergonomically-designed padded seat.
- \* Innovative Tub-Mount design saves space and is ideal for smaller bathrooms.
- \* Strong clamp mounts to most tub walls.
- \* Swivel Seat rotates 360° and locks every 90°, allowing easy entry and exit from the bench.
- \* Seat smoothly glides in and out of the tub on durable, polished aluminum-tube sliding rails.
- \* Specially-designed sliding rings securely lock the seat at each end of the sliding rails.
- \* Easy to assemble. No tools necessary.
- \* MSRP: \$380.00 each

# Item No. 77762 77761 Seat Size (LxWxT) 17.75" x 14.75" x 1.25" 17.25" x 16" x 1.75" Back Size (LxWxT) 14.75" x 7" x 0.75" 16" x 8.5" x 1.5"

Seat Height 5" from top of tub wall 5" from top of tub wall

Minimum Width Required 23" or wider 23" or wider

Inside Tub (at Top)

Minimum Width Required 16.5" or wider 16.5" or wider Inside Tub (at Bottom)

Fits Tub Wall Widths of: 2.75" - 5.75" 2.75" - 5.75"

Fits Tub Wall Heights of: 13" - 17.5" 13" - 17.5" (measure from inside tub)

Sliding Distance 6.75" 6.75"

Weight Capacity 350 lbs. 350 lbs.

Need help reading our Specifications? See page 1 of our Catalog

\*Some specifications may be subject to change

#### Accessories

77651 Extra Tall Legs (Adds up to 4")

77653 XX Tall Legs (Adds up to 8")

75003 Optional Armrest (Single) for #77762 (Armrests are currently not available for #77761)

\*Note: For your safety, we recommend installing only one armrest on the opposite side of the leg frame with the handlebar. (Pictured here)



#### SWIVEL SLIDING TRANSFER BENCH



- \* Swivel Seat rotates 360° and locks every 90°, allowing easy entry and exit from the bench.
- \* Seat smoothly glides in and out of the tub on durable, polished aluminum-tube sliding rails.
- \* Specially-designed sliding rings securely lock the seat at each end of the sliding rails.

#### Accessories

77651 Extra Tall Legs (Adds up to 4") 77653 XX Tall Legs (Adds up to 8") 75003 Optional Armest (Single)

# 77662 Swivel Sliding Transfer Bench (Regular)

(Weight Capacity: 400 lbs.)

#### Swivel Sliding Transfer Bench (Long) 77682

(Weight Capacity: 300 lbs.)

#### 77692 Swivel Sliding Transfer Bench (Extra Long)

(Weight Capacity: 300 lbs.)

S	Item No.	77662	77682	77692
0	Seat Size (LxWxT)	17.75" × 14.75" × 1.25"	17.75" × 14.75" × 1.25"	17.75" x 14.75" x 1.25"
at	Back Size (LxWxT)	14.75" x 7" x 0.75"	14.75" x 7" x 0.75"	14.75" x 7" x 0.75"
U	Seat Height (Low-High)	18.75" - 23"	18.75" - 23"	18.75" - 23"
-	Base Length (Left-Right)	39" - 40"	43" - 44"	48" - 49"
D	Base Depth (Front-Back)	18.5" - 20.5"	18.5" - 20.5"	18.5" - 20.5"
^	Max Bathtub Clearance	18.5"	18.5"	18.5"
	Back Height From Floor (Low-High)	32.5" - 36.75"	32.5" - 36.75"	32.5" - 36.75"
	Seat to top of Back	13.75"	13.75"	13.75"
	Sliding Distance	15"	19"	24"
	Weight Capacity	400 lbs.	300 lbs.	300 lbs.
	MSRP	\$290.00	\$340.00	\$350.00
	Need help	reading our Specification	ons? See page 1 of our Co	italog

\*Some specifications may be subject to change

# PADDED SWIVEL SLIDING TRANSFER BENCH



- \* Comfortable, ergonomic padded seat.
- \* Swivel Seat rotates 360° and locks every 90°, allowing easy entry and exit from the bench.
- \* Seat smoothly glides in and out of the tub on durable, polished aluminum-tube sliding rails.

#### Accessories

77651 Extra Tall Legs (Adds up to 4") 77653 XX Tall Legs (Adds up to 8") Armrests are Currently Not Available for this Item

- 77661 Padded Swivel Sliding Transfer Bench (Regular) (Weight Capacity: 400 lbs.)
- Padded Swivel Sliding Transfer Bench (Long) 77681 (Weight Capacity: 300 lbs.)
- 77691 Padded Swivel Sliding Transfer Bench (Extra Long) (Weight Capacity: 300 lbs.)

Item No.	77661	77681	77691
Seat Size (LxWxT)	17.25" x 16" x 1.75"	17.25" x 16" x 1.75"	17.25" x 16" x 1.75'
Back Size (LxWxT)	16" x 8.5" x 1.5"	16" x 8.5" x 1.5"	16" x 8.5" x 1.5"
Seat Height (Low-High)	20" - 24"	20" - 24"	20" - 24"
Base Length (Left-Right)	39" - 40"	43" - 44"	48" - 49"
Base Depth (Front-Back)	18.5" - 20.25"	18.5" - 20.25"	18.5" - 20.25"
Max Bathtub Clearance	18.5"	18.5"	18.5"
Back Height From Floor (Low-High)	33" - 37"	33" - 37"	33" - 37"
Seat to top of Back	13"	13"	13"
Sliding Distance	14.5"	18.5"	23.5"
Weight Capacity	400 lbs.	300 lbs.	300 lbs.
MSRP	\$340.00	\$390.00	\$400.00

\*Some specifications may be subject to change

# SWIVEL SLIDING TRANSFER BENCH W/CUT-OUT

77663 Swivel Sliding Transfer Bench w/Cut-Out (Regular)

(Weight Capacity: 400 lbs.)

77683 Swivel Sliding Transfer Bench w/Cut-Out (Long)


(Weight Capacity: 300 lbs.)

77693 Swivel Sliding Transfer Bench w/Cut-Out (Extra Long)

(Weight Capacity: 300 lbs.)

^	Item No.	77663	77683	77693
5	Seat Size (LxWxT)	17.75" x 14.75" x 1.25"	17.75" x 14.75" x 1.25"	17.75" x 14.75" x 1.25"
5	Back Size (LxWxT)	14.75" x 7" x .75"	14.75" x 7" x .75"	14.75" x 7" x .75"
-	Seat Height (Low-High)	21.75" - 26"	21.75" - 26"	21.75" - 26"
5	Base Length (Left-Right)	39" - 40"	43" - 44"	48" - 49"
ב	Base Depth (Front-Back)	18.5" - 20.5"	18.5" - 20.5"	18.5" - 20.5"
1	Max Bathtub Clearance	18.5"	18.5"	18.5"
	Back Height From Floor (Low-High)	35.25" - 39.75"	35.25" - 39.75"	35.25" - 39.75"
	Seat to top of Back	13.75"	13.75"	13.75"
	Sliding Distance	15"	19"	24"
	Weight Capacity	400 lbs.	300 lbs.	300 lbs.
	MSRP	\$300.00	\$350.00	\$360.00
	Need help	reading our Specification	ons? See page 1 of our Co	atalog

\*Some specifications may be subject to change



- \* Seat smoothly glides in and out of the tub on durable, polished aluminum-tube sliding rails.
- \* Wide Cut-Out for easier personal cleaning (not intended for over-the-toilet use).

#### Accessories

77651 Extra Tall Legs (Adds up to 4")
77653 XX Tall Legs (Adds up to 8")
75003 Optional Armrest (Single)

# SLIDING TRANSFER BENCH w/CUT-OUT



77381 Sliding Transfer Bench w/Cut-Out (Long)

(Weight Capacity: 300 lbs.)

77391 Sliding Transfer Bench w/Cut-Out (Extra Long)

(Weight Capacity: 300 lbs.)

s	Item No.	77311	77381	77391
0	Seat Size (LxWxT)	17.75" x 14.75" x 1.25"	17.75" x 14.75" x 1.25"	17.75" x 14.75" x 1.25"
at	Back Size (LxWxT)	14.75" x 7" x 0.75"	14.75" x 7" x 0.75"	14.75" x 7" x 0.75"
U	Seat Height (Low-High)	18.25" - 22.25"	18.25" - 22.25"	18.25" - 22.25"
-	Base Length (Left-Right)	39" - 40"	43" - 44"	48" - 49"
De	Base Depth (Front-Back)	18.25" - 20"	18.25" - 20"	18.25" - 20"
~	Max Bathtub Clearance	18.5"	18.5"	18.5"
	Back Height From Floor (Low-High)	32" - 36"	32" - 36"	32" - 36"
	Seat to top of Back	13.75"	13.75"	13.75"
	Sliding Distance	15"	19"	24"
	Weight Capacity	400 lbs.	300 lbs.	300 lbs.
	MSRP	\$230.00	\$254.00	\$270.00
	Need help	reading our Specification	ons? See page 1 of our Co	italog
- 1	40	a reacifications may be	Liver to the second	

Some specifications may be subject to change



- \* Seat smoothly glides in and out of the tub on durable, polished aluminum-tube sliding rails.
- \* Wide Cut-Out allows for easier personal cleaning (not intended for over-the-toilet use).
- \* Specially-designed sliding rings securely lock the seat at each end of the sliding rails.

#### Accessories

77651 Extra Tall Legs (Adds up to 4") 77653 XX Tall Legs (Adds up to 8") 75003 Optional Armrest (Single)

#### PADDED SLIDING TRANSFER BENCH

77111 Padded Sliding Transfer Bench (Regular)

(Weight Capacity: 400 lbs.)

77181 Padded Sliding Transfer Bench (Long)

(Weight Capacity: 300 lbs.)

77191 Padded Sliding Transfer Bench (Extra Long)

(Weight Capacity: 300 lbs.)

Item N	0.	77111	77181	77191
Seat Si	ze (LxWxT)	17.25" x 16" x 1.75"	17.25" x 16" x 1.75"	17.25" x 16" x 1.75"
Back S	ize (LxWxT)	16" x 8.5" x 1.5"	16" x 8.5" x 1.5"	16" x 8.5" x 1.5"
Seat H	eight (Low-High)	19" - 23"	19" - 23"	19" - 23"
Base L	ength (Left-Right)	39" - 40"	43" - 44"	48" - 49"
Base D	epth (Front-Back)	18.5" - 20.5"	18.5" - 20.5"	18.5" - 20.5"
Max Bo	othtub Clearance	18.5"	18.5"	18.5"
Back H	leight From Floor ligh)	32" - 36"	32" - 36"	32" - 36"
Seat to	top of Back	13.75"	13.75"	13.75"
Sliding	Distance	15"	19"	24"
Weight	Capacity	400 lbs.	300 lbs.	300 lbs.
MSRP		\$290.00	\$324.00	\$348.00
	Need help	reading our Specification	ons? See page 1 of our Co	atalog

\*Some specifications may be subject to change



- \* Comfortable, ergonomic padded seat.
- \* Seat smoothly glides in and out of the tub on durable, polished aluminum-tube sliding rails.
- \* Specially-designed sliding rings securely lock the seat at each end of the sliding rails.

#### Accessories

77651 Extra Tall Legs (Adds up to 4") 77653 XX Tall Legs (Adds up to 8")

Armrests are Currently Not Available for this Item

## **SLIDING TRANSFER BENCH**

77211 Sliding Transfer Bench (Regular)

(Weight Capacity: 400 lbs.)

77281 Sliding Transfer Bench (Long)

(Weight Capacity: 300 lbs.)

77291 Sliding Transfer Bench (Extra Long)

(Weight Capacity: 300 lbs.)

Item No.	77211	77281	77291
Seat Size (LxWxT)	17.75" x 14.75" x 1.25"	17.75" x 14.75" x 1.25"	17.75" x 14.75" x 1.25"
Back Size (LxWxT)	14.75" x 7" x 0.75"	14.75" x 7" x 0.75"	14.75" x 7" x 0.75"
Seat Height (Low-High)	18.25" - 22.25"	18.25" - 22.25"	18.25" - 22.25"
Base Length (Left-Right)	39" - 40"	43" - 44"	48" - 49"
Base Depth (Front-Back)	18.25" - 20"	18.25" - 20"	18.25" - 20"
Max Bathtub Clearance	18.5"	18.5"	18.5"
Back Height From Floor (Low-High)	32" - 36.25"	32" - 36.25"	32" - 36.25"
Seat to top of Back	13.75"	13.75"	13.75"
Sliding Distance	15"	19"	24"
Weight Capacity	400 lbs.	300 lbs.	300 lbs.
MSRP	\$216.00	\$240.00	\$264.00

\*Some specifications may be subject to change



- \* Seat smoothly glides in and out of the tub on durable, polished aluminum-tube sliding rails.
- \* Specially-designed sliding rings securely lock the seat at each end of the sliding rails.
- \* Easy to assemble. No tools necessary.

#### Accessories

77651 Extra Tall Legs (Adds up to 4") 77653 XX Tall Legs (Adds up to 8") 75003 Optional Armrest (Single)

## **TOILET-TO-TUB SLIDING TRANSFER BENCH**



- \* Extra-wide seat smoothly glides in and out of the tub on durable, polished aluminum-tube sliding rails.
- \* Specially-designed sliding rings securely lock the seat at each end of the sliding rails.
- \* Strong, lightweight, rust-proof aluminum frame construction.
- \* Easy to assemble. No tools necessary.

NOTE: Please measure your bathroom dimensions carefully to make sure this bench will fit your specific bathroom.

# 77963 Toilet-to-Tub Sliding Transfer Bench (Long)

(Base Length: 54.5" - 55.5"; Weight Capacity: 350 lbs.)

#### 77983 Toilet-to-Tub Sliding Transfer Bench (X-Long)

(Base Length: 59.5" - 60.5"; Weight Capacity: 350 lbs.)

77993 Toilet-to-Tub Sliding Transfer Bench (XX Long) (Base Length: 64.5" - 65.5"; Weight Capacity: 350 lbs.)

Item No.	77963	77983	77993
Seat Size (LxWxT)	20.25" x 18.5" x 1.5"	20.25" x 18.5" x 1.5"	20.25" x 18.5" x 1.5"
Back Size (LxWxT)	16.75" x 8.25" x 1.5"	16.75" x 8.25" x 1.5"	16.75" x 8.25" x 1.5"
Seat Height (Low-High)	18.25" - 22,25"	18.25" - 22.25"	18.25" - 22.25"
Base Length (Left-Right)	54.5" - 55.5"	59.5" - 60.5"	64.5" - 65.5"
Base Depth (Front-Back)	21" - 22.5"	21" - 22.5"	21" - 22.5"
Max Tub/Toilet Clearance	18"	18"	18"
Back Height From Floor (Low-High)	33" - 36.75"	33" - 36.75"	33" - 36.75"
Seat to top of Back	14.75"	14.75"	14.75"
Sliding Distance	29.5"	34.5"	39.5"
Weight Capacity	350 lbs.	350 lbs.	350 lbs.
MSRP	\$370.00	\$374.00	\$378.00
Need help	reading our Specificati	ons? See page 1 of our C	ataloa

\*Some specifications may be subject to change

# **COMPARISON CHART (SLIDING & SWIVEL SLIDING TRANSFER BENCHES)**

	Tub-Mount Swivel Sliding Transfer Bench [#77762]	Padded Tub-Mount Swivel Sliding Transfer Bench [#77761]	Swivel Sliding Transfer Bench [#77662]	Transfer Bench	Padded Swivel Sliding Transfer Bench [#77661]	Sliding Transfer Bench w/Cut-Out [#77311]	Padded Sliding Transfer Bench w/Cut-Out [#77111]	Sliding Transfer Bench [#77211]	Toilet-to-Tub Sliding Transfer Bench (XX Long) [#77993]	Bariatric Swivel Sliding Transfer Bench [#55662]	Bariatric Sliding Transfer Bench [#55211]
Height Adjustable	х	x	x	x	x	x	x	x	x	х	x
Backrest	х	x	x	x	x	x	x	x	x	х	x
Seat Locks at Each End of Sliding Rail	х	x	x	x	x	х	x	x	x	x	x
Swivel Seat	х	x	х	x	x					x	
Padded Seat		x			x		x				
Permanent Commode Cut-Out									x		
Replaceable Cut-Out				x		х					
No Frame Legs Outside of Tub	х	x									
Weight Capacity (lbs.)	350	350	400	400	400	400	400	400	350	500	500
Optional Armrest	#75003		#75003	#75003		#75003		#75003	#71002	#71002	#71002
Optional Extra Tall Legs (Add 4° or 8°)	#77651 (4") #77653 (8")	#77651 (4") #77653 (8")	#77651 (4") #77653 (8")		#77651 (4*) #77653 (8*)	77.0	#77651 (4") #77653 (8")	#77651 (4") #77653 (8")		#55204 (4") #55208 (8")	#55204 (4") #55208 (8")
Base Length	Min Inside Tub Width 23" (Top) 16.5" (Bottom)	Min Inside Tub Width 23" (Top) 16.5" (Bottom)	39"-40"	39"-40"	39"-40"	39"-40"	39"-40"	39"-40"	64.5"-65.5"	39"-40"	39"-40"
Long Version	10.5 (Bottom)	10.5 (Bottom)	77682 (Base Length 43"-44")	77683 (Base Length 43"-44")	77681 (Base Length 43"-44")	77381 (Base Length 43*-44*)	77181 (Base Length 43*-44*)	77281 (Base Length 43"-44")	77963 (Base Length 54.5"-55.5")	55682 (Base Length 43"-44")	55281 (Base Length 43"-44")
Extra Long Version			77692 (Base Length 48"-49")	77693 (Base Length 48"-49")	77691 (Base Length 48"-49")	77391 (Base Length 48*-49")	77191 (Base Length 48'-49")	77291 (Base Length 48"-49")	77983 (Base Length 59.5"-60.5")	55692 (Base Length 48"-49")	55291 (Base Length 48"-49")
Tall Version										56662	56211

Call to Order: (714) 532 - 1777

# **BARIATRIC SLIDING TRANSFER BENCH**



- \* Extra wide seat smoothly glides in and out of the tub on durable, polished aluminum-tube sliding rails.
- \* Specially-designed sliding rings securely lock the seat at each end of the sliding rails.
- \* High Weight Capacity

#### Accessories

55204 Extra Tall Legs (Adds up to 4") 55208 XX Tall Legs (Adds up to 8")

71002 Armrests (Pair)

#### 55211 Bariatric Sliding Transfer Bench (Regular) (Weight Capacity: 500 lbs.)

55281 Bariatric Sliding Transfer Bench (Long)

(Weight Capacity: 400 lbs.)

55291 Bariatric Sliding Transfer Bench (Extra Long)
(Weight Capacity: 400 lbs.)

w.	Item No.	55211	55281	55291	
0	Seat Size (LxWxT)	20.25" x 18.5" x 1.5"	20.25" x 18.5" x 1.5"	20.25" x 18.5" x 1.5"	
10	Back Size (LxWxT)	17" x 8.25" x 1.5"	17" x 8.25" x 1.5"	17" x 8.25" x 1.5"	
2	Seat Height (Low-High)	18" - 22"	18" - 22"	18" - 22"	
5	Base Length (Left-Right)	39" - 40"	43" - 44"	48" - 49"	
2	Base Depth (Front-Back)	21" - 22.5"	21" - 22.5"	21" - 22.5"	
^	Max Bathtub Clearance	18.5"	18.5"	18.5"	
	Back Height From Floor (Low-High)	33" - 37"	33" - 37"	33" - 37"	
	Seat to top of Back	14.75"	14.75"	14.75"	
	Sliding Distance	14.5"	18"	23"	
	Weight Capacity	500 lbs.	400 lbs.	400 lbs.	
	MSRP	\$300.00	\$350.00	\$360.00	
	Need help	reading our Specification	ons? See page 1 of our Co	italog	

\*Some specifications may be subject to change

# TALL BARIATRIC SLIDING TRANSFER BENCH



- \* Extra wide seat smoothly glides in and out of the tub on durable, polished aluminum-tube sliding rails.
- \* Specially-designed sliding rings securely lock the seat at each end of the sliding rails.
- \* High Weight Capacity

#### Accessories

55208 Extra Tall Legs (Adds up to 4")

71002 Armrests (Pair)

56211	Tall Bariatric Sliding Transfer Bench (Regular)
	(Weight Capacity: 500 lbs.)

#### 56281 Tall Bariatric Sliding Transfer Bench (Long) (Weight Capacity: 400 lbs.)

#### 56291 Tall Bariatric Sliding Transfer Bench (Extra Long) (Weight Capacity: 400 lbs.)

Item No.	56211	56281	56291
Seat Size (LxWxT)	20.25" x 18.5" x 1.5"	20.25" x 18.5" x 1.5"	20.25" x 18.5" x 1.5"
Back Size (LxWxT)	17" x 8.25" x 1.5"	17" x 8.25" x 1.5"	17" x 8.25" x 1.5"
Seat Height (Low-High)	21.5" - 25.5"	21.5" - 25.5"	21.5" - 25.5"
Base Length (Left-Right)	39.5" - 40.5"	43.5" - 44.5"	48.5" - 49.5"
Base Depth (Front-Back)	22.75" - 24.25"	22.75" - 24.25"	22.75" - 24.25"
Max Bathtub Clearance	22.75"	22.75"	22.75"
Back Height From Floor (Low-High)	36.25" - 40.25"	36.25" - 40.25"	36.25" - 40.25"
Seat to top of Back	14.75"	14.75"	14.75"
Sliding Distance	14.5"	18"	23"
Weight Capacity	500 lbs.	400 lbs.	400 lbs.
MSRP	\$380.00	\$430.00	\$440.00
	Back Size (LxWxT)  Seat Height (Low-High)  Base Length (Left-Right)  Base Depth (Front-Back)  Max Bathtub Clearance  Back Height From Floor (Low-High)  Seat to top of Back  Sliding Distance  Weight Capacity	Back Size (LxWxT) 17" x 8.25" x 1.5"  Seat Height (Low-High) 21.5" - 25.5"  Base Length (Left-Right) 39.5" - 40.5"  Base Depth (Front-Back) 22.75" - 24.25"  Max Bathtub Clearance 22.75"  Back Height From Floor (Low-High) 36.25" - 40.25"  Seat to top of Back 14.75"  Sliding Distance 14.5"  Weight Capacity 500 lbs.	Back Size (LxWxT) 17" x 8.25" x 1.5" 17" x 8.25" x 1.5"  Seat Height (Low-High) 21.5" - 25.5" 21.5" - 25.5"  Base Length (Left-Right) 39.5" - 40.5" 43.5" - 44.5"  Base Depth (Front-Back) 22.75" - 24.25" 22.75" - 24.25"  Max Bathtub Clearance 22.75" 22.75" 22.75"  Back Height From Floor (Low-High) 36.25" - 40.25"  Seat to top of Back 14.75" 14.75"  Sliding Distance 14.5" 18"  Weight Capacity 500 lbs. 400 lbs.

\*Some specifications may be subject to change

#### BARIATRIC SWIVEL SLIDING TRANSFER BENCH

55662 Bariatric Swivel Sliding Transfer Bench (Regular)

(Weight Capacity: 500 lbs.)


55682 Bariatric Swivel Sliding Transfer Bench (Long)

(Weight Capacity: 400 lbs.)

55692 Bariatric Swivel Sliding Transfer Bench (Extra Long)

(Weight Capacity: 400 lbs.)

Item No.	55662	55682	55692
Seat Size (LxWxT)	20.25" x 18.5" x 1.5"	20.25" x 18.5" x 1.5"	20.25" x 18.5" x 1.5"
Back Size (LxWxT)	17" x 8.25" x 1.5"	17" x 8.25" x 1.5"	17" x 8.25" x 1.5"
Seat Height (Low-High)	19.5" - 23.5"	19.5" - 23.5"	19.5" - 23.5"
Base Length (Left-Right)	39" - 40"	43" - 44"	48" - 49"
Base Depth (Front-Back)	21" - 22.5"	21" - 22.5"	21" - 22.5"
Max Bathtub Clearance	18.5"	18.5"	18.5"
Back Height From Floor (Low-High)	34" - 38"	34" - 38"	34" - 38"
Seat to top of Back	14.75"	14.75"	14.75"
Sliding Distance	12.5"	16.5"	21.5"
Weight Capacity	500 lbs.	400 lbs.	400 lbs.
MSRP	\$410.00	\$460.00	\$470.00
Need help	reading our Specification	ons? See page 1 of our Co	rtaloa





- \* Extra-wide Swivel Seat rotates 360° and locks every 90°, allowing easy entry and exit from bench.
- \* Seat smoothly glides in and out of the tub on durable, polished aluminum-tube sliding rails.
- \* High Weight Capacity

#### Accessories

55204 Extra Tall Legs (Adds up to 4")

55208 XX Tall Legs (Adds up to 8")

71002 Armrests (Pair)

## TALL BARIATRIC SWIVEL SLIDING TRANSFER BENCH

56662 Tall Bariatric Swivel Sliding Transfer Bench (Regular)
(Weight Capacity: 500 lbs.)

Tall Bariatric Swivel Sliding Transfer Bench (Long)

(Weight Capacity: 400 lbs.)

56682

56692 Tall Bariatric Swivel Sliding Transfer Bench (Extra Long)

(Weight Capacity: 400 lbs.)

Item No.	56662	56682	56692
Seat Size (LxWxT)	20.25" x 18.5" x 1.5"	20.25" x 18.5" x 1.5"	20.25" x 18.5" x 1.5
Back Size (LxWxT)	17" x 8.25" x 1.5"	17" x 8.25" x 1.5"	17" x 8.25" x 1.5"
Seat Height (Low-High)	24" - 27.75"	24" - 27.75"	24" - 27.75"
Base Length (Left-Right)	39.5" - 40.5"	43.5" - 44.5"	48.5" - 49.5"
Base Depth (Front-Back)	22.75" - 24.25"	22.75" - 24.25"	22.75" - 24.25"
Max Bathtub Clearance	22.75"	22.75"	22.75"
Back Height From Floor (Low-High)	38.75" - 42.5"	38.75" - 42.5"	38.75" - 42.5"
Seat to top of Back	14.75"	14.75"	14.75"
Sliding Distance	12.5"	16.5"	21.5"
Weight Capacity	500 lbs.	400 lbs.	400 lbs.
MSRP	\$490.00	\$540.00	\$550.00
Need help	reading our Specificati	ons? See page 1 of our Co	atalog

\*Some specifications may be subject to change



- \* Extra-wide Swivel Seat rotates 360° and locks every 90°, allowing easy entry and exit from bench.
- \* Seat smoothly glides in and out of the tub on durable, polished aluminum-tube sliding rails.
- \* High Weight Capacity

#### Accessories

55208 Extra Tall Legs (Adds up to 4")

71002 Armrests (Pair)

#### **BARIATRIC SWIVEL SHOWER CHAIR**

#### 55232 **Bariatric Swivel Shower Chair**

(Weight Capacity: 500 lbs.)

#### 56232 Tall Bariatric Swivel Shower Chair

(Weight Capacity: 500 lbs.)

Item No.	55232	56232
Seat Size (LxWxT)	20.25" x 18.5" x 1.5"	20.25" × 18.5" × 1.5"
Back Size (LxWxT)	17" x 8.25" x 1.5"	17" x 8.25" x 1.5"
Seat Height (Low-High)	19.5" - 23.5"	24" - 27.75"
Base Width (Left-Right)	27" - 28"	27.5" - 29"
Base Depth (Front-Back)	20.5" - 22.5"	22.25" - 24.25"
Back Height From Floor (Low-High)	34" - 38"	37.75" - 41.75"
Seat to top of Back	14.75"	14.75"
Weight Capacity	500 lbs.	500 lbs.
MSRP	\$280.00	\$360.00

Need help reading our Specifications? See page 1 of our Catalog \*Some specifications may be subject to change

Please measure your bathtub or shower dimensions carefully to make sure this Bariatric Swivel Shower Chair will fit your specific bathroom. This chair may not fit inside a normal-size bathtub.



- \* Extra-wide, molded-plastic seat and back.
- \* Swivel Seat rotates 360° and locks every 90°, allowing easy entry and exit from the chair.
- \* High Weight Capacity (500 lbs)
- \* Includes Armrests

(Note: Armrests are intended to rest your hands or arms, and are not designed to bear body weight.)

#### BARIATRIC SHOWER CHAIR

#### 72621 **Bariatric Shower Chair**

(Weight Capacity: 500 lbs.)

S	Item No.	72621
0	Seat Size (LxWxT)	20.25" x 18.5" x 1.5"
CITICATIO	Back Size (LxWxT)	17" x 8.25" x 1.5"
0	Seat Height (Low-High)	18.25" - 22.25"
-	Base Width (Left-Right)	24.5" - 25.5"
o D	Base Depth (Front-Back)	21" - 22.75"
^	Back Height From Floor (Low-High)	33.25" - 37"
	Distance Between Arms	23"
	Weight Capacity	500 lbs.
	MSRP	\$170.00
	ad halp randing our Specification	25

Need help reading our Specifications? See page 1 of our Catalog \*Some specifications may be subject to change



- \* Extra wide seat and back with textured finish.
- \* Rust-proof, high-strength, lightweight aluminum frame construction.
- \* Height-adjustable to fit user.
- \* High Weight Capacity (500 lbs).

NOTE: Please measure your bathtub or shower dimensions carefully to make sure this Chair will fit your specific bathroom. This chair may not fit inside a normal-size bathtub.

#### BARIATRIC COMMODE / SHOWER CHAIR

# 62625 Bariatric Commode / Shower Chair (Weight Capacity: 500 lbs.)

	Item No.	62625
	Seat Size (LxWxT)	20.25" x 18.5" x 1.5
	Back Size (LxWxT)	17" x 8.25" x 1.5"
	Seat Height (Low-High)	22" - 26"
	Base Width (Left-Right)	29" - 30.25"
	Base Depth (Front-Back)	22.5" - 23.5"
	Back Height From Floor (Low-High)	36.75" - 40.75"
	Distance Between Arms	23.25"
	Weight Capacity	500 lbs.
	MSRP	\$210.00
e	d help reading our Specification	s? See page 1 of our Co
	*Some specifications may be	



- \* Extra wide seat and back with textured finish.
- \* Rust-proof, high-strength, lightweight aluminum frame construction.
- \* High Weight Capacity (500 lbs).
- \* Includes Commode Pail. Optional Splash Guard available.

NOTE: Please measure your bathtub or shower dimensions carefully to make sure this Chair will fit your specific bathroom. This chair may not fit inside a normal-size bathtub.

## PADDED RAISED TOILET SEAT / COMMODE / SHOWER CHAIR

# 74654 Padded Raised Toilet Seat/Commode/Shower Chair

(Weight Capacity: 300 lbs.)

# 74655 Padded Raised Toilet Seat /Commode/Shower Chair w/Fill-In

(Weight Capacity: 300 lbs.)

Both include Commode Pail & Splash Guard NOTE: Please measure your bathtub or shower dimensions carefully to make sure this Chair will fit your specific bathroom. This chair may not fit inside a normal-size bathtub.

iiiiu	i-size butiltub.		A STATE OF THE PARTY OF THE PAR
<b>~</b>	Item No.	74654	74655
0 0	Seat Size (LxWxT)	17.25" × 16.5" × 2"	17.25" × 16.5" × 2"
ations	Seat Height (Low-High)	18" - 22"	18" - 22"
fic	Base Width (Left-Right)	25.25" - 26"	25.25" - 26"
ecific	Base Depth (Front-Back)	18.5" - 19"	18.5" - 19"
Sp	Underneath Clearance (Min - Max)	15" - 19"	15" - 19"
	Distance Between Arms	19"	19"
	Weight Capacity	300 lbs.	300 lbs.
	MSRP	\$152.00	\$170.00

Need help reading our Specifications? See page 1 of our Catalog
\*Some specifications may be subject to change





- \* Innovative multi-functional DME designed to save your customers money and space from needing multiple pieces of equipment.
- \* Comfortable padded seat ergonomically designed, resists moisture penetration.
- \* Height-adjustable to fit user and toilet.
- \* COMMODE: With Commode Pail installed, it functions as a bedside commode.
- \* RAISED TOILET SEAT: With Splash Guard installed, it becomes a raised toilet seat with built-in safety frame.
- \* PADDED SHOWER CHAIR: With Splash Guard removed, it becomes height-adjustable shower chair.

#### PADDED SWIVEL SHOWER CHAIR



#### 75231 Padded Swivel Shower Chair

(Weight Capacity: 300 lbs.)

- \* Comfortable, ergonomic padded seat.
- \* Swivel Seat rotates 360° and locks every 90°, allowing easy entry and exit from the chair.
- \* Lightweight, rust-proof, sturdy aluminum frame construction.
- \* Easy to assemble. No tools necessary.
- \* Height adjustable to fit the user.
- \* MSRP: \$260.00 each

#### Accessories

Armrests are Currently Not Available for this Item

Item No.	75231
Seat Size (LxWxT)	17.25" x 16" x 1.75"
Back Size (LxWxT)	16" x 8.5" x 1.5"
Seat Height (Low-High)	18.25" - 22.25"
Base Width (Left-Right)	19" - 20.25"
Base Depth (Front-Back)	17.5" - 19.5"
Back Height From Floor (Low-High)	31.5" - 35.5"
Weight Capacity	300 lbs.

<sup>\*</sup>Some specifications may be subject to change

#### **SWIVEL SHOWER CHAIR**



#### 75232 Swivel Shower Chair

(Weight Capacity: 300 lbs.)

- \* Swivel Seat rotates 360° and locks every 90°, allowing easy entry and exit from the chair.
- \* Plastic blow-mold seat and back with textured finish.
- \* Lightweight, rust-proof, sturdy aluminum frame construction.
- \* Easy to assemble. No tools necessary.
- \* Height adjustable to fit the user.
- \* MSRP: \$190.00 each

#### Accessories

75003 Optional Armrest (Single)

S	Item No.	75232
0	Seat Size (LxWxT)	17.75" x 14.75" x 1.25
ation	Back Size (LxWxT)	14.75" x 7" x 0.75"
cific	Seat Height (Low-High)	17" - 21"
	Base Width (Left-Right)	18.5" - 19.25"
b e	Base Depth (Front-Back)	17.5" - 19.25"
^	Back Height From Floor (Low-High)	30.5" - 35"
	Weight Capacity	300 lbs.

<sup>\*</sup>Some specifications may be subject to change

# SWIVEL SHOWER CHAIR W/CUT-OUT



# 75233 Swivel Shower Chair w/Cut-Out

(Weight Capacity: 300 lbs.)

- \* Swivel Seat rotates 360° and locks every 90°, allowing easy entry and exit from the chair.
- \* Wide Cut-Out for easier personal cleaning (not intended for over-the-toilet use).
- \* Lightweight, rust-proof, sturdy aluminum frame construction.
- \* Height adjustable to fit the user.
- \* MSRP: \$210.00 each

#### Accessories

75003 Optional Armrest (Single)

s	Item No.	75233
0	Seat Size (LxWxT)	17.75" x 14.75" x 1.25"
ation	Back Size (LxWxT)	14.75" x 7" x 0.75"
	Seat Height (Low-High)	20" - 24"
cific	Base Width (Left-Right)	18.5" - 19.25"
ре	Base Depth (Front-Back)	17.5" - 19.25"
S	Back Height From Floor (Low-High)	33.5" - 37.75"
	Weight Capacity	300 lbs.

<sup>\*</sup>Some specifications may be subject to change

#### 62221 Shower Chair w/Arms, w/o Back

(Weight Capacity: 350 lbs.)

Item No.	62221
Seat Size (LxWxT)	18.75" x 13" x 1.75'
Seat Height (Low-High)	16" - 20"
Base Width (Left-Right)	19.25" - 20"
Base Depth (Front-Back	2) 18" - 20"
Weight Capacity	350 lbs.

- \* Plastic blow-mold seat with textured
- \* Lightweight, rust-proof, sturdy aluminum frame construction.
- \* Easy to assemble. No tools necessary.
- \* Height adjustable to fit the user and tub clearance.
- \* MSRP: \$90.00 each

[This item will be discontinued when current inventory runs out.1



# SHOWER CHAIR W/CUT-OUT, W/ARMS, W/O BACK

# 62321 Shower Chair w/Cut-Out, w/Arms, w/o Back

(Weight Capacity: 350 lbs.)

Item No.	62321
Seat Size (LxWxT)	18.75" x 14.5" x 1.5'
Seat Height (Low-High)	16" - 20"
Base Width (Left-Right)	18.75" - 19.25"
Base Depth (Front-Back)	18.5" - 20.5"
Weight Capacity	350 lbs.
	Seat Size (LxWxT)  Seat Height (Low-High)  Base Width (Left-Right)  Base Depth (Front-Back)

- \* Cut-Out for easier personal cleaning (not intended for over-the-toilet use).
- \* Plastic blow-mold seat with textured finish.
- \* Lightweight, rust-proof, sturdy aluminum frame construction.
- \* Easy to assemble. No tools necessary.
- \* Height adjustable to fit the user and tub clearance.
- \* MSRP: \$98.00 each

[This item will be discontinued when current inventory runs out.]



# SHOWER CHAIR W/CUT-OUT, W/BACK & ARMS

#### Shower Chair w/Cut-Out, w/Back & Arms 72331

(Weight Capacity: 350 lbs.) [Early 2018 Release]

	Item No.	72331
ı	Seat Size (LxWxT)	17.75" × 14.75" × 1.75"
	Back Size (LxWxT)	15.75" x 7.75" x 1.25"
	Seat Height (Low-High)	16" - 20"
	Base Width (Left-Right)	19" - 19.75"
	Base Depth (Front-Back)	18.5" - 20.5"
	Back Height From Floor (Low-High)	28.75" - 32.5"
	Weight Capacity	350 lbs.

me specifications may be subject to change

- \* Cut-Out for easier personal cleaning (not intended for over-the-toilet use).
- \* Plastic blow-mold seat and back with textured finish.
- \* Lightweight, rust-proof, sturdy aluminum frame construction.
- \* Easy to assemble. No tools necessary.
- \* Height adjustable to fit the user and tub clearance.
- \* MSRP: \$134.00 each



#### PADDED SHOWER CHAIR W/BACK & ARMS



#### 72131 Padded Shower Chair w/Back & Arms

(Weight Capacity: 350 lbs.)

- \* Comfortable, ergonomic padded seat and back.
- \* Lightweight, rust-proof, sturdy aluminum frame construction.
- \* Easy to assemble. No tools necessary.
- \* Height adjustable to fit the user and tub clearance.
- \* MSRP: \$290.00 each
  [Anticipated Release: Early 2018]

Item No.	72131
Seat Size (LxWxT)	17.25" x 16" x 1.75"
Back Size (LxWxT)	16" x 8.5" x 1.5"
Seat Height (Low-High)	19" - 23"
Base Width (Left-Right)	19" - 20"
Base Depth (Front-Back)	18.5" - 20"
Back Height From Floor (Low-High)	32.25" - 36.25"
Weight Capacity	350 lbs.

<sup>\*</sup>Some specifications may be subject to change

#### HIP CHAIR



#### 73231 Hip Chair

(Weight Capacity: 250 lbs.) [Early 2018 Release]

- \* Designed for those recovering from recent hip surgery.
- \* Plastic blow-mold seat and back with textured finish.
- \* Lightweight, rust-proof, sturdy aluminum frame construction.
- \* Easy to assemble. No tools necessary.
- \* Height adjustable to fit the user and tub clearance
- \* MSRP: \$152.00 each

NOTE: Please measure your bathtub or shower dimensions carefully to make sure this Chair will fit your specific bathroom.

S	Item No.	73231
0	Seat Size (LxWxT)	17.75" x 14.75" x 1.25"
a t	Back Size (LxWxT)	14.75" x 7" x .75"
i fic	Seat Height (Low-High)	25.75" - 29.75"
-	Base Width (Left-Right)	21.5" - 22.25"
D	Base Depth (Front-Back)	22" - 23.25"
S	Back Height From Floor (Low-High)	39.5" - 43.5"
	Weight Capacity	250 lbs.

<sup>\*</sup>Some specifications may be subject to change

#### PADDED HIP CHAIR



# 73131 Padded Hip Chair

(Weight Capacity: 250 lbs.) [Early 2018 Release]

- \* Designed for those recovering from recent hip surgery.
- \* Comfortable, ergonomic padded seat.
- \* Lightweight, rust-proof, sturdy aluminum frame construction.
- \* Easy to assemble. No tools necessary.
- \* Height adjustable to fit the user and tub clearance.
- \* MSRP: \$300.00 each

NOTE: Please measure your bathtub or shower dimensions carefully to make sure this Chair will fit your specific bathroom.

1	tem No.	73131
9	Seat Size (LxWxT)	17.25" x 16" x 1.75"
-	Back Size (LxWxT)	16" x 8.5" x 1.5"
	Seat Height (Low-High)	27" - 31"
ı	Base Width (Left-Right)	21.5" - 22.25"
1	Base Depth (Front-Back)	22" - 23.25"
	Back Height From Floor (Low-High)	41" - 44.75"
,	Weight Capacity	250 lbs.

\*Some specifications may be subject to change

## 53000 Oxygen Tank Holder for Walkers / Rollators

# 53001 Oxygen Tank Holder for Wheelchairs

Designed to hold D & E oxygen tanks securely (tank not included)



# **COMPARISON CHART (SHOWER CHAIRS & SWIVEL SHOWER CHAIRS)**

	Bariatric Swivel Shower Chair [#55232]	Bariatric Shower Chair [#72621]	Bariatric Commode/ Shower Chair [#62625]	Padded Raised Toilet Seat /Commode [#74654]	Padded Raised Toilet Seat /Commode w/Fill-In [#74655]	Padded Swivel Shower Chair [#75231]	Swivel Shower Chair [#75232]	Swivel Shower Chair w/Cut-Out [#75233]		Shower Chair w/Cut-Out, w/Back & Arms [#72331]	Padded Hip Chair	Hip Chair [#73231]
Height Adjustable	x	x	x	x	x	x	x	x	x	x	x	×
Backrest	Х	х	x			x	х	х	х	X	х	x
Swivel Seat	х					x	x	x				
Padded Seat				х	х	х			х		х	
Permanent Commode Cut-Out			х	x								
Replaceable Cut-Out					х			х		x		
Arms Attached		х	x	х	х				x	х	x	x
Optional Armrest							#75003	#75003				
Weight Capacity (bs.)	500	500	500	300	300	300	300	300	350	350	250	250
Tall Version	56232											
Included Accessories	Armrests		Commode Pail	A	Splash Guard Commode Pail							

14

# Terms of Agreement - Authorized Dealers

Ordering and Product Availability: We accept orders through phone, fax, or email. For drop-ship or expedited orders, they must be either faxed or emailed to us. Product availability, case quantities, closed-out or discontinued items are subject to change without advance notice.

Minimum Orders / Pricing / MAP Pricing: Due to cost fluctuations of energy and raw materials, prices are subject to change without advance notice. All prices are for each piece unless indicated as "per pair" or "per set". All products are sold in the case quantities listed in our pricelist.

An additional \$5 fee will be added for each product not meeting the case quantity for that item. Any specials must meet the case quantity requirement in order to receive the sale price (no exceptions).

Minimum order is \$100. Orders less than \$100 will have a \$5 handling fee added to the total order amount

<u>Drop-Ship Orders:</u> There is an additional \$2 handling fee per drop-ship order. Eagle Health Supplies (EHS) is not responsible for lost, stolen, damaged, or misplaced drop-ship shipments. To ensure delivery confirmation, we recommend requesting Signature-Required (additional fee).

Customers are REQUIRED to adhere to our MAP Policy (Minimum Advertised Price)(see below). All wholesale distributors must enforce our MAP Pricing with your dealers.

- Selling on Amazon (as 3rd-party seller or FBA Amazon), or similar online marketplace.:

  Anyone wishing to sell on Amazon (as 3rd-party seller or FBA Amazon), or similar online marketplace, must receive prior written authorization from Eagle Health Supplies.

  Products must be listed under Eagle Health Supplies UPC numbers.

  Products must be listed under "Eagle Health Supplies" brand name.

  Orders Shipped to FBA Amazon (or similar online marketplace):

  FBA Amazon orders (or similar online marketplace orders) will have an additional \$1 handling fee per case.

  Customers must arrange shipping/freight arrangements for shipments from our warehouse (Orange, CA) to Amazon Fulfillment Centers (or other warehouse).

  Customers must send us appropriate Amazon product labels, and must specify which Amazon product labels correspond with which EHS item #.

<u>Product Warranty:</u> Warranty on the product is to the consumer only, and is one year for parts from the date of purchase. When claiming a warranty issue, the product serial number along with the proof of purchase must be provided. This includes either a purchase receipt or invoice. Rental equipment is excluded from warranty. The warranty cannot be transferred.

Warranty is invalid if no proof of purchase is provided by a sales receipt showing the description of the product under warranty. Warranty is invalid if product is modified or altered in any way. Warranty does not cover damage to the product through negligence, accident, misuse, lack of maintenance, improper storage, abuse, tampering, or damage resulting from transit. Such evaluation will be solely determined by EHS.
Further, the warranty shall not apply to problems arising from normal wear and tear or failure to follow product instructions for use and/or assembly. Warranty will be rendered invalid if the product has been damaged by unauthorized repairs

Eagle Health Supplies disclaims any liability for incidental or consequential damages.

Return Policy: Eagle Health Supplies (EHS) will not accept any merchandise for returns except in the case of warranty issues. All returns must be pre-authorized. Consumers must contact their dealer to initiate a return. Our Dealers may call our customer service for a Return Authorization number. Merchandise returned without authorization will be returned to you, freight collect. The Return Authorization number must be clearly marked on the outside of the carton. The products being returned must be shipped freight prepaid and insured for their full wholesale value. EHS reserves the right to decide how a return will be handled: credit, replacement or exchange.

Because our items are hygiene products, Eagle Health Supplies will not accept opened items. A 25% restocking fee will be deducted from your credit for any accepted returns. There will be a \$5 re-boxing fee for any box received in damaged condition. All returned goods must be unused, in original carton, with all parts included, in resalable condition.

Warranty Repairs and Returns: Dealers shall evaluate faulty products and determine if they can perform necessary repairs. Please contact EHS Customer Service Department for genuine EHS parts to complete repairs. Use of parts other than genuine EHS product parts for repair will immediately void the remaining warranty. If the product has failed under warranty, and the parts determined to be faulty are covered by our warranty to the consumer, we will provide parts at no charge to the dealer for repairs. Eagle Health Supplies may, at its discretion, request that the faulty product be shipped back to our warehouse for repair or replacement. Do not return any product without pre-authorization nor receipt of a Return Policy\* above.)

Freight Policy (Please provide a copy of this portion to your Receiving Department): Orders are shipped FOB Orange, California, 92868. We ship dropship and smaller orders using FedEx, UPS, or USPS

For larger orders, you are responsible for arranging freight shipments from our warehouse. EHS does not arrange freight shipping for our customers. Please give us your freight carrier information when placing your order, and we will provide you with pallet dimensions and weights once the pallets are packed. For freight pallet shipments, there will be an additional \$10 pallet-packing fee per pallet.

You have 7 days to inspect all cartons for missing, broken or defective parts. If cartons are received in damaged condition, or if cartons are missing, you must contact the carrier immediately for a damage claim and reimbursement. Eagle Health Supplies is not responsible for lost, stolen, damaged or missing by the freight company. You must make any shipping claims with the freight carrier directly. You are responsible for making sure that the number of cartons you sign for is the correct number that you have received. Please note in writing any shortages or damages on the receiving documents and give it to the delivery person, and please provide us with a copy within one business day of delivery.

Other than products that are defective or shipped in error, you are responsible for all freight charges. For any drop-ship deliveries refused by the consumer, you are responsible for all freight charges (including return-shipping charges). When we ship products as replacements for our errors or defective products, we will use the lowest-cost freight carrier available to us. If you want to expedite the shipment, you will be responsible for the difference in the shipping cost.

Payment Terms (Please provide a copy of this section to your accounts payable department): Eagle Health Supplies reserves the right to revise your credit terms without notice.

NET TERMS: If you are approved for 30-day terms, you agree to pay on or before the due date. No exceptions or allowances are made for late payments. Payment must be submitted by check only (no credit card

PRE-PAYMENT: Pre-payment by check or credit card (Visa and MasterCard)

We are required by law to charge sales tax on products sold to a California business unless that business has provided us with a copy of the sales tax exemption certificate.

Legal Policies: Eagle Health Supplies is only held responsible for product liability and will not be involved in lawsuits regarding Distributor/User transactions. All lawsuits that arise from purchases made through this company will be lititated in California.

Minimum Advertised Price ("MAP") Policy
Eagle Health Supplies ("EHS") relies upon its network of distributors, brokers, and retailers to purchase, distribute, market, and sell Eagle Health Supplies products ("Products"). EHS has developed this unilateral Minimum Advertised Price ("MAP") Policy ("Policy") to support brand value, retailer confidence, and consumer service and satisfaction. Accordingly, all sales of Products through retail outlets, the Internet, or otherwise are subject to this Policy. By purchasing, otherwise acquiring, holding for sale or selling to end-consumers Products, each person or entity by such action voluntarily acknowledges receipt, understanding, and intent to comply with the terms and conditions of this Policy. EHS reserves the right to update this Policy at any time upon reasonable notice and posting of such updated Policy on its website and/or distribution in writing to brokers, dealers, and retailers.

- Authorized Retailers: An EHS authorized retailer ("Retailer") includes any person or entity who or which obtains Products for resale direct from EHS or through established and approved distributor and broker
- 1. Authorized Retailers: An ETS authorized retailer ( necessary ) interests of products in the United States and Canada unless expressly approved by EHS in writing to distribute Products in any other areas of the world, b. May not sell Products on any Internet auction sites (e.g. eBay) or online marketplace sites (e.g. Amazon) unless expressly approved by EHS in writing, and c. Agree to follow this Policy when advertising Products for sale to end customers. Unauthorized retailers have no rights to sell Products under any circumstance.
- 2. MAP Policy: Retailers may freely establish their own resale prices and sell Products at any price in their sole discretion; however, Products may not be advertised, either expressly or by implication, at a price less than the MAP published by EHS unless expressly stated otherwise below. MAP applies to advertising of Products in any and all media, including but not limited to;

- a. Print ads (inserts, magazines, newspapers, etc.),
  b. Broadcast (radio, TV, instant messaging),
  c. Catalogs and other direct mail, outdoor (billboards, banners, etc.), and
  d. Internet or similar electronic media (websites, banner ads, broadcast emails, mobile phone messaging, destination pages, social media, etc.).

Any price information related to Products on any Internet website which can be accessed directly through any hypertext link or by any other method which uses http or other protocol is considered to be advertising for purposes of this Policy. MAP applies to all websites and other Internet reference sites, either expressed or implied, except for references contained solely on invoices or final website checkout shopping cart displays showing purchases by end consumers at the end of the purchase process online.

This Policy does not in any way limit the ability of any Retailer to advertise generally that it "has the lowest prices," will meet or beat any competitor's price," that end-consumers should "call for a price" or similar general statements as long as Products are not advertised, either expressly or by implication, at a price less than MAP. Examples of advertising that expresses or implies a price below MAP, and therefore in violation of MAP, are: "free" or "discounted" products where shipping and handling are extra and make up for the advertised price discount, advertising terms such as "priced too low to show," "prices so low we can't publish them," "instant rebate," strike-through type over MAP listings, and use of promotional codes or coupons which result in a price displayed other than at final checkout below MAP.

MAP does not apply to prices displayed by distributors to wholesale customers or displayed or published, other than on the Internet, by non-Internet retailers relating to sales at any physical retail location where individual end consumers can physically buy and take immediate delivery of Products.

Wholesale distributors must enforce our MAP Policy with their wholesale customers.

3. Enforcement: EHS may, without assuming any liability, cancel all orders, indefinitely refuse to accept any new orders, advise any distributor to refuse any order from any Retailer and/or terminate any relationship with any Retailer immediately following verification that such Retailer has advertised or offered any Product at a price less than the MAP. In determining the price at which Products are or were advertised, the value of any "free" or "discounted" product, free shipping, other items provided with the purchase, coupons or rebates may be considered.

From time to time, EHS may suspend MAP in its sole discretion upon published notice to Retailers for any purpose. EHS expressly reserves the right to advertise its own products directly to consumers at any price at any time in its sole discretion to assist with cash flow, inventory control or any other company need.

- 4. Unilateral Policy: This Policy is not an agreement or an offer to form an agreement with any Retailer. It simply describes unilateral conditions under which EHS may, in its sole discretion, choose to supply or sell Products to Retailers. Each Retailer is free to independently decide whether or not to follow this Policy. Any questions regarding this Policy should be directed to: Eagle Health Supplies, 535. W. Walnut Ave., Orange, CA 92868, 714-532-1777, sales@eaglehealth.com.
- 5. MAP Price List EHS reserves the right to change and modify MAP and the MAP price list, and the MAP of any individual item at any time in its sole discretion to be effective immediately upon publication on EHS's web site or through delivery of written notification to Retailers.