



# 2021

DISTRIBUTOR  
PRICE LIST

PRESSURE WASHERS // FLOOR CARE // DETERGENTS

# HOTSY

®

[HOTSYSY.COM](http://HOTSYSY.COM)



# TABLE OF CONTENTS

<b>Hot Water Pressure Washers</b>		<b>Detergents</b>	42
Electric	3	<b>Floor Care</b>	58
Gas Engine	12	Sweepers	60
Diesel	15	Extractors	64
All-Electric	16	Vacuums	67
<b>Heating Modules</b>	17	Scrubbers	76
<b>Trailers</b>	18	Floor Machine	93
<b>Cold Water Pressure Washers</b>		<b>Specialty</b>	94
Gas Engine	19	Steam Cleaners	94
Electric	25	Misters	96
<b>Water Recovery</b>	30	Air Blowers	98
<b>Standard Specials Equipment</b>	31	Gum Remover/Window Vac	99





- Oil-Fired
- 1.7 GPM @ 1200 PSI
- Auto Start/Stop

# 333

The 333 Model is a competitively priced, entry-class hot water pressure washer. Innovative upright design ensures good mobility and ergonomics, while its compact size makes it easy to transport both horizontally and vertically. Built-in 3 angle spray nozzle and low pressure chemical application. Very user-friendly with one-switch operation and areas for hose and accessory storage. This model is ETL safety certified and comes equipped with a 33' high-pressure hose, lance, trigger gun and 16' power cord.



MODEL	PART NO.	GPM	PSI	HP	VOLT/PH	AMPS	FUEL	BTU/HR	PUMP MODEL	PORTABILITY	DIMENSIONS (LXWXH)	SHIP WT (LBS)	LIST PRICE
333	1.064-049.0	1.7	1200	2.3	115/1	12.5	Oil	80,000	Axial	Std	28"x28"x46"	178	\$3,355

OPTIONS		
PART NO.	DESCRIPTION	LIST PRICE
2.642-305.0	Gutter cleaning lance <i>(image 1 below)</i>	\$372.00 ▶
4.760-245.0	Underbody lance <i>(image 2 below)</i>	\$365.00 ▶
2.883-803.0	Power nozzle for underbody lance, 25° spray angle	\$24.10 ▶
6.390-025.0	33' high pressure hose	\$149.00 ▶
6.401-459.0	Plug nipple	\$34.60 ▶
6.390-028.0	Pipe cleaning hose	\$265.00 ▶
4.762-010.0	Wet blasting attachment <i>(image 3 below)</i>	\$468.00 ▶
2.638-526.0	Nozzle kit for wet blasting attachment	\$149.00 ▶
2.640-355.0	FR30Me surface cleaner <i>(image 4 below)</i>	\$717.00 ▶
2.640-482.0	Nozzle kit for surface cleaner FR	\$53.00 ▶
3.637-170.0	Detergent injector for high pressure	\$263.00 ▶

▶ Field Installed    ▶ Factory Installed



**LEGEND**

- ▶ **Factory Installed Options** must be ordered with the machine. They are installed in factory.
- ▶ **Field Installed Options** can be added to a machine at any time. They are installed by the Dealer.



- Oil-Fired
- 120V
- Stainless Steel Coil Skin
- Flat-Free Tires for Easy Handling

555HE NOW COMES WITH AUTO START/STOP STANDARD!

# 500 SERIES & 680SS

## DIRECT DRIVE

The 500 Series delivers rugged, yet affordable, cleaning performance for a broad range of applications. The new 555HE is the most efficient hot water pressure washer in our line. It features a technologically advanced heat exchanger that takes water to higher temperatures much faster, saving time and money. All models are ETL safety certified and feature the Hotsy pump backed by a full 7-year limited warranty. All models come equipped with a 50' high-pressure hose, lance, nozzles and trigger gun.



Model 555HE Shown with Optional Hose Reel



MODEL	PART NO.	GPM	PSI	HP	VOLT/PH	AMPS	FUEL	BTU/HR	PUMP MODEL	PORTABILITY	DIMENSIONS (LXWXH)	SHIP WT (LBS)	LIST PRICE
555HE	1.109-137.0	2.2	1300	2	120/1	20	Oil	185,000	Triplex - HE2126S	Std	42"x29"x42"	385	\$4,490
555SS	1.109-033.0	2.2	1300	2	115/1	20	Oil	214,300	Duplex - HHC165L.1	Std	33"x27"x41.5"	400	\$4,210
560SS	1.109-034.0	2.1	1500	2.3	115/1	20	Oil	214,300	Triplex - HHC205L.1	Std	33"x26"x44"	405	\$4,785
680SS	1.109-035.0	3	1000	2	115/1	20	Oil	289,900	Triplex - HF2830S	Std	33"x27"x45.5"	440	\$4,720

HE = High Efficiency    SS = Stainless Steel

### BUY MORE. SAVE!

Buy 5 or more 555HEs or 555SSs and save!

3 = 2% OFF, 5 = 3% OFF, 10 = 5% OFF

OPTIONS		
PART NO.	DESCRIPTION	LIST PRICE
8.717-764.0	8" Oil-Fired Vent Regulator	\$166.00 ▶
8.929-192.0	Float Tank (555HE Only)	\$260.00 ▶
8.750-486.0	360° Pivot Reel, 100'	\$404.00 ▶
8.903-050.0	100' 3/8" Hose Reel Kit (555SS Only)	\$323.00 ▶
8.929-363.0	Exhaust Adapter* (555HE Only)	\$139.00 ▶

OPTIONS		
PART NO.	DESCRIPTION	LIST PRICE
9.804-624.0	QC Nozzle 3.75, 15° (Yellow) (555HE Only)	\$6.20 ▶
9.804-625.0	QC Nozzle 3.75, 25° (Green) (555HE Only)	\$6.20 ▶
9.804-626.0	QC Nozzle 3.75, 40° (White) (555HE Only)	\$6.20 ▶
8.903-034.0	Float Tank Kit (555SS Only)	\$279.00 ▶

▶ Field Installed    ▶ Factory Installed

\* NOTE: Must be ordered if the vent regulator [8.717-764.0] is used or the machine is connected to an exhaust stack



Model 680SS



Model 555SS

- Oil-Fired
- TEFC Motor
- Flat-Free Tires for Easy Handling
- Stainless Steel Coil Skin

# 700 SERIES & 895SS

## BELT DRIVE

The 700 Series offers a nice balance of Hotsy ruggedness and cleaning performance, yet the affordability of an entry-level machine. More powerful yet is the 895SS. The 700 series is ideal for meeting the needs of commercial customers. All models are ETL safety certified and feature the Hotsy pump backed by a full 7-year limited warranty. All models come equipped with a 50' high-pressure hose, lance, nozzles and trigger gun.



Model 795SS



MODEL	PART NO.	GPM	PSI	HP	VOLT/PH	AMPS	FUEL	BTU/HR	PUMP MODEL	DRIVE	PORTABILITY	DIMENSIONS (LXWXH)	SHIP WT (LBS)	LIST PRICE
790SS	1.109-612.0	3.0	2000	4	230/1	20	Oil	289,900	HB4025R	Belt	Std	37"x28"x45.5"	450	\$6,005
795SS	1.109-039.0	3.5	2000	5	230/1	24	Oil	289,900	HB4025R	Belt	Std	37"x28"x45.5"	455	\$6,280
795SS-208	1.109-040.0	3.5	2000	5	208/1	27	Oil	289,900	HB4025R	Belt	Std	37"x28"x45.5"	500	\$6,740
895SS	1.109-077.0	3.5	3000	8.2	230/1	36	Oil	289,900	HM3540R.3	Belt	Std	37"x28"x45.5"	480	\$8,005

SS = Stainless Steel

### OPTIONS

PART NO.	DESCRIPTION	LIST PRICE
8.717-764.0	8" Oil-Fired Vent Regulator	\$166.00 ▶
8.750-486.0	360° Pivot Reel, 100'	\$404.00 ▶
8.750-483.0	360° Pivot Reel, 200'	\$452.00 ▶
8.903-050.0	100' 3/8" Hose Reel Kit (790SS Only)	\$323.00 ▶

▶ Field Installed    ▶ Factory Installed



Model 895SS



- Oil-Fired
- Big & Beefy, Yet Easy To Maneuver
- Rugged Hotsy Pump with 7-Year Limited Warranty
- Stainless Steel Coil Skin

# 800 SERIES

## BELT DRIVE

Rugged design, easy maneuverability and massive cleaning power. Comparable to the cleaning power of Hotsy's heavy-duty stationary units, the big and beefy 800 Series is surprisingly easy to maneuver into place, allowing you to tackle the heaviest of industrial cleaning jobs. The 28" wide wheel base helps with stability, yet is narrow enough to fit easily through doorways. Components are protected by an easy-to-remove cover allowing servicing access. All models are ETL safety certified and feature the Hotsy pump backed by a full 7-year limited warranty. All models come equipped with a 50' high-pressure hose, lance, nozzles and trigger gun.

*Shown with optional hose reel***U.S. Design Patent No. 726,382 S***Optional Detergent Bucket Bracket*

MODEL	PART NO.	GPM	PSI	HP	MOTOR RPM	VOLT/PH	AMPS	FUEL	BTU/HR	PUMP MODEL	PORTABILITY	DIMENSIONS (LXWXH)	SHIP WT (LBS)	LIST PRICE
821	1.109-120.0	4.0	2300	6.2	3450	208/1	33	Oil	381,000	HM4045R.3	Std	51"x28"x51"	632	\$8,185
842	1.109-121.0	4.0	2000	5	1725	208/3	20	Oil	381,000	HM4030R.3	Std	51"x28"x51"	622	\$8,270
843	1.109-122.0	4.0	2000	5	1725	230/1	29	Oil	381,000	HM4030R.3	Std	51"x28"x51"	622	\$8,115
844	1.109-123.0	4.0	2000	5	1725	230/3	19	Oil	381,000	HM4030R.3	Std	51"x28"x51"	622	\$8,195
845	1.109-124.0	4.0	2000	5	1725	460/3	10	Oil	381,000	HM4030R.3	Std	51"x28"x51"	691	\$8,250
851	1.109-125.0	4.0	3000	8.2	3450	208/1	44	Oil	381,000	HM4045R.3	Std	51"x28"x51"	675	\$9,580
852	1.109-126.0	4.0	3000	7.5	1725	208/3	25	Oil	381,000	HM4030R.3	Std	51"x28"x51"	665	\$8,965
853	1.109-127.0	4.0	3000	7.5	1725	230/1	37	Oil	381,000	HM4030R.3	Std	51"x28"x51"	665	\$9,205
854	1.109-128.0	4.0	3000	7.5	1725	230/3	25	Oil	381,000	HM4030R.3	Std	51"x28"x51"	665	\$8,835
855	1.109-129.0	4.0	3000	7.5	1725	460/3	14	Oil	381,000	HM4030R.3	Std	51"x28"x51"	665	\$8,835
856	1.109-130.0	4.0	3000	8.2	3450	575/3	11	Oil	381,000	HM4045R.3	Std	51"x28"x51"	680	\$9,085
873	1.109-131.0	5.0	3000	10	1725	230/1	42	Oil	404,000	HM4030R.3	Std	51"x28"x51"	670	\$12,560
874	1.109-132.0	5.0	3000	10	1770	230/3	29	Oil	404,000	HM4030R.3	Std	51"x28"x51"	675	\$9,675

OPTIONS		
PART NO.	DESCRIPTION	LIST PRICE
8.930-170.0	Auto Start/Stop Kit*	\$317.00 ▶
8.930-172.0	Thermal Shutdown Kit	\$327.00 ▶
8.930-171.0	Time Delay Shutdown*	\$193.00 ▶
8.717-764.0	8" Oil-Fired Vent Regulator	\$166.00 ▶

OPTIONS		
PART NO.	DESCRIPTION	LIST PRICE
8.750-486.0	360° Pivot Reel, 100'	\$404.00 ▶
8.750-483.0	360° Pivot Reel, 200'	\$452.00 ▶
8.923-225.0	Detergent Bucket Bracket	\$80.00 ▶

*\* Note: Time Delay Shutdown and Auto Start/Stop cannot be combined on the same machine.*

▶ Field Installed   ▶ Factory Installed



- NG- or LP-Fired
- 115V/1PH or 230V/1 PH
- Hotsy Direct-Drive Pump
- Flat-Free Tires for Easy Handling

# LP/NG SERIES

## DIRECT DRIVE

These hot water washers are heated with either LP or NG, and offer cleaning power up to 1500 PSI. All models are ETL safety certified and feature the Hotsy pump pump backed by a full 7-year limited warranty. All models come equipped with a 50' high-pressure hose, lance, nozzles and trigger gun.

Model 771-Propane (shown with optional Portagear & Propane Tank)



Model 558-Propane (shown with optional Portagear & propane tank)



MODEL	PART NO.	GPM	PSI	HP	VOLT/ PH	AMPS	FUEL	BTU/HR	PUMP MODEL	DRIVE	DIMENSIONS (LXWXH)	SHIP WT (LBS)	LIST PRICE
558	1.109-610.0	2.2	1300	2	115/1	18	LP	214,300	Duplex - HHC165L.1	Direct	31.5"x26"x41"	350	\$5,280

MODEL	PART NO.	GPM	PSI	HP	VOLT/ PH	AMPS	FUEL	BTU/HR	PUMP MODEL	DRIVE	DIMENSIONS (LXWXH)	SHIP WT (LBS)	LIST PRICE
771	1.109-611.0	3.0	1500	3	230/1	13	LP	280,000	HF2830S	Direct	32"x27"x45.5"	415	\$6,390
772	1.109-037.0	3.0	1500	3	230/1	13	NG	338,000	HF2830S	Direct	32"x27"x45.5"	415	\$6,390

Portability is optional on these models unless ordered with the portagear kit PN 8.903-049.0.

### OPTIONS

PART NO.	DESCRIPTION	LIST PRICE
8.717-728.0	8" LP Gas-Fired Draft Diverter	\$152.00 ▶
8.903-049.0	Portagear	\$1,075.00 ▶
8.717-791.0	Propane Tank, 43 lb. (Model 558 & 771)	\$295.00 ▶

▶ Field Installed    ▶ Factory Installed

See PAGE 32 for other configured options thru the SPECIALS DEPARTMENT.



- LP-or Natural Gas-Fired
- Hotsy Belt-Drive Pump
- Remote-Ready

- Smart Relay Control provides control over run time, auto start/stop and shut down functionality

# 900/1400 SERIES



## BELT DRIVE

Hotsy's 900/1400 Series of innovative stationary models are packed with standard features! The most impressive is the programmable smart control automation. Safety is key with a pressure relief valve and locking lid and side panels around the belt and pulleys to keep users safe. These electric-powered washers are available in either LP or Natural Gas fired models. New models have the same footprint as previous generations, so users can feel confident about upgrading. Panels may be easily removed for access to the machine components for servicing. All models are ETL safety certified and feature the Hotsy pump backed by a full 7-year limited warranty. All models come equipped with a 50' high-pressure hose, lance, nozzles and trigger gun.



U.S. Design Patent No. 740,501 S

MODEL	PART NO.	GPM	PSI	HP	MOTOR RPM	VOLT/PH	AMPS	FUEL	BTU/HR	PUMP MODEL	DIMENSIONS (LXWXH)	SHIP WT (LBS)	LIST PRICE
921P	1.109-948.0	4.0	2300	6.2	3450	208/1	32	LP	364,835	HM4030R.3	47.5"x21"x51"	700	\$8,125
921N	1.109-691.0	4.0	2300	6.2	3450	208/1	32	NG	364,835	HM4030R.3	47.5"x21"x51"	700	\$8,125
926P	1.109-949.0	4.0	2000	5	1800	575/3	7	LP	364,835	HM4030R.3	47.5"x21"x51"	660	\$8,305
926N	1.109-692.0	4.0	2000	5	1800	575/3	7	NG	364,835	HM4030R.3	47.5"x21"x51"	660	\$8,305
942P	1.109-693.0	4.0	2000	5	1725	208/3	18	LP	360,997	HM4030R.3	47.5"x21"x51"	590	\$8,420
942N	1.109-694.0	4.0	2000	5	1725	208/3	18	NG	364,835	HM4030R.3	47.5"x21"x51"	655	\$8,420
943P	1.109-695.0	4.0	2000	5	1725	230/1	25	LP	360,997	HM4030R.3	47.5"x21"x51"	685	\$7,990
943N	1.109-696.0	4.0	2000	5	1725	230/1	25	NG	364,835	HM4030R.3	47.5"x21"x51"	685	\$7,990
944P	1.109-697.0	4.0	2000	5	1725	230/3	16	LP	360,997	HM4030R.3	47.5"x21"x51"	580	\$8,305
944N	1.109-698.0	4.0	2000	5	1725	230/3	16	NG	364,835	HM4030R.3	47.5"x21"x51"	680	\$8,305
945P	1.109-699.0	4.0	2000	5	1725	460/3	8	LP	360,997	HM4030R.3	47.5"x21"x51"	585	\$8,305
945N	1.109-700.0	4.0	2000	5	1725	460/3	8	NG	364,835	HM4030R.3	47.5"x21"x51"	670	\$8,305

MODEL	PART NO.	GPM	PSI	HP	MOTOR VRPM	VOLT/PH	AMPS	FUEL	BTU/HR	PUMP MODEL	DIMENSIONS (LXWXH)	SHIP WT (LBS)	LIST PRICE
1451P	1.109-950.0	4.0	3000	8.2	3450	208/1	39	LP	364,835	HM4030R.3	47.5"x21"x51"	730	\$8,845
1451N	1.109-701.0	4.0	3000	8.2	3450	208/1	39	NG	364,835	HM4030R.3	47.5"x21"x51"	730	\$8,845
1452P	1.109-702.0	4.0	3000	7.5	1725	208/3	24	LP	360,997	HM4030R.3	47.5"x21"x51"	625	\$9,125
1452N	1.109-703.0	4.0	3000	7.5	1725	208/3	24	NG	364,835	HM4030R.3	47.5"x21"x51"	625	\$9,125
1453P	1.109-704.0	4.0	3000	7.5	1725	230/1	34	LP	360,997	HM4030R.3	47.5"x21"x51"	735	\$8,590
1453N	1.109-705.0	4.0	3000	7.5	1725	230/1	34	NG	364,835	HM4030R.3	47.5"x21"x51"	735	\$8,590
1454P	1.109-706.0	4.0	3000	7.5	1725	230/3	24	LP	360,997	HM4030R.3	47.5"x21"x51"	625	\$8,875
1454N	1.109-707.0	4.0	3000	7.5	1725	230/3	24	NG	364,835	HM4030R.3	47.5"x21"x51"	700	\$8,875
1455P	1.109-708.0	4.0	3000	7.5	1725	460/3	12	LP	360,997	HM4030R.3	47.5"x21"x51"	630	\$8,645
1455N	1.109-709.0	4.0	3000	7.5	1725	460/3	12	NG	364,835	HM4030R.3	47.5"x21"x51"	780	\$8,645
1456P	1.109-951.0	4.0	3000	8.2	3450	575/3	10	LP	364,835	HM4030R.3	47.5"x21"x51"	621	\$8,855
1456N	1.109-710.0	4.0	3000	8.2	3450	575/3	10	NG	364,835	HM4030R.3	47.5"x21"x51"	621	\$8,855
1473P	1.109-711.0	5.0	3000	10	1725	230/1	42	LP	378,617	HM4035R.3	47.5"x21"x51"	735	\$9,495
1473N	1.109-713.0	5.0	3000	10	1725	230/1	42	NG	390,025	HM4035R.3	47.5"x21"x51"	735	\$9,495
1474P	1.109-712.0	5.0	3000	10	1770	230/3	29	LP	378,617	HM4035R.3	47.5"x21"x51"	740	\$9,715
1474N	1.109-714.0	5.0	3000	10	1770	230/3	29	NG	390,025	HM4035R.3	47.5"x21"x51"	740	\$9,715
1475P	1.109-952.0	5.0	3000	10	1725	208/3	34	LP	378,617	HM4030R.3	47.5"x21"x51"	740	\$9,825
1475N	1.109-953.0	5.0	3000	10	1725	208/3	34	NG	378,617	HM4030R.3	47.5"x21"x51"	740	\$9,825



# 900/1400 SERIES OPTIONS



OPTIONS		
PART NO.	DESCRIPTION	LIST PRICE
8.916-989.0	Remote Station ( <i>image 1 above</i> )	\$451.00 ▶
8.916-988.0	Soap Solenoid and Switch	\$215.00 ▶
8.717-728.0	8" Natural Gas- or LP Gas-Fired Draft Diverter	\$152.00 ▶
9.803-452.0	Water Inlet Solenoid	\$166.00 ▶
8.755-253.0	8" Power Dampener	\$329.00 ▶
8.749-807.0	Power Dampener Wiring Harness	\$99.50 ▶

▶ Field Installed   ▶ Factory Installed

OPTIONS		
PART NO.	DESCRIPTION	LIST PRICE
8.924-814.0	R-Con Wireless Remote Kit (1 remote/1 receiver) ( <i>image 2 above</i> )	\$631.00 ▶
8.925-072.0	R-Con Wireless Remote Kit (2 remotes/1 receiver)	\$861.00 ▶
8.924-878.0	Wall Mount Remote Bracket for R-Con ( <i>image 3 above</i> )	\$70.00 ▶
8.756-329.0*	Replacement Remote (transmitter only)	\$385.00 ▶

\* **Please Note: R-Con Wireless Remote** comes from vendor, is custom made to order and is not universal. When ordering, please contact customer service to supply the serial number off the transmitter you have along with the channel number, so we can pass along that information to the vendor.



- Natural Gas, Oil or optional LP-Fired
- Remote-ready
- Hotsy Belt Drive Pump
- Stainless Steel Coil Skin
- Smart Relay Control provides control over run time, auto start/stop and shut down functionality

# 1800 SERIES

## BELT DRIVE

The 1800 Series provides stationary cleaning with hot water indoors. The 7 models are electric-powered and natural gas, oil or optional LP gas-heated. The coil skin comes standard with stainless steel. The sleek cabinet has removable side and front panels, making it easy for routine scheduled maintenance and service. The Smart Relay allows the washer to be customized to individual needs, and is protected behind the front panel. All models are ETL safety certified and feature the Hotsy pump backed by a full 7-year limited warranty. All models come equipped with a 50' high-pressure hose, lance, nozzles and trigger gun.



MODEL	PART NO.	GPM	PSI	HP	VOLT/PH	AMPS	FUEL	BTU/HR	PUMP MODEL	DIMENSIONS (LXWXH)	SHIP WT (LBS)	LIST PRICE
1812SS	1.109-660.0	6.0	2500	10	230/1	42	NG	558,050	HX9536L.2	51"x31"x53.25"	1,020	\$13,220
1830SS	1.109-665.0	6.0	3000	15	230/3	40	Oil*	579,776	HX9536L.2	51"x31"x53.25"	1,020	\$14,010
1832SS	1.109-662.0	6.0	3000	15	230/3	38	NG	558,050	HX9536L.2	51"x31"x53.25"	1,020	\$13,340
1832SS-208	1.109-661.0	6.0	3000	15	208/3	41	NG	558,050	HX9536L.2	51"x31"x53.25"	1,020	\$13,650
1833SS	1.109-666.0	6.0	3000	15	460/3	21	Oil*	579,776	HX9536L.2	51"x31"x53.25"	1,020	\$14,090
1835SS	1.109-663.0	6.0	3000	15	460/3	19	NG	558,050	HX9536L.2	51"x31"x53.25"	1,020	\$13,160
1836SS	1.109-664.0	6.0	3000	15	575/3	16	NG	558,050	HX9536L.2	51"x31"x53.25"	1,020	\$13,160

\*Oil-fired models are not supplied with a fuel tank

OPTIONS		
PART NO.	DESCRIPTION	LIST PRICE
8.916-989.0	Remote Station (image 1 below)	\$451.00 ▶
8.916-988.0	Soap Solenoid and Switch	\$215.00 ▶
8.749-806.0	10" Power Dampener	\$351.00 ▶
8.749-807.0	Power Dampener Wiring Harness	\$99.50 ▶
9.801-040.0	10" Natural Gas- or LP Gas-Fired Draft Diverter	\$163.00 ▶

OPTIONS		
PART NO.	DESCRIPTION	LIST PRICE
9.803-452.0	Water Inlet Solenoid	\$166.00 ▶
8.924-814.0	R-Con Wireless Remote Kit (1 remote /1 receiver) (image 2 below)	\$631.00 ▶
8.925-072.0	R-Con Wireless Remote Kit (2 remotes/1 receiver)	\$861.00 ▶
8.924-878.0	Wall Mount Remote Bracket for R-Con (image 3 below)	\$70.00 ▶
8.756-329.0*	Replacement Remote (transmitter only)	\$385.00 ▶
8.903-074.0	LP Conversion Kit	\$143.00 ▶

▶ Field Installed    ▶ Factory Installed

\* Please Note: R-Con Wireless Remote comes from vendor, is custom made to order and is not universal. When ordering, please contact customer service to supply the serial number off the transmitter you have along with the channel number, so we can pass along that information to the vendor.



See PAGE 32 for other configured options thru the SPECIALS DEPARTMENT.

- Oil, Natural Gas or optional LP-Fired
- Remote-ready
- Hotsy Belt Drive Pump
- Stainless Steel Coil Skin
- Smart Relay Control provides control over run time, auto start/stop and shut down functionality

# 5700/5800 SERIES

## BELT DRIVE

The 5700 and 5800 Series produces a powerful punch and is ideal for wash bay installations. With its 20 HP motor driving the incomparable Hotsy Triplex Pump and a vertical banded belt, the 5700 and 5800 Series delivers cleaning power up to 9.5 GPM and 3000 PSI. Has a sleek cabinet with removable panels for easy access for maintenance. A removable control panel provides access to the adjustable temperature control and the Smart Relay for secured control of operating positions. Remote ready for wash bay installations. All models are ETL safety certified and feature the Hotsy pump backed by a full 7-year limited warranty. All models come equipped with a 50' high-pressure hose, lance, nozzles and trigger gun.



MODEL	PART NO.	GPM	PSI	HP	VOLT/PH	AMPS	FUEL	BTU/HR	PUMP MODEL	HOSE (FT)	DIMENSIONS (LXWXH)	SHIP WT (LBS)	LIST PRICE
5730SS	1.109-658.0	8.0	3000	20	230/3	44	Oil*	768,000	HX9536L.2	50	51"x31"x63.4"	1,471	\$16,840
5732SS-208	1.109-654.0	8.0	3000	20	208/3	55	NG	720,450	HX9536L.2	50	51"x31"x63.4"	1,471	\$16,100
5732SS	1.109-655.0	8.0	3000	20	230/3	42	NG	720,450	HX9536L.2	50	51"x31"x63.4"	1,471	\$16,100
5733SS	1.109-659.0	8.0	3000	20	460/3	23	Oil*	768,000	HX9536L.2	50	51"x31"x63.4"	1,471	\$16,900
5735SS	1.109-656.0	8.0	3000	20	460/3	21	NG	720,450	HX9536L.2	50	51"x31"x63.4"	1,471	\$15,750
5736SS	1.109-657.0	8.0	3000	20	575/3	16	NG	720,450	HX9536L.2	50	51"x31"x63.4"	1,471	\$15,920
5832SS	1.109-651.0	9.5	2500	20	230/3	42	NG	939,890	HX1036L.2	50	51"x31"x63.4"	1,471	\$17,100
5832SS-208	1.109-650.0	9.5	2500	20	208/3	48	NG	939,890	HX1036L.2	50	51"x31"x63.4"	1,471	\$17,170
5835SS	1.109-652.0	9.5	2500	20	460/3	21	NG	939,890	HX1036L.2	50	51"x31"x63.4"	1,461	\$16,980
5836SS	1.109-653.0	9.5	2500	20	575/3	16	NG	939,890	HX1036L.2	50	51"x31"x63.4"	1,471	\$17,170

\*Oil-fired models are not supplied with a fuel tank

OPTIONS		
PART NO.	DESCRIPTION	LIST PRICE
8.753-171.0	12" Power Dampener	\$378.00 ▶
8.749-807.0	Power Dampener Wiring Harness	\$99.50 ▶
9.803-452.0	Water Inlet Solenoid	\$166.00 ▶
8.916-989.0	Remote Station (image 1 below)	\$451.00 ▶
8.916-988.0	Soap Solenoid and Switch	\$215.00 ▶
8.717-730.0	12" Natural Gas- or LP Gas-Fired Draft Diverter	\$252.00 ▶

OPTIONS		
PART NO.	DESCRIPTION	LIST PRICE
8.924-814.0	R-Con Wireless Remote Kit (1 remote/1 receiver) (image 2 below)	\$631.00 ▶
8.925-072.0	R-Con Wireless Remote Kit (2 remotes/1 receiver)	\$861.00 ▶
8.924-878.0	Wall Mount Remote Bracket for R-Con (image 3 below)	\$70.00 ▶
8.756-329.0 *	Replacement Remote (transmitter only)	\$385.00 ▶
8.916-916.0	LP Conversion Kit, 5700	\$125.00 ▶
8.916-915.0	LP Conversion Kit, 5800	\$125.00 ▶

▶ Field Installed ▶ Factory Installed

\* Please Note: R-Con Wireless Remote comes from vendor, is custom made to order and is not universal. When ordering, please contact customer service to supply the serial number off the transmitter you have along with the channel number, so we can pass along that information to the vendor.



**See PAGE 33 for other configured options thru the SPECIALS DEPARTMENT.**





- Oil-Fired
- 12 Volt DC
- Hotsy Direct-Drive Pump
- Stainless Steel Coil Skin
- 3 Battery-less Models
- 2 Electric-Start Models
- Flat-Free Tires for Easy Handling

# GAS ENGINE SERIES

## DIRECT DRIVE

The Gas Engine Series consists of the most compact and portable hot water pressure washers on the market. Powered by reliable gasoline engines, all you need is water and you can clean anywhere anytime. The five models offer a broad range of cleaning power, from 2.7 to 4.0 GPM and from 2400 to 3500 PSI. All models are ETL safety certified and feature the Hotsy pump backed by a full 7-year limited warranty. All models come equipped with a 50' high-pressure hose, lance, nozzles and trigger gun.



965SS



871SS



1075SSE



MODEL	PART NO.	GPM	PSI	ENGINE/ MODEL	CCs	BURNER	BTU/HR	PUMP MODEL	PORTABILITY	DIMENSIONS (LXWXH)	SHIP WT (LBS)	LIST PRICE
871SS*	1.110-014.0	2.7	2400	Honda GX200	196	12V DC	248,500	HP3035G	Std	43"x27"x39"	410	\$6,410
965SS*★	1.110-015.0	3.0	3000	Honda GX270	270	12V DC	248,500	HP3035G	Std	47"x31"x41"	445	\$7,160
1065SS*★	1.110-010.0	3.5	3000	Honda GX340	337	12V DC	309,900	HS3540G.3	Std	47"x31"x45"	495	\$7,615
1065SSE†★	1.110-011.0	3.5	3000	Honda GX340	337	12V DC	309,900	HS3540G.3	Std	47"x31"x45"	510	\$7,955
1075SSE†★	1.110-012.0 [1.110-080.0 CA]	4.0	3500	Honda GX390	389	12V DC	309,900	HS4040G.3	Std	47"x31"x45"	520	\$8,440

\*Battery not required  
† 12V battery required, but not supplied  
E = Electric-start engine

★ Not available for sale in California. California Dealers please order approved PN 1.110-080.0 to replace PN 1.110-012.0.

- Oil-Fired
- 12 Volt DC
- Hotsy Belt-Drive Pump
- 2 Electric-Start Models

# GAS ENGINE SERIES

## BELT DRIVE

The belt drive versions of the Gas Engine Series provide versatility with the roll cage design. Designed to fit the needs of the end-user, this versatile hot water washer converts easily to a skid unit, portable with wheels or a wheel/caster kit, or can be mounted on a trailer. Powered by reliable gasoline engines, the three models offer a broad range of cleaning power, from 3.0 to 4.6 GPM and from 3000 to 3500 PSI. All models are ETL safety certified and feature the Hotsy pump backed by a full 7-year limited warranty. All models come equipped with a 50' high-pressure hose, lance, nozzles and trigger gun.



1075BE  
(shown with optional  
caster wheel kit)



965B (shown with optional  
flat-free tires)



1080BE (shown with optional stainless  
steel coil wrap and skid rails)



MODEL	PART NO.	GPM	PSI	ENGINE MODEL	CCs	BURNER	BTU/HR	PUMP MODEL	PORTABILITY	DIMENSIONS (LXWXH)	SHIP WT (LBS)	LIST PRICE
965B*	1.110-565.0	3.0	3000	Honda GX270	270	12V DC	248,500	HB3030L.1	Optional	42"x27.5"x39"	590	\$7,955
1075BE†*	1.110-566.0 [1.110-082.0 CA]	4.0	3500	Honda GX390	389	12V DC	385,800	HM4035L.3	Optional	42"x27.5"x39"	625	\$9,060
1080BE†	1.110-567.0	4.6	3500	Vanguard 18	570	12V DC	385,800	HM4035L.3	Optional	42"x27.5"x39"	665	\$9,825

\* Battery not required

E = Electric-start engine

† 12V battery required, but not supplied

B = Belt Drive

### OPTIONS

PART NO.	DESCRIPTION	LIST PRICE
8.916-172.0	Float Tank Kit (includes high pressure detergent kit), 1075BE & 1080BE models	\$434.00 ▶
8.916-173.0	Float Tank Kit (includes high pressure detergent kit) 965B model	\$441.00 ▶
8.931-259.0	Skid Rail Kit - adds 3.875" to height	\$220.00 ▶
8.931-260.0	Caster Kit - 2 casters / 2 wheels - adds 7.5" to height	\$510.00 ▶
8.931-261.0	Flat-free Tire Kit with Handle Bar - adds 10" to width, 6" to height	\$467.00 ▶
8.916-175.0	High Pressure Detergent Kit, 1075BE & 1080BE models (to be used with a remote water tank)	\$124.00 ▶
8.916-174.0	High Pressure Detergent Kit, 965B models (to be used with a remote water tank)	\$128.00 ▶
8.915-274.0	Stainless Steel Coil Wrap	\$521.00 ▶

▶ Field Installed    ▶ Factory Installed

\* Not available for sale in California. California Dealers please order approved PN 1.110-082.0 to replace PN 1.110-566.0.

**See PAGE 34 for other configured options thru the SPECIALS DEPARTMENT.**



- Gas/Diesel-Powered
- Oil-Fired
- Hotsy Belt-drive Pump
- Stainless Steel Coil Skin
- Electric Start

# 1200 SERIES

## BELT DRIVE

The 1200 Series delivers some serious on-site, hot water cleaning capability of up to 6 GPM and 4000 PSI. Rugged gasoline engines all have electric start. Five models come with a 2400W generator. The self-contained cleaning units are built to hold up under the toughest of conditions. All models are ETL safety certified and feature the Hotsy pump backed by a full 7-year limited warranty. All models come equipped with a 50' high-pressure hose, lance, nozzles and trigger gun.



MODEL	PART NO.	GPM	PSI	ENGINE MODEL	FUEL	CCs	BURNER	BTU/HR	PUMP MODEL	DIMENSIONS (LXWXH)	SHIP WT (LBS)	LIST PRICE
1260SS	1.110-533.0	4.7	3500	Briggs VAN 18	Gas	570	12V DC	414,318	HM4035R.2	45"x33"x52"	745	\$9,475
1260SSG*	1.110-535.0	4.7	3500	Briggs VAN 18	Gas	570	120V AC	414,318	HM4035R.2	45"x33"x52"	830	\$10,390
1270SS	1.110-557.0	4.5	4000	Honda GX630	Gas	688	12V DC	414,318	HX5843R.2	45"x33"x52"	855	\$10,540
1270SSG*	1.110-536.0	4.5	4000	Honda GX630	Gas	688	120V AC	414,318	HX5843R.2	45"x33"x52"	870	\$11,410
1270SSG-PR*	1.110-079.0	4.5	4000	Honda GX630	Gas	688	12V DC	414,318	HX5843R.2	45"x33"x52"	870	\$11,510
1280SS	1.110-558.0	5.1	3500	Honda GX630	Gas	688	12V DC	414,318	HX8043R.2	45"x33"x52"	760	\$11,150
1280SSG*	1.110-537.0	5.1	3500	Honda GX630	Gas	688	120V AC	414,318	HX8043R.2	45"x33"x52"	750	\$12,020
1290SS	1.110-538.0	5.6	3000	Honda GX630	Gas	688	12V DC	456,344	HX8043R.2	45"x33"x52"	744	\$11,610
1290SSG*	1.110-539.0	5.6	3000	Honda GX630	Gas	688	120V AC	456,344	HX8043R.2	45"x33"x52"	905	\$12,480
1291SS	1.110-075.0	8.0	3000	Honda GX690	Gas	688	12V DC	407,826	HX9536R	45"x33"x52"	760	\$13,230
1291SSG*	1.110-076.0	8.0	3000	Honda GX690	Gas	688	120V AC	407,826	HX9536R	45"x33"x52"	920	\$14,070
1265SSD	1.110-073.0	4.7	3500	Kubota Z602-E4B	Diesel	599	12V DC	414,318	HM4035	45"x33"x52"	795	\$15,190
1265SSDS**	1.110-074.0	4.7	3500	Kubota Z602-E4B	Diesel	599	12V DC	414,318	HM4035	45"x33"x52"	795	\$17,180

\* Models include a 2400W generator

\*\* Models include stainless frame

12V battery is required for all models, but is not supplied

### OPTIONS

PART NO.	DESCRIPTION	LIST PRICE
8.903-025.0	Portagear Kit (all models)	\$809.00 ▶

▶ Field Installed    ▶ Factory Installed

**See PAGE 34 for other configured options thru the SPECIALS DEPARTMENT.**



1270SS (shown with optional Portagear Kit)



- Diesel-Powered
- Diesel-Fired
- Hotsy Belt-drive Pump
- Stainless Steel Coil Skin
- Electric Start

# HSS & HSDS SUPERSKID SERIES

## BELT DRIVE

The Super Skid HSS Series is by far, the largest and most powerful of Hotsy's hot water pressure washers. The Super Duty HSDS models feature a Hawk pump with lower RPM for long lasting durability; there's literally nothing else on the market as robust, big & powerful. HSS models come standard with the reliable Hotsy triplex belt-driven high-pressure pump. Triple banded belt for more efficient power transmission. Models are powered by a 16 & 24 HP Kubota engines with electric start and all feature a 3/4-inch foil-backed insulated Schedule 80 heating coil with stainless steel skin and 5-year warranty. Two fuel tanks for longer operation, a high-efficiency Wayne burner and optional dual gun kit allows two users at one time. All models are ETL safety certified and feature the Hotsy pump backed by a full 7-year limited warranty. All models come equipped with a 50' high-pressure hose, lance, nozzles and trigger gun.



MODEL	PART NO.	GPM	PSI	ENGINE MODEL	CCs	BURNER	BTU/HR	PUMP MODEL	HOSE	DIMENSIONS (LXWXH)	SHIP WT (LBS)	LIST PRICE
HSS-503069E	1.110-604.0	5.0	3000	Kubota Z602-E4B	599	12V DC	465,000	HX5843R.2	50'-3/8"	73"x37"x64"	1305	\$25,220
HSS-653569E	1.110-605.0	6.5	3500	Kubota D1105-E4B	1123	12V DC	565,000	HX8043R.2	50'-3/8"	73"x37"x64"	1710	\$27,970
HSS-803069E	1.110-606.0	8.0	3000	Kubota D1105-E4B	1123	12V DC	635,000	HX9536.2	50'-1/2"	73"x37"x64"	1715	\$30,210
HSS-952569E	1.110-607.0	9.5	2500	Kubota D1105-E4B	1123	12V DC	780,000	HX1036R.2	50'-1/2"	73"x37"x64"	1715	\$30,210

All models are Electric Start. 12V battery is required for all models, but is not supplied.

### SUPER DUTY MODELS:

MODEL	PART NO.	GPM	PSI	ENGINE MODEL	CCs	BURNER	BTU/HR	PUMP MODEL	HOSE	DIMENSIONS (LXWXH)	SHIP WT (LBS)	LIST PRICE
HSDS-503069E	1.110-616.0	5.0	3000	Kubota Z602-E4B	599	12V DC	465,000	HHP2750R	50'-3/8"	73"x37"x64"	1610	\$30,830
HSDS-653569E	1.110-617.0	6.5	3500	Kubota D1105-E4B	1123	12V DC	565,000	HHP3650R	50'-3/8"	73"x37"x64"	2005	\$33,580
HSDS-803069E	1.110-618.0	8.0	3000	Kubota D1105-E4B	1123	12V DC	635,000	HFR40FR	50'-1/2"	73"x37"x64"	2015	\$35,820
HSDS-952569E	1.110-619.0	9.5	2500	Kubota D1105-E4B	1123	12V DC	780,000	HFR60FR	50'-1/2"	73"x37"x64"	2020	\$35,820

All models are Electric Start. 12V battery is required for all models, but is not supplied.

#### OPTIONS

PART NO.	DESCRIPTION	LIST PRICE
8.923-164.0	Dual Gun Kit - includes necessary fittings, extra hose gun and wand	\$741.00 ▶
8.923-125.0	Steam Kit - includes necessary fittings and panel mount control valve	\$247.00 ▶
8.923-124.0	Float Tank Kit - includes float tank, necessary fittings and panel mount detergent metering valve	\$741.00 ▶

▶ Field Installed    ▶ Factory Installed

**See PAGE 35 for other configured options thru the SPECIALS DEPARTMENT.**



**Pump size comparison:**  
The HFR and HHP pumps from Leuco used in the Super Duty models dwarf the standard HX.



- All-Electric
- Hotsy Belt-drive Pump
- Auto Start/Stop

# HWE SERIES ALL-ELECTRIC

## BELT DRIVE

The HWE Series is powered and heated by electricity, making it ideal for indoor use. It's a quiet machine with no fumes, making it ideal for food service and in-plant cleaning. Water is heated in a stainless steel heating coil, immersed in a tank of water solution, allowing for instant hot water once you pull the trigger. The heating elements do not come in contact with the pressurized water, which results in less maintenance and minimizes scale build up. All models are ETL safety certified and feature the Hotsy pump backed by a full 7-year limited warranty. All models come equipped with a 50' high-pressure hose, insulated variable pressure wand, nozzles and trigger gun.



MODEL	PART NO.	GPM	PSI	HP	MOTOR	AMPS	VOLT/PH	KvA HOUR	BTU/HR	PUMP MODEL	DIMENSIONS (LXWXH)	SHIP WT (LBS)	LIST PRICE
HWE-402009C	1.109-646.0	4.0	2000	6.2	Baldor	55	460/3	40.5	138,308	HM4030R.3	34"x25"x52"	620	\$11,330
HWE-403009C	1.109-647.0	3.5	3000	7.5	WEG	59	460/3	40.5	138,308	HM4030R.3	34"x25"x52"	640	\$11,880
HWE-402009F	1.109-958.0	3.5	2000	5	Baldor	46	575/3	40.5	138,308	HM4030R.3	34"x25"x52"	620	\$11,330
HWE-403009F	1.109-959.0	3.5	3000	7.5	Baldor	49	575/3	40.5	138,308	HM4030R.3	34"x25"x52"	640	\$12,300

### OPTIONS

PART NO.	DESCRIPTION	LIST PRICE
8.903-042.0	Stainless Steel Washer Wrap 1700 Series*	\$346.00 ▶
8.925-520.0	Option, Time Delay Shut Down*	\$59.00 ▶

▶ Field Installed    ▶ Factory Installed

See PAGE 33 for stainless steel and other configured options thru the Specials Dept. 575V/3Ph models only available as base unit through standard production. If adding options, go through SPECIALS DEPARTMENT.

- Diesel
- Kerosene
- Home Heating Oil
- Natural Gas
- LP Gas (optional)

# 9400 SERIES

The 9400 Series heating modules offer the flexibility to “convert” a cold water pressure washer into a hot water unit. By attaching the heating module to a cold water pressure washer the pressurized water is now heated to produce all the benefits of hot water cleaning. The four models use fuel oil, diesel or natural gas to heat the water using Hotsy’s high-efficiency, vertical heating coil. All models are ETL safety certified and come equipped with a flow switch to control the burner.



Model 9462



Model 9452



MODEL	PART NO.	PSI (MAX)	GPM (MAX)	GPM (MIN)	VOLT/PH	BTU/HOUR	AMP	FUEL	DIMENSIONS (LXWXH)	SHIP WT (LBS)	LIST PRICE
9450	1.103-905.0	3200	10	6	115/1	700,000	8	Oil-Fired	32.5"x25"x50.5"	525	\$6,915
9452	1.103-906.0	3200	10	6	115/1	540,000	1	Natural-Gas-Fired	32.5"x25"x50.5"	500	\$6,665
9460	1.103-907.0	3200	10	6	115/1	920,000	8	Oil-Fired	40.5"x32"x65"	920	\$10,910
9462	1.103-908.0	3200	10	6	115/1	920,000	1	Natural-Gas-Fired	40.5"x32"x65"	935	\$10,300

OPTIONS		
PART NO.	DESCRIPTION	LIST PRICE
9.801-040.0	10" Natural Gas-Fired Draft Diverter for Model 9452	\$163.00 ▶
8.717-730.0	12" Natural Gas-Fired Draft Diverter for Model 9462	\$252.00 ▶
8.749-806.0	10" Power Dampener	\$351.00 ▶
8.753-171.0	12" Power Dampener	\$378.00 ▶
8.749-807.0	Power Dampener Wiring Harness	\$99.50 ▶
8.704-659.0	Hotsy Logo Label, 5" x 11"	\$8.60 ▶
8.903-076.0	Natural-Gas to LP Conversion for Model 9452	\$159.00 ▶
8.903-075.0	Natural-Gas to LP Conversion for Model 9462	\$159.00 ▶

▶ Field Installed    ▶ Factory Installed

See PAGE 39 for other configured options thru the SPECIALS DEPARTMENT.





- 200 Gallon Water Tank
- Single axle rated to 3500 pounds
- Swing Away Hinged Tongue
- Electric Brakes

# TRAIL BLAZER TRAILER

The Trail Blazer is Hotsy's affordable trailer solution that provides mobile cleaning anywhere. Axle assembly with leaf-spring suspension is rated at 3,500 lbs. The heavy duty-chassis features a swing-away hinge with swivel jack tongue assembly. The 200 gallon water tank features a float valve and 7-inch access port. 15-inch white spoke wheel assembly. Axle with electric brakes and break-away kit is the standard configuration.



Shown with 1080BE and optional accessories

**Select a trailer and add one of these pressure washer models:**

- 965B
- 1075BE
- 1080BE
- 1200 Series



MODEL	PART NO.	DIMENSIONS (LXWH)	WEIGHT (LBS)	SHIPPING WEIGHT (LBS)	LIST PRICE			
TRB-3500	1.103-818.0	136"x66"x52"	543	1043 (does not include pressure washer)	\$6,150* (trailer only)			
GVWR	WATER TANK CAPACITY	GAWR	WHEELS	JACK	JACK CAPACITY	BALL COUPLER	SAFETY CHAINS	LIGHTING
3500 lbs	200 gal	Single 3500 lbs	15" White Spoke Wheels ST205/75D15 Tires	Swivel Wheel w/ Caster Foot	1000 lbs	2"	Dual 5/16"	Recessed Lights are DOT Approved

Flat \$600 freight charge applies to all trailer purchases (trailer only as well as a configured trailers).

OPTIONS		
PART NO.	DESCRIPTION	LIST PRICE
8.917-398.0	Brakes, Hydraulic	\$1,895.00 ▶
8.917-554.0	High Pressure Hose Reel	\$553.00 ▶
8.917-555.0	Low Pressure Hose Reel	\$553.00 ▶
8.917-556.0	Saddle Box Kit, set of two	\$239.00 ▶
8.917-557.0	Rock Guard Kit	\$102.00 ▶
8.917-583.0	Chrome Wheel Rims	\$447.00 ▶
8.924-493.0	2-5/16" Ball Hitch Coupler (adjustable height)	\$111.00 ▶
8.924-368.0	3" Lunette Eye Coupler	\$111.00 ▶
8.904-051.0	Battery Installed on Pressure Washer	\$546.00 ▶
8.917-290.0	Assembly Mounting (for 1200 Series)*	\$197.00 ▶
8.917-291.0	Assembly Mounting (for 965B, 1075BE, 1080BE Models)*	\$87.00 ▶

OPTIONS		
PART NO.	DESCRIPTION	LIST PRICE
8.917-559.0	Rock Guard Kit	\$96.50 ▶
8.917-558.0	Saddle Box Kit - single box only	\$277.00 ▶
8.917-560.0	Utility Rack Kit (150 lb. load capacity)	\$729.00 ▶

▶ Field Installed   ▶ Factory Installed

**See PAGE 40-41 for other configured options thru the SPECIALS DEPARTMENT.**

\*Required when purchasing a pressure washer and trailer package; NOT available for trailer only purchases.

- Hotsy Belt-drive Pump
- Reliable Honda GX engine with three-year warranty
- Modular design - change from stationary unit to mobile unit with optional wheel kit
- Complete stainless-steel frame
- Flat-free tires on optional wheel kit
- Machine will fit up to a 100' hose reel
- ETL certified to UL-1776 safety standards

# HIGH FLOW SERIES

## BELT DRIVE

Hotsy's High Flow Series features up to an 8.0 GPM flow rate and 3500 PSI to blast through the toughest jobs on farms and construction sites, perfect for waste and debris removal. Our rugged and economical cold water pressure washer features a high-quality triplex pump and is equipped with a Honda engine for quiet, reliable performance, and a corrosion resistant, stainless steel frame. Three gas models allow you to find the right machine for your needs and the flat-free tires allow for easy maneuverability. The High Flow Series comes as a skid for mounting in a vehicle. There is an optional wheel kit if mobility is needed. All models are ETL safety certified and feature the Hotsy pump backed by a full 7-year limited warranty. All models come equipped with a 50' high-pressure hose, lance, nozzles and trigger gun.



5/30 G shown with optional flat-free tire cart kit and optional 100' capacity hose reel



MODEL	PART NO.	GPM	PSI	ENGINE MODEL	CCs	PUMP MODEL	HOSE (FT)	DIMENSIONS (LXWXH)	SHIP WT (LBS)	LIST PRICE
HHH 5/30 G	1.107-377.0	5.0	3000	Honda GX630	688	6036R	50'	50" X 40" X 58"	426	\$6,795
HHH 6/30 G	1.107-378.0	6.0	3000	Honda GX630	688	6036R	50'	50" X 40" X 58"	426	\$6,905
HHH 8/35 G	1.107-379.0	8.0	3500	Honda GX690	688	8043R	50'	50" X 40" X 58"	443	\$7,365

OPTIONS		
PART NO.	DESCRIPTION	LIST PRICE
8.929-069.0	Flat-Free Cart Kit	\$151.00 ▶
8.750-478.0	100' Capacity Hose Reel	\$314.00 ▶
8.750-247.0	Trigger Gun, model M407	\$35.50 ▶
8.925-132.0	Hose, 3/8" X 50' 2W 6000 PSI SW/SO/CPL (5/30 & 6/30)	\$120.00 ▶
8.925-134.0	Hose, 1/2" X 50' 2W 5000PSI SW/SO/CPL (8/35)	\$149.00 ▶
9.802-216.0	Injector Chem, non adjustable, 3-5 GPM (5/30)	\$39.10 ▶
8.757-724.0	Injector Chem, non adjustable, 5-9 GPM (6/30 & 8/35)	\$22.80 ▶
8.925-229.0	Legacy, 100' x 3/8" ID, 6000 PSI, 2-wire, smooth cover, black high pressure hose	\$219.00 ▶

▶ Field Installed    ▶ Factory Installed

All Electric Start battery not included.



- Honda, Vanguard or new Kohler diesel engine
- Flat-free tires for easy handling
- Small & large roll cage design
- Hotsy Belt-drive Pump
- Totally enclosed belt guard
- VRT3 unloader

# BD SERIES & HHD DIESEL

## BELT DRIVE

The BD Series is the most rugged cold water pressure washer on the market with its all-steel frame and cage, Hotsy belt-drive, triplex pump and cleaning power of up to 5000 PSI. Four gas models make up what is Hotsy's most durable cold water line-up ever. All models are ETL safety certified and feature the Hotsy pump backed by a full 7-year limited warranty. All models come equipped with a 50' high-pressure hose, lance, trigger gun, nozzles and chemical injector.



BD Series shown in large cage (4-wheel) version. Small cage 2-wheel version also available.



Diesel model uses the High Flow frame and comes as a skid, as shown



MODEL	PART NO.	GPM	PSI	ENGINE MODEL	CCs	PUMP MODEL	FRAME	NO. WHEELS	DIMENSIONS (LXWXH)	SHIP WT (LBS)	LIST PRICE
BD-373539★	1.107-021.0	3.7	3500	Honda GX390	389	HM4035R.3	Small Cage	2	42"x26"x30"	275	\$3795
BD-404029	1.107-022.0	4.0	4000	Vanguard 16	479	HX5843R.2	Large Cage	4	46"x30"x36"	360	\$6,025
BD-405039E*	1.107-023.0	4.0	5000	Honda GX630	688	HX5450R	Large Cage	4	46"x30"x36"	417	\$7,030
BD-455039E*	1.107-024.0	4.5	5000	Honda GX690	688	HX5450R	Large Cage	4	46"x30"x36"	430	\$8,090
HHD 3.4/30 D	1.107-382.0	3.4	3000	Kohler KD440	442	HM3540R	Stainless Steel	4	50"x40"x50"	155	\$8,840

\*E = Electric Start (battery not included)

OPTIONS		
PART NO.	DESCRIPTION	LIST PRICE
8.904-109.0	E-Zee Hose Reel Kit* 100' (Small Cage)	\$351.00 ▶
8.904-110.0	E-Zee Hose Reel Kit* 100' (Large Cage)	\$351.00 ▶
8.904-113.0	5000 PSI Hose Reel Kit,* (Large Cage)	\$521.00 ▶
8.904-115.0	5000 PSI Dual Hose Reel Kit,* † (large cage)	\$1,100.00 ▶
8.929-069.0	Flat-Free Cart Kit (HHD Model)	\$151.00 ▶
8.750-478.0	100' Capacity Hose Reel (HHD Model)	\$314.00 ▶

\*Includes hose reel and mounting hardware

†Includes garden hose reel and high-pressure hose reel

▶ Field Installed    ▶ Factory Installed

★ - Not Available for sale in California; there is no replacement model.

See PAGE 38 for other configured options thru the SPECIALS DEPARTMENT.

- Honda engines
- Totally enclosed belt guard
- Flat-free tires for easy handling
- Hotsy Belt-drive Pump

# BX SERIES

## BELT DRIVE

The BX Series is similarly rugged to the BD Series, but more compact. Powered by Honda engines, the BX series delivers cleaning power up to 3500 PSI and an all-steel frame protected by a durable powder coat finish. All models are ETL safety certified and feature the Hotsy pump backed by a full 7-year limited warranty. All models come equipped with a 50' high-pressure hose, lance, nozzles and trigger gun.



Shown with optional hose reel & mounting kit



MODEL	PART NO.	GPM	PSI	ENGINE MODEL	CCs	START	PUMP MODEL	FRAME	DIMENSIONS (LXWXH)	SHIP WT (LBS)	LIST PRICE
BX-282039	1.107-026.0	2.8	2000	Honda GX160	163	Recoil	HB3030R	Small Chassis	37"x21"x24"	152	\$2,390
BX-373539★	1.107-028.0 [1.107-433.0 CA]	3.7	3500	Honda GX390	389	Recoil	HM4035R.3	Large Chassis	45"x26"x24"	240	\$3,415

### OPTIONS

PART NO.	DESCRIPTION	LIST PRICE
8.929-062.0	Detergent Injector (up to 3 GPM)	\$32.30 ▶
8.756-797.0	Chemical Injector, Non-Adjustable 0.083 (2.1MM)	\$23.00 ▶
8.723-636.0	Detergent nozzle	\$4.75 ▶
8.904-103.0	EZ Hose Reel Kit 100' (incl. reel & mounting hardware)	\$334.00 ▶

▶ Field Installed    ▶ Factory Installed

★ Not available for sale in California. California Dealers please order approved PN 1.107-433.0 to replace PN 1.107-028.0.





- Honda GX engines
- Steel frame
- 10" tubed pneumatic tires for easy handling
- Hotsy Direct-drive Pump

# DB SERIES

## DIRECT DRIVE

The DB Series is the most compact, affordable alternative in the cold water line featuring a direct-drive triplex pump. All models are powered by reliable Honda engines. Lightweight design and tubed pneumatic tires make for easy maneuvering. All models are ETL safety certified and feature the Hotsy pump backed by a full 7-year limited warranty. All models come equipped with a 50' high-pressure hose, lance, trigger gun, nozzles and chemical injector.



Shown with optional hose reel & mounting kit



MODEL	PART NO.	GPM	PSI	ENGINE MODEL	CCs	PUMP MODEL	HOSE (FT)	DIMENSIONS (LXWXH)	SHIP WT (LBS)	LIST PRICE
DB-232439	1.107-031.0	2.3	2400	Honda GX160	163	HP2535G	50	35"x21"x24"	140	\$1,855
DB-252739	1.107-032.0	2.5	2700	Honda GX200	196	HP2535G	50	35"x21"x24"	145	\$2,065
DB-303039 ★	1.107-033.0	3.0	3000	Honda GX270	270	HP3035G1	50	35"x21"x24"	175	\$2,325
DB-354039 ★	1.107-222.0	3.5	4000	Honda GX390	390	HS354093	50	35"x21"x24"	179	\$2,555
DB-383539 ★	1.107-034.0	3.8	3500	Honda GX390	390	HS4040G3	50	35"x21"x24"	179	\$2,685

### OPTIONS

PART NO.	DESCRIPTION	LIST PRICE
8.904-105.0	EZ Hose Reel Kit 100' (includes reel & mounting hardware)	\$334.00 ▶

▶ Field Installed    ▶ Factory Installed

★ Not available for sale in California; there is no replacement model.

- Honda engine
- Hotsy Direct-drive pump
- Cleaning power up to 2400 PSI
- Weighs 80 lbs
- Convenient carrying handle

# HC SERIES HANDHELD

## DIRECT DRIVE

The HC Series is the handheld model of the gasoline-powered line, delivering cleaning capability up to 2400 PSI. All models are ETL safety certified and feature the Hotsy pump backed by a full 7-year limited warranty. All models come equipped with a 50' high-pressure hose, lance, nozzles and trigger gun.



MODEL	PART NO.	GPM	PSI	ENGINE MODEL	CCs	PUMP MODEL	HOSE (FT)	DIMENSIONS (LXWXH)	SHIP WT (LBS)	LIST PRICE
HC-232439	1.107-036.0	2.3	2400	Honda GX160	163	HP2535G	25	20"x16"x17"	95	\$1,565



- Honda GX engines
- Modular design converts to skid
- VRT3 unloader with bypass loop
- Flat-free tires for easy handling
- Downstream chemical injection
- Aluminum Frame
- ETL certified to UL-1776 safety standards

# HD SERIES

**DIRECT DRIVE**   **BELT DRIVE**

The HD Series are Hotsy's modular cold water pressure washers with corrosion resistant aluminum frame. Wheels can be removed allowing for easy trailer mounting. Models are available in belt or direct drive and powered by Honda GX engines. All models are ETL safety certified and feature the Hotsy pump backed by a full 7-year limited warranty. All models come equipped with a 50' high-pressure hose, lance, nozzles and trigger gun.



MODEL	PART NO.	GPM	PSI	ENGINE MODEL	CCs	START	PUMP MODEL	DRIVE	HOSE (FT)	DIMENSIONS V(LXWXH)	SHIP WT (LBS)	LIST PRICE
HD 3.0/27 G	9.807-711.0	3.0	2700	Honda GX200	196	Recoil	LP3035	Direct	50	41"x22"x24"	112	\$1,378
HD 3.5/35 G ★	9.807-712.0	3.5	3500	Honda GX270	270	Recoil	LP3535G.1	Direct	50	41"x22"x24"	130	\$1,700
HD 4.0/40 G ★	9.807-713.0	4.0	4000	Honda GX390	389	Recoil	LS4040G.3	Direct	50	43"x26"x27"	149	\$1,940
HD 4.0/40 Ge★ ★	9.807-714.0	4.0	4000	Honda GX390	389	Electric	LS4040G.3	Direct	50	43"x26"x27"	158	\$2,360
HD 3.0/27 GB	9.807-715.0	3.0	2700	Honda GX200	196	Recoil	LP3035G	Belt	50	41"x22"x24"	123	\$1,680
HD 3.5/35 GB ★	9.807-716.0	3.5	3500	Honda GX270	270	Recoil	LM3540R.3	Belt	50	41"x22"x24"	156	\$2,115
HD 4.0/40 GB ★	9.807-717.0	4.0	4000	Honda GX390	389	Recoil	LM3840R.3	Belt	50	43"x26"x27"	160	\$2,525
HD 4.0/40 GeB★ ★	9.807-718.0	4.0	4000	Honda GX390	389	Electric	LM3840R.3	Belt	50	43"x26"x27"	196	\$3,065
HD 5.0/30 GB ★	9.808-251.0	5.0	3000	Honda GX390	389	Recoil	LM4035.R3	Belt	50	43"x26"x27"	160	\$2,525

\*Battery included on electric start models.

★ Not available for sale in California. Please use the following approved PN replacements:

For 9.807-712.0 use 1.107-421.0 (CA)  
 For 9.807-713.0 use 1.107-429.0 (CA)  
 For 9.807-714.0 use 1.107-435.0 (CA)

For 9.807-716.0 use 1.107-422.0 (CA)  
 For 9.807-717.0 use 1.107-430.0 (CA)  
 For 9.807-718.0 use 1.107-434.0 (CA)

OPTIONS		
PART NO.	DESCRIPTION	LIST PRICE
9.807-750.0	37.5" Handle	\$30.00 ▶
9.807-751.0	Handle with Hose Reel (Mild Steel Anthracite Handle)	\$344.00 ▶
9.807-752.0	Hose Hook	\$77.00 ▶
9.807-753.0	Wand Holder	\$67.50 ▶

OPTIONS		
PART NO.	DESCRIPTION	LIST PRICE
8.929-509.0	Hose Reel Bracket Kit (Belt-Drive)	\$130.00 ▶
8.929-511.0	Hose Reel Bracket Kit (Direct-Drive)	\$125.00 ▶
9.807-754.0	Skid Mount Feet (set of 4)	\$35.10 ▶

▶ Field Installed   ▶ Factory Installed

## SKID OPTIONS

Dealer assembly required. Pressure washer sold separately.

The perfect accompaniment to Hotsy HD Series pressure washers – these mild steel skids offer two configurations: skid with a 50 gallon water tank and 100' hose reel OR skid with two 100' hose reels. The HD Skids fit within a standard UTV / ATV bed when ordering the direct drive models as depicted below.

NOTE: Belt drive models extend beyond the frame and are not recommended.

Skid feet included.



DESCRIPTION	PART NO.	FRAME MATERIAL	WATER TANK	HOSE REEL	COMPATABLE PRESSURE WASHER (SOLD SEPARATELY)	DIMENSIONS (LXWXH)	SHIP WT (LBS)	LIST PRICE
One 100' Hose Reel & 50 gallon Water Tank	9.807-835.0	Mild Steel	50 gallon	1	HD 3.0/27 G 9.807-711.0 HD 3.5/35 G 9.807-712.0 HD 4.0/40 G 9.807-713.0	40"x48"x35"	180 (excluding pressure washer)	\$1,350
Two 100' Hose Reels	9.807-840.0	Mild Steel	Not Included	2	HD 3.0/27 G 9.807-711.0 HD 3.5/35 G 9.807-712.0 HD 4.0/40 G 9.807-713.0	40"x48"x35"	172 (excluding pressure washer)	\$1,170

- Smart Relay Control provides control over run time, auto start/stop and shut down functionality
- Remote-ready
- Hotsy Belt-drive Pump

# CWC SERIES

## BELT DRIVE

The CWC Series is a completely self-contained, stationary, electric-powered, cold water washer with programmable smart control, upstream detergent injector and ETL safety certification. Remote ready for wash bays. All models are ETL safety certified and feature the Hotsy pump backed by a full 7-year limited warranty. All models come equipped with a 50' high-pressure hose, lance, nozzles and trigger gun.



MODEL	PART NO.	GPM	PSI	HP	MOTOR RPM	VOLT/PH	AMP	PUMP MODEL	HOSE (FT)	SHIP WT (LBS)	LIST PRICE
CWC-53	1.106-572.0	4.0	3000	7.5	1725	230/1	36	HM4030R.3	50	340	\$5,580
CWC-54	1.106-573.0	4.0	3000	7.5	1725	230/3	23	HM4030R.3	50	340	\$5,635
CWC-55	1.106-574.0	4.0	3000	7.5	1725	460/3	11	HM4030R.3	50	340	\$5,635
CWC-56	1.106-575.0	4.0	3000	7.5	1770	575/3	9	HM4030R.3	50	340	\$5,635
CWC-63	1.106-576.0	5.0	2000	7.5	1725	230/1	36	HM4035R.3	50	340	\$5,580
CWC-64	1.106-577.0	5.0	2000	7.5	1725	230/3	18	HM4035R.3	50	340	\$5,580
CWC-65	1.106-578.0	5.0	2000	7.5	1725	460/3	9	HM4035R.3	50	340	\$5,580
CWC-66	1.106-579.0	5.0	2000	7.5	1770	575/3	8	HM4035R.3	50	340	\$5,580

OPTIONS		
PART NO.	DESCRIPTION	LIST PRICE
8.916-989.0	Remote Station (image 1 below)	\$451.00 ▶
8.924-814.0	R-Con Wireless Remote Kit (1 remotes/1 receiver) (image 2 below)	\$631.00 ▶
8.925-072.0	R-Con Wireless Remote Kit (2 remotes/1 receiver)	\$861.00 ▶

OPTIONS		
PART NO.	DESCRIPTION	LIST PRICE
8.924-878.0	Wall Mount Remote Bracket for R-Con (image 3 below)	\$70.00 ▶
8.756-329.0*	Replacement Remote (transmitter only)	\$385.00 ▶
8.916-988.0	Soap Solenoid and Switch	\$215.00 ▶

▶ Field Installed   ▶ Factory Installed

\* **Please Note: R-Con Wireless Remote** comes from vendor, is custom made to order and is not universal. When ordering, please contact customer service to supply the serial number off the transmitter you have along with the channel number, so we can pass along that information to the vendor.



See PAGE 37 for stainless steel and other configured options thru the SPECIALS DEPARTMENT.





- Electric motor, 2-10 HP
- Downstream detergent injector
- Hotsy Belt-drive Pump
- Insulated SS variable pressure wand
- Option-ready for Time Delay Shutdown or Auto Start/Stop

# 1700 SERIES

## BELT DRIVE

The 1700 Series offers the most reliable, stationary, electric-powered, cold water pressure washer. All models are ETL safety certified and feature the Hotsy pump backed by a full 7-year limited warranty. All models come equipped with a 50' high-pressure hose, insulated variable pressure wand, trigger gun, nozzles and chemical injector.



Shown with optional stainless steel cabinet



Model 1710 shown with optional wheel kit & chemical rack (PN 9.801-031.0). Note: this is not the short stand.



1700 Series shown with optional hose reel kit, (PN 8.903-039.0), Tall Floor Stand (PN 9.801-034.0), caster wheel kit (PN 9.801-035.0) and stainless steel base and cover (PN 8.903-042.0).

MODEL	PART NO.	GPM	PSI	HP	VOLT/PH	AMPS	PUMP MODEL	PORTABILITY	DIMENSIONS (LXWXH)	SHIP WT (LBS)	LIST PRICE
1710	1.106-511.0	2.8	1000	2	120/1	20	HB3030R	Optional	31"x21"x16"	200	\$3,025
1720	1.106-512.0	3.9	2000	6	230/1	28	HM4030R.3	Optional	31"x21"x16"	275	\$3,825
1722	1.106-513.0	3.9	2000	6	208/1	30	HM4030R.3	Optional	31"x21"x16"	250	\$3,825
1723	1.106-514.0	3.9	2000	6	208/3	16	HM4030R.3	Optional	31"x21"x16"	250	\$3,825
1724	1.106-515.0	3.9	2000	6	230/3	16.8	HM4030R.3	Optional	31"x21"x16"	250	\$3,825
1725	1.106-516.0	3.9	2000	6	460/3	8	HM4030R.3	Optional	31"x21"x16"	250	\$3,825
1726	1.106-590.0	3.9	2000	7.5	575/3	6.6	HM4030R.3	Optional	31"x21"x16"	275	\$4,435
1743	1.106-529.0	4.8	3000	10	208/3	31.3	HM4035R.3	Optional	31"x21"x16"	302	\$4,425
1744	1.106-530.0	4.8	3000	10	230/3	26.8	HM4035R.3	Optional	31"x21"x16"	300	\$4,425
1745	1.106-531.0	4.8	3000	10	460/3	15	HM4035R.3	Optional	31"x21"x16"	315	\$4,425
1746	1.106-591.0	4.8	3000	10	575/3	9.6	HM4035R.3	Optional	31"x21"x16"	290	\$5,355
1753	1.106-534.0	5.6	2500	10	208/3	31.3	HX9536R.2	Optional	31"x21"x16"	320	\$4,660
1754	1.106-535.0	5.6	2500	10	230/3	26.8	HX9536R.2	Optional	31"x21"x16"	310	\$4,660
1755	1.106-536.0	5.6	2500	10	460/3	13.5	HX9536R.2	Optional	31"x21"x16"	310	\$4,660
1756	1.106-592.0	5.6	2500	10	575/3	10.3	HX9536R.2	Optional	31"x21"x16"	310	\$5,355

### OPTIONS

PART NO.	DESCRIPTION	LIST PRICE
9.801-031.0	Kit, 1700 Wheel w/Chemical Rack (black)	\$468.00 ▶
8.904-527.0	Kit, 1700 Wheel w/Chemical Rack (stainless steel)	\$1,205.00 ▶
9.801-033.0	Kit, 1700 Wall Mount	\$175.00 ▶
9.801-034.0	Kit, 1700 Floor Stand, Tall (20 3/4"W x 29"D x 36"H)	\$521.00 ▶
9.801-035.0	Kit, Caster Wheels for 1700 Floor Stand	\$476.00 ▶
8.903-039.0	Kit, Hose Reel w/Bracket for 1700 Stand & Wall Mount Kits	\$494.00 ▶
8.903-040.0	Kit, 1700 Floor Stand, Short (20 3/4"W x 29"D x 24"H)	\$483.00 ▶
8.903-043.0	Kit, 1700 Wall Mount, Stainless Steel	\$309.00 ▶
8.903-617.0	Kit, 1700 Floor Stand, Tall, Stainless Steel	\$781.00 ▶
8.903-521.0	Kit, Hose Reel for Wheel Kit, 100 ft. (excludes hose)	\$277.00 ▶

▶ Field Installed ▶ Factory Installed

### OPTIONS

PART NO.	DESCRIPTION	LIST PRICE
8.903-041.0	Time Delay Shut Down 3ph (1723, 1724, 1725, 1726, 1743, 1744, 1745, 1746)	\$372.00 ▶
8.903-044.0	Time Delay Shut Down 3ph (1753, 1754, 1755, 1756)	\$383.00 ▶
8.903-045.0	Time Delay Shut Down 120v 1ph (1710)	\$372.00 ▶
8.929-374.0	Time Delay Shutdown 208/230v 1ph (1720, 1722)	\$360.00 ▶
8.903-047.0	Auto Start/Stop 3ph (1723, 1724, 1725, 1726, 1743, 1744, 1745, 1746)	\$372.00 ▶
8.903-048.0	Auto Start/Stop 3ph (1753, 1754, 1755, 1756)	\$383.00 ▶
8.929-376.0	Auto Start/Stop 120v 1ph (1710)	\$360.00 ▶
8.929-377.0	Auto Start/Stop 208/230v 1ph (1720, 1722)	\$360.00 ▶
8.923-421.0	Stainless Steel Base & Cover for Model 1710	\$346.00 ▶
8.903-042.0	Stainless Steel Base & Cover for Models 172x, 174x, 175x	\$346.00 ▶

\*Time Delay Shutdown and Auto Start/Stop cannot be combined on the same machine

See PAGE 36 for other configured options thru the SPECIALS DEPARTMENT.

- Hotsy Belt-drive Pump
- Totally enclosed belt guard
- 12' cord length
- Flat-free tires for easy handling

# BDE SERIES

## BELT DRIVE

The BDE Series is the electric equivalent of the BD Series. Hotsy belt-drive, triplex pump and cleaning power of 5000 PSI. All models are ETL safety certified and feature the Hotsy pump backed by a full 7-year limited warranty. All models come equipped with a 50' high-pressure hose, lance, trigger gun, nozzles and chemical injector.



MODEL	PART NO.	GPM	PSI	HP	MOTOR RPM	VOLT/ PH	AMPS	PUMP MODEL	PUMP RPM	HOSE (FT)	DIMENSIONS (LXWXH)	SHIP WT (LBS)	LIST PRICE
BDE-505009B	1.107-085.0	5.0	5000	20	1765	230/3	48	HX5450R	1650	50	46"x30"x36"	524	\$8,365
BDE-505009C	1.107-086.0	5.0	5000	20	1765	460/3	26	HX5450R	1650	50	46"x30"x36"	524	\$8,365

### OPTIONS

PART NO.	DESCRIPTION	LIST PRICE
8.904-110.0	E-Zee Hose Reel Kit*100' (large cage)	\$351.00 ▶
8.904-113.0	5000 PSI Hose Reel Kit,* (large cage)	\$521.00 ▶
8.904-115.0	5000 PSI Dual Hose Reel Kit,*† (large cage)	\$1,100.00 ▶

\*Includes hose reel and mounting hardware

†Includes garden hose reel and high-pressure hose reel

▶ Field Installed   ▶ Factory Installed

**See PAGE 36 for other configured options thru the SPECIALS DEPARTMENT.**



- Aluminum frame
- Converts easily to skid style frame
- Flat-free tires for easy handling
- Hotsy Direct-drive Pump

# HD SERIES ELECTRIC CART

## DIRECT DRIVE

The HD Series electric carts are corrosion-resistant aluminum cold water pressure washers that easily convert from a cart to a skid for maximum cleaning versatility. Low profile handle and compact footprint. All models are ETL safety certified and feature the Hotsy pump backed by a full 7-year limited warranty. All models come equipped with a 50' high-pressure hose, lance, trigger gun, nozzles and chemical injector.



MODEL	PART NO.	GPM	PSI	HP	VOLT/PH	MOTOR RPM	AMPS	PUMP MODEL	HOSE (FT)	DIMENSIONS (LXWXH)	SHIP WT (LBS)	LIST PRICE
HD 1.9/13 Ed	9.801-798.0	1.9	1300	2	120/1	1725	20	LFP2030S	50	35"x21"x24"	196	\$1,820
HD 2.0/10 Ed	9.801-797.0	2.0	1000	1.5	120/1	1725	15	LFP2030S	50	35"x21"x24"	212	\$1,680
HD 3.0/10 Ed	9.801-799.0	3.0	1000	2	120/1	1725	20	LF2830S	50	35"x21"x24"	219	\$1,900
HD 3.5/20 Ea	9.801-800.0	3.5	2000	5	230/1	3450	22	LF3530F	50	35"x21"x24"	220	\$2,710

### OPTIONS

PART NO.	DESCRIPTION	LIST PRICE
9.807-754.0	Skid Feet (set of 4)	\$35.10 ▶
9.807-750.0	37.5" Long Handle	\$30.00 ▶
9.807-751.0	Handle with Hose Reel (Mild Steel Anthracite Handle)	\$344.00 ▶
9.807-752.0	Hose Storage Hook	\$77.00 ▶
9.807-753.0	Wand Holder	\$67.50 ▶

▶ Field Installed    ▶ Factory Installed

- Hotsy Direct-drive Pump
- 25' & 50' hose
- Convenient carrying handle
- Remote switch with 10' cord (ET-201409DX2 only)
- Standard Auto Start/Stop (ET-201409DX2 only)

# ET SERIES HANDHELD

## DIRECT DRIVE

The ET Series is the handheld model of the electric-powered line, delivering cleaning capability up to 1400 PSI. All models are ETL safety certified and feature the Hotsy pump backed by a full 7-year limited warranty. All models come equipped with a 50' high-pressure hose, lance, nozzles and trigger gun.



Note: Detergent injector sold separately



MODEL	PART NO.	GPM	PSI	HP	VOLT/PH	PUMP MODEL	HOSE (FT)	DIMENSIONS (LXWXH)	SHIP WT (LBS)	LIST PRICE
ET-301109D	1.106-107.0	3.0	1000	2.0	115/1	HF2830S	50	20"x19"x17"	121	\$1,885
ET-201409DX2	1.107-089.0	1.8	1400	2.0	115/1	HFP2030S	25	20"x19"x17"	123	\$1,960

### OPTIONS

PART NO.	DESCRIPTION	LIST PRICE
8.920-952.0	Wall Mount Bracket	\$272.00 ▶
8.929-062.0	Detergent Injector (up to 3 GPM)	\$32.30 ▶

▶ Field Installed    ▶ Factory Installed

- Heater add-on
- 3000 PSI
- Diesel, kerosene, #1 heating oil
- 3/8" QC inlet / outlet
- Efficient vertical combustion
- 5-gallon polyethylene fuel tank
- 36' ground fault interrupter plug
- Thermostat temperature control
- Compact size
- 10" easy-roll tubed pneumatic tires

# HOT BOX OIL-FIRED

Add hot water cleaning economically. Portable water heater add-on for existing cold water pressure washers. Quick connect to cold water washer, supply fuel and power to Hot Box for hot water cleaning applications — USE ONLY WHEN NEEDED and keep the convenience of the portable cold water washer.



MODEL	PART NO.	GPM	PSI	VOLT/PH	DIMENSIONS (LXWXH)	LIST PRICE
HOT BOX	1.103-910.0	Up to 5	Up to 3,000	120/1	27"x37"x39"	\$4,125





- 3 stage vacuum motor delivers 100 CFM 100" sealed lift vacuum
- Simple curbside controls for easy use
- Rated for water up to 120°F and compatible with surface cleaners and hot water machines
- Bolt-on mounting system configured on the base to mount to a trailer for portability from site to site or optional caster wheel kit
- Small footprint allows the unit to be mounted where limited space is available
- Drain port and filter basket work together to keep sludge from clogging

# RC SERIES WATER RECOVERY

Stop wash water from flowing down a drain or away from your area by collecting the wastewater from pressure washing. As EPA laws become more prevalent and strive to conserve water quality, contract cleaners and construction sites will need to recover their wash water and runoff. Eliminate the problem with the RC Series that is capable of recovering and transferring up to 30 GPM of water and transferring to a holding tank. Its small footprint allows the RC Series to be mounted on a trailer. Be fully in control of water flow with the optional water dikes and drain covers to stop water from flowing down a drain or away from your site. Comes standard with a 50' vacuum hose and scupper head.



Reliable 120V Transfer Pump capable of transferring 30 GPM of water to the holding tank



Shown with optional caster wheel kit



MODEL	PART NO.	ELECTRICAL	AMPS	RECOVERY	TANK (GAL)	VACUUM MOTOR	DIMENSIONS (LXWXH)	SHIP WT (LBS)	LIST PRICE
RC-30E	1.103-514.0	120V	15	30 GPM	27	3 Stage 100 CFM 100" sealed lift	24"x27"x59"	127	\$2,080

OPTIONS		
PART NO.	DESCRIPTION	LIST PRICE
8.751-299.0	Mosmatic Surface Cleaner with Vac Port	\$3,595.00 ▶
8.928-887.0	Caster Wheel Kit	\$106.00 ▶
8.925-858.0	Discharge Hose Kit	\$181.00 ▶
8.618-451.0	Vacuum Hose	\$192.00 ▶
8.928-850.0	Scupper Head	\$85.50 ▶

DRAIN COVERS & WATER DIKES		
PART NO.	DESCRIPTION	LIST PRICE
8.751-135.0	Drain Cover, 36" x 36", 30oz PVC	\$361.00 ▶
8.751-136.0	Drain Cover, 48" x 48", 30oz PVC	\$430.00 ▶
8.751-137.0	Drain Cover, 48" x 48", Urethane	\$441.00 ▶
8.751-138.0	Water Dike, 10', 22oz PVC	\$213.00 ▶
8.751-139.0	Water Dike, 10', 40oz Urethane	\$327.00 ▶
8.751-140.0	Water Dike, 20', 22oz PVC	\$297.00 ▶
8.751-141.0	Water Dike, 20', 40oz Urethane	\$451.00 ▶

▶ Field Installed    ▶ Factory Installed



## 2021 SPECIALS PRICE LIST

The following pages include equipment that can be ordered through our Specials Department. Instructions for ordering are outlined below.

### Specials Order - No Quote Required

If you are ordering a standard special as listed in this price list, you may place the order with Special's Customer Service Representative, without the need for a Specials Quote. Lead times for orders coming from the Specials Department typically run double the "standard" lead time. Lead times do vary, so please check with your Specials CSR.

ALL QUOTED LEAD TIMES ARE WORKING DAYS (does not include weekends and holidays). These models allow you to add specially configured options to standard Hotsy models. Pricing for these units is determined by taking the regular equipment cost and adding the cost of the special option(s).

### Specials Order - Quote Required

Machine modifications that do not appear in this price list may be requested by submitting a "Specials Request" using the "Specials Request Form" located on the Hotsy Infonet website. Your request will be responded to within 24 hours. In cases where the quote requires information outside of our control, please allow 24 hours for us to respond with an updated response time.

1. Go to Infonet at <https://kaercher-infonet.com/us>.
2. From the menu on the top of the home page, select "Sales"
3. From the menu select "Special Request Form".
4. Fill out the form completely and give as many details as possible.
5. Click on the "Submit Request" button at the bottom of this page.
6. We will respond to your quote request within 24 hours with a quote. In cases where the quote requires information outside of our control we will respond with an updated response time within 24 hours.



# LP/NG SERIES ELECTRIC HOT WATER

**BASE MODEL 558 CAN BE MODIFIED**

**SPECIAL OPTIONS & CONFIGURATIONS**

MODEL	PART NO.	DESCRIPTION	LIST PRICE
558-559	H-101*	Electronic Ignition	\$835
558-559	H-102*	Auto Start / Stop	\$490
559	559-SP1	2 HP, 1300 PSI Natural Gas	\$5,280

**BASE MODELS 771 & 772 CAN BE MODIFIED**

**SPECIAL OPTIONS & CONFIGURATIONS**

MODEL	PART NO.	DESCRIPTION	LIST PRICE
771-772	H-106*	Electronic Ignition	\$835
771-772	H-107*	Auto Start / Stop	\$490

\*Options not sold separately



# 1800 SERIES ELECTRIC HOT WATER

**ALL 1800 SERIES BASE MODELS CAN BE MODIFIED**

**SPECIAL OPTIONS & CONFIGURATIONS**

MODEL	PART NO.	DESCRIPTION	LIST PRICE
All Models	H-708	2 Stage Gas Valve <sup>1</sup>	\$1,500

<sup>1</sup> Contact Specials Dept. for details. Expect extended lead times. Up to 750,000 BTUs. For higher rating, contact our Specials Dept. The two stage gas valve includes two thermostat controller and a gas valve with a high and low gas flow ability.





# 5700/5800 SERIES ELECTRIC HOT WATER

ALL 5700/5800 SERIES BASE MODELS CAN BE MODIFIED

SPECIAL OPTIONS & CONFIGURATIONS

MODEL	PART NO.	DESCRIPTION	LIST PRICE
All Models	H-705	2 Stage Gas Valve*	\$1,500

\*Contact Specials Dept. for details. Expect extended lead times.  
Up to 750,000 BTUs. For higher rating, contact our Specials Dept. The two stage gas valve includes two thermostat controller and a gas valve with a high and low gas flow ability.



Shown with modulating gas valve



# HWE SERIES ELECTRIC HOT WATER

**BELT DRIVE**

SPECIAL OPTIONS & CONFIGURATIONS

MODEL	PART NO.	DESCRIPTION	LIST PRICE
HWE-50F †	HWE-50-SP	575V/3PH Heater only	\$7,620
All Models	H-600	Float Tank	\$705
All Models	H-610	Non-brushed Stainless Steel Heater*	\$1,420
	8.941-506.0	460V / 3PH Heating Module Only (unbranded)	\$7,620

\*Exterior cabinet only  
† Indicates ETL certified



Shown with special option stainless steel cabinet



MODELS TO BE MODIFIED

MODEL	PART NO.	GPM	PSI	HP	MOTOR	AMPS	VOLT/PH	KvA HOUR	BTU/HR	PUMP MODEL	DIMENSIONS (LxWxH)	SHIP WT (LBS)	LIST PRICE
HWE-402009C	1.109-646.0	4.0	2000	6.2	Baldor	55	460/3	40.5	138,308	HM4030R.3	34"x25"x52"	620	\$11,330
HWE-403009C	1.109-647.0	3.5	3000	7.5	Baldor	59	460/3	40.5	138,308	HM4030R.3	34"x25"x52"	640	\$11,880
HWE-402009F	1.109-958.0	3.5	2000	5	Baldor	46	575/3	40.5	138,308	HM4030R.3	34"x25"x52"	620	\$11,330
HWE-403009F	1.109-959.0	3.5	3000	7.5	Baldor	49	575/3	40.5	138,308	HM4030R.3	34"x25"x52"	640	\$12,300





# GAS ENGINE SERIES GAS ENGINE HOT WATER



1075BE (shown with optional caster wheel kit)



**BELT DRIVE**

BASE MODELS 965B, 1075BE & 1080BE CAN BE MODIFIED

SPECIAL OPTIONS & CONFIGURATIONS

MODEL	PART NO.	DESCRIPTION	LIST PRICE
1075BE *	H-402*	Steam**	\$490
1080BE	H-403*	Steam**	\$490

\*Options not sold separately

\*\*Steam includes a metering valve that, when opened, reduces GPM & PSI, allowing water temp to rise to wet steam  
12V battery required (not included)

\* - Standard part number not available in California. California dealers must request modifications be made to part number 1.110-082.0.

# 1200 SERIES GAS ENGINE HOT WATER



1290SS



ALL 1200 SERIES BASE MODELS CAN BE MODIFIED

SPECIAL OPTIONS & CONFIGURATIONS

MODEL	PART NO.	DESCRIPTION	LIST PRICE
All Models	H-300*	Steam**	\$490
All Models	H-630	Super Duty Kit ***	\$975
1290SS Only		4.5 GPM @ 5000 PSI, 688 CC's Honda	\$15,555

12V battery required (not included)

\*Options not sold separately

\*\*Steam includes a metering valve that, when opened, reduces GPM & PSI, allowing water temp to rise to wet steam

\*\*\*Super Duty Kit Description: Remove float tank. Replace flow switch with HD pressure switch. Replace unloader with VB80. Remove inlet detergent injector. Replace existing coil wrap with stainless steel coil wrap. Coil wound as a gas coil to reduce soot build up.

# HCD SERIES

## DIESEL HOT WATER SKID UNIT

### SPECIAL OPTIONS & CONFIGURATIONS

MODEL	PART NO.	DESCRIPTION	LIST PRICE
HCD5-5000	HCD5-5000-SP	5.0 @ 5000 Kubota D-1105-E3B Diesel, 12V Burner	\$25,920
HCD6-3500	HCD6-3500-SP	5.6 @ 3500 Kubota D-1105-E3B Diesel, 12V Burner	\$24,310
HCS-503029E-SP*	HCS5-3500-SP	4.8 @ 3000 18 HP Vanguard Gas, 12V Burner	\$10,330
ALL	H-550	2000 watt Generator / 120V Burner**	\$1,330
ALL	H-551	Stainless Steel Frame	\$6,520
SS Option Only	H-552	Stainless Steel Lifting Cage w/option H-551 only	\$5,115
SS Option Only	H-553	Stainless Steel Lifting Cage & Drip Pan w/option H-551 only	\$5,495

\*HCS comes with plastic fuel tanks and SS top and bottom wrap. Note: Stainless steel options H-551, H-552, H-553 do not apply to this model (call for stainless steel prices).

\*\*Doesn't exceed manufacturer's specifications of 2000 watts  
12V battery required (not included)



HCD



Shown with stainless steel cage option H-551, H-553





# 1700 SERIES ELECTRIC COLD WATER



Shown with optional stainless steel cabinet

ALL 1700 SERIES BASE MODELS CAN BE MODIFIED

SPECIAL OPTIONS & CONFIGURATIONS

MODEL	PART NO.	DESCRIPTION	LIST PRICE
All	H-800	Float Tank	\$495
1740	1740-SP	10 HP 230V/1PH / 4.76 GPM @ 3000 PSI*	\$5,840
1742	1742-SP	10 HP 208V/1PH / 4.76 GPM @ 3000 PSI*	\$5,840

\*Comes with GFCI and no ETL certification

# BDE SERIES ELECTRIC COLD WATER



ALL BDE SERIES BASE MODELS CAN BE MODIFIED

SPECIAL OPTIONS & CONFIGURATIONS

MODEL	PART NO.	DESCRIPTION	LIST PRICE
BDE5-3000	BDE5-3000-SP230-1	10 HP 230V/1PH	\$9,175
BDE5-3000	BDE5-3000-SP575-3	10 HP 575V/3PH	\$9,445
BDE5-5000	BDE5-5000-SP208-3	20 HP 208V/3PH	\$10,795
BDE5-5000	BDE5-5000-SP575-3	20 HP 575V/3PH	\$10,840
BDE8-3000	BDE8-3000-SP230-3	20 HP 230V/3PH	\$10,320
BDE8-3000	BDE8-3000-SP460-3	20 HP 460V/3PH	\$10,320
BDE10-2000	BDE10-2000-SP230-3	20 HP 230V/3PH	\$10,320
BDE10-2000	BDE10-2000-SP460-3	20 HP 460V/3PH	\$10,320
BDE8-3000	BDE8-3000-SP575-3	20 HP 575V/3PH	\$10,430
BDE10-2000	BDE10-2000-SP575-3	20 HP 575V/3PH	\$10,430
BDE5-5000	H-1000*	Time Delay Shutdown	\$990
BDE5-3, 8-3, 10-2	H-1001*	Time Delay Shutdown	\$990
BDE5-3000	H-2000*	Auto Start/Stop	\$925
BDE8-3, 5-5, 10-2	H-2001*	Auto Start/Stop	\$1,005

\*Options not sold separately

# CWC SERIES ELECTRIC COLD WATER

ALL CWC SERIES BASE MODELS CAN BE MODIFIED

## SPECIAL OPTIONS & CONFIGURATIONS

MODEL	PART NO.	DESCRIPTION	LIST PRICE
All Models *	H-CWCSS	Stainless Steel	\$2,550

\* ETL certified



# BELT DRIVE STATIONARY ELECTRIC COLD WATER

## SPECIAL OPTIONS & CONFIGURATIONS

MODEL	PART NO.	DESCRIPTION	LIST PRICE
CWS6-3000	CWS6-3000-SP	15 HP 230V/460V/3PH*	\$8,780
CWS8-3000	CWS8-3000-SP	20 HP 230V/460V/3PH*	\$9,595
CWS10-2000	CWS10-2000-SP	15 HP 230V/460V/3PH*	\$9,300
	H-4000	6-8 GPM Auto Start/Stop w/Shutdown	\$905
	H-4001	10 GPM Auto Start/Stop w/Shutdown	\$905
	H-4002	Time Delay Shutdown	\$905

\*Please verify voltage on order



Dimensions: 50"Lx28"Wx48"H





# BD SERIES GAS ENGINE COLD WATER

### SPECIAL OPTIONS & CONFIGURATIONS

MODEL	PART NO.	DESCRIPTION	LIST PRICE
BD-373539 ★	BD-373539-SP	Upgraded 13 HP Honda Electric Start (Sm Cage)	\$1,300
BD-404029	BD-404029-SP	Upgraded 18 HP Vanguard Electric Start (Lg Cage)*	\$7,335
BD6-3500	BD6-3500-SP	20 HP Honda Electric Start (Lg Cage)	\$7,875
BD8-3000	BD8-3000-SP	24 HP Honda Electric Start (Lg Cage)	\$10,030
BD10-2000	BD10-2000-SP	24 HP Honda Electric Start (Lg Cage)	\$10,030

\*Comes with separate fuel tank

★ - Not Available in California



# HD 8/35 COLD WATER GAS ENGINE KIT

### SPECIAL OPTIONS & CONFIGURATIONS

MODEL	PART NO.	DESCRIPTION	LIST PRICE
HD 8/35 GeB	1.107-413.0	Includes high pressure pump, 12V battery and Honda GX 690 gas engine on SS base	\$5,500

*This kit is not UL or Carb Certified*



# 9400 SERIES HEATING MODULE

ALL 9400 SERIES BASE MODELS CAN BE MODIFIED

SPECIAL OPTIONS & CONFIGURATIONS

MODEL	PART NO.	DESCRIPTION	LIST PRICE
All Models	H-706	2 Stage Gas Valve*	\$1,475

\*Up to 750,000 BTUs - for higher rating, contact our Specials Dept. The two stage gas valve includes two thermostat controllers and a gas valve with a high and low gas flow ability. Contact Specials Dept. for details. Expect extended lead times.



Model 9462

# 1200/1800/5700 SERIES HEATER SERIES

Available fuel burner types:

- Diesel
- Home Heating Oil
- Kerosene
- Natural Gas

SPECIAL OPTIONS & CONFIGURATIONS

MODEL	PART NO.	DESCRIPTION	LIST PRICE
1200	H-1200	Oil-Fired - 398,000 BTUs	\$3,680
1200	H-1201	NG-Fired - 365,000 BTUs	\$3,460
1800	H-1800	Oil-Fired - 580,000 BTUs	\$5,725
1800	H-1801	NG-Fired - 560,000 BTUs	\$5,505
1800	H-708	2 Stage Gas Valve (used with H1801 only)**	\$1,470
5700	H-5700	Oil-Fired - 920,000 BTUs	\$8,520
5700	H-5701	NG-Fired - 920,000 BTUs	\$8,800
5700	H-705	2 Stage Gas Valve (used with H5701 only)**	\$1,475

MODEL/DESCRIPTION	SHIP WT (LBS)	DIMENSIONS (LXWXH)
1200 Series up to 5.6 GPM @ up to 4,000 PSI 1200 Oil-fired 120V AC / 1PH 5 Amp* 1200 Oil-fired 12V DC* 1200 NG Millivolt	285	19.5"x19.5"x52"
1800 Series up to 6 GPM @ up to 3,200 PSI 1800 Oil-fired 120V AC / 1PH 8 Amp 1800 NG 120V / 1PH 1 Amp (with electronic ignition)	375	31"x31"x53.25"
5700 Series up to 9.5 GPM @ up to 3,200 PS 5700 Oil-fired 120V AC / 1PH 8 Amp 5700 NG 120V / 1PH 1 Amp	610	31"x31"x63.5"

\*Verify voltage on order  
Contact Specials Dept. for details. Expect extended lead times.



1200 Series Coil-Only Assembly



5700 Series Coil-Only Assembly



# TRAILER BLAZER TRAILER



*Shown with 1080BE and optional accessories*



*Painted red trailer*

### TRAIL BLAZER CAN BE MODIFIED

#### SPECIAL OPTIONS & CONFIGURATIONS

MODEL	PART NO.	DESCRIPTION	LIST PRICE
TRB-3500	H-2501	Low-Level Shutdown*	\$375
TRB-3500	H-2502	By-Pass Unloader to 200gal Tank	\$375
TRB-3500	H-RED	Painted Red Trailer	\$6,810

*\*Available with belt-drive gas engine units only*

# HTR TRAILER

- Tandem axle models
- 330-gallon water tank
- Electrical wiring recessed within rugged tubular frame
- Two 3-way ball valves for easy switching of water flow
- 1,000 lb. swivel jack for quick and easy hook up the trailer
- Electric brakes and break-away kit standard on all trailers
- Adjustable hitch standard on all trailers



## HTR SPECIAL OPTIONS & CONFIGURATIONS

MODEL	PART NO.	DESCRIPTION	LIST PRICE
HTR Tandem Axle 6000 lbs.	HTR6000-SP	Tandem Axle 6000 lbs. with electric brakes on two axles & break-away kit 2-5/16 inch ball coupler	\$11,005*
6000		Battery installed on pressure washer	\$540
<b>ELECTRIC BRAKE OPTIONS</b>			
6000	HTR-100-SP	Electric - 3" Lunette eye option	\$140
6000	HTR-102-SP	2-5/16 inch to 2 inch ball coupler option	\$110
<b>HYDRAULIC BRAKE OPTIONS</b>			
6000	HTR-203-SP	Hydraulic with 2-5/16 inch ball coupler option	\$1,875
6000	HTR-204-SP	2-5/16 inch to 2 inch ball coupler option	\$110
6000	HTR-205-SP	Hydraulic with 3 inch Lunette eye option	\$2,805
<b>CHEMICAL RACK OPTIONS</b>			
6000	HTR-300-SP	Dual 5 gal. bucket chemical rack	\$195
<b>FUEL TANK AND TOOL BOX OPTIONS</b>			
6000	HTR-400-SP	ProTech Tool Box with 50 gallon Diesel Tank	\$4,740
6000	HTR-401-SP	ProTech Tool Box only	\$2,495
<b>HOSES INSTALLED</b>			
6000	HTR-500-SP	High-Pressure Hose 3/8-inch x 100ft, 2-wire, installed	\$370
6000	HTR-501-SP	Garden Hose, 3/4-inch x 50ft, installed	\$140
<b>HOSE REEL KITS (HOSE NOT INSTALLED)</b>			
6000	HTR-600-SP	Hose reel kit for 100ft of 3/8-inch high-pressure hose	\$735
6000	HTR-601-SP	Hose reel kit for 200ft of 3/8-inch high-pressure hose	\$790
6000	HTR-602-SP	Hose reel kit for 75ft of 3/4-inch garden hose	\$920
<b>MOUNTING KITS</b>			
6000	HTR-700-SP	Machine mounting & plumbing	\$420
<b>WHEELS AND FENDERS</b>			
6000	HTR-801-SP	Chrome Fenders, pair, 6000	\$490
HCS, HCD, Belt Drive Gas Engine Series, 1200 Series			See price list for machine price

\*Does not qualify for free freight program. Call for freight quote.



# HOTSY'S DIRTY DOZEN DETERGENTS

For soap recommendations, start with these 12 category leaders



## #1 BREAKTHROUGH!

### Hotsy's best all-purpose detergent

Highly concentrated with dilution ratio of 150 to 1. Whether removing grease or cleaning a finely painted automobile, Breakthrough! is the best all around "go to" detergent. Breakthrough's high foaming action attacks dead oxidized paint and can be used in hard and cold water applications.

## #2 TRANSPORT VEHICLE WASH

### Hotsy's most economical detergent for vehicles

If it has wheels, Transport is the detergent of choice. Autos, buses, motor homes, mobile homes, tractor trailers are just a few applications for this economical liquid detergent. Great when used as a pre-spray for engine compartment cleaning and safe on all painted surfaces, stainless steel, aluminum and glass.

## #3 RIPPER 1

### Hotsy's best heavy-duty degreaser

Ripper 1 is specially formulated for degreasing heavy equipment and hard to remove road film on tractor trailers, end loaders, excavators and back hoes, yet still safe on painted surfaces. Non-caustic and user-friendly.

## #4 HOTSY BROWN

### Hotsy's best detergent for oil field cleaning

A degreasing detergent specially formulated for the oil field that also works great on oil soaked or stained surfaces such as, frames and equipment. A non-Butyl based product that works good in cold water, Hotsy Brown is a caustic based product and should not be used on fine painted surfaces or magnesium, galvanized or aluminum.

## #5 ADVANCED FORMULA ALUMINUM BRIGHTENER

### Hotsy's answer to aluminum cleaning

This highly concentrated acid with dilution ratios up to 20 to 1, attacks oxidized aluminum leaving a "like new" look to the surface after the initial application. Not to be used on new aluminum or aluminum that is not oxidized.

## #6 VERDE ALL-PURPOSE

### Environmentally-friendly general purpose cleaner

A unique blend of environmentally preferred chemicals that provide great cleaning capabilities in all water conditions and all water temperatures. Superior foaming and fast-rinsing provide great results while saving money and the environment.

## #7 SALT LICK

### Hotsy's answer to removing salt and de-icing solutions

Salt Lick is formulated to remove salt, calcium chloride and de-icing solution used on winter roads by breaking down the crystalline structure of ice melt products and prevents them from re-crystallizing so they can be washed away. Salt Lick is a dual-purpose concentrated detergent attacking heavy soils and road film.

## #8 CARBOCHLOR

### Hotsy's #1 choice for cleaning food preparation areas

A special emulsifying formula with high powered bleach for food processing plants. Excellent on tough odors, stains, dirt, oils and fats left behind on equipment, floors, and walls. NSF recognized for use in Federally Inspected food plants.

## #9 CON-B-GONE

### Removes green concrete from trucks & tools

A fast acting acidic product that when applied to ready mix trucks, forms and tools softens dried concrete splatter allowing it to be rinsed away with a hot or cold water pressure washer. Con-B-Gone's foaming formula makes application over large areas quick and easy. A Hotsy Foamer increases dwell time and maximizes end results!

## #10 TUBMATE GEN. PURPOSE

### Hotsy's heavy-duty automatic parts washer detergent

A phosphate-free, biodegradable, super-concentrated liquid. Works great with automatic detergent injectors; can be automatically metered into aqueous parts washers. Quick oil release and solvent free. Heavy duty rust and corrosion inhibitor package protects against flash rusting; defoamers reduce foam in your aqueous parts washer.

## #11 FAT CAP

### Hotsy's easy-to-use liquid graffiti remover

The #1 alternative to sand blasting or painting over unsightly graffiti. Designed for use on exterior brick, masonry and concrete surfaces. Deep-penetrating and fast-acting for effective and thorough loosening of spray paint graffiti and easy removal of graffiti from the surface being treated.

## #12 CITRUS CLEAN

### "Beefs" up the cleaning action of any Hotsy soap

This citrus-based detergent additive increases any detergent's cleaning and degreasing power and is a great degreaser in its own right, plus it also enhances rinsing. Contains d-limonene which is a great "natural" degreaser.

**PLEASE NOTE:** Hotsy detergents should be used following the instructions printed on the product label and best safety practices. Some Hotsy Detergents cannot ship UPS. For more information please contact your local Hotsy Distributor.

## ALL-PURPOSE



✓ Biodegradable  
✓ Kosher Approved

### BREAKTHROUGH! Hotsy's #1 Recommended All-Purpose Detergent

This highly concentrated detergent is extremely popular and effective for tackling crude oil and caked-on buildup of fifth-wheel grease... yet it's gentle enough for fine finishes on cars and to use for general cleaning purposes. Helps restore all types of oxidized paint surfaces. Excellent in cold water.

PART NO.	DESCRIPTION	FORM	SHIP WT (LBS)	PRICE/GAL	LIST PRICE
8.905-136.0	5 Gallons	Liquid	46	\$17.20	\$86.00
8.905-137.0	55 Gallons	Liquid	504	\$13.22	\$727.00
9.846-023.0	Super Concentrate Kit*	Powder/Liquid	102	\$9.20	\$506.00
9.846-024.0	Super Concentrate Kit, 9 Pak*	Powder/Liquid	900	\$7.83	\$3,875.00
9.846-082.0	5 Gal. Product Label, Pkg. of 50				\$108.00

**SPECIFICATIONS:** ■ pH: 12.92 ■ Foaming Action: High ■ Reaction in Hard Water (TDS): Best ■ Dilution Ratio: 1:150 ■ Color: Red/Orange ■ Scent: Solvent ■ Hotsy Continuous Clean Additives **RECOMMENDED APPLICATIONS AND USES:** Vehicles / Trucks, Painted / Unpainted Surfaces, Grease / Oils, Drilling Rigs, Degreasing, Road Film, Farm Equipment, Asphalt / Tar, Diesel Smoke, Food Industry, Baked-on Carbon, Floors / Walls, Construction Equipment, Stainless Steel, Oxidized Paint, Aluminum

### BLUE THUNDER

A popular vehicle cleaner for removing exhaust deposits, road film and bug residue. Excellent for older vehicles with faded finishes; helps restore oxidized paint surfaces of all types. Great for housewashing. Works well in cold water.

PART NO.	DESCRIPTION	FORM	SHIP WT (LBS)	PRICE/GAL	LIST PRICE
8.905-442.0	5 Gallons	Liquid	46	\$11.90	\$59.50
8.905-445.0	Super Concentrate*	Powder	49	\$4.07	\$224.00
8.905-446.0	9 Pak Super-Concentrate*	Powder	442	\$3.76	\$1,865.00
8.698-246.0	275-Gallon Tote	Liquid	2472	\$12.60	\$3,465.00
9.846-070.0	5 Gal. Product Label, Pkg. of 50				\$108.00

✓ Biodegradable  
✓ Kosher Approved

**SPECIFICATIONS:** ■ pH: 12.46 ■ Foaming Action: Low ■ Reaction in Hard Water (TDS): Good ■ Dilution Ratio: 1:100 to 1:120 ■ Color: Clear Light Blue ■ Scent: Musty ■ Hotsy Continuous Clean Additives **RECOMMENDED APPLICATIONS AND USES:** Farm Machinery, Road Film, Diesel Smoke, Restaurants, Stainless Steel, Aluminum, Log Cabins / Houses, Floors / Walls, Grease / Oils, Decks / Fences / Siding, Exhaust Trails, General Cleaning

### PRODUCT 31

Here's an all-purpose vehicle cleaner for a wide range of applications. Use it on over-the-road tractors and trailers, truck fleets, and cars. Powerful yet gentle cleaners attack road film and dirt while protecting painted surfaces. Helps restore all types of oxidized paint surfaces.

PART NO.	DESCRIPTION	FORM	SHIP WT (LBS)	PRICE/GAL	LIST PRICE
9.846-057.0	Super Concentrate Kit*	Powder/Liquid	59	\$4.98	\$274.00
9.846-081.0	5 Gal. Product Label, Pkg. of 50				\$108.00

✓ Biodegradable  
✓ Kosher Approved

**SPECIFICATIONS:** ■ pH: 12.32 ■ Foaming Action: Medium ■ Reaction in Hard Water (TDS): Good ■ Dilution Ratio: 1:150 ■ Color: Clear Green ■ Scent: Floral/Solvent ■ Hotsy Continuous Clean Additives **RECOMMENDED APPLICATIONS AND USES:** Farm Equipment, Stainless Steel, Aluminum, Oxidized Paint, Agriculture, Whitewalls, General Cleaning, Degreasing, Transportation, Painted / Unpainted Surfaces, Fiberglass, Engine Cleaning, Food Industry, Vinyl Tops, Road Film, Dirt

### SUPER X

This concentrated powder is popular in the agriculture, construction, transportation and food industries. Safe on all surfaces, it's easy to use, low foaming and free rinsing. Mix Instructions: Dissolve 8 oz. (1 cup) with 1 gallon warm (90°) water. Regulate amount desired with detergent metering valve.

PART NO.	DESCRIPTION	FORM	SHIP WT (LBS)	PRICE/LB	LIST PRICE
8.904-673.0	50 lb Drum	Powder	53	\$2.00	\$200.00
8.904-674.0	100 lb Drum	Powder	104	\$3.53	\$353.00
8.904-675.0	450 lb Drum	Powder	469	\$3.24	\$1,460.00
9.846-061.0	5 Gal. Product Label, Pkg. of 50				\$108.00

✓ Biodegradable  
✓ Kosher Approved

**SPECIFICATIONS:** ■ pH: 10.98@1% ■ Foaming Action: Low ■ Reaction in Hard Water (TDS): Best ■ Dilution Ratio: See Above ■ Color: Red ■ Scent: Slight Detergent ■ Free Rinsing **RECOMMENDED APPLICATIONS AND USES:** Food Industry, Painted / Unpainted Surfaces, Aluminum, Diesel Smoke, Farming, Road Film, General Cleaning, Fiberglass, Veterinarian Services, Stainless Steel, Kennels, Dirt, General Livestock, Grease / Oils, Floors / Walls, Carbon

\* Entire contents of each additive drum should be used at one time, do not attempt to make partial batches.  
Effective January 1, 2021. Prices, specifications and product descriptions subject to change without notice.



## SUPER XL

Low foaming detergent for reduced rinse time. A highly efficient truck wash detergent designed to be low foaming and very free rinsing. Super XL cleans without the bubbles and foam to drastically reduce rinse time and is a favorite of contract cleaners and truck wash facilities.

- ✓ Biodegradable
- ✓ Kosher Approved

PART NO.	DESCRIPTION	FORM	SHIP WT (LBS)	PRICE/GAL	LIST PRICE
8.904-725.0	5 Gallons	Liquid	46	\$18.60	\$93.00
8.904-728.0	55 Gallons	Liquid	494	\$7.78	\$428.00
8.904-677.0	Super Concentrate Kit*	Powder	48	\$5.50	\$303.00
8.904-681.0	Super Concentrate Kit, 8 Pak*	Powder	391	\$4.03	\$1,775.00
9.846-062.0	5 Gal. Product Label, Pkg. of 50				\$108.00

**SPECIFICATIONS:** ■ pH: 11.96 ■ Foaming Action: Low ■ Reaction in Hard Water (TDS): Best ■ Dilution Ratio: 1:128 ■ Color: Red ■ Scent: Detergent  
 ■ Free Rinsing **RECOMMENDED APPLICATIONS AND USES:** Vehicles / Trucks, Construction, Vehicles, Engines, Road Film, Grease / Oils, Agriculture, Food Processing, Aluminum, Diesel Smoke, General Cleaning, Dairy Farms, Industrial Equipment, Stainless Steel, Carbon, Veterinarians, Farm Equipment, Mold / Mildew, Degreasing Surfaces, Painted / Unpainted, Floors / Walls

## VEHICLE WASH

### TRANSPORT VEHICLE WASH **Hotsy's #1 Recommended Vehicle Wash**



Economical liquid detergent cleans stainless steel, aluminum, glass and painted surfaces such as cars, trucks, buses, RV's, trailers, mobile homes, tractors, etc. Use as a pre-spray for cleaning engines, whitewall tires, vinyl and metal tops.

- ✓ Biodegradable
- ✓ Kosher Approved

PART NO.	DESCRIPTION	FORM	SHIP WT (LBS)	PRICE/GAL	LIST PRICE
8.904-732.0	5 Gallons	Liquid	47	\$11.30	\$56.50
8.904-733.0	55 Gallons	Liquid	506	\$7.62	\$419.00
9.846-027.0	Super Concentrate*	Powder/Liquid	53	\$4.60	\$253.00
9.846-092.0	Super Concentrate, 9 Pak*	Powder/Liquid	523	\$4.45	\$2,205.00
9.846-089.0	5 Gal. Product Label, Pkg. of 50				\$108.00

**SPECIFICATIONS:** ■ pH: 12.7 ■ Foaming Action: Medium ■ Reaction in Hard Water (TDS): Good ■ Dilution Ratio: 1:100 ■ Color: Red ■ Scent: Musty Solvent  
 ■ Hotsy Continuous Clean Additives **RECOMMENDED APPLICATIONS AND USES:** Automotive / Trucking / Vehicles, Stainless Steel, Aluminum, Glass, Engines, Whitewalls, Vinyl and Metal Tops, Salts, Fiberglass, Painted Surfaces, Clay, Degreasing

## CARBON-ATE

Especially formulated to clean engine compartments and hard to clean vehicles, road film, white wall tires and carbon (diesel smoke and exhaust). Works great on polished aluminum.

- ✓ Biodegradable
- ✓ Kosher Approved

PART NO.	DESCRIPTION	FORM	SHIP WT (LBS)	PRICE/GAL	LIST PRICE
8.904-896.0	5 Gallons	Liquid	47	\$16.30	\$81.50
8.904-898.0	55 Gallons	Liquid	506	\$12.58	\$692.00
9.846-000.0	Super Concentrate Kit*	Powder/Liquid	94	\$8.45	\$465.00
9.846-001.0	Super Concentrate Kit, 9 Pak*	Powder/Liquid	873	\$7.23	\$3,580.00
9.846-063.0	5 Gal. Product Label, Pkg. of 50				\$108.00

**SPECIFICATIONS:** ■ pH: 12.48 ■ Foaming Action: High ■ Reaction in Hard Water (TDS): Best ■ Dilution Ratio: 1:150 ■ Color: Green ■ Scent: Slight Detergent  
 ■ Hotsy Continuous Clean Additives **RECOMMENDED APPLICATIONS AND USES:** Vehicles, Painted / Unpainted Surfaces, Road Film, Grease / Oil, Baked-on Carbon, Fish / Animal Oils, Bug Residue, Fiberglass, Mold / Mildew, Whitewalls, Aluminum, Stainless Steel

## ENVY SUPER CONCENTRATE

A vehicle wash detergent that works well in all water conditions and temperatures. Ultra concentrated, hard water formula, high-foaming, easy rinsing, flows in colder temperatures.

- ✓ Biodegradable
- ✓ Kosher Approved

PART NO.	DESCRIPTION	FORM	SHIP WT (LBS)	PRICE/GAL	LIST PRICE
8.698-077.0	Qty 4, 1 Gallon Containers	Liquid	35	\$62.50	\$250.00
8.698-078.0	5 Gallons	Liquid	44	\$60.00	\$300.00

**SPECIFICATIONS:** ■ pH: 9.74 ■ Foaming Action: High ■ Reaction in Hard Water (TDS): Good ■ Dilution Ratio: 1:700 ■ Color: Dark Green ■ Scent: Floral  
 ■ Hotsy Continuous Clean Additives **RECOMMENDED APPLICATIONS AND USES:** Trucks, Automobiles, Automatic Car Washes

### FLEET WASH

✓ Biodegradable  
✓ Kosher Approved

Extremely effective for cleaning stainless steel, aluminum, glass and painted surfaces on cars, trucks, RV's, buses, trailers, mobile homes, tractors etc. Perfect pre-spray for cleaning engines, whitewall tires, vinyl and metal tops. Helps restore all types of oxidized paint surfaces.

PART NO.	DESCRIPTION	FORM	SHIP WT (LBS)	PRICE/GAL	LIST PRICE
9.846-029.0	Super Concentrate Kit, 9 Pak*	Powder/Liquid	846	\$7.01	\$3,470.00
9.846-090.0	5 Gal. Product Label, Pkg. of 50				\$108.00

**SPECIFICATIONS:** ■ pH: 10.74 ■ Foaming Action: High ■ Reaction in Hard Water (TDS): Best ■ Dilution Ratio: 1:100 to 1:150 ■ Color: Clear Green ■ Scent: Fresh ■ Hotsy Continuous Clean Additives **RECOMMENDED APPLICATIONS AND USES:** Automotive / Trucking / Construction, Stainless Steel, Aluminum / Polished Aluminum, Heavy Equipment, Glass, Fiberglass, Painted Surfaces, Whitewalls, Acid Rain, Pollution, Road Grime, Diesel Smoke

### HOTSY RED

✓ Biodegradable  
✓ Kosher Approved

Outstanding cleaning at a low cost. Ideal for heavy duty, automatic and manual vehicle washing applications. Use at the rate of 1 to 2 oz. per 100 gallons of wash water.

PART NO.	DESCRIPTION	FORM	SHIP WT (LBS)	PRICE/LB	LIST PRICE
8.904-829.0	50 lb Drum*	Powder	53	\$4.08	\$204.00
8.904-830.0	100 lb Drum*	Powder	104	\$3.63	\$363.00

**SPECIFICATIONS:** ■ pH: 12.05 ■ Foaming Action: Medium ■ Reaction in Hard Water (TDS): Good ■ Dilution Ratio: 1-2 oz/100 Gal ■ Color: Maroon ■ Scent: Slight Detergent ■ Hotsy Continuous Clean Additives **RECOMMENDED APPLICATIONS AND USES:** Automotive, Road Film, Grease / Oil, Trucking, Dirt, Bug Residue, Construction, Salts, Diesel Soot, Stainless Steel / Aluminum, Engine Cleaning, Fifth Wheels

### NYTRO

✓ Biodegradable  
✓ Kosher Approved

Truckers and fleet maintenance specialists swear by this heavy duty detergent. It makes diesel smoke stains, road film and gummy grease residue disappear. It's equally effective on floors, walls and windows. Use this powerful cleaner where other detergents and chemicals fail.

PART NO.	DESCRIPTION	FORM	SHIP WT (LBS)	PRICE/GAL	LIST PRICE
8.904-929.0	5 Gallons	Liquid	47	\$16.10	\$80.50
9.846-021.0	Super Concentrate Kit*	Powder/Liquid	90	\$9.11	\$501.00
9.846-080.0	5 Gal. Product Labels, Pkg. of 50				\$108.00

**SPECIFICATIONS:** ■ pH: 11.78 ■ Foaming Action: High ■ Reaction in Hard Water (TDS): Poor ■ Dilution Ratio: 1:120 ■ Color: Clear ■ Scent: Detergent ■ Hotsy Continuous Clean Additives **RECOMMENDED APPLICATIONS AND USES:** Automotive / Trucking / Aircraft, Grease / Cooking Oil, Aluminum, Carbon, Construction / Farm Equipment, Dirt, Food Industry, Acid Rain, Stainless Steel, Crates / Pens, Diesel Smoke, Mold / Mildew, Painted / Unpainted Surfaces, Floors / Walls, Road Film, Clay

### PANEL WASH

✓ Biodegradable  
✓ Kosher Approved

A highly effective, economical detergent designed for the truck and transportation industry. It contains a small amount of caustic and is effective as a "pre-spray" to attack the final layer of soil that other products might not penetrate.

PART NO.	DESCRIPTION	FORM	SHIP WT (LBS)	PRICE/GAL	LIST PRICE
9.846-106.0	Super Concentrate Kit*	Powder/Liquid	53	\$4.89	\$269.00
9.846-107.0	Super Concentrate Kit, 8 Pak*	Powder/Liquid	423	\$4.17	\$1,835.00
9.846-086.0	5 Gal. Product Label, Pkg. of 50				\$108.00

**SPECIFICATIONS:** ■ pH: 12.8 ■ Foaming Action: Medium ■ Reaction in Hard Water (TDS): Good ■ Dilution Ratio: 1:35 to 1:100 ■ Color: Purple ■ Scent: None ■ Hotsy Continuous Clean Additives **RECOMMENDED APPLICATIONS AND USES:** Trucking, Salts, Bug Residue, Construction, Carbon, Diesel Smoke, Asphalt / Tar, Exhaust Trails, Acid Rain

### POWER SHINE

✓ Biodegradable  
✓ Kosher Approved

High foaming detergent with increased dwell time. Specially formulated for washing vertical painted surfaces and removing bug residue, road film and oxidized paint leaving a shiny surface behind. Safe to use on aluminum and works well in cold water.

PART NO.	DESCRIPTION	FORM	SHIP WT (LBS)	PRICE/GAL	LIST PRICE
8.904-912.0	5 Gallons	Liquid	48	\$16.30	\$81.50
9.846-008.0	Super Concentrate Kit*	Powder/Liquid	100	\$8.93	\$491.00
9.846-064.0	5 Gal. Product Label, Pkg. of 50				\$108.00

**SPECIFICATIONS:** ■ pH: 12.8 ■ Foaming Action: High ■ Reaction in Hard Water (TDS): Best ■ Dilution Ratio: 1:100 to 1:150 ■ Color: Clear Blue Green ■ Scent: Fresh ■ Hotsy Continuous Clean Additives **RECOMMENDED APPLICATIONS AND USES:** Automotive / Trucking / Vehicles, Road Film, Grease / Oil, Construction / Farm Equipment, Salts / Clay / Dirt, Bug Residue, Stainless Steel, Whitewalls / Vinyl Tops, Diesel Smoke, Aluminum, Fiberglass, Painted / Unpainted Surfaces

\* Entire contents of each additive drum should be used at one time, do not attempt to make partial batches.  
Effective January 1, 2021. Prices, specifications and product descriptions subject to change without notice.



**VEHICLE PRE-SOAK**

- ✓ Biodegradable
- ✓ Kosher Approved

Used to remove stubborn soils like bugs, tar, oil and grease deposits on vehicles. Apply before washing in order to penetrate and break up soils. The more time allowed to soak, the less scrubbing is required.

PART NO.	DESCRIPTION	FORM	SHIP WT (LBS)	PRICE/GAL	LIST PRICE
8.698-230.0	5 Gallons	Liquid	49	\$21.60	\$108.00
8.698-231.0	55 Gallons	Liquid	515	\$19.00	\$1,045.00

**SPECIFICATIONS:** ■ pH: 12.84 ■ Reaction in Hard Water (TDS): Good ■ Dilution Ratio: 1:60 to 1:40 ■ Color: Clear Blue ■ Scent: Citrus **RECOMMENDED**

**APPLICATIONS AND USES:** Automotive, Road Film, Grease / Oil, Trucking, Salts, Bug Residue, Construction, Carbon, Diesel Smoke, Asphalt/Tar, Exhaust Trails

**RINSE AID**

- ✓ Biodegradable
- ✓ Kosher Approved

With a dilution ratio of 5000 to 1, this is an extremely economical additive for rinse cycles. Hotsy Rinse Aid prevents spotting on vehicles.

PART NO.	DESCRIPTION	FORM	SHIP WT (LBS)	PRICE/GAL	LIST PRICE
8.905-609.0	5 Gallons	Liquid	46	\$33.00	\$165.00

**SPECIFICATIONS:** ■ pH: 7.58 ■ Foaming Action: Low ■ Reaction in Hard Water (TDS): Good ■ Dilution Ratio: 1:5000 ■ Color: Clear ■ Scent: None ■ Free

Rinsing **RECOMMENDED APPLICATIONS AND USES:** Automotive, Aircraft Equipment, Fiberglass, Trucking, Heavy Equipment, Aluminum, Construction, Painted / Unpainted Surfaces, Stainless Steel

**VEHICLE TIRE & RIM CLEANER**

- ✓ Biodegradable
- ✓ Kosher Approved

Fast and easy way to deep clean the black rubber, road film and brake dust soils from your tires and rims. Simply spray, wait and rinse. This product should be used to clean tire and wheels before adding tire dressing. Make tire dressings look better and last longer. Safe to use on all tires. Safe for steel and aluminum wheels, including coated wheels.

PART NO.	DESCRIPTION	FORM	SHIP WT (LBS)	PRICE/QT	LIST PRICE
8.698-229.0	Qty 12, 1 Quart	Liquid	28	\$8.50	\$102.00

**SPECIFICATIONS:** ■ pH: 12.9 ■ Foaming Action: High ■ Reaction in Hard Water (TDS): Average ■ Dilution Ratio: Ready to Use ■ Color: Colorless ■ Scent:

Detergent **RECOMMENDED APPLICATIONS AND USES:** Automotive / Trucking / Vehicles, Road Film, Grease / Oil, Construction / Farm Equipment, Whitewalls / Vinyl Tops, Aluminum

**DEGREASERS****RIPPER I Hotsy's #1 Recommended Degreaser**

- ✓ Biodegradable
- ✓ Kosher Approved

A highly concentrated, non-caustic cleaner for heavy equipment and trucks. This fast-acting cleaner is especially effective on off-road and grease-clogged equipment and great on hard-to-remove road film on tractor/trailers. Safe to use indoors and on all painted surfaces. Excellent for cleaning shop floors and walls where inside cleaning is necessary.

PART NO.	DESCRIPTION	FORM	SHIP WT (LBS)	PRICE/GAL	LIST PRICE
8.904-846.0	5 Gallons	Liquid	47	\$15.00	\$75.00
8.904-847.0	55 Gallons	Liquid	506	\$9.78	\$538.00
9.846-009.0	Super Concentrate Kit*	Powder/Liquid	90	\$7.78	\$428.00
9.846-010.0	Super Concentrate Kit, 9 Pak*	Powder/Liquid	804	\$6.39	\$3,165.00
8.698-092.0	275 Gallon Tote	Liquid	2472	\$8.87	\$2,440.00
9.846-065.0	5 Gal. Product Label, Pkg. of 50				\$108.00

**SPECIFICATIONS:** ■ pH: 12.85 ■ Foaming Action: Medium ■ Reaction in Hard Water (TDS): Good ■ Dilution Ratio: 1:100 ■ Color: Clear Pink-Violet ■ Scent:

Slight Detergent ■ Hotsy Continuous Clean Additive **RECOMMENDED APPLICATIONS AND USES:** Automotive / Trucking / Aircraft, Food Industry, Grease / Cooking Oil, Carbon, Construction / Farm Equipment, Dirt, Aluminum, Acid Rain, Oil Field Equipment / Drill Pipe Tools, Crates / Pens, Diesel Smoke, Mold / Mildew, Painted / Unpainted Surfaces, Floors / Walls, Road Film, Stainless Steel

\* Entire contents of each additive drum should be used at one time, do not attempt to make partial batches.

Effective January 1, 2021. Prices, specifications and product descriptions subject to change without notice.

### RIPPER II

The serious big brother to Ripper I. Used when extra degreasing power for heavy equipment is needed. The detergent's superior cleaning action will handle the heavy grease oil and hydraulic oils. Has been used as a pre-paint wash and is not to be used on fine painted surfaces, galvanized, aluminum or magnesium surfaces.

- ✓ Biodegradable
- ✓ Kosher Approved

PART NO.	DESCRIPTION	FORM	SHIP WT (LBS)	PRICE/GAL	LIST PRICE
8.904-850.0	5 Gallons	Liquid	51	\$17.90	\$89.50
8.904-851.0	55 Gallons	Liquid	550	\$12.65	\$696.00
9.846-011.0	Super Concentrate Kit*	Powder/Liquid	93	\$8.05	\$443.00
9.846-091.0	Super Concentrate Kit, 9 Pak*	Powder/Liquid	2511	\$7.56	\$3,740.00
8.698-093.0	275 Gallon Tote	Liquid	2472	\$10.00	\$2,750.00
9.846-066.0	5 Gal. Product Label, Pkg. of 50				\$108.00

**SPECIFICATIONS:** ■ **Use Caution: Wear Protective Gear** ■ pH: 13.34 ■ Foaming Action: Medium ■ Reaction in Hard Water (TDS): Poor ■ Dilution Ratio: 1:40 ■ Color: Red ■ Scent: Solvent ■ Hotsy Continuous Clean Additive **RECOMMENDED APPLICATIONS AND USES:** Construction Equipment, Heavy Equipment, Construction, Diesel Smoke, Mines, Fifth Wheels, Stainless Steel, Carbon, Oil Drillers, Off Road Machinery, Unpainted Surfaces, Grease / Oil, Food Plants, Degreasing, Engine Cleaning, Salts / Clay / Dirt

### RIPPER III

This heavy-duty degreaser is ideal for use as a hood and vent cleaner and will also strip paint and powder coated surfaces. Also great for cleaning hood and vents at restaurants. **DO NOT USE on aluminum, magnesium, galvanized metal or fine painted surfaces.** Contains Sodium Hydroxide.

- ✓ Kosher Approved

PART NO.	DESCRIPTION	FORM	SHIP WT (LBS)	PRICE/GAL	LIST PRICE
8.904-839.0	5 Gallons	Liquid	51	\$31.70	\$158.50
8.904-840.0	55 Gallons	Liquid	550	\$22.09	\$1,215.00

**SPECIFICATIONS:** ■ **Use Caution: Wear Protective Gear** ■ pH: 13.72 ■ Foaming Action: Low ■ Reaction in Hard Water (TDS): Poor ■ Dilution Ratio: 1:40 ■ Color: Brown ■ Scent: Musty ■ Hotsy Continuous Clean Additive **RECOMMENDED APPLICATIONS AND USES:** Restaurants, Asian Food Grease, Carbon, Food Processing Plants, Deep Fat Fryers / Ovens, Heavy-Duty Degreasing, Food Processing Equipment, Burnt-On Food, Graffiti Removal, Hoods, Vents, Ducts

### CITRUS CLEAN

This citrus-based detergent additive increases any detergent's cleaning and degreasing power and is a great degreaser in its own right, plus it also enhances rinsing. Citrus Clean contains d-limonene which is a great "natural" degreaser.



- ✓ Biodegradable
- ✓ Kosher Approved

PART NO.	DESCRIPTION	FORM	SHIP WT (LBS)	PRICE/GAL	LIST PRICE
8.904-985.0	5 Gallons	Liquid	44	\$43.40	\$217.00
8.904-986.0	55 Gallons	Liquid	466	\$39.45	\$2,170.00

**SPECIFICATIONS:** ■ pH: 9.5-10.2 ■ Foaming Action: High ■ Reaction in Hard Water (TDS): Best ■ Dilution Ratio: 1:5 to 1:50 ■ Color: Clear Light Yellow ■ Scent: Citrus ■ Free Rinsing **RECOMMENDED APPLICATIONS AND USES:** Detergent Additive, Degreasing - All Surfaces, Grease / Oil

## OIL FIELD & HEAVY EQUIPMENT

### HOTSY BROWN Hotsy's #1 Recommended Oil Field and Heavy Equipment Detergent



- ✓ Biodegradable
- ✓ Kosher Approved

This versatile, extra-strong detergent is caustic based for fast and thorough cleaning. Hotsy Brown is a non-butyl product that is particularly effective on carbon based deposits such as road film and exhaust stains, as well as dirt and grease. Not recommended for use on fine finishes, aluminum, galvanized metal or magnesium.

PART NO.	DESCRIPTION	FORM	SHIP WT (LBS)	PRICE/GAL	LIST PRICE
8.915-455.0	5 Gallons	Liquid	48	\$15.90	\$79.50
8.915-453.0	55 Gallons	Liquid	515	\$10.53	\$579.00
9.846-044.0	Super Concentrate Kit*	Powder/Liquid	87	\$9.02	\$496.00
9.846-005.0	Super Concentrate Kit, 9 Pak*	Powder/Liquid	758	\$7.64	\$3,780.00
9.846-098.0	5 Gal. Product Label, Pkg. of 50				\$108.00

**SPECIFICATIONS:** ■ **Use Caution: Wear Protective Gear** ■ pH: 11.5 - 11.9 ■ Foaming Action: Medium ■ Reaction in Hard Water (TDS): Good ■ Dilution Ratio: 1:50 ■ Color: Brown ■ Scent: Slight Detergent ■ Hotsy Continuous Clean Additive **RECOMMENDED APPLICATIONS AND USES:** Construction Equipment, Farm Equipment, Road Film, Diesel Smoke, Heavy Equipment, Fifth Wheel Grease, Off-Road Machinery, Degreasing, Stainless Steel, Unpainted Surfaces, Engine Cleaning, Grease / Oil, Carbon, Salts / Clay / Dirt

\* Entire contents of each additive drum should be used at one time, do not attempt to make partial batches.

Effective January 1, 2021. Prices, specifications and product descriptions subject to change without notice.



### HOTSY ORANGE

- ✓ Biodegradable
- ✓ Kosher Approved

Hotsy's moderate pH degreaser. This surfactant based non-caustic detergent was developed for people in the oil field that needed good degreasing and cleaning but also needed to be user friendly and have a pH of below 10.5. Orange is safe on painted surfaces and is very effective on carbon based deposits; road film and truck exhaust stains.

PART NO.	DESCRIPTION	FORM	SHIP WT (LBS)	PRICE/GAL	LIST PRICE
9.846-100.0	Super Concentrate Kit*	Powder/Liquid	67	\$8.55	\$470.00
9.846-101.0	Super Concentrate Kit, 9 Pak*	Powder/Liquid	584	\$7.24	\$3,585.00
8.698-066.0	275 Gallon Tote*	Liquid	2472	\$14.07	\$3,870.00
9.846-102.0	5 Gal. Product Label, Pkg. of 50				\$108.00

**SPECIFICATIONS:** ■ **Use Caution: Wear Protective Gear** ■ pH: 10.45 ■ Foaming Action: Medium ■ Reaction in Hard Water (TDS): Good ■ Dilution Ratio: 1:50 ■ Color: Orange ■ Scent: Citrus ■ Hotsy Continuous Clean Additive **RECOMMENDED APPLICATIONS AND USES:** Construction Equipment, Farm Equipment, Road Film, Diesel Smoke, Heavy Equipment, Fifth Wheel Grease, Off-Road Machinery, Degreasing, Stainless Steel, Unpainted Surfaces, Engine Cleaning, Grease / Oil, Oil & Gas Drilling, Salts / Clay / Dirt, Carbon [This product cannot be shipped via UPS.]

## ALUMINUM & STAINLESS STEEL CLEANERS

### ADVANCED FORMULA ALUMINUM BRIGHTENER

#### Hotsy's #1 Recommended Aluminum and Stainless Steel Cleaner



- ✓ Biodegradable
- ✓ Kosher Approved

An extra-strength, acid-based, aluminum cleaner and brightener designed for non-polished aluminum tanks and trailers, aluminum wheels and for preparing aluminum surfaces for painting. This easy-to-apply formula restores aluminum and makes it look like new in just one application. Do NOT use on glass, polished aluminum or anodized aluminum. Contains no phosphates.

PART NO.	DESCRIPTION	FORM	SHIP WT (LBS)	PRICE/GAL	LIST PRICE
8.698-227.0	5 Gallons	Liquid	50	\$15.50	\$77.50
8.698-228.0	55 Gallons	Liquid	537	\$11.04	\$607.00

**SPECIFICATIONS:** ■ **Use Caution: Wear Protective Gear** ■ 2.3@20:1 Dilution ■ Foaming Action: Low ■ Reaction in Hard Water (TDS): Best ■ Dilution Ratio: 1:5 to 1:20 ■ Color: Clear Light Straw ■ Scent: Sharp **RECOMMENDED APPLICATIONS AND USES:** Truck Trailers, Aluminum, Diesel Smoke, Road Film, Grease / Oils, Plastics, Welding Smut, Carbon

### HOTSY POLISHED ALUMINUM & STAINLESS STEEL CLEANER

- ✓ Biodegradable
- ✓ Kosher Approved

This non-etching specialty cleaner contains a concentrated blend of surfactants and glycol ethers to quickly penetrate and remove dirt, grease, oil, road film, diesel smoke and welding smut.

PART NO.	DESCRIPTION	FORM	SHIP WT (LBS)	PRICE/GAL	LIST PRICE
8.904-749.0	5 Gallons	Liquid	48	\$17.70	\$88.50
8.904-751.0	55 Gallons	Liquid	521	\$12.71	\$699.00

**SPECIFICATIONS:** ■ **Use Caution: Wear Protective Gear** ■ pH: 1.12 ■ Foaming Action: Medium ■ Reaction in Hard Water (TDS): Best ■ Dilution Ratio: Undiluted ■ Color: Clear Straw ■ Scent: Citrus **RECOMMENDED APPLICATIONS AND USES:** Polished Aluminum, Road Film, Oil, Aluminum, Diesel Smoke, Grease, Stainless Steel, Welding Smut, Dirt

### YELLOW FEVER

- ✓ Biodegradable
- ✓ Kosher Approved

Yellow Fever is a powerful acidic cleaner and aluminum brightener to clean and restore stained aluminum surfaces, without dulling bright aluminum finishes. Yellow Fever is effective in removing diesel smoke, grease, carbon, oils and resins. Removes hard-water scale. Effective in removing mineral efflorescence from brick, masonry and concrete. **AVOID CONTACT WITH GLASS OR ANODIZED ALUMINUM.**

PART NO.	DESCRIPTION	FORM	SHIP WT (LBS)	PRICE/GAL	LIST PRICE
8.698-061.0	5 Gallons	Liquid	50	\$18.00	\$90.00
8.698-062.0	55 Gallons	Liquid	537	\$14.84	\$816.00

**SPECIFICATIONS:** ■ pH: @5% Solution: 10.48 ■ Foaming Action: Medium ■ Reaction in Hard Water (TDS): Good ■ Dilution Ratio: 1:60 ■ Color: Clear ■ Scent: Detergent ■ Phosphate Free ■ Hotsy Continuous Clean Additives **RECOMMENDED APPLICATIONS AND USES:** Truck Trailers, Plastics, Welding Smut, Carbon, Road Film, Asphalt, Diesel Smoke, Hard-Water Scale, Tars / Resins, Aluminum and Bright Aluminum, Grease / Oils, Efflorescence on Masonry

\* Entire contents of each additive drum should be used at one time, do not attempt to make partial batches. Effective January 1, 2021. Prices, specifications and product descriptions subject to change without notice.

## ENVIRONMENTALLY FRIENDLY



### VERDE ALL PURPOSE Hotsy's #1 Recommended Environmentally Friendly Detergent

- ✓ Biodegradable
- ✓ Kosher Approved

This non-etching specialty cleaner contains a concentrated blend of surfactants and glycol ethers to quickly penetrate and remove dirt, grease, oil, road film, diesel smoke and welding smut.

PART NO.	DESCRIPTION	FORM	SHIP WT (LBS)	PRICE/GAL	LIST PRICE
8.904-749.0	5 Gallons	Liquid	48	\$17.70	\$88.50
8.904-751.0	55 Gallons	Liquid	521	\$12.71	\$699.00

**SPECIFICATIONS:** ■ pH: 1.12 ■ Foaming Action: Medium ■ Reaction in Hard Water (TDS): Best ■ Dilution Ratio: Undiluted ■ Color: Clear Straw ■ Scent: Citrus  
**RECOMMENDED APPLICATIONS AND USES:** Polished Aluminum, Road Film, Oil, Aluminum, Diesel Smoke, Grease, Stainless Steel, Welding Smut, Dirt

### ENVIRO-CLEAN

- ✓ Biodegradable
- ✓ Kosher Approved

This phosphate-free detergent is excellent for communities where phosphates are prohibited from entering municipal wastewater treatment facilities. It's safe for all kinds of cleaning, yet has the cleaning power of highly concentrated degreasers. It is great on polished aluminum.

PART NO.	DESCRIPTION	FORM	SHIP WT (LBS)	PRICE/GAL	LIST PRICE
8.904-927.0	5 Gallons	Liquid	47	\$14.90	\$74.50
9.846-026.0	Super Concentrate Kit*	Powder/Liquid	97	\$8.45	\$465.00
9.846-079.0	5 Gal. Product Label, Pkg. of 50				\$108.00

**SPECIFICATIONS:** ■ pH: 12.32 ■ Foaming Action: High ■ Reaction in Hard Water (TDS): Good ■ Dilution Ratio: 1:150 ■ Color: Pink ■ Scent: Fresh & Clean  
 ■ Phosphate Free ■ Hotsy Continuous Clean Additives **RECOMMENDED APPLICATIONS AND USES:** Automotive, Stainless Steel, Grease / Oils, Construction, Painted / Unpainted Surfaces, Diesel Smoke, Farm Machinery, Floors / Walls, Road Film, Restaurants, General Cleaning, Aluminum / Polished Aluminum

### ENVIRO GARD 2

- ✓ Biodegradable
- ✓ Kosher Approved

A quick-release detergent formulated for use with filtration-type or gray water recycle systems. This phosphate-free, biodegradable liquid releases oils and greases rapidly for maximum separation. Low solid content reduces build-up, allowing more cycles between discharge. Non-emulsifying.

PART NO.	DESCRIPTION	FORM	SHIP WT (LBS)	PRICE/GAL	LIST PRICE
8.905-124.0	55 Gallons	Liquid	487	\$13.62	\$749.00
9.846-030.0	Super Concentrate Kit*	Powder/Liquid	42	\$8.15	\$448.00
9.846-094.0	Super Concentrate Kit, 9 Pak*	Powder/Liquid	373	\$7.26	\$3,595.00
9.846-083.0	5 Gal. Product Label, Pkg. of 50				\$108.00

**SPECIFICATIONS:** ■ pH: @5% Solution: 10.48 ■ Foaming Action: Medium ■ Reaction in Hard Water (TDS): Good ■ Dilution Ratio: 1:60 ■ Color: Clear ■ Scent: Detergent ■ Phosphate Free ■ Hotsy Continuous Clean Additives **RECOMMENDED APPLICATIONS AND USES:** Recycle Systems / General Purpose Cleaner

## TRANSPORTATION SPECIALTY CLEANERS



### SALT LICK Hotsy's #1 Recommended Transportation Detergent

- ✓ Biodegradable
- ✓ Kosher Approved

Salt Lick is formulated to remove salt, calcium chloride and de-icing solution used on winter roads by breaking down the crystalline structure of ice melt products and prevents them from re-crystallizing so they can be washed away. Salt Lick is a dual-purpose concentrated detergent attacking heavy soils and road film.

PART NO.	DESCRIPTION	FORM	SHIP WT (LBS)	PRICE/GAL	LIST PRICE
8.698-081.0	5 Gallons	Liquid	46	\$29.00	\$145.00
8.698-082.0	55 Gallons	Liquid	502	\$24.73	\$1,360.00

**SPECIFICATIONS:** ■ pH: 13.24 ■ Reaction in Hard Water (TDS): Best ■ Dilution Ratio: 1:16 to 1:100 ■ Color: Dark Red ■ Scent: Slight Detergent ■ Phosphate Free **RECOMMENDED APPLICATIONS AND USES:** Truck Trailers, Snow Plows, Automobiles, Fifth Wheels, Construction Equipment

### 400 WAX

- ✓ Biodegradable
- ✓ Kosher Approved

Added to a final rinse, this long-lasting, liquid wax creates a durable finish that improves a vehicle's appearance and keeps dirt from adhering to the surface. It gives added protection against salt, air pollution and acid rain. With a dilution ration of 2000 to 1, this is a highly economical wax.

PART NO.	DESCRIPTION	FORM	SHIP WT (LBS)	PRICE/GAL	LIST PRICE
8.905-531.0	5 Gallons	Liquid	43	\$36.60	\$183.00

**SPECIFICATIONS:** ■ pH: 5.32 ■ Foaming Action: None ■ Reaction in Hard Water (TDS): Best ■ Dilution Ratio: 1:2000 ■ Color: Straw ■ Scent: Musk ■ Free Rinsing **RECOMMENDED APPLICATIONS AND USES:** Automotive, Hot Waxes, Vinyl Tops, Trucking, Painted Surfaces, Whitewalls, Vehicles, Stainless Steel, Fiberglass

\* Entire contents of each additive drum should be used at one time, do not attempt to make partial batches.  
 Effective January 1, 2021. Prices, specifications and product descriptions subject to change without notice.





### AERO ONE

Approved for aircraft use, this non-toxic compound has met rigorous standards set by the aerospace industry (Aerospace Specification AMS-1526). High concentrations of corrosion inhibitors fight effects of salt, air pollution and acid rain. Meets Aerospace Materials Specification AMS-1526C Cleaner for Aircraft Exterior Surfaces, Water-Miscible, Pressure-Spraying Type.

PART NO.	DESCRIPTION	FORM	SHIP WT (LBS)	PRICE/GAL	LIST PRICE
8.905-634.0	5 Gallons	Liquid	47	\$19.00	\$95.00
8.905-636.0	55 Gallons	Liquid	505	\$16.09	\$885.00

- ✓ Biodegradable
- ✓ Kosher Approved

**SPECIFICATIONS:** ■ pH: 12.5 ■ Foaming Action: High ■ Reaction in Hard Water (TDS): Good ■ Dilution Ratio: 1:50 ■ Color: Red ■ Scent: Solvent ■ Free Rinsing ■ Hotsy Continuous Clean Additive **RECOMMENDED APPLICATIONS AND USES:** Aircraft, Painted / Unpainted Surfaces, Degreasing, Cars / Trucks, Aluminum, Stainless Steel, Ground Support Equipment, Air Pollution, Acid Rain, Road Film / Salt, Oxidized Paint, Exhaust Trails

### CARBON-ATE PLUS

A special wax is added to Carbon-Ate Plus to provide a durable, attractive finish that keeps dirt from adhering to surfaces and protects them against salt, air pollution and acid rain. Easy to rinse and it reduces water spotting. It works great on polished aluminum.

PART NO.	DESCRIPTION	FORM	SHIP WT (LBS)	PRICE/GAL	LIST PRICE
8.904-832.0	5 Gallons	Liquid	47	\$15.30	\$76.50
9.846-019.0	Super Concentrate Kit*	Powder/Liquid	94	\$8.82	\$485.00
9.846-063.0	5 Gal. Product Label, Pkg. of 50				\$108.00

- ✓ Biodegradable
- ✓ Kosher Approved

**SPECIFICATIONS:** ■ pH: 12.48 ■ Foaming Action: High ■ Reaction in Hard Water (TDS): Best ■ Dilution Ratio: 1:150 ■ Color: Green ■ Scent: Slight Detergent ■ Free Rinsing ■ Hotsy Continuous Clean Additive **RECOMMENDED APPLICATIONS AND USES:** Automotive, Painted Surfaces, Road Film, Acid Rain, Trucking, Bug Residue, Diesel Smoke, Pollution, Vehicles, Stainless Steel, Grease / Oil, Salts / Clay / Dirt, Aluminum, Hot Waxes, Exhaust Trails, Vinyl Tops

### POWER SHINE PLUS

A special wax is added to provide a durable, attractive finish that keeps dirt from adhering to surfaces and protects them against salt, air pollution and acid rain. Helps restore oxidized paint surfaces of all types. Easy to rinse; reduced water spotting. It is great on polished aluminum.

PART NO.	DESCRIPTION	FORM	SHIP WT (LBS)	PRICE/GAL	LIST PRICE
8.904-817.0	5 Gallons	Liquid	48	\$16.70	\$83.50
9.846-018.0	Super Concentrate Kit*	Powder/Liquid	100	\$9.38	\$516.00
9.846-077.0	5 Gal. Product Label, Pkg. of 50				\$108.00

- ✓ Biodegradable
- ✓ Kosher Approved

**SPECIFICATIONS:** ■ pH: 12.84 ■ Foaming Action: High ■ Reaction in Hard Water (TDS): Best ■ Dilution Ratio: 1:150 ■ Color: Blue-Green ■ Scent: Floral-Herbal ■ Free Rinsing ■ Hotsy Continuous Clean Additive **RECOMMENDED APPLICATIONS AND USES:** Automotive, Grease / Oils, Polished Aluminum, Trucking, Road Film, Exhaust Trails, Construction, Diesel Smoke / Carbon, Bug Residue, Aircraft Equipment, Oxidized Paint, Dirt / Salts / Clay

## INSTITUTION & FOOD PREPARATION

### CARBOCHLOR Hotsy's #1 Recommended for Institution & Food Prep Detergent



A special emulsifying formula with high powered bleach for food processing plants. Excellent on tough odors, stains, dirt, oils and fats left behind on equipment, floors, and walls. Chlorinated for extra punch. NSF Registered for use in federally inspected food plants.

PART NO.	DESCRIPTION	FORM	SHIP WT (LBS)	PRICE/GAL	LIST PRICE
8.904-979.0	5 Gallons	Liquid	46	\$12.00	\$60.00
8.904-980.0	55 Gallons	Liquid	495	\$9.38	\$516.00
9.846-016.0	Super Concentrate Kit*	Powder/Liquid	54	\$4.78	\$263.00
9.846-017.0	Super Concentrate Kit, 9 Pak*	Powder/Liquid	468	\$4.33	\$2,145.00
9.846-076.0	5 Gal. Product Label, Pkg. of 50				\$108.00

- ✓ Biodegradable
- ✓ Kosher Approved

**SPECIFICATIONS:** ■ pH: 12.46 ■ Foaming Action: High ■ Reaction in Hard Water (TDS): Good ■ Dilution Ratio: 1:60 ■ Color: Clear ■ Scent: Chorline and Solvent ■ Hotsy Continuous Clean Additive **RECOMMENDED APPLICATIONS AND USES:** Packing Plants, Agriculture, Grease / Oils, Animal Fats, Farm Industry, Stainless Steel, Aluminum, Floors / Walls, Veterinarians, Seafood Oils / Fish, Crates / Pens, Tough Odors, Food Industry, Mold / Mildew, Baked on Carbon, Dirt / Stains

\* Entire contents of each additive drum should be used at one time, do not attempt to make partial batches. Effective January 1, 2021. Prices, specifications and product descriptions subject to change without notice.

### MIRACLE WIZZ

An unsurpassed liquid for removing baked-on carbon found in food preparation, bakeries, restaurants, food processing plants, etc. It is also great for engine degreasing and graffiti removal.

- ✓ Biodegradable
- ✓ Kosher Approved

PART NO.	DESCRIPTION	FORM	SHIP WT (LBS)	PRICE/GAL	LIST PRICE
8.904-924.0	5 Gallons	Liquid	52	\$25.40	\$127.00
9.846-013.0	Super Concentrate Kit*	Powder/Liquid	129	\$12.47	\$686.00
9.846-067.0	5 Gal. Product Label, Pkg. of 50				\$108.00

**SPECIFICATIONS:** ■ pH: 13.08 ■ Foaming Action: Medium ■ Reaction in Hard Water (TDS): Poor ■ Dilution Ratio: 1:5 to 1:100 ■ Color: Brown ■ Scent: Musty  
 ■ Hotsy Continuous Clean Additives **RECOMMENDED APPLICATIONS AND USES:** Food Processing, Smokehouse Cleaner, Degreasing, Mol, Bakeries, Baked-on Carbon, Grease / Oils, Mildew, Restaurants, Stainless Steel, Painted, Cooking Oils, Automotive, Engine Degreasing, Unpainted Surfaces, Graffiti Removal

## SPECIALTY CLEANERS

### CON-B-GONE Hotsy's #1 Recommended Specialty Cleaner

Con-B-Gone is a fast acting acidic product that when applied to ready mix trucks, forms and tools softens dried concrete splatter allowing it to be rinsed away with a hot or cold water pressure washer. Con-B-Gone's foaming formula makes application over large areas quick and easy. A Hotsy Foamer increases dwell time and maximizes end-results!



- ✓ Biodegradable
- ✓ Kosher Approved

PART NO.	DESCRIPTION	FORM	SHIP WT (LBS)	PRICE/GAL	LIST PRICE
8.698-083.0	5 Gallons	Liquid	45	\$33.00	\$165.00
8.698-084.0	55 Gallons	Liquid	494	\$29.55	\$1,625.00
8.698-085.0	275 Gallon Tote	Liquid	2472	\$23.95	\$6,585.00

**SPECIFICATIONS:** ■ pH: 2.16 ■ Foaming Action: Medium ■ Reaction in Hard Water (TDS): Good ■ Dilution Ratio: Ready to Use ■ Color: Light Yellow ■ Scent: Sharp **RECOMMENDED APPLICATIONS AND USES:** Concrete Trucks, Mixing Equipment, Tools, Construction Vehicles

### HOTSY "99"

A highly concentrated formulation of non-fuming inhibited phosphoric acid and surfactants that remove concrete, welding smut, hard-water scale, rust, mortar, and diesel smoke. It is ideal for cleaning and descaling concrete trucks, metal surfaces, equipment, bricks and glass. DO NOT USE on polished aluminum.

- ✓ Biodegradable
- ✓ Kosher Approved

PART NO.	DESCRIPTION	FORM	SHIP WT (LBS)	PRICE/GAL	LIST PRICE
8.904-842.0	5 Gallons	Liquid	51	\$30.00	\$150.00
8.904-843.0	55 Gallons	Liquid	546	\$26.73	\$1,470.00

**SPECIFICATIONS:** ■ **Use Caution: Wear Protective Gear** ■ pH: 1.4 ■ Foaming Action: Medium ■ Reaction in Hard Water (TDS): Best ■ Dilution Ratio: 1:10 to 1:20 ■ Color: Clear ■ Scent: Citrus **RECOMMENDED APPLICATIONS AND USES:** Trucks, Stainless Steel / Steel, Bricks, Heavy Equipment, Rust, Construction, Mortar, Diesel Smoke, Vehicles, Hard Water Scale

### COIL CONDITIONER

A special conditioner for removing hard water deposits and scale from the internal surface of heating coils.

- ✓ Biodegradable
- ✓ Kosher Approved

PART NO.	DESCRIPTION	FORM	SHIP WT (LBS)	PRICE/LB	LIST PRICE
8.904-764.0	Qty 12, 2 Lbs Container	Powder	28	\$6.46	\$155.00

**SPECIFICATIONS:** ■ pH: @ 1% Solution: 1.48 ■ Foaming Action: Medium ■ Reaction in Hard Water (TDS): Best ■ Dilution Ratio: 2 lbs to 5 gallons ■ Color: White ■ Scent: Slight Detergent **RECOMMENDED APPLICATIONS AND USES:** Pressure Washers, Boilers, Rust Remover

### LIQUID FOAMER

When combined with most detergents, it creates mountains of suds and increases dwell time to loosen dirt, grease and oil. Designed for use with foam generators and revolving brushes.

- ✓ Biodegradable
- ✓ Kosher Approved

PART NO.	DESCRIPTION	FORM	SHIP WT (LBS)	PRICE/GAL	LIST PRICE
8.905-527.0	5 Gallons	Liquid	46	\$35.00	\$175.00

**SPECIFICATIONS:** ■ pH: 6.78 ■ Foaming Action: High ■ Reaction in Hard Water (TDS): Good ■ Dilution Ratio: 1:25 to 1:100 ■ Color: Pale Yellow ■ Scent: Slight Detergent **RECOMMENDED APPLICATIONS AND USES:** Food Plants, Foaming Brushes, Detergent Additive, Vehicles, Foam Booster / Foam Stabilizer, Vertical Surfaces

### HOTSY PHOSPHATIZER NO. 2

A complete and economical detergent and phosphatizing system for one-step phosphatizing of iron and steel parts. Phosphatizer No. 2 can be used at temperatures ranging from 120°F to 180°F. Equally effective in spray, dip and wipe-on applications. A quality product with 20+ years of successful history in the industry.

- ✓ Biodegradable
- ✓ Kosher Approved

PART NO.	DESCRIPTION	FORM	SHIP WT (LBS)	PRICE/GAL	LIST PRICE
8.904-977.0	5 Gallons	Liquid	51	\$20.60	\$103.00
8.904-978.0	55 Gallons	Liquid	525	\$18.18	\$1,000.00
9.846-015.0	Super Concentrate Kit*	Powder/Liquid	103	\$12.80	\$704.00
9.846-069.0	5 Gal. Product Label, Pkg. of 50				\$108.00

**SPECIFICATIONS:** ■ pH: 3.08 ■ Foaming Action: Medium ■ Reaction in Hard Water (TDS): Good ■ Dilution Ratio: 1:15 to 1:30 ■ Color: Clear ■ Scent: Detergent **RECOMMENDED APPLICATIONS AND USES:** Safe for Use with Hotsy Pressure Washers, Paint Preparation

\* Entire contents of each additive drum should be used at one time, do not attempt to make partial batches.  
 Effective January 1, 2021. Prices, specifications and product descriptions subject to change without notice.



- ✓ Biodegradable
- ✓ Kosher Approved

### FAT CAP GRAFFITI REMOVER Brick, Masonry & Concrete

An easy-to-use liquid graffiti remover designed for use on exterior brick, masonry and concrete surfaces. Hotsy Fat Cap Graffiti Remover - Brick, Masonry and Concrete cleaner is deep penetrating and fast acting for effective and thorough loosening of spray paint graffiti and easy removal of the graffiti from the surface being treated. This is the strongest product in the Hotsy Fat Cap Remover family of products.

PART NO.	DESCRIPTION	FORM	SHIP WT (LBS)	PRICE/GAL	LIST PRICE
8.698-028.0	Qty 12, 1 Quart	Liquid	27	\$125.67	\$377.00
8.698-027.0	Qty 4, 1 Gallon	Liquid	34	\$96.75	\$387.00

**SPECIFICATIONS:** ■ pH: @ 5% Solution: 12.8 ■ Foaming Action: Low ■ Dilution Ratio: Use Undiluted ■ Color: Clear Yellow ■ Scent: Alcohol **RECOMMENDED APPLICATIONS AND USES:** Concrete, Masonry, Painted Masonry, Brick, Stone, Painted Stone

### 1-PACK: LAUNDRY PORTION CONTROL PACKS

- ✓ Biodegradable
- ✓ Kosher Approved

Use Directions: One pack per 50 lbs. of laundry. Place packet into detergent reservoir or place directly into wash wheel.

PART NO.	DESCRIPTION	FORM	SHIP WT (LBS)	PRICE/GAL	LIST PRICE
8.698-117.0	1-Pack, 550 Count	Powder	35	\$0.36	\$200.00

**SPECIFICATIONS:** ■ pH: 10.5-11 ■ Dilution Ratio: 1 pack per 50 lbs of towels ■ Color: White ■ Scent: None **FEATURES AND BENEFITS:** Dissolvable pouch is easy to use, no waste and no Formaldehyde. Large pack Size - 560 loads! Non Phosphate - it's Eco Friendly. Detergent and softener formula extends towel life with no additional softener required.

### VITAL OXIDE Cleaner & Disinfectant

- ✓ Health Canada Registered
- ✓ NSF EPA Registered

Vital Oxide is used to disinfect and sanitize just about any surface. Vital Oxide can be used as a disinfectant and diluted to a sanitizer for spray and/or foam application. There's no smell and it's safe for animals and humans.

**SPECIFICATIONS:** ■ pH: 8.0-9.0 ■ Dilution Ratio: Ready to Use / 9:1 / 5:1 ■ Color: Clear ■ Scent: Mild **RECOMMENDED APPLICATIONS AND USES:** Food Processing, Restaurants, Boats/Ships **Veterinary:** Kennels, transport vehicles, **Education:** Schools, Daycare, Gyms & Locker Rooms **Healthcare:** Nursing Homes, Laundry Rooms, Pharmacies, Ambulances

PART NO.	DESCRIPTION	FORM	SHIP WT (LBS)	PRICE/GAL	LIST PRICE
8.639-560.0	Qty 6, 1 Quart (US only)	Liquid	15	\$64.00	\$96.00
8.639-558.0	Qty 4, 1 Gallon (US only)	Liquid	36	\$49.50	\$198.00
8.639-559.0	Qty 4, 1 Gallon (Canada only)	Liquid	36	\$49.50	\$198.00
8.644-292.0	5 Gallons (US only)	Liquid	43	\$47.40	\$237.00
8.758-937.0	5 Gallons (Canada only)	Liquid	43	\$47.40	\$237.00
8.642-823.0	15 Gallons (US only)	Liquid	127	\$34.73	\$521.00
8.698-112.0	55 Gallons (US only)	Liquid	585	\$32.18	\$1,770.00
8.756-449.0	55 Gallons (Canada only)	Liquid	585	\$32.18	\$1,770.00
8.644-439.0	Vital Oxide Secondary Label - Full Strength 3" x 3"				\$0.50
8.642-868.0	Vital Oxide Secondary Label - 5:1 Dilution 3" x 3"				\$0.50
8.642-869.0	Vital Oxide Secondary Label 9:1 Dilution 3" x 3"				\$0.50



### NUBLEND DISINFECTANT 220 Multi-purpose Disinfecting Spray

- ✓ EPA Registered

NuBlend Disinfectant 220 is the latest in disinfectant cleaning technology, formulated to disinfect an impressive list of microbial pathogens with reduced contact times when compared to other disinfectants. It is effective against a wide range of bacteria, viruses and fungi, including Pseudomonas Aeruginosa, Staphylococcus Aureus, MRSA, HIV-1, HBV, HCV and Canine Parvovirus. Ready to use with no mixing required, EPA registered.

PART NO.	DESCRIPTION	FORM	SHIP WT (LBS)	PRICE/GAL	LIST PRICE
8.644-723.0	12x1 Quarts	Liquid	30	\$21.66	\$65.00
8.644-722.0	4x1 Gallon	Liquid	36	\$18.75	\$75.00
8.644-721.0	5 Gallons	Liquid	43	\$18.70	\$93.50
8.644-720.0	15 Gallons	Liquid	127	\$18.66	\$280.00
8.644-719.0	55 Gallons	Liquid	585	\$14.55	\$800.00
8.644-718.0	275 Gallons [made to order]	Liquid	2450	\$14.18	\$3,900.00

**SPECIFICATIONS:** ■ pH: @ 1% Solution: 12.2 ■ Dilution Ratio: Ready to Use ■ Foaming Action: Low ■ Color: Clear Liquid ■ Scent: Mild/Mint **RECOMMENDED APPLICATIONS AND USES:** Schools and Daycare Facilities, Food Processing, Healthcare, Hospitality, Veterinary, Cruise lines



[NOT AVAILABLE IN CANADA]

# PARTS WASHER



## TUBMATE GENERAL PURPOSE DETERGENT **Hotsy's #1 Recommended Parts Washer Detergent**

A phosphate-free, biodegradable, super-concentrated liquid. Works great with automatic detergent injectors; can be automatically metered into aqueous parts washers. Quick oil release and solvent free. Heavy duty rust and corrosion inhibitor package protects against flash rusting; defoamers reduce foam in your aqueous parts washer.

PART NO.	DESCRIPTION	FORM	SHIP WT (LBS)	PRICE/GAL	LIST PRICE
8.905-144.0	5 Gallons	Liquid	51	\$15.50	\$77.50
8.905-150.0	55 Gallons	Liquid	548	\$13.27	\$730.00
9.846-032.0	Super Concentrate Kit*	Powder/Liquid	94	\$8.55	\$470.00
9.846-084.0	5 Gal. Product Label, Pkg. of 50				\$108.00

**SPECIFICATIONS:** ■ pH: 13.1 ■ Foaming Action: Non-foaming ■ Reaction in Hard Water (TDS): Good ■ Dilution Ratio: 1.0 - 12.0 oz / gallon ■ Color: Clear ■ Scent: Detergent ■ Phosphate Free **RECOMMENDED APPLICATIONS AND USES:** Aqueous Parts Washers, Iron / Steel, Copper, Painted Parts, Magnesium, Plastic

## TUBMATE TORQUE

Hotsy Tubmate Torque soft metal powder is a heavy duty parts washer detergent specially formulated for use on softer materials such as brass, copper, stainless steel and plastics. Higher alkalinity and biodegradable solvent-based cleaning booster provides effective penetration and removal of difficult oil, grease and carbon-based soils while protecting softer materials.

PART NO.	DESCRIPTION	FORM	SHIP WT (LBS)	PRICE/GAL	LIST PRICE
8.905-262.0	40 Lbs Pail	Power	42	\$3.03	\$121.00
8.905-263.0	400 Lbs Drum	Powder	415	\$3.04	\$1,215.00

**SPECIFICATIONS:** ■ pH: 12.8 ■ Foaming Action: Non-foaming ■ Reaction in Hard Water (TDS): Best ■ Dilution Ratio: 0.5 - 2.0 oz. per gallon ■ Color: Yellow ■ Scent: Citrus **RECOMMENDED APPLICATIONS AND USES:** Aqueous Parts Washers, Degreaser, Aluminum, Copper / Brass, Stainless Steel / Steel, Parts made of soft metal

## TUBMATE IRON & STEEL CLEANER

A heavy-duty liquid detergent, perfect for truckers, manufacturers, railroads, food processors, bakeries and other applications requiring the removal of heavy grease, baked-on carbon, loose paint and coatings. Rust and corrosion inhibitors and heavy defoamer package. Not an EPA hazardous waste at a pH of less than 12.5.

PART NO.	DESCRIPTION	FORM	SHIP WT (LBS)	PRICE/GAL	LIST PRICE
8.905-087.0	5 Gallons	Liquid	48	\$24.50	\$122.50

**SPECIFICATIONS:** ■ pH: 12.98 ■ Foaming Action: Non-foaming ■ Reaction in Hard Water (TDS): Good ■ Dilution Ratio: 1:1 to 1:40 ■ Color: Brown ■ Scent: Mild **RECOMMENDED APPLICATIONS AND USES:** Trucking, Railroads, Heavy Grease, Bakeries, Aqueous Parts Washer, Baked-on Carbon, Food Processing, Iron / Steel, Loose Paint, Manufacturing, Stainless Steel, Pots / Pans

## TUBMATE ALL PURPOSE DETERGENT (POWDER)

Tubmate All Purpose Cleaner is a highly concentrated powder parts washer detergent that is effective in cleaning heavy grease and oil buildup on parts made of ferrous metal. It contains extra corrosion inhibitor for protection against corrosion and flash rusting, and an enhanced non-foaming formula to assist with foam control in the parts washer sump.

PART NO.	DESCRIPTION	FORM	SHIP WT (LBS)	PRICE/GAL	LIST PRICE
8.904-779.0	40 Lbs Pail	Powder	42	\$4.08	\$163.00
8.904-782.0	100 Lbs Drum	Powder	115	\$3.95	\$395.00
8.904-785.0	450 Lbs Drum	Powder	450	\$3.09	\$1,390.00

**SPECIFICATIONS:** ■ pH: 12.4 ■ Foaming Action: Non-foaming ■ Reaction in Hard Water (TDS): Best ■ Dilution Ratio: 0.5 - 2.0 oz. per gallon ■ Color: White Powder ■ Scent: None **RECOMMENDED APPLICATIONS AND USES:** Diesel Engines, Ferrous Metal Parts, Rolling Mill Equipment, Oil & Grease, Burnt Hydrocarbons, Varnish, Carbon, Mastic, Rubber

## FINISH LINE

Hotsy Finish Line is a moderate pH, water-based detergent formulated for use in manual parts washers and aqueous parts sinks. It removes greases, oils and grime, and can be used on most surfaces, including steel, stainless steel, brass, aluminum, copper and plastics. This detergent has a pleasant citrus odor.

PART NO.	DESCRIPTION	FORM	SHIP WT (LBS)	PRICE/GAL	LIST PRICE
8.904-738.0	5 Gallons	Liquid	48	\$15.70	\$78.50

**SPECIFICATIONS:** ■ pH: @ 5% Solution: 7.0 - 9.0 ■ Foaming Action: Low ■ Reaction in Hard Water (TDS): Good ■ Dilution Ratio: 5 Gallons to 16 Gallons ■ Color: Honey ■ Scent: Citrus **RECOMMENDED APPLICATIONS AND USES:** Manual parts washers, Automotive, Trucking, Degreaser, Oils, Plastics, All Metals, Painted Parts

\* Entire contents of each additive drum should be used at one time, do not attempt to make partial batches.  
Effective January 1, 2021. Prices, specifications and product descriptions subject to change without notice.





## VAPOR CORROSION INHIBITOR

- ✓ Biodegradable
- ✓ Kosher Approved

Especially effective in inhibiting rust in top and front-load automatic parts washers. It contains a superior blend of rust and corrosion inhibitors that give outstanding protection in both the liquid and vapor phase. This helps protect steel and prevents rust in automatic parts washers. It also helps prevent rust and corrosion on metal parts being cleaned.

PART NO.	DESCRIPTION	FORM	SHIP WT (LBS)	PRICE/GAL	LIST PRICE
8.905-168.0	Qty 4, 1 Gallon	Liquid	37	\$35.50	\$142.00
8.905-169.0	5 Gallons	Liquid	46	\$32.40	\$162.00
8.905-170.0	55 Gallons	Liquid	493	\$21.45	\$1,180.00

**SPECIFICATIONS:** ■ pH: 10.2 ■ Foaming Action: None ■ Reaction in Hard Water (TDS): Good ■ Dilution Ratio: 10 oz. per 25 gallons ■ Color: Clear ■ Scent: Solvent **RECOMMENDED APPLICATIONS AND USES:** Soak Tanks, Rinse Water, Ultrasonic Cleaning, Recycle Systems, Automatic Parts Washers

## HOTSY DEFOAMER

This defoamer is added to parts-washer cleaning solutions to reduce foam buildup. Hotsy Defoamer does not interfere with the detergent's normal cleaning ability.

PART NO.	DESCRIPTION	FORM	SHIP WT (LBS)	PRICE/GAL	LIST PRICE
8.904-652.0	Qty 4, 1 Gallon Containers	Liquid	36	\$80.75	\$323.00
8.904-653.0	55 Gallons	Liquid	495	\$52.18	\$2,870.00

**SPECIFICATIONS:** ■ pH: 8.5 ■ Reaction in Hard Water (TDS): Good ■ Dilution Ratio: 1.0 - 2.0 oz / Gallon ■ Color: Opaque White ■ Scent: None **RECOMMENDED APPLICATIONS AND USES:** Aqueous Parts Washers

## PAINT & POWDER COAT STRIPPER

Hotsy Paint & Powder Coat Remover is a fast and effective alkaline stripper. It dissolves all types of stubborn paint and powder coats, including epoxy finishes. Do NOT use on aluminum, magnesium or galvanized metals. With a use dilution pH of less than 12.5, this product is NOT EPA hazardous waste.

PART NO.	DESCRIPTION	FORM	SHIP WT (LBS)	PRICE/GAL	LIST PRICE
8.905-099.0	5 Gallons	Liquid	48	\$31.90	\$159.50

**SPECIFICATIONS:** ■ pH: 13.5 ■ Foaming Action: Non-foaming ■ Reaction in Hard Water (TDS): Best ■ Dilution Ratio: Undiluted ■ Color: Hazy Brown ■ Scent: Musty **RECOMMENDED APPLICATIONS AND USES:** Iron & Steel

## FLOOR CARE

### FLOOR WASH

Designed for use as a floor cleaner for food, automotive and manufacturing industries. It can be used with hot or cold water and is formulated with a color indicator for control of concentration and strength, and to insure uniform coverage and rinsing.

- ✓ Kosher Approved

PART NO.	DESCRIPTION	FORM	SHIP WT (LBS)	PRICE/LB	LIST PRICE
8.749-836.0	40-lb. Pail	Powder	44	\$3.55	\$142.00
8.749-837.0	100-lb. Drum	Powder	103	\$2.95	\$295.00

**SPECIFICATIONS:** ■ pH: @ 1% Solution: 11.92 ■ Foaming Action: Low to Medium ■ Reaction in Hard Water (TDS): Good ■ Dilution Ratio: See mix instructions ■ Color: Orange-Yellow ■ Scent: Citrus ■ Hotsy Continuous Clean Additives **RECOMMENDED APPLICATIONS AND USES:** Automotive, Concrete, Driveways, Decks / Fences, Manufacturing, Floors / Walls, Floor Scrubbers, Grease / Oils, General Cleaning

### SHOP FLOOR CLEANER

Specially designed to break up and lift petroleum based, greasy soils commonly found in equipment repair shops. Designed for machine use. Won't harm epoxy finishes, floor paint when used as directed. Phosphate-free. Effective on any floor surface. Use 1 fluid ounce of product per gallon for routine cleaning. For heavier soil accumulations, use up to 2 ounces per gallon.

- ✓ Biodegradable
- ✓ Kosher Approved

PART NO.	DESCRIPTION	FORM	SHIP WT (LBS)	PRICE/GAL	LIST PRICE
8.698-131.0	5 Gallons	Liquid	47	\$20.40	\$102.00
8.698-132.0	55 Gallons	Liquid	512	\$16.71	\$919.00
8.698-133.0	275 Gallons	Liquid	2,815	\$15.07	\$4,145.00

**SPECIFICATIONS:** ■ **Use Caution: Wear Protective Gear** ■ pH: 13.26 ■ Foaming Action: Medium ■ Reaction in Hard Water (TDS): Best ■ Dilution Ratio: 1:128 ■ Color: Clear Light Red ■ Scent: Solvent **RECOMMENDED APPLICATIONS AND USES:** Shop Floors, Equipment Rooms

## KÄRCHER FLOOR CARE DETERGENTS

PART NO.	DESCRIPTION	SIZE	DILUTION	DESCRIPTION	LIST PRICE
<b>Red Carpet</b>					
8.695-207.0	Red Carpet Super Pre-Spray	4 x 1 gal case	1:16	blue-green color, citrus scent, medium foam	\$203.00
8.695-209.0	Red Carpet Super Conditioning Rinse	4 x 1 gal case	1:128	green color, citrus scent, low foam	\$125.00
8.695-210.0	Red Carpet Extraction Cleaner	4 x 1 gal case	1:128	bright blue color, citrus scent, low foam	\$114.00
8.695-211.0	Red Carpet Wool & Natural Fiber Cleaner	4 x 1 gal case	1:128	slate blue color, citrus scent, low foam	\$109.00
8.695-213.0	Red Carpet Liquid Defoamer	4 x 1 gal case	1:128	no added fragrance	\$146.00
8.695-218.0	Red Carpet Enzyme Deodorizer	4 x 1 gal case	1:4	amber col, citrus scent	\$203.00
8.695-219.0	Red Carpet Odor Neutralizer	4 x 1 gal case	1:128	clear, floral scent	\$130.00
8.695-222.0	Red Carpet Pro Spotter	12 x 1 qt case	1:1	clear, no added fragrance	\$177.00
8.628-441.0	2-Gallon Pump Sprayer with Wand				\$97.50
<b>iCapsol™ Encapsulating Chemical</b>					
8.695-226.0	iCapsol™ encapsulating chemical	4 x 1 gal case	1:16	amber color, no added fragrance	\$163.00
8.695-469.0	iCapsol™ encapsulating chemical	12 x 1 pt case	1:16	amber color, no added fragrance	\$115.00
8.695-227.0	iCapsol™ encapsulator/protector	4 x 1 gal case	1:16	amber color, no added fragrance	\$174.00
8.695-470.0	iCapsol™ encapsulator/protector	12 x 1 pt case	1:16	amber color, no added fragrance	\$121.00
<b>Gum Remover Detergents</b>					
8.641-480.0	SG3 Bp chemical bottle	20 x 90 ml	1:1		\$203.00
<b>Compass™ Chemical</b>					
8.695-241.0	Compass™ Clean	4 x 1 gal case	RTU	Food service cleaner/degreaser	\$121.00
8.695-242.0	Compass™ Shine	4 x 1 gal case	RTU	Concentrated bathroom cleaner/deodorizer	\$144.00
8.695-243.0	Compass™ Rinse	12 x 1 qt case		Spot free drying agent	\$156.00
<b>Kärcher Neutral Floor Cleaner</b>					
8.698-102.0	Kärcher Neutral Floor Cleaner	4 x 1 gal	1:128	Daily cleaning on finished/non-finished floors.	\$87.50
8.698-103.0	Kärcher Neutral Floor Cleaner	5 gal	1:128	Daily cleaning on finished/non-finished floors.	\$104.00
8.698-104.0	Kärcher Neutral Floor Cleaner	55 gal drum	1:128	Daily cleaning on finished/non-finished floors	\$1,060.00
<b>Kärcher Warehouse Floor Cleaner</b>					
8.698-107.0	Kärcher Warehouse Floor Cleaner	5 gal	1:128	Daily cleaning on warehouse/industrial floors.	\$102.00
8.698-108.0	Kärcher Warehouse Floor Cleaner	55 gal drum	1:128	Daily cleaning on warehouse/industrial floors.	\$919.00
8.698-109.0	Kärcher Warehouse Floor Cleaner	275 gal tote	1:128	Daily cleaning on warehouse/industrial floors	\$4,465.00



## PRODUCT MIXING STATIONS

Ball valve chemical proportioner for accurately diluting a chemical concentrate to the required ratio and for filling any sized container with diluted, ready-to-use chemical solution. Venturi injection system uses city water pressure to draw and blend chemical concentrate into the water stream to create an accurately diluted solution. Ball valve activation allows for hands-free dispensing.



PART NO.	DESCRIPTION	LIST PRICE
8.755-141.0	Single Product Mix - Low Flow	\$352.00
8.755-142.0	Single Product Mix - High Flow	\$352.00
8.755-143.0	Dual Product Mix - Low Flow	\$478.00
8.755-144.0	Dual Product Mix - High Flow	\$478.00

## INTERNAL TANK FOAMERS

Tank Foamer is a low-volume foam applicator with an all stainless steel cart assembly for applying ready-to-use foaming chemicals. Connect compressed air to pressurize the 316L stainless steel tank and to inject air into the solution to greatly increase volume and coverage ability.



PART NO.	DESCRIPTION	LIST PRICE
8.755-145.0	5-Gallon Tank Foamer	\$3,560.00
8.755-146.0	16-Gallon Tank Foamer	\$5,345.00

## POLY TANK 2-WHELLED FOAMER

The Portable 2-Wheel 20 Gallon LF Foamer is a "low volume" foam applicator for projecting ready-to-use foaming chemicals on to any surface up close or at distances up to 9 feet. Features stainless steel cart.



PART NO.	DESCRIPTION	LIST PRICE
8.755-147.0	20-Gallon Poly Tank Foamer	\$2,050.00

## ULTIMATE FOAMER WITH GAUGES

A medium volume foam applicator for projecting foaming chemicals on to any surface up close or at a distance. This venturi injection system uses city water pressure to draw and blend chemical concentrate into the water stream to create an accurately diluted solution.



PART NO.	DESCRIPTION	LIST PRICE
8.755-149.0	Ultimate Foamer	\$2,540.00

## 32 OZ. COMPACT AIRLESS FOAMER

Medium volume hose-end foam gun for diluting and applying foaming chemicals to any surface. Uses standard city water pressure to draw chemical concentrate from the attached bottle and blend it into the water stream. The accurately diluted solution creates a clinging, wet foam which is then projected on to any surface up close or at distances up to 12 ft.



PART NO.	DESCRIPTION	LIST PRICE
8.755-151.0	Compact Airless Foamer	\$225.00

## HV FOAMER WITH GAUGES


The HV Foamer is a high volume foam applicator for projecting foaming chemicals on to any large surface. Foam is projected through a discharge hose and fan nozzle at distances up to 15 feet.



PART NO.	DESCRIPTION	LIST PRICE
8.755-150.0	HV Foamer	\$1,405.00

## DRUM STICKS AND TOTE STICKS

Chemical pick-up assembly to draw chemical solution directly from a drum or tote. Comes complete with a Hastelloy chemical strainer, polypropylene chemical check valve and a selection of polypropylene hose bars to connect to the most common sizes of hose or tube.



PART NO.	DESCRIPTION	LIST PRICE
8.755-138.0	Tote Sticks - 54"	\$161.00
8.755-139.0	Drum Stick Pick Up Assy - 33"	\$171.00

## HAND HYGIENE SPRAY DISPENSERS


Heavy-duty, stainless steel hand sanitizer or soap dispenser; when foot pedal is pressed, the system draws a set amount of ready-to-use chemical and dispenses it directly into the users hand. No electricity or batteries are required.



PART NO.	DESCRIPTION	LIST PRICE
8.755-136.0	Spray Dispenser, Wall Mount	\$1,160.00
8.755-137.0	Spray Dispenser, Floor Mount	\$1,195.00

## TIMED ENTRYWAY FOAM SANITIZER

An automated foam applicator for projecting sanitizing chemicals on to floors of 3' wide walk doors to prevent cross contamination. When activated, this venturi injection system uses city water pressure to draw and blend chemical concentrate into the water stream to create an accurately diluted solution.



PART NO.	DESCRIPTION	LIST PRICE
8.755-140.0	Timed Entry Way - 3' door	\$2,180.00

## UNI-BODY COMBO DEMO FOAMER

A combination foam / spray applicator for demonstrating foaming or non-foaming chemicals being applied to any surface. Use the foam wand and nozzle for rich, clinging foam, the airless foam wand to demonstrate without compressed air, or use the spray nozzle to apply chemicals as a fan pattern spray. \*Special order.



PART NO.	DESCRIPTION	LIST PRICE
8.755-152.0	Uni-Body Combo Foamer	\$1,150.00

## CITY WATER PRESSURE/FLOW TEST KIT

Connects to a standard male garden hose fitting. Provides quick confirmation of available water pressure and flow rate. Can also be mounted in-line with installed equipment to determine operational water pressure. \*Special order.

PART NO.	DESCRIPTION	LIST PRICE
8.755-148.0	Water Flow Test Kit	\$88.00



## EMPTY 5 GALLON PAILS

PART NO.	DESCRIPTION	LIST PRICE
9.846-058.0	5-Gal White Pail with Lid	\$22.00
9.000-005.0	5-Gal Red Pail with Lid	\$23.00

# TOOLS FOR HOTSY DETERGENTS



## pH TEST STRIPS


**A convenient method for accurate colorimetric pH indication.** These strips feature covalently bound indicator dyes so that they will not bleed even in strong alkaline solutions. Strips can be immersed in samples for extended periods, so that even weakly buffered solutions can be accurately tested without contaminating the sample. The universal strip tests the full 0–14 pH range with a sensitivity of 1 pH unit. Intermediate range indicators provide a sensitivity of 0.3–0.5 pH units and narrow range strips provide a sensitivity of 0.2–0.3 pH units.

PART NO.	DESCRIPTION	LIST PRICE
8.753-577.0	pH Test Strips / 100 pack	\$59.50



## WATER SOFTENERS

Available from Wood Brothers Industries. Identify yourself as a Hotsy dealer when you call:  
**(800) 383-1236**  
**(402) 476-1236**



## WRITE-IN SECONDARY LABEL

PART NO.	DESCRIPTION	LIST PRICE
8.642-714.0	Hotsy secondary detergent label (each)	\$0.50



## WHAT SETS HOTSY DETERGENT APART FROM THE COMPETITION?

### MOST EFFECTIVE CLEANING

Unlike so-called “economy” products, Hotsy detergents are designed specifically for high-pressure, high-temperature cleaning. Hotsy detergents actually become more effective as temperatures increase. Inferior detergents begin to decompose under high temperature and pressure.

### ECONOMICAL OPERATION


Hotsy detergents are super concentrated. They’re designed to blend with water in ratios up to 150 parts of water to 1 part of detergent. Compare that to economy brands and you’ll see why Hotsy detergents go a long way, and keep operating costs low.

### ENVIRONMENTALLY FRIENDLY

You can use Hotsy detergents with complete confidence. They have no unpleasant odors, and almost all are biodegradable, so they’re safe for the environment as well. Safety Data Sheets are available on all Hotsy detergents.

## USING A DETERGENT FOAMER TO APPLY SOAP

The Foam Cannon aids in applying detergent to tough cleaning surfaces. Simply fill the detergent reservoir with Hotsy detergent and attach it to the end of your wand. The pressure stream siphons the detergent, mixes it with air and water and dispenses foam up to a 30 foot cleaning radius. The foam blanket clings to all surfaces, increasing the dwell time. As the foam bubbles burst, they force the cleaning agents into the soils being cleaned, breaking down dirt and grime. The end result is faster, more efficient cleaning. Users often see a decline in their detergent usage, while seeing greater cleaning results.



## USE A WATER SOFTENER

You can use Hotsy detergents with complete confidence. They have no unpleasant odors, and almost all are biodegradable, so they’re safe for the environment as well. Safety Data Sheets are available on all Hotsy detergents.



**DON'T FORGET THE SOAP!**

Watch our video on how to correctly clean using Hotsy detergents. <https://bit.ly/HotsyDetergentCleaning>





# PROFESSIONAL FLOOR CARE



## IDENTIFYING KÄRCHER EQUIPMENT BY NAME

All Kärcher branded machines are named systematically so that every machine name explains what the product is. Floor care product names range from a direct to indirect relation to the product, such as BV for Backpack Vacuum to KM for a Sweeper. Below is a chart to help with identifying Kärcher equipment by name.



### FLOOR CARE MACHINE NAMES

Model		CAPACITY LITERS / GALLONS		CLEANING PATH CM / Inches		OPTIONS / FEATURES	
KM	= Sweeper	4	= 1	1	= .4	BP	= Battery Powered
Puzzi	= Spotter or Box & Wand Extractor	25	= 6.6	4	= 1.6	C	= Scrubbers = Pad Assist
NT	= Wet/Dry Vacuum	30	= 7.9	12	= 5	C	= Extractors = Compact
BR	= Scrubber with Cylindrical Brushes	35	= 9.25	20	= 8	AP	= Semi-Automatic Filter Cleaning System
BD	= Scrubber with Disc Brushes	38	= 10.0	30	= 12	W	= Scrubbers = Traction Drive
B	= Scrubber	40	= 10.6	40	= 16	HEPA	= HEPA Level Air Filtration
SG	= Steamer	48	= 12.68	50	= 20	Tact	= Triggered Airdraft Cleaning Technology
SGV	= Steamer Vacuum	50	= 13.21	175	= 69	Te	= Automatic Power Outlet
SG1	= Gum Remover	51	= 13.47			R	= Ride-On Machine
AB	= Air Blower	60	= 15.85				
BV	= Backpack Vacuum	68	= 17.96				
CV	= Upright Vacuum	70	= 18.49				
EB	= Compact Sweeper	75	= 19.81				
BDS	= Floor Machine	80	= 21.13				
		150	= 39.63				

**EXAMPLE: KM 70/20 C = SWEEPER, 18.49 GALLONS / 8 INCHES CLEANING PATH / COMPACT**





# EB 30/1

This ultra-quiet and compact sweeper is perfect for quick clean-ups in busy and crowded areas. The rechargeable battery pack ensures safety by eliminating trip hazards. The EB 30/1 is built to handle small cleaning jobs in professional working environments.

- Cordless electric sweeper designed for commercial applications.
- Flexible and professional interim clean-up
- Powerful, rechargeable battery provides for up to 45 minutes of operation on hard surface, and up to 30 minutes on carpet.
- Extremely quiet operation allows for cleaning even during business hours, making it ideal for use in noise sensitive areas
- Optional high-speed battery charger available for complete charging in 50 minutes.



### EB 30/1

TECHNICAL SPECIFICATIONS	
Cleaning path	in 12
Container capacity	in <sup>2</sup> 67
Operating noise level	dBA 56
Battery runtime	min 30-45
Standard battery charge time	hr 1
Weight	lbs 6
Dimensions (LxWxH)	in 10 x 12 x 43

PART NO.	DESCRIPTION	LIST PRICE
1.545-121.0	EB 30/1, 12 inch, lithium-ion battery-operated sweeper	\$230.00

ACCESSORIES		
PART NO.	DESCRIPTION	LIST PRICE
■ 6.654-328.0	Lithium-ion battery for EB 30/1	\$86.50
■ 6.654-197.0	Battery charger	\$191.00
■ 4.762-400.0	Cylindrical brush	\$29.10
□ 4.762-401.0	Cylindrical stiff red brush, for hard-wearing surfaces	\$35.10

■ Included □ Optional

# KM 70/20 C

Speedy sweeping and painless maintenance rolled into one convenient package. This sweeper provides superior sweeping performance in a compact manual push sweeper. It is built to be rugged and durable for long life.

- Cleans paths, sidewalks and warehouses quickly and conveniently
- Main cylindrical brush is driven by both wheels so that it sweeps equally well in either right or left turns
- Rugged metal pinion drive for long life
- Durable design
- Height of cylindrical brush can be easily adjusted in five positions by a knob on the handle



## KM 70/20 C

### TECHNICAL SPECIFICATIONS

Cleaning path / width - main broom	in	19
Cleaning path / width with 1 sb	in	28
Cleaning path / width with 2 sb	in	36
Side broom diameter	in	13
Debris container capacity	gal	11
Practical productivity	sq ft/hr	30,000
Weight	lbs	50.7
Dimensions (LxWxH)	in	51.2 x 30.14 x 40.7

PART NO.	DESCRIPTION	LIST PRICE
1.517-106.0	KM 70/20 C , twenty eight inch walk-behind sweeper	\$716.00
1.517-107.0	KM 70/20 C 2SB , thirty six inch push sweeper with dual brushes	\$796.00

### ACCESSORIES

PART NO.	DESCRIPTION	LIST PRICE
■ 6.966-005.0	Side broom, water-resistant bristles, extremely durable, suitable for all types of surfaces	\$110.00
■ 6.906-041.0	Main broom, water-resistant bristles, extremely durable, suitable for all types of surfaces	\$181.00
■ 4.040-772.0	Dust Filter	\$67.00
□ 2.640-908.0	Litter picker—for picking up waste	\$151.00

- Included   □ Optional



# KM 70/30 C BP ADV

Fast and efficient for sweeping indoors or outdoors—on hard floor or carpet for those that need to get the job done right the first time. Rely on this sweeper to make quick work of any sweeping needs with its highly productive electronic driven broom. It also features active dust control for optimum air quality. User-friendly features such as an easy adjust broom height and an adjustable handle height make this a popular machine with those who use it.

- *Delivers fast, efficient sweeping for hard and soft floor surfaces*
- *28 inch cleaning path*
- *For a wide range of applications indoors and outdoors, with a particularly quiet battery drive system at 69 dBA*
- *Features Active Dust Control with a separate fan and flat pleated filter for dustless sweeping indoors*
- *Simple adjustment of the main cylindrical broom and side broom*



## KM 70/30 C BP ADV

### TECHNICAL SPECIFICATIONS

Cleaning path / width - main broom	in	19
Cleaning path / width with 1 sb	in	28
Side broom diameter	in	13
Debris container capacity	gal	11
Practical productivity	sq ft/hr	30,800
Operating noise level	dBA	59
Sweeping method	direct / overthrow	direct
Weight	lbs	105.8
Dimensions (LxWxH)	in	48.8 x 28 x 45.2

PART NO.	DESCRIPTION	LIST PRICE
1.517-218.0	KM 70/30 C BP ADV, twenty eight inch walk-behind sweeper	\$3,290.00

### ACCESSORIES

PART NO.	DESCRIPTION	LIST PRICE
■ 6.966-005.0	Side broom, water-resistant bristles, extremely durable, suitable for all types of surfaces	\$110.00
■ 6.906-041.0	Main broom, water-resistant bristles, extremely durable, suitable for all types of surfaces	\$181.00
■ 6.904-367.0	Flat dust filter	\$57.00
□ 2.640-908.0	Litter picker—for picking up waste	\$151.00
□ 5.731-625.0	Filter element - plastic filter, water resistant, washable, saves maintenance costs	\$32.90
□ 6.907-041.0	Standard cylindrical broom - water-resistant universal bristles, extremely durable, suitable for all types of surfaces	\$275.00

■ Included    □ Optional

# KM 75/40 W BP

Big enough to get the job done, but maneuverable to clean congested areas, count on the KM 75/40 W Bp for your sweeping needs. This machine provides the versatility to clean anywhere—carpet or hard floors, indoors or out. We built it to perform day in and day out in the toughest commercial applications.

- Cleans effectively indoors and out for increased versatility
- Self-propelled, 30 inch cleaning path for increased productivity
- Easy to understand controls increase operator effectiveness
- Over throw sweeping system with an easily removed hopper make emptying quick and efficient
- Active dust control system provides better air quality
- Air is vacuumed through a high-efficiency automotive style filter
- Manual filter shaker for easy cleaning and consistent results
- Wet-sweep bypass for cleaning wet surfaces



## KM 75/40 W BP

TECHNICAL SPECIFICATIONS		
Cleaning path / width - main broom	in	22
Cleaning path / width with 1 sb	in	30
Side broom diameter	in	16.5
Debris container capacity	gal	10.5
Practical productivity	sq ft/hr	36,328
Operating noise level	dBA	64
Sweeping method	direct / overthrow	direct
Weight	lbs	172
Dimensions (LxWxH)	in	56 x 30 x 46.5

PART NO.	DESCRIPTION	LIST PRICE
9.840-739.0	KM 75/40 W Bp, thirty inch walk-behind sweeper	\$7,035.00

ACCESSORIES		
PART NO.	DESCRIPTION	LIST PRICE
■ 8.631-173.0	Battery, 12V AGM 70 Ah	\$444.00
■ 8.629-377.0	Automatic shelf charger, 24V, 24A, 115V, standard on AGM models	\$916.00
■ 6.905-626.0	Side Broom, Soft Bristle (standard)	\$137.00
■ 6.906-884.0	Main Broom, water-resistant bristles, extremely durable, suitable for all surfaces	\$307.00
■ 5.731-635.0	Flat pleated filter—plastic filter, water resistant, washable, reduces maintenance costs	\$143.00
□ 6.905-625.0	Side broom, hard for heavy-duty cleaning	\$137.00
□ 6.906-885.0	Main broom, Hard Bristle	\$395.00
□ 6.906-950.0	Anti-Static Rolling Brush	\$385.00
□ 2.641-571.0	Carpet Sweeping Kit (includes fluff filter, anti-static cylindrical brush and triple caster)	\$1,315.00
□ 6.906-886.0	Main cylindrical broom, soft/natural - specifically designed with natural bristles for sweeping fine dust on smooth indoor floors	\$648.00

■ Included □ Optional



# PUZZI™ 8/1 C

The handy, compact and powerful Puzzi™ 8/1 C spray extraction cleaner is ideal for small areas and interim cleaning with excellent cleaning results.

- Foot switch makes it easy to turn on and off – no bending required
- Transparent dome lid for easy-to verify operation
- Swivel casters for easy maneuvering
- Lightweight - it can be easily transported
- 8' high-pressure solution and vacuum hose
- Removable dirty water tank



### PUZZI™ 8/1 C

TECHNICAL SPECIFICATIONS		
Solution / recovery capacity	gal	2 / 1.8
Operating noise level	dBA	71
Power cord length	ft	33
Vacuum	hp, stage	1.5 hp
Waterlift	in	88
Pump pressure	psi	14.5 - 43.5
Flow rate	gpm	0.26
Weight	lbs	22
Dimensions (LxWxH)	in	22.5 x 13 x 17.3

PART NO.	DESCRIPTION	LIST PRICE
1.100-228.0	Puzzi™ 8/1 C , 98 inch spray hose with integrated water feed and hand tool	\$885.00

ACCESSORIES		
PART NO.	DESCRIPTION	LIST PRICE
■ 6.391-410.0	8-foot hose, complete with couplings	\$71.50
■ 4.130-116.0	4-inch upholstery hand tool	\$136.00
□ 4.130-127.0	Floor wand, 2-part with aluminum tube	\$213.00
□ 4.130-394.0	Floor wand, quick-action coupling, aluminum tube and metal nozzle	\$312.00
□ 4.762-220.0	Hard surface kit (attaches to 4.130-127.0 & 4.130-394.0 wands)	\$46.60
□ 2.638-778.0	Window cleaning kit with 6.5Ft hose, (requires 2.389-293.0 coupler)	\$312.00
□ 4.130-083.0	Venetian blind kit (requires 6.389-293.0 coupler)	\$829.00
□ 4.130-444.0	Stair cleaning tool, 9-inch	\$297.00
□ 6.391-411.0	13-foot high pressure solution & vacuum hose	\$328.00
□ 4.130-117.0	Stone & hard surface nozzle	\$763.00
□ 4.762-219.0	Hard surface adapter for standard hand tool	\$70.50

■ Included □ Optional

# CADET™ 7

It is easy to see why the Cadet™ 7 is such a popular extractor. It has proven itself as a reliable, robust machine that deep cleans carpets to like-new. Operator controls are intuitive and ergonomic for hours of pain-free operation.

**Brilliant deep clean**

- Efficiently deep cleans carpet
- Floating vacuum shoe for superior recovery

**Unmatched value**

- The deep cleaning value choice
- Robust design built for reliability

**Easy-to-use**

- No-hose design makes it simple to fill and empty
- Ergonomic design reduces operator fatigue



**CADET 7**

TECHNICAL SPECIFICATIONS		
Cleaning path/width	in	15
Solution/recovery capacity	gal	7/7
Practical productivity	sq. ft/hr	2,100
Operating noise level	dBa	69
Power cord length	ft	50
Vacuum	hp, stage	1.5, 3
Water lift	in	120
Pump pressure	psi	90
Flow rate	gpm	0.57
Weight	lbs	87
Dimensions (L x W x H)	in	41 x 17.5 x 34

**EQUIPMENT**

PART NO.	DESCRIPTION	List Price
1.008-022.0	Cadet™ 7, seven gallon carpet extractor	\$3,480.00

**ACCESSORIES**

PART NO.	DESCRIPTION	List Price
<input type="checkbox"/> 9.840-551.0	Air quality MicroFilter™ kit for Clipper™ 12/Admiral™ 8/Cadet™ 7, includes 2 filters and stainless steel bracket	\$159.00
<input type="checkbox"/> 8.623-611.0	One air quality MicroFilter™ refill	\$15.70
<input type="checkbox"/> 8.623-411.0	Power cord	\$121.00

■ Included  Optional



# BRC 30/15

Get acquainted with the faster, simpler solution for small area extraction. The BRC 30/15 C is designed to productively clean carpet with less effort, resulting in time-saving productivity gains. In interest of simplicity this machine requires minimal service. It is lightweight and compact for ease of use and transportability.

Compact deep cleaning solution

- High performance vacuum motor for faster drying time

Extraction is no sweat

- Quiet, lightweight, easy to use
- Designed for minimal service

Portable and mobile

- Large 10 inch non-marking wheels for easy transport and maneuverability
- Fold-down handle for easy transportation in any vehicle



## BRC 30/15 C

### TECHNICAL SPECIFICATIONS

Cleaning path/width	in	10.5
Solution/recovery capacity	gal	4.5/4
Operating noise level	dBA	77
Power cord length	ft	25
Vacuum	hp, stage	1.5, 3
Water lift	in	120
Pump pressure	psi	26
Flow rate	gpm	0.38
Weight	lbs	79
Dimensions (L x W x H)	in	23 x 14 x 28

### EQUIPMENT

PART NO.		LIST PRICE
1.008-058.0	BRC 30/15 C, 4 gallon carpet extractor	\$ 2,365.00

### ACCESSORIES

PART NO.	DESCRIPTION	List Price
■ 8.621-604.0	Brush, chevron, 10-inch	\$114.00
■ 8.629-552.0	Brush, extractor, natural bristles	\$52.00
■ 8.631-030.0	Assembly, adapter (1/8"m x 1/4" fpt nipple)	\$114.00
□ 8.629-036.0	Hose and hand tool kit, bag Included	\$225.00
□ 8.600-075.0	Adapter 1/8 to 1/4 quick-disconnect for accessory solution hose	\$68.00

■ Included □ Optional

# CV 300

Kärcher's CV 300 dual-motor upright vacuum is designed to be simultaneously powerful, lightweight and easy to maneuver. Our 1,000 watt vacuum motors pick up more dirt in a single pass than their comparable single-motor counterparts while our patented filtration system filters out particulates and allergens down to 0.3 microns.

- *CRI approved for cleaner, healthier carpets*
- *Indicator lights alert operator to shut down or blockage*
- *Innovative, articulating head for superior maneuverability*
- *Ergonomic carrying handle for easy transport*
- *Powerful dual motor upright vacuum*
- *High quality three step filtration for optimum air quality*



CV 300

TECHNICAL SPECIFICATIONS		
Cleaning path	in	12
Productivity (practical)	ft <sup>2</sup> / hr	3,104
Power cord length	ft	40
Operating noise level	dB(A)	69.5
Air flow rate	cfm	102
Voltage	110V / 220V	110V
Motor	hp	0.24
Debris bag size	qt	3.7
Weight	lbs	17
Dimensions (LxWxH)	in	11 x 12 x 48

PART NO.	DESCRIPTION	LIST PRICE
1.012-059.0	CV 300, 120V/60 Hz	\$393.00

ACCESSORIES		
PART NO.	DESCRIPTION	LIST PRICE
■ 8.632-214.0	Filter, exhaust	\$54.00
■ 8.628-477.0	Filter, motor protection	\$20.30
■ 8.630-933.0	Vacuum fan exhaust filter	\$54.00
□ 8.600-495.0	12-Inch replacement double row brush	\$38.50
□ 8.628-479.0	3-Ply filter dust bags, 10-pack	\$26.90
□ 8.633-398.0	Filter bag, package of 10	\$26.90
□ 8.634-975.0	Tool, 20" extension tool	\$21.90
□ 8.632-244.0	Tool, clips for tools, dark gray	\$15.90
□ 8.632-245.0	Tool, crevice tool, dark gray	\$32.90
□ 8.614-100.0	Dusting brush, dark gray	\$36.20
□ 8.614-629.0	Upholstery nozzle, dark gray	\$34.60
□ 8.604-147.0	Vacuum tools kit (crevice nozzle, upholstery nozzle, and mounting clip)	\$54.00

■ Included □ Optional



# BV VAC PAC™ HEPA SERIES

The BV/VAC PAC™ HEPA series are portable back mounted vacuums great for increasing productivity, efficiency, while saving you money. Breath easier with HEPA-level filtration standard on these vacuums. They also have an ergonomic harness system, allowing the operator to move around quickly and easily for maximum productivity.



- HEPA filtration is now standard, providing optimum air quality by filtering with 99.9% effectiveness to 0.3 microns
- Vacuum hose is a top-mounted swivel design for left-hand and right-hand operation

		BV 7/1 VAC PAC 6 HEPA	BV 11/1 VAC PAC 10 HEPA
<b>TECHNICAL SPECIFICATIONS</b>			
Vacuum width, floor tool	in	13	13
Vacuum hose length	in	60	60
Power cord length	ft	50	50
Waste container capacity	qt	6	10
Operating noise level	dba	67	67
Air flow rate	cfm	112	112
Waterlift	in of	104	104
Motor	watts	1,200	1,200
Weight	lbs	10	11
Dimensions (LxWxH)	in	8.5 x 8.8 x 19.8	8.5 x 8.8 x 23.7

PART NO.	DESCRIPTION	LIST PRICE
1.014-013.0	BV 7/1 VAC PAC 6 HEPA backpack vacuum, 6 qt. (includes hose and tool kit)	\$730.00
1.014-014.0	BV 11/1 VAC PAC 10 HEPA backpack vacuum, 10 qt. (includes hose and tool kit)	\$770.00

<b>ACCESSORIES</b>		
PART NO.	DESCRIPTION	LIST PRICE
■ 8.628-666.0	Wand, 2 PC Aluminum Double Curve	\$86.50
■ 8.619-894.0	Hose Assembly	\$54.50
■ 8.639-285.0	HEPA pleated filter	\$12.10
■ 8.619-884.0	Cloth bag for VAC PAC™ HEPA 10 / BV 11/1	\$53.50
■ 8.619-885.0	10-quart paper bags, 10-pack for BV 11/1	\$42.60
■ 8.619-891.0	Paper bags for VAC PAC™ HEPA 6 / BV 7/1	\$38.30
■ 8.619-890.0	Cloth bags for VAC PAC™ HEPA 6 / BV 7/1	\$45.80
■ 8.619-887.0	Filter Dome	\$3.05
■ 8.604-141.0	VAC PAC™ tool kit (#02293 crevice tool, #02083 dusting brush, #02084 upholstery tool, #02085 upholstery tool brush, #02086 extension tube)	\$115.00
□ 8.628-451.0	Crevice Tool	\$36.80
□ 8.600-008.0	5" Upholstery Tool	\$39.00
□ 8.628-360.0	Upholstery Brush	\$20.80
□ 8.600-007.0	3-inch dusting tool with adapter	\$29.70
□ 8.628-445.0	Tool, Carpet	\$66.00
□ 8.628-444.0	Tool, bristle shod dry pick-up	\$72.50
□ 8.619-876.0	VAC PAC™ Crevice Tool	\$26.00
□ 8.639-285.0	HEPA pleated filter for VAC PAC™ HEPA 6 & 10 and BV 11/1	\$12.10
□ 8.631-254.0	Harness assembly for VAC PAC™ HEPA 6 & 10 and BV 11/1	\$115.00
□ 8.642-914.0	15" sidewinder carpet tool with 1.5" neck	\$31.20
□ 8.642-915.0	15" sidewinder hard floor brush with 1.5" neck	\$50.50
□ 8.642-916.0	18" sidewinder carpet tool with 1.5" neck	\$33.40
□ 8.642-917.0	18" sidewinder hard floor brush with 1.5" neck	\$59.00

■ Included □ Optional

# NT 25/1 AP

The NT 25/1 AP delivers powerful wet/dry cleaning in one compact package. This mobile all-purpose vacuum is easy and comfortable to transport to any job site. Designed for function, our vacuum features a light weight construction. Enjoy knowing that you can pick up anything wet or dry with this handy, practical machine.

- Comfortable and easy to handle and includes on-board accessory storage
- Five caster wheel design provides superior movement and stability
- Complete accessory holder and cord hook
- Convenient additional storage area on the turbine head
- Mobile and lightweight, perfect for transport to multiple locations
- Easy, safe and quickly exchangeable clip hose connections
- Ergonomically designed hose for operator comfort



## NT 25/1 AP

TECHNICAL SPECIFICATIONS		
Vacuum width, floor tool	in	11
Vacuum hose length	ft	8
Power cord length	ft	25
Waste container capacity	gal	6.6
Operating noise level	dBA	70
Air flow rate	cfm	123
Waterlift	in of water	88
Motor	watts	1,170
Weight	lbs	24
Dimensions (LxWxH)	in	20 x 14.5 x 19

PART NO.	DESCRIPTION	LIST PRICE
1.184-868.0	NT 25/1 AP, 6.6 gallon wet / dry vacuum	\$425.00

ACCESSORIES		
PART NO.	DESCRIPTION	LIST PRICE
■ 4.440-626.0	Suction hose C DN35	\$45.40
■ 6.906-240.0	Crevice nozzle DN35	\$4.80
■ 6.903-284.0	Floor tool DN35	\$91.00
■ 6.900-514.0	Suction tube DN35	\$26.90
■ 6.907-478.0	Set of filter bags - fleece 25L	\$20.40

■ Included    □ Optional



# NT 30/1 TACT TE

This powerful vacuum cleaner picks up coarse dirt and liquids as well as large quantities of fine dust. Tact, the fully automatic cleaning system, cleans the filter with strong air blasts. It is ideal for long periods of uninterrupted use and constant high suction power.

- *Blasts of air clean the filter resulting in lower maintenance costs and a longer filter life ultimately saving you money*
- *On-board storage for all accessories, includes two hooks for the suction hose and power cord*
- *Bayonet and clip connections guarantee easy and secure connection of all accessory parts onto machine*
- *HEPA filter is standard*



## NT 30/1 TACT TE

TECHNICAL SPECIFICATIONS		
Vacuum width, floor tool	in	14
Vacuum hose length	ft	13
Power cord length	ft	25
Waste container capacity	gal	8.2
Operating noise level	dBA	68
Air flow rate	cfm	150
Waterlift	in of water	102
Motor	watts	1,380
Weight	lbs	30
Dimensions (LxWxH)	in	22 x 14.5 x 22.2

PART NO.	DESCRIPTION	LIST PRICE
1.148-216.0	NT 30/1 Tact TE , 8-gallon wet/dry vacuum with Tact	\$860.00

ACCESSORIES		
PART NO.	DESCRIPTION	LIST PRICE
■ 2.889-192.0	Stainless steel vacuum tube set	\$64.50
■ 2.889-135.0	Vacuum hose 13 ft	\$56.50
■ 2.889-134.0	Vacuum hose 8 ft	\$43.30
■ 2.889-170.0	Ergonomic bend	\$21.70
■ 2.889-152.0	Wet and dry floor nozzle	\$56.50
■ 2.889-159.0	Crevice nozzle	\$14.80
■ 2.889-151.0	Power tool adaptor	\$28.20
■ 2.889-154.0	Fleece filter bags - 30 liter	\$36.60
■ 6.907-629.0	HEPA filter	\$132.00

■ Included    □ Optional

# NT 40/1 TACT TE

The NT 40/1 Tact Te has the power to get the job done. Tact, the fully automatic cleaning system, cleans the filter with strong air blasts. It is ideal for long periods of uninterrupted use and constant high suction power. It is fully compliant with OSHA silica dust regulations.

- Large wheels and front swivel casters for easy maneuverability
- Drain hose allows user to empty unit directly into a drain
- Metal wand, floor tool, crevice tool and washable nylon filter are included with each NT wet / dry vacuum.
- Crush resistant hose stows conveniently on top for storage
- On-board storage for all accessories, includes two hooks for the suction hose and power cord.
- Blasts of air clean the filter resulting in lower maintenance costs and a longer filter life ultimately saving you money.



## NT 40/1 TACT TE

TECHNICAL SPECIFICATIONS		
Vacuum width, floor tool	in	14
Vacuum hose length	ft	13
Power cord length	ft	25
Waste container capacity	gal	10.3
Operating noise level	dBA	68
Air flow rate	cfm	150
Waterlift	in of water	102
Motor	watts	1,380
Weight	lbs	32
Dimensions (LxWxH)	in	22 x 14.5 x 25.7

PART NO.	DESCRIPTION	LIST PRICE
1.148-316.0	NT 40/1 Tact TE, 10-gallon wet/dry vacuum with Tact	\$930.00

ACCESSORIES		
PART NO.	DESCRIPTION	LIST PRICE
■ 2.889-192.0	Stainless steel vacuum tube set	\$64.50
■ 2.889-135.0	Vacuum hose 13 ft (Te versions)	\$56.50
■ 2.889-170.0	Ergonomic bend	\$21.70
■ 2.889-152.0	Wet and dry floor nozzle	\$56.50
■ 2.889-159.0	Crevice nozzle	\$14.80
■ 2.889-151.0	Power tool adaptor (Te versions)	\$28.20
■ 2.889-155.0	Fleece filter bags	\$46.10
■ 6.907-629.0	HEPA filter	\$132.00
□ 2.643-868.0	Push handle	\$126.00

■ Included    □ Optional



# NT 50/1 TACT TE

The NT 50/1 Tact TE includes an improved Tact automatic filter cleaning system - improved cleaning performance and reduced noise level. It is fully compliant with OSHA silica dust regulations.

- Bayonet and clip connections guarantee easy and secure connection of all accessory parts to the vacuum
- Blasts of air clean the filter resulting in lower maintenance costs and a longer filter life ultimately saving you money.
- Wider inner diameter of vacuum hoses (1-3/8 inches) is now standard
- Even stronger and sturdier components and overall design
- Crush resistant hose stows conveniently on top for storage



### NT 50/1 TACT TE


TECHNICAL SPECIFICATIONS		
Vacuum width, floor tool	in	14
Vacuum hose length	ft	13
Power cord length	ft	25
Waste container capacity	gal	13.5
Operating noise level	dB(A)	68
Air flow rate	cfm	150
Waterlift	in of water	102
Motor	watts	1,380
Weight	lbs	40
Dimensions (LxWxH)	in	22 x 14.5 x 41.1

PART NO.	DESCRIPTION	LIST PRICE
1.148-416.0	NT 50/1 Tact TE, 13.5-gallon wet/dry vacuum with Tact	\$1,095.00

ACCESSORIES		
PART NO.	DESCRIPTION	LIST PRICE
■ 2.889-192.0	Stainless steel vacuum tube set	\$64.50
■ 2.889-135.0	Vacuum hose 13 ft (Te versions)	\$56.50
■ 2.889-170.0	Ergonomic bend	\$21.70
■ 2.889-152.0	Wet and dry floor nozzle	\$56.50
■ 2.889-159.0	Crevice nozzle	\$14.80
■ 2.889-151.0	Power tool adaptor (Te versions)	\$28.20
■ 2.889-155.0	Fleece filter bags	\$46.10
■ 6.907-629.0	HEPA filter	\$132.00

■ Included    □ Optional

# NT 30/1, 40/1, 50/1 ACCESSORIES



PART NO.	DESCRIPTION	LIST PRICE
<input type="checkbox"/> 2.889-137.0	Vacuum hose 1-3/8 inch diameter (DN 35) 13 ft electrically conductive	\$131.00
<input type="checkbox"/> 2.889-136.0	Vacuum hose 1-3/8 inch diameter (DN 35) 8 ft electrically conductive	\$101.00
<input type="checkbox"/> 2.889-164.0	Vacuum hose 1-3/8 inch diameter (DN 35) 8 ft heat-resistant	\$461.00
<input type="checkbox"/> 2.889-172.0	Ergonomic bend 1-3/8 inch diameter (Dn 35) with soft grip electrically conductive	\$55.50
<input type="checkbox"/> 2.889-148.0	Ergonomic bend 1-3/8 inch diameter (DN 35) with soft grip and vacuum power regulation	\$21.70
<input type="checkbox"/> 6.907-455.0	Flat pleated filter PTFE	\$129.00
<input type="checkbox"/> 2.679-000.0	Drilling dust nozzle 1-3/8 inch diameter (DN 35)	\$41.70
<input type="checkbox"/> 2.643-868.0	Push handle for NT 40/1 Tact Te L	\$126.00
<input type="checkbox"/> 2.889-138.0	Vacuum hose 1-5/8 inch diameter (DN 40), 13 ft	\$73.50
<input type="checkbox"/> 2.889-139.0	Vacuum hose 1-5/8 inch diameter (DN 40), 8 ft	\$56.50
<input type="checkbox"/> 2.889-141.0	Vacuum hose 1-5/8 inch diameter (DN 40), 13 ft electrically conductive	\$151.00
<input type="checkbox"/> 2.889-140.0	Vacuum hose 1-5/8 inch diameter (DN 40), 13 ft oil-resistant	\$154.00
<input type="checkbox"/> 2.889-171.0	Ergonomic bend 1-5/8 inch diameter (DN 40), with soft grip	\$25.20
<input type="checkbox"/> 2.889-172.0	Ergonomic bend 1-5/8 inch diameter (DN 40), with soft grip electrically conductive	\$55.50
<input type="checkbox"/> 2.889-194.0	Set of vacuum tubes 1-5/8 inch diameter (DN 40), 2 x 1.8 ft, stainless steel	\$68.00
<input type="checkbox"/> 6.907-629.0	HEPA filter for NT 30/1, NT 40/1 and NT 50/1	\$132.00
<input type="checkbox"/> 5.453-042.0	<b>(Photo 1 above)</b> Power tool adapter, fits these size shrouds: 1.06" – 1.10" OD, 1.25" – 1.32" OD, 1.37" – 1.44" OD, 1.47" – 1.50" OD	\$33.40
<input type="checkbox"/> 5.453-016.0	<b>(Photo 2 above)</b> Power tool adapter, fits these size shrouds: 1.06" – 1.07" OD, 1.27" – 1.30" OD, 1.40" – 1.41" OD	\$17.30
<input type="checkbox"/> 5.407-108.0	<b>(Photo 3 above)</b> Power tool adapter: connects to 40mm hose connection, screws into 35mm hose or 5.453-016.0 tool adapter	\$13.30
<input type="checkbox"/> 2.637-217.0	<b>(Photo 4 above)</b> Power tool "Y" adapter	\$61.50
<input type="checkbox"/> 5.453-085.0	<b>(Photo 5 above)</b> Power tool adapter sleeve 40 x 50 mm	\$38.50
<input type="checkbox"/> 5.407-113.0	<b>(Photo 6 above)</b> Reducer, DN 40 to DN 35 hose connection	\$14.50
<input type="checkbox"/> 5.031-703.0	Tension ring (order with 5.407-113.0)	\$3.05

■ Included    □ Optional



# NT 48/1

Built to handle difficult wet or dry dirt, this vac is the machine that will stand up to tough everyday use. The optional front mounted squeegee provides even more productive water pickup. It is easy to transport from site to site with its large rear wheels and front casters as well as an easy to grip handle. The large filter provides impressive suction power and long work intervals improving your productivity.



- *Mobile, all-purpose wet / dry vacuum for small to medium jobs and multiple locations*
- *Integrated handle ensures easy and comfortable transport*
- *Optional front mounted squeegee for more productive pickup*

**NT 48/1**

TECHNICAL SPECIFICATIONS				
Vacuum width, floor tool	in	12	Air flow rate cfm	142
Vacuum hose length	ft	8	Waterlift in of water	80
Power cord length	ft	25	Motor watts	1,380
Waste container capacity	gal	12	Weight lbs	22
Operating noise level	dBA	72	Dimensions (LxWxH) in	19 x 15.3 x 30.3

PART NO.	DESCRIPTION	LIST PRICE
1.428-623.0	NT 48/1, 13-gallon wet/dry vacuum	\$490.00
9.840-844.0	NT 48/1, 13-gallon wet/dry vacuum with front mounted squeegee	TBD

ACCESSORIES		
PART NO.	DESCRIPTION	LIST PRICE
■ 6.414-789.0	Cylindrical Dust Filter	\$36.20
■ 6.904-285.0	Paper filter bag (5-pack, 1 bag Included with machine)	\$60.50
■ 6.906-512.0	All-Purpose Nozzle	\$50.50
■ 6.900-385.0	8.3-inch all purpose crevice nozzle	\$10.00
■ 4.440-626.0	8 feet x 1.375 inch hose with comfortable hand grip	\$45.40
■ 6.900-514.0	Metal suction tube, 1.4 inch X 1.6 feet	\$26.90
■ 6.906-240.0	Crevice nozzle, 1.4-inch	\$4.80
□ 6.904-211.0	Wet Filter Bag	\$192.00
□ 6.906-384.0	14.6" Aluminum All-Purpose Nozzle with Height-Adjustable Cylindricals, Brush Strips and Oil Resistant Squeegees	\$291.00
□ 6.907-409.0	Floor tool packaged basalt grey DN35	\$107.00
□ 6.907-408.0	Floor tool packaged basalt grey DN40	\$32.90
□ 6.906-383.0	17.7" Aluminum All-Purpose Head with Height-Adjustable cylindricals, Brush Stripes and oil-resistant Squeegees	\$395.00
□ 2.860-113.0	Upholstery hand tool	\$176.00
□ 2.860-114.0	10-inch turbo nozzle with reducer 35/32	\$253.00
□ 6.903-033.0	11.4" Crevice Tool	\$11.50
□ 6.905-998.0	Upholstery nozzle complete NW35	\$17.00
□ 6.903-034.0	Radiator Brush for use with 6.900-385.0	\$28.50
□ 6.903-035.0	Plastic, Pipe Diameter 3.9"	\$73.00
□ 6.903-862.0	Suction Brush, Natural Hair, Pivotal, 35 mm ID	\$30.20
□ 2.860-116.0	Nozzle Set, Crevice Tool, Upholstery Tool, Round Brush, 35 mm ID	\$62.50
□ 2.863-147.0	All-Purpose Brush, Soft Bristles 35 mm ID	\$84.50
□ 8.622-960.0	Replacement 15-inch squeegee blade	\$56.00

■ Included □ Optional

# NT 68/1

Easily tackle medium to large jobs with this wet/dry vac. Designed with a robust 1.8 hp vac motor to handle any task you throw at it. If even more productivity is desired, the optional front mounted squeegee makes quick work of water recovery. Thoughtful features such as no-tipping dumping and on-board storage make this the operator's choice for wet/dry vacs.



- *Optional front-mounted squeegee offers more productive water pick-up*
- *18 gallon capacity offers easy mobility for medium to large jobs*
- *Easy to use, train and operate*
- *Complete with on-board tool storage compartment with safety sign storage bracket*
- *Self-adjusting squeegee assembly*

**NT 68/1**

TECHNICAL SPECIFICATIONS		
Vacuum width, floor tool	in	24.5
Power cord length	ft	50
Waste container capacity	gal	18
Operating noise level	dB(A)	71
Air flow rate	cfm	142
Waterlift	in of	80
Motor	watts	1,200
Weight	lbs	64
Dimensions (LxWxH)	in	35.5 x 24.5 x 37.5

PART NO.	DESCRIPTION	LIST PRICE
1.103-494.0	NT 68/1, eighteen gallon wet/dry vacuum with 24" front squeegee, with tools	\$1,175.00
1.103-495.0	NT 68/1, eighteen gallon wet/dry vacuum with 24" front squeegee	\$1,085.00
1.013-021.0	NT 68/1, eighteen gallon wet/dry vacuum with hose and wand only	\$924.00

ACCESSORIES		
PART NO.	DESCRIPTION	LIST PRICE
<input type="checkbox"/> 5.731-595.0	Wet Filter for Recover™ 18	\$22.40
<input type="checkbox"/> 6.414-789.0	Cylindrical Dust Filter	\$36.20
<input type="checkbox"/> 6.904-285.0	Paper filter bag (5-pack, 1 bag Included with machine)	\$60.50
<input type="checkbox"/> 6.900-385.0	8.3-inch all purpose crevice nozzle	\$10.00
<input type="checkbox"/> 6.906-240.0	Crevice nozzle, 1.4-inch	\$4.80
<input type="checkbox"/> 6.906-384.0	14.6" Aluminum All-Purpose Nozzle with Height-Adjustable Cylindricals, Brush Strips and Oil Resistant Squeegees	\$291.00
<input type="checkbox"/> 6.907-409.0	Floor tool packaged basalt grey DN35	\$107.00
<input type="checkbox"/> 6.903-018.0	14.6" Aluminum All-Purpose Head with Height-Adjustable Cylindricals, Brush Stripes and squeegee blades	\$324.00
<input type="checkbox"/> 6.907-408.0	Floor tool packaged basalt grey DN40	\$32.90
<input type="checkbox"/> 6.906-383.0	17.7" Aluminum all-purpose head with height-adjustable cylindricals, brush stripes and oil-resistant Squeegees	\$395.00
<input type="checkbox"/> 2.860-113.0	Upholstery hand tool	\$176.00
<input type="checkbox"/> 2.860-114.0	10-inch turbo nozzle with reducer 35/32	\$253.00
<input type="checkbox"/> 6.903-033.0	11.4" Crevice Tool	\$11.50
<input type="checkbox"/> 6.900-922.0	14.6" Crevice Nozzle, Metal	\$148.00
<input type="checkbox"/> 6.902-154.0	Wand	\$86.50
<input type="checkbox"/> 8.635-292.0	Front mount squeegee assembly	\$263.00
<input type="checkbox"/> 6.906-512.0	Squeegee head	\$50.50

- Included     Optional

# BR 35/12 C BP

Thanks to our innovative steerable scrub deck, the BR 35/12 C Bp can clean up to the wall at a 90° angle. It can also clean in reverse, or in any direction. The height-adjustable, telescoping steering column allows optimal ergonomics for any operator. The folding steering column also makes it easy to secure for transport.

- *Steerable scrub deck allows for scrubbing in any direction and provides perfect scrubbing right up to the edge*
- *The telescoping handle adjusts to any operator's height*
- *Brush height is adjustable for multiple floor types*
- *Ecoefficiency mode increases operating time by 50%, and reduces noise by 40%*



**BR 35/12 C BP**

**TECHNICAL SPECIFICATIONS**

<b>Cleaning path / width</b>	<b>in</b>	14	<b>Battery runtime</b>	<b>min</b>	66-90
<b>Brush type</b>	<b>cylindrical / disc / pad</b>	Cylindrical	<b>Battery charging time</b>	<b>hrs</b>	1-3
<b>Brush quantity</b>	<b>units</b>	1	<b>Battery lifetime - est charging cycle</b>	<b>x thousands</b>	3
<b>Brush diameter</b>	<b>in</b>	3.8	<b>Brush contact pressure</b>	<b>lbs</b>	29
<b>Suction bar (squeegee) width</b>	<b>in</b>	18	<b>Brush speed</b>	<b>rpm</b>	700-1,050
<b>Drive</b>	<b>pad-assist / traction</b>	Brush-assist	<b>Vac motor rating</b>	<b>watts</b>	280
<b>Solution / recovery capacity</b>	<b>gal</b>	3 / 3	<b>Vac motor suction</b>	<b>cfm</b>	42
<b>Theoretical / practical productivity</b>	<b>sq. ft / hr</b>	11,000 / 6,600	<b>Waterlift</b>	<b>in of water</b>	32
<b>Operating noise leve - std Eco! mode</b>	<b>dBA</b>	66 / 62	<b>Weight with batteries</b>	<b>lbs</b>	77
<b>Battery charger</b>	<b>shelf / on-board</b>	On-board	<b>Dimensions (LxWxH)</b>	<b>in</b>	39 x 18 x 51

PART NO.	DESCRIPTION	LIST PRICE
1.783-454.0	BR 35/12 C BP, fourteen inch scrubber with cylindrical brushes	\$5,520.00

**ACCESSORIES**

PART NO.	DESCRIPTION	LIST PRICE
■ 4.037-031.0	Cylindrical Brush, red, medium	\$109.00
■ 4.037-035.0	Squeegee blade set, standard, oil-resistant, polyurethane	\$51.50
■ 6.654-294.0	Lithium-ion battery, 21 Ah	\$2,830.00
□ 4.037-036.0	Cylindrical Brush, white, soft	\$143.00
□ 4.037-037.0	Cylindrical Brush, orange, high/low	\$170.00
□ 4.037-038.0	Cylindrical Brush, green, hard	\$275.00
□ 4.037-039.0	Cylindrical Brush, black, very hard	\$351.00
□ 4.762-009.0	Cylindrical Pad cylindrical shaft	\$319.00
□ 6.369-053.0	Cylindrical Pads on sleeve, yellow, soft	\$110.00
□ 6.369-047.0	Cylindrical Pads on sleeve, red, medium	\$109.00
□ 6.369-052.0	Cylindrical Pads on sleeve, green, hard	\$109.00
□ 4.037-040.0	Cylindrical microfiber pad, for daily cleaning of delicate surfaces including LVT and stone tile	\$143.00

■ Included □ Optional

# BD 38/12 C BP

Think of the BD 38/12 as a 15 inch disc version of the popular BR 35/12. The design allows for the easiest driving of a walk-behind disk scrubber on the market. The squeegee follows behind the disc to ensure 100% solution pickup even through the corners.

- Agile for efficient cleaning of small and furnished areas
- Easy to use — scrub right up to the wall
- Quick charging lithium-ion battery
- Very compact, light and easy to transport and roll over steps.
- Reduced operating noise level for noise sensitive areas



BD 38/12 C BP

TECHNICAL SPECIFICATIONS					
Cleaning path / width	in	15	Battery runtime	min	60-120
Brush type	cylindrical / disc / pad	Disc	Battery charging time	hrs	2-3
Brush quantity	units	1	Battery lifetime - est charging cycles	x thousands	3
Brush diameter	in	15	Brush contact pressure	lbs	35-46
Suction bar (squeegee) width	in	16	Brush speed	rpm	180 / 150
Drive	pad-assist / traction	Brush-assist	Vac motor rating	watts	280
Solution / recovery capacity	gal	3.2 / 3.2	Vac motor suction	cfm	42
Theoretical / practical productivity	sq. ft / hr	11,210 / 6,725	Waterlift	in of water	32
Operating noise leve - std / Eco! mode	dBa	65 / 62	Weight with batteries	lbs	79
Battery charger	shelf / on-board	On-board	Dimensions (LxWxH)	in	37 x 30 x 51

PART NO.	DESCRIPTION	LIST PRICE
1.783-431.0	BD 38/12 C, compact scrubber with fifteen inch disc brush	\$4,690.00

ACCESSORIES		
PART NO.	DESCRIPTION	LIST PRICE
■ 6.907-151.0	Disc brush, red	\$203.00
■ 6.654-294.0	Lithium-ion battery, 21 Ah	\$2,830.00
■ 4.037-059.0	Squeegee blades, made from transparent and oil-resistant polyurethane, includes front and rear blade	\$51.50
□ 6.907-150.0	Pad driver plate	\$269.00
□ 6.369-003.0	Red disc pads, set of 5	\$78.50
□ 6.369-002.0	Green disc pads, medium soft, green, set of 5	\$78.50
□ 6.369-001.0	Black disc pads, hard, set of 5	\$78.50
□ 6.905-060.0	Disc microfiber pad, for daily cleaning of delicate surfaces including LVT and stone tile, set of 5	\$206.00

■ Included □ Optional

# BD 50/50 C CLASSIC BP

This economically-designed scrubber provides you all the cleaning power to take on large jobs—perfect for retail environments, schools and health care facilities.

- Three cleaning modes for any operator to get the job done right
- The slim design allows you to see in front of the scrubber easier
- Home Base kit allows for carrying essentials on the machines


**BD 50/50 C CLASSIC BP**

TECHNICAL SPECIFICATIONS					
Cleaning path / width	in	20	Battery charger	shelf / on-board	Shelf
Brush type	cylindrical / disc / pad	Pad	Brush contact pressure	lbs	59-62
Brush quantity	units	1	Brush speed	rpm	180
Brush diameter	in	20	Vac motor rating	watts	500
Suction bar (squeegee) width	in	33	Vac motor suction	cfm	51
Drive	pad-assist / traction	Pad-assist	Waterlift	in of water	48
Solution / recovery capacity	gal	13.2 / 13.2	Weight with batteries	lbs	306
Theoretical / practical productivity	sq. ft / hr	21,530/13,995	Dimensions (LxWxH)	in	47 x 21 x 39
Operating noise leve - std / Eco! mode	dBA	66			

PART NO.	DESCRIPTION	LIST PRICE
1.127-029.0	BD 50/50 C Bp Pad and Brush Wet	\$3,275.00
1.127-030.0	BD 50/50 C Bp Pad and Brush AGM	\$3,820.00

ACCESSORIES		
PART NO.	DESCRIPTION	LIST PRICE
■ 4.762-534.0	Pad driver, 19 inch, features a quick-change coupling and centerlock (standard on pad driver machines)	\$240.00
■ 4.777-411.0	Curved squeegee, 33.5 inches, with caster, polyurethane	\$817.00
□ 4.905-027.0	Disc brush, soft, made of natural fibers, for cleaning and polishing	\$269.00
□ 4.905-029.0	Brush, hard black - For stubborn dirt and basic cleaning. For hard wearing surfaces.	\$412.00
□ 4.905-026.0	Disc brush, medium grit, red, for general cleaning (standard on brush machines)	\$297.00
□ 6.369-079.0	Red disc pad, 20-inch, medium soft red for cleaning all types of floors, 5-pack	\$122.00
□ 6.369-078.0	Green disc pad, 20-inch, aggressive for cleaning heavily soiled floors and for deep cleaning, 5-pack	\$122.00
□ 6.369-077.0	Black pad, 20-inch, hard, for cleaning heavily soiled floors and for deep cleaning, 5 pack	\$122.00
□ 6.369-468.0	Beige disc pad, 20-inch, light grit, for polishing and refreshing of hard and elastic smooth floor coverings, 5 pack	\$122.00
□ 6.371-146.0	Beige disc pad, 20 inch, soft, natural hair, for polishing	\$519.00
□ 4.777-401.0	Squeegee, 33.5 inch, straight, made of oil-resistant transparent polyurethane, for smooth floors	\$938.00
□ 5.035-488.0	Home Base kit (adapter and cable hook)	\$5.30
□ 6.980-077.0	Double Hook (requires 5.035-488.0)	\$9.65
□ 4.035-406.0	Home Base kit carrying case	\$114.00
□ 6.980-078.0	Mopclip (requires 5.035-488.0)	\$8.20
□ 6.980-080.0	Bottle Hook (requires 5.035-488.0)	\$13.60
□ 4.070-075.0	Universal hook	\$39.80
□ 8.641-483.0	Charger for wet batteries	\$532.00
□ 8.629-377.0	Charger for AGM batteries	\$916.00

■ Included □ Optional



# B 40 W BP

We built this machine to be easy to operate, safe and easy to maintain. Our Kärcher Intelligent Key (KiK) and our advanced EASY operation are some of the many reasons why the B 40 C/W family offers a full spectrum of safety and protection for operators, machines and your floors.

- 100% control of the speed of your scrub brushes allows you to balance scrubbing power, noise levels and power consumption
- Choose disc and cylindrical decks from 17 to 22 inches
- Decks can be changed quickly and without tools
- The B 40 has six different cleaning modes so you can easily adjust the machine to fit your needs



		B 40 W DISC	B 40 W CYLINDRICAL
<b>TECHNICAL SPECIFICATIONS</b>			
Cleaning path / width	in	17-20	18-22
Brush type	cylindrical / disc / pad	disc	cylindrical
Brush quantity	units	1	2
Brush diameter	in	17-20	3.75
Suction bar (squeegee) width	in	33.5	33.5
Drive	pad-assist / traction	traction	traction
Solution / recovery capacity	gal	10.6 / 10.6	10.6 / 10.6
Theoretical productivity	sq. ft / hr	17,200-21,530	18,210-23,680
Operating noise level - std / Eco! mode	dB(A)	69-60	69-60
Battery charger	shelf / on-board	on-board	on-board
Brush contact pressure	lbs	135-160	80-86
Brush speed	rpm	180	1,200
Drive / vac motor rating	watts	130 / 500	130 / 500
Vac motor suction	cfm	47	47
Waterlift	in of water	48	48
Weight with batteries	lbs	307-384	307-384
Dimensions (LxWxH)	in	49 x 20.5 x 45	49 x 20.5 x 45

PART NO.	DESCRIPTION	LIST PRICE
9.841-122.0	B 40 W BP, traction drive, scrub deck sold separately, 24V/105 Ah batteries	\$7,180.00
9.841-123.0	B 40 W BP, traction drive, scrub deck sold separately, 24V/138 Ah AGM batteries	\$7,955.00
9.841-372.0	B 40 W BP, traction drive, R 55 cylindrical scrub deck, 24V/105 Ah wet batteries	\$8,950.00
9.841-373.0	B 40 W BP, traction drive, D 51 disc scrub deck, 24V/105 Ah batteries	\$8,510.00
9.841-374.0	B 40 W BP, traction drive, R 55 cylindrical scrub deck, 24V/138 Ah AGM batteries	\$9,725.00
9.841-375.0	B 40 W BP, traction drive, D 51 disc scrub deck, 24V/138 Ah AGM batteries	\$9,285.00



# B 40 C/W BP ACCESSORIES

ACCESSORIES		
PART NO.	DESCRIPTION	LIST PRICE
■ 4.777-411.0	Curved squeegee assembly, 33.5 inches, with caster, polyurethane	\$817.00
■ 5.035-488.0	Home Base kit (adapter and cable hook)	\$5.30
■ 6.980-077.0	Double hook (requires 5.035-488.0)	\$9.65
■ 5.035-344.0	Operator key, yellow	\$50.00
■ 5.035-348.0	Foreman key, gray	\$63.50
□ 4.035-369.0	Lid with tank rinsing system	\$543.00
□ 4.035-345.0	Quick fill tank system (requires 9.083-003.0)	\$187.00
□ 9.083-003.0	Hose coupling	\$6.95
□ 6.273-207.0	Squeegee blade set, oil resistant (standard w/ 4.777-411.0)	\$65.00
□ 6.273-229.0	Squeegee blade set, anti stripe oil resistant	\$80.00
□ 6.273-290.0	Squeegee blade set, for textured floors	\$172.00
□ 6.273-213.0	Squeegee blade set, EPDM	\$158.00
□ 4.777-401.0	Squeegee assembly with straight polyurethane reversible blades	\$938.00
□ 4.777-406.0	Squeegee assembly with straight EPDM blades	\$938.00
□ 4.777-416.0	Squeegee assembly with curved EPDM blades	\$802.00
□ 4.035-374.0	Home Base kit (includes mop support, mop clip and bottlehook)	\$121.00
□ 4.035-406.0	Home Base kit carrying case	\$114.00
□ 5.035-655.0	Plate mop bracket	\$36.00
□ 6.980-078.0	Mopclip (requires 5.035-488.0)	\$8.20
□ 5.035-488.0	Mop support	\$36.00
□ 5.035-656.0	Mop bracket (for mop support 5.035-655.0)	\$33.30
□ 6.980-080.0	Bottle hook (requires 5.035-488.0)	\$13.60
□ 4.035-408.0	Operator key, yellow, set of 5	\$241.00

■ Included □ Optional


SERVICES		
PART NO.	DESCRIPTION	LIST PRICE
□ 7.000-270.0	Fleet one year premium subscription	Call for pricing

# B 60 W BP

The B 60 W Bp is the walk-behind scrubber built for efficiency from the ground up. Accomplish more with the same size staff with the impressive productivity of this machine. Choose between cylindrical, disc or oscillating mechanics and various widths to suit your needs with our interchangeable scrub decks. Tailor your operation settings with our innovative KiK key system.



- 100% control of the speed of your scrub brushes allows you to balance scrubbing power, noise levels and power consumption
- Choose disc, cylindrical, or oscillating decks from 22-26 inches
- Each can be changed quickly and without tools



		B 60 W + R 55	B 60 W + D 55	B 60 W + R 65	B 60 W + D 65	B 60 W + S 65
<b>TECHNICAL SPECIFICATIONS</b>						
Cleaning path / width	in	22	22	26	26	26
Brush type	cylindrical / disc / pad	cylindrical	disc	cylindrical	disc	oscillating
Brush quantity	units	2	1	2	2	1
Suction bar (squeegee) width	in	33.5	33.5	39	39	33.5
Drive	pad-assist / traction	traction	traction	traction	traction	traction
Solution / recovery capacity	gal	16 / 16	16 / 16	16 / 16	16 / 16	16 / 16
Theoretical / practical productivity	sq. ft / hr	23,680 / 15,390	23,680 / 15,390	27,980 / 18,180	27,980 / 18,180	23,680 / 15,390
Operating noise level	dBA	66-61	66-61	66-61	66-61	66-61
Battery charger	shelf / on-board	on-board	on-board	on-board	on-board	on-board
Brush contact pressure	lbs	193	92	193	95	78
Brush speed	rpm	600-1300	180	600-1300	180	2000
Drive / vac motor rating	watts	300 / 580	300 / 580	300 / 580	300 / 580	300 / 580
Vac motor suction	cfm	47	47	47	47	47
Waterlift	in of water	67	67	67	67	67
Weight with batteries	lbs	400	360	425	400	430
Dimensions (LxWxH)	in	59 x 26 x 45	58 x 26 x 45	60 x 29 x 45	60 x 29 x 45	57 x 28 x 45

PART NO.	DESCRIPTION	LIST PRICE
9.841-171.0	B 60 W BP, scrub deck sold separately, 24V/245 Ah wet batteries, on-board charger	\$9,215.00
9.841-181.0	B 60 W BP, scrub deck sold separately, 24V/230 Ah AGM batteries, on-board charger	\$10,260.00
9.841-386.0	B 60 W BP, D 65 disc scrub deck, 24V/245 Ah wet batteries	\$11,630.00
9.841-387.0	B 60 W BP, D 65 disc scrub deck, 24V/230 Ah AGM batteries	\$12,680.00
9.841-172.0	B 60 W BP, R 65 cylindrical scrub deck, 24V/245 Ah batteries, on-board charger	\$11,440.00
9.841-173.0	B 60 W BP, R 65 cylindrical scrub deck, 24V/230 Ah AGM batteries, on-board charger	\$12,490.00
9.841-174.0	B 60 W BP, S 65 oscillating scrub deck, 24V/245 Ah batteries, on-board charger	\$12,700.00
9.841-175.0	B 60 W BP, S 65 oscillating scrub deck, 24V/230 Ah AGM batteries, on-board charger	\$13,740.00



# B 60 W BP ACCESSORIES

**ACCESSORIES**

PART NO.	DESCRIPTION	LIST PRICE
■ 4.777-080.0	Squeegee assembly, 37-inch, V-shaped polyurethane oil-resistant blades, standard on machines with R 65 & D 65 scrub decks	\$601.00
■ 5.035-488.0	Home Base kit (adapter and cable hook)	\$5.30
■ 6.980-077.0	Double hook (requires 5.035-488.0)	\$9.65
□ 4.035-386.0	Lid with tank rinsing system	\$672.00
□ 4.035-345.0	Quick fill tank system (requires 9.083-003.0)	\$187.00
□ 9.083-003.0	Hose coupling	\$6.95
□ 6.273-214.0	Squeegee blade set, blue EPDM	\$158.00
□ 6.273-208.0	Squeegee blade set, oil resistant (standard w/ 4.777-412.0)	\$240.00
□ 6.273-205.0	Squeegee blade set, anti stripe oil resistant	\$213.00
□ 6.273-291.0	Squeegee blade set, for textured floors	\$361.00
□ 4.035-472.0	New connection element for cylindrical brush heads, B 60 W	\$126.00
□ 4.035-473.0	Accessory kit to use on B 60 head	\$126.00
□ 4.035-408.0	KIK Key	\$241.00

■ Included   □ Optional

**SERVICES**

PART NO.	DESCRIPTION	LIST PRICE
□ 7.000-270.0	Fleet one year premium subscription	Call for pricing

# B 80 W BP

The B 80 W BP scrubbers cover a lot of area quickly, but are still easily maneuverable. They feature a robust, interchangeable, maintenance-friendly scrub deck. Choose from cylindrical or disc in 22", 26", or 30" widths. Kärcher Fleet comes pre-installed on this machine to provide you with complete visibility of your machine.



- Decks automatically raise and lower as necessary
- Interchangeable decks can be changed quickly and without tools
- Easily select your cleaning mode with the easy-to-read symbols on the large 4-color display



		B 80 W + R 65	B 80 W + R 75	B 80 W + D 65	B 80 W + D 75
<b>TECHNICAL SPECIFICATIONS</b>					
Cleaning path / width	in	26	30	26	30
Brush type	cylindrical / disc / pad	cylindrical	cylindrical	disc	disc
Brush quantity	units	2	2	2	2
Suction bar (squeegee) width	in	39	39	39	39
Drive	pad-assist / traction	traction	traction	traction	traction
Solution / recovery capacity	gal	21 / 21	21 / 21	21 / 21	21 / 21
Theoretical / practical productivity	sq. ft / hr	27,980 / 18,180	32,290 / 21,000	27,980 / 18,180	32,290 / 21,000
Operating noise level	dBA	69 - 66	69 - 66	69 - 66	69 - 66
Battery charger	shelf / on-board	on-board	on-board	on-board	on-board
Brush contact pressure	lbs	213	213	117	136
Brush speed	rpm	400-1,550	400-1,550	180	180
Drive / vac motor rating	watts	350 / 580	350 / 580	350 / 580	350 / 580
Vac motor suction	cfm	53	53	53	53
Waterlift	in of water	67	67	67	67
Weight with batteries	lbs	282 / 617	284 / 617	289 / 617	293 / 617
Dimensions (LxWxH)	in	61 x 29 x 45	61 x 32 x 45	62 x 29 x 45	64 x 32 x 45

PART NO.	DESCRIPTION	LIST PRICE
9.841-197.0	B 80 W Bp, scrub deck sold separately, 24V/225 Ah wet batteries, on-board charger, with curved squeegee	\$13,110.00
9.841-202.0	B 80 W Bp, scrub deck sold separately, 24V/260 Ah wet batteries, on-board charger, with curved squeegee	\$13,170.00
9.841-196.0	B 80 W Bp, D 65 disc scrub deck, batteries and charger sold separately, with curved squeegee	\$12,950.00
9.841-195.0	B 80 W Bp, R 65 cylindrical scrub deck, batteries and charger sold separately, with curved squeegee	\$13,150.00
9.841-199.0	B 80 W Bp, Scrub deck sold separately, 24V/255 Ah AGM batteries, on-board charger, with curved squeegee	\$14,400.00
9.841-388.0	B 80 W Bp, D 65 disc scrub deck, 24V/225 Ah wet batteries	\$15,530.00
9.841-204.0	B 80 W Bp, D 65 disc scrub deck, 24V/260 Ah wet batteries, with curved squeegee	\$15,580.00
9.841-198.0	B 80 W Bp, R 65 cylindrical scrub deck, 24V/225 Ah wet batteries, on-board charger, with curved squeegee	\$15,330.00
9.841-200.0	B 80 W Bp, R 65 cylindrical scrub deck, 24V/255 Ah AGM batteries, on-board charger, with curved squeegee	\$16,620.00
9.841-201.0	B 80 W Bp, D 65 disc scrub deck, 24V/255 Ah AGM batteries, on-board charger, with curved squeegee	\$16,820.00
9.841-203.0	B 80 W Bp, R 65 cylindrical scrub deck, 24V/260 Ah wet batteries, on-board charger, with curved squeegee	\$15,400.00





# B 80 W BP ACCESSORIES

ACCESSORIES		
PART NO.	DESCRIPTION	LIST PRICE
<input checked="" type="checkbox"/> 4.777-080.0	Squeegee assembly, 39-inch, v-shaped polyurethane oil-resistant blades, standard on machines with R 75 & D 75 scrub decks	\$601.00
<input checked="" type="checkbox"/> 5.035-488.0	Home Base kit (adapter and cable hook)	\$5.30
<input checked="" type="checkbox"/> 6.980-077.0	Double hook (requires 5.035-488.0)	\$9.65
<input type="checkbox"/> 8.600-251.0	Cable asm, bat. Jumper x 15" (required w/ no battery units)	\$59.00
<input type="checkbox"/> 4.035-345.0	Quick fill tank system (requires 9.083-003.0)	\$187.00
<input type="checkbox"/> 9.083-003.0	Hose coupling	\$6.95
<input type="checkbox"/> 6.273-205.0	Squeegee blade set, anti stripe oil resistant	\$213.00
<input type="checkbox"/> 6.273-291.0	Squeegee blade set, for textured floors	\$361.00
<input type="checkbox"/> 4.035-408.0	KIK Key	\$241.00

Included     Optional

SERVICES		
PART NO.	DESCRIPTION	LIST PRICE
<input type="checkbox"/> 7.000-270.0	Fleet one year premium subscription	Call for pricing

# BD 70/75 W BP CLASSIC

This economically-designed scrubber provides you all the cleaning power to take on large jobs—perfect for retail environments, grocery stores, municipalities, and BSC's.

- Adaptable to specific floor type cleaning needs
- Large aluminum brush deck is tough and durable
- Wet and AGM battery options are available



BD 70/75 W BP CLASSIC

TECHNICAL SPECIFICATIONS			
Cleaning path/width		in	28
Brush type	cylindrical/disc/pad	pad	
Brush quantity		units	2
Brush diameter		in	14
Suction bar (squeegee) width		in	41
Drive	pad-assist/traction	traction	
Solution/recovery capacity		gal	19.8 / 19.8
Theoretical/practical productivity		sq. ft/hr	30,645 / 19,920
Operating noise level		dBA	63
Battery charger	shelf/on board	shelf	
Brush contact pressure		lbs	66 - 150
Brush speed		rpm	180
Vac motor rating		watts	500
Vac motor suction		cfm	51
Waterlift		in of water	64
Weight with batteries		lbs	512 wet / 556 AGM
Dimensions (LxWxH)		in	57 x 30 x 42

PART NO.	DESCRIPTION	LIST PRICE
9.841-466.0	BD 70/75 W Bp Classic, 185 Ah wet batteries, shelf charger	\$ 9,150.00
9.841-467.0	BD 70/75 W Bp Classic, 190 Ah AGM batteries, shelf charger	\$ 9,785.00

ACCESSORIES		
PART NO.	DESCRIPTION	LIST PRICE
■ 4.762-590.0	Pad drive board STRONG (standard)	\$ 211.00
■ 6.369-003.0	Pad red, medium-soft (standard), set of 5	\$ 78.50
■ 8.663-291.0	Battery 6V/190 Ah AGM (standard with 9.841-467.0) (4 REQUIRED)	\$ 455.00
■ 8.622-835.0	Battery 6V/185 Ah wet (standard with 9.841-466.0) (4 REQUIRED)	\$ 314.00
■ 8.643-374.0	Shelf charger for 190Ah AGM batteries	\$ 549.00
■ 8.644-222.0	Shelf charger for 185Ah Wet batteries	\$ 549.00
■ 4.777-108.0	Squeegee, 1030mm (standard w/suction blades)	\$ 1060.00
■ 4.037-144.0	Suction blades, 1030mm, blue (standard)	\$ 214.00
□ 6.371-341.0	Pad, white, soft	\$ 68.50
□ 6.369-002.0	Pad, green, medium-hard, set of 5	\$ 78.50
□ 6.371-001.0	Pad, black, hard	\$ 68.50
□ 2.639-290.0	Surface preparation pad, brown, hard	\$ 150.00
□ 6.371-021.0	Melamine pad, white/grey	\$ 131.00
□ 4.905-010.0	Disc brush, red, medium	\$ 198.00
□ 4.905-013.0	Disc brush, black, hard	\$ 351.00
□ 4.905-012.0	Disc brush, natural, soft	\$ 214.00
□ 4.905-011.0	Disc brush, white, very soft	\$ 214.00
□ 4.037-145.0	Suction blades, 1030 mm (polyurethane)	\$ 275.00
□ 4.181-011.0	Suction blades, 1030 mm (linatex)	\$ 185.00
□ 9.753-088.0	Squeegee transport plate	\$ 19.80
□ 2.644-140.0	Warning beacon add-on kit	\$ 823.00

■ Included □ Optional



# BD 80/100 W BP CLASSIC

This economically-designed scrubber provides you all the cleaning power to take on large jobs—perfect for retail environments, grocery stores, and BSCs.

- Storage compartment in the back for shelf charger and other accessories
- Perfect recovery in 180 degree turns.
- An automatic brake is integrated into the transaxle and a cost effective, large aluminum brush deck is included.

**BD 80/100 W BP CLASSIC**

TECHNICAL SPECIFICATIONS		
Cleaning path/width	in	32
Brush type	cylindrical/disc/pad	pad
Brush quantity	units	2
Brush diameter	in	16
Suction bar (squeegee) width	in	46
Drive	pad-assist/traction	traction
Solution/recovery capacity	gal	26.4 / 26.4
Theoretical/practical productivity	sq. ft/hr	35,025 / 22,770
Operating noise level	dBA	63
Battery charger	shelf/on board	shelf
Brush contact pressure	lbs	88 - 200
Brush speed	rpm	180
Vac motor rating	watts	600
Vac motor suction	cfm	53
Waterlift	in of water	67
Weight with batteries	lbs	705
Dimensions (LxWxH)	in	59 x 33 x 42

PART NO.	DESCRIPTION	LIST PRICE
9.841-456.0	BD 80/100 W Bp Classic, 295 Ah wet batteries, shelf charger	\$9,385.00
9.841-457.0	BD 80/100 W Bp Classic, 285 Ah AGM batteries, shelf charger	\$9,995.00

ACCESSORIES		
PART NO.	DESCRIPTION	LIST PRICE
■ 4.762-591.0	Pad drive board	\$224.00
■ 6.371-332.0	Pad, red, medium-soft	\$82.50
■ 8.629-184.0	Battery, Discover 6V/285 Ah AGM	\$1,200.00
■ 8.622-837.0	Battery, Trojan 6V/271 Ah wet	\$658.00
■ 8.643-373.0	Shelf charger for wet batteries	\$549.00
■ 8.643-374.0	Shelf charger for AGM batteries	\$549.00
■ 4.777-102.0	Squeegee, 1100 mm	\$1,090.00
■ 4.037-138.0	Suction blades, 1230 mm, blue	\$244.00
□ 6.371-331.0	Pad, white, soft	\$92.50
□ 6.371-333.0	Pad, green, medium-hard	\$82.50
□ 6.371-334.0	Pad, black, hard	\$82.50
□ 2.639-258.0	Surface preparation pad, brown, hard	\$165.00

ACCESSORIES		
PART NO.	DESCRIPTION	LIST PRICE
□ 6.371-022.0	Melamine pad, white/grey	\$137.00
□ 4.905-000.0	Disc brush, red, medium	\$142.00
□ 4.905-032.0	Disc brush, black, hard	\$412.00
□ 4.905-031.0	Disc brush, natural, soft	\$198.00
□ 4.905-030.0	Disc brush, white, very soft	\$171.00
□ 4.037-140.0	Suction blades 1230 mm, transparent	\$308.00
□ 9.753-088.0	Squeegee transport plate	\$19.80
□ 2.644-140.0	Warning beacon add-on kit	\$823.00

# B 150 R BP

The B 150 R can cover up to 58,125 ft<sup>2</sup>/hr making this one impressively productive scrubber. Although it can cover large areas quickly, we made sure that it has great visibility for safety. Our KIK operating system and the color coded controls make operation simple and intuitive. KIK allows managers to control what functions and settings their employees can use and adjust.

- Clean ramps with grades up to 18%
- Features a unique all-wheel brake system for safety
- Utilize the large color LCD screen to adjust everything to your needs including contact pressure, water volume, brush speed, etc.
- Auto tank-rinsing and auto-fill come standard to allow the operator to do other tasks while rinse and fill are taking place



		B 150 R + R 75	B 150 R + D 75	B 150 R + R 90	B 150 R + D 90
<b>TECHNICAL SPECIFICATIONS</b>					
Cleaning path / width	in	30	30	35	35
Brush type	cylindrical / disc / pad	cylindrical	disc	cylindrical	disc
Brush quantity	units	2	2	2	2
Brush diameter	in	3.5	7.5	3.5	17.7
Suction bar (squeegee) width	in	37	37	42	42
Drive	pad-assist / traction	traction	traction	traction	traction
Solution / recovery capacity	gal	40 / 40	40 / 40	40 / 40	40 / 40
Theoretical / practical productivity	sq. ft / hr	48,438 / 31,485	48,438 / 31,485	58,125 / 37,780	58,125 / 37,780
Operating noise level - std / Eco! mode	dBA	67 / 64	67 / 64	67 / 64	67 / 64
Battery charger	shelf / on-board	shelf	shelf	shelf	shelf
Brush contact pressure	lbs	245	224	275	238
Brush speed	rpm	1,200	140	1,200	140
Drive / vac motor rating	watts	600 / 750	600 / 750	600 / 750	600 / 750
Vac motor suction	cfm	55	55	55	55
Waterlift	in of water	72	72	72	72
Weight without batteries	lbs	959-1,146	959-1,146	959-1,146	959-1,146
Dimensions (LxWxH)	in	65 x 31 x 56	65 x 31 x 56	65 x 31 x 56	65 x 31 x 56
Minimum turning radius	ft	2.9	2.9	2.9	2.9
Climbing ability - maximum slope	% grade	10	10	10	10
Max working speed working	mph	3.7	3.7	3.7	3.7



# B 150 R BP EQUIPMENT & ACCESSORIES

PART NO.	DESCRIPTION	LIST PRICE
9.841-286.0	B 150 R Bp, scrub deck sold separately, 36V/360 Ah batteries	\$19,250.00
9.841-287.0	B 150 R Bp 2SB, scrub deck sold separately, 36V/360 Ah batteries, dual side brushes	\$21,320.00
9.841-288.0	B 150 R Bp ADV, scrub deck sold separately, 36V/360 Ah batteries	\$26,870.00
9.841-289.0	B 150 R Bp 2SB ADV, scrub deck sold separately, 36V/360 Ah batteries, dual side brushes	\$28,950.00
9.841-290.0	B 150 R Bp, R 75 cylindrical scrub deck, 36V/360 Ah batteries	\$21,890.00
9.841-291.0	B 150 R Bp, R 75 cylindrical scrub deck, 36V/312 Ah AGM batteries	\$24,700.00
9.841-294.0	B 150 R Bp 2SB, R 75 cylindrical scrub deck, 36V/360 Ah batteries, dual side brushes.	\$23,970.00
9.841-295.0	B 150 R Bp 2SB, R 75 cylindrical scrub deck, 36V/312 Ah AGM batteries, dual side brushes.	\$26,770.00
9.841-292.0	B 150 R Bp, R 90 cylindrical scrub deck, 36V/360 Ah batteries.	\$22,850.00
9.841-293.0	B 150 R Bp, R 90 cylindrical scrub deck, 36V/312 Ah AGM batteries.	\$25,650.00
9.841-296.0	B 150 R Bp 2SB, R 90 cylindrical scrub deck, 36V/360 Ah batteries, dual side brushes.	\$24,910.00
9.841-297.0	B 150 R Bp 2SB, R 90 cylindrical scrub deck, 36V/312 Ah AGM batteries, dual side brushes.	\$27,720.00
9.841-367.0	B 150 R Bp, Scrub deck sold separately, 36V/312 Ah AGM batteries	\$22,050.00
9.841-368.0	B 150 R Bp 2SB, scrub deck sold separately, 36V/312 Ah AGM batteries, dual side brushes	\$24,110.00
9.841-365.0	B 150 R Bp ADV, scrub deck sold separately, 36V/312 Ah AGM batteries	\$28,410.00
9.841-366.0	B 150 R Bp 2SB ADV, scrub deck sold separately, 36V/312 Ah AGM batteries, dual side brushes	\$30,500.00

## ACCESSORIES

PART NO.	DESCRIPTION	LIST PRICE
■ 4.777-4120	Squeegee assembly, 37-inch, v-shaped polyurethane oil-resistant blades, standard on machines with R 75 & D 75 scrub decks	\$856.00
■ 4.777-413.0	Squeegee assembly, 42-inch, curved polyurethane oil-resistant blades, standard on machines with R 90 & D 90 scrub decks	\$1,080.00
■ 8.622-842.0	6V/360 Ah wet batteries	\$763.00
■ 8.629-184.0	Battery, 6V/312 Ah AGM battery	\$1,200.00
■ 8.628-408.0	Battery charger, 36V, 36A, 115V. For use with 8.622-842.0	\$1,210.00
■ 8.600-015.0	AGM battery charger, 36V, 21A, 115V	\$1,335.00
□ 2.642-058.0	Spray Suction Kit - for Cleaning Areas Not Easily Accessed by Machine (field installation required)	\$1,110.00
□ 6.435-733.0	Non-marking rear wheel, for use on sensitive floors that mark easily (field installation required)	\$510.00
□ 4.444-015.0	Suction hose accessories, for taking in water from corners (e.g. deep freezers)	\$203.00
□ 4.035-516.0	360° Warning Beacon (field installation required)	\$852.00
□ 4.777-402.0	37-inch straight squeegee assembly, for machines with R 75 scrub deck	\$895.00
□ 4.777-403.0	42-inch straight squeegee assembly, for machines with R 90 scrub deck	\$949.00
□ 6.273-215.0	Blue squeegee blade (2 required)	\$230.00
□ 6.273-209.0	Brown, oil-resistant squeegee blade	\$89.50
□ 6.273-206.0	Brown, streak-free, oil-resistant squeegee blade	\$88.50
□ 2.641-811.0	Cleaning agent dosing system DS 3 - Can be directly connected to the main water supply; the fresh water tank is filled with the mixture of water and cleaning agent. Also in connection with the ABS filling system.	\$1,545.00
□ 6.435-810.0	Front tires, traction - with V profile and tire compound with especially good traction properties. Oil-proof.	\$1,025.00
□ 6.951-073.0	Replacement side broom, for use with R-type scrub decks (1-pack)	\$170.00

■ Included □ Optional


## SERVICES

PART NO.	DESCRIPTION	LIST PRICE
□ 7.000-270.0	Fleet one year premium subscription	Call for pricing




# CLEANING HEADS FOR B SERIES SCRUBBERS


We offer three different scrub decks to suit your unique needs. The three types R (cylindrical), D (disc) or S (vibration) each have their specific advantages. Disc decks are ideal for everyday scrubbing. Cylindrical heads are ideal for stubborn dirt or uneven surfaces. The S heads are very efficient at stripping of floors. No matter your need, Kärcher has you covered.



D-Series  
Disc Heads



R-Series  
Cylindrical Heads



S-Series  
Vibration Heads

## D 43 | 17-INCH DISC SCRUB DECK

PART NO.	DESCRIPTION	LIST PRICE	B 40	B 60	B 80	B 150
2.763-023.0	D 43 head, 17-inch scrub deck for all battery-powered B 40 units	\$1,975.00	■			
4.762-533.0	Pad driver	\$236.00	■			
6.905-526.0	Disc microfiber pad, for daily cleaning of delicate surfaces including LVT and stone tile	\$527.00	■			
4.905-023.0	Disc brush, natural fibers	\$269.00	■			
6.369-470.0	Disc pad, red (general purpose/standard)	\$100.00	■			
4.905-022.0	Red disc brush, 17-inch	\$258.00	■			
4.905-024.0	Disc brush, white 17-inch	\$329.00	■			
4.905-025.0	Disc brush, black 17-inch	\$527.00	■			
6.369-472.0	Disc pad green (aggressive)	\$100.00	■			
6.369-473.0	Disc pad black (very aggressive)	\$100.00	■			
6.369-469.0	Disc pad white (soft)	\$100.00	■			
6.371-081.0	Disc pad beige (light aggregate)	\$89.50	■			
6.371-149.0	Disc pad, natural	\$170.00	■			

## D 51 | 20-INCH DISC SCRUB DECK

PART NO.	DESCRIPTION	LIST PRICE	B 40	B 60	B 80	B 150
2.763-026.0	D 51 head, 20" / 510mm Scrub Deck for all Battery-Powered B 40 units	\$1,310.00	■			
8.642-710.0	One time conversion kit, D 51 orbital head (for serial # 10358 and higher)*	\$3,350.00	■			
8.638-801.0	Assembly, Deck, D 51 orbital (replacement deck assembly)	\$2,520.00	■			
4.905-026.0	Disc brush, medium grit, red, for general cleaning (standard on brush machines)	\$297.00	■			
4.905-028.0	Disc brush, very soft, for cleaning sensitive floors and polishing, white	\$231.00	■			
4.905-029.0	Disc brush, hard, for stubborn dirt and deep cleaning. Only for hard-wearing surfaces, black	\$412.00	■			
4.905-027.0	Disc brush, soft, made of natural fibers, for cleaning and polishing	\$269.00	■			
4.762-534.0	Pad driver, 19 inch, features a quick-change coupling and centerlock (standard on pad driver machines)	\$240.00	■			
6.371-271.0	Disc microfiber pad, for daily cleaning of delicate surfaces including LVT and stone tile	\$554.00	■			
6.369-079.0	Red disc pad, 20-inch, medium soft red for cleaning all types of floors, 5-pack	\$122.00	■			
6.369-078.0	Green disc pad, 20-inch, aggressive for cleaning heavily soiled floors and for deep cleaning, 5-pack	\$122.00	■			
6.369-077.0	Black pad, 20-inch, hard, for cleaning heavily soiled floors and for deep cleaning, 5 pack	\$122.00	■			
6.369-468.0	Beige disc pad, 20-inch, light grit, for polishing and refreshing of hard and elastic smooth floor coverings, 5 pack	\$122.00	■			
6.371-146.0	Beige disc pad, 20 inch, soft, natural hair, for polishing	\$519.00	■			

## D 55 | 22-INCH DISC SCRUB DECK

PART NO.	DESCRIPTION	LIST PRICE	B 40	B 60	B 80	B 150
2.763-001.0	D 55 brush head, disc head, 22-inch	\$1,875.00		■		
4.905-015.0	Disc brush, white - soft	\$209.00		■		
4.905-016.0	Disc brush, natural bristles	\$198.00		■		
4.905-014.0	Disc brush, red, standard with D 55 head	\$165.00		■		
4.905-017.0	Disc brush, black - very aggressive	\$378.00		■		
4.762-445.0	Pad driver	\$187.00		■		
6.371-153.0	Disc pad, red (soft)	\$83.50		■		
6.371-154.0	Disc pad, green (medium)	\$83.00		■		
6.371-155.0	Disc pad, black (hard)	\$83.50		■		



# CLEANING HEADS FOR B SERIES SCRUBBERS

## D 65 | 26-INCH DISC SCRUB DECK

PART NO.	DESCRIPTION	LIST PRICE	B 40	B 60	B 80	B 150
2.763-003.0	D 65 brush head, disc head, 26-inch	\$2,375.00		■	■	
4.905-011.0	Disc brush, white - soft	\$214.00		■	■	
4.905-012.0	Disc brush, natural bristles	\$214.00		■	■	
4.905-010.0	Disc brush, red, standard with D 65 head	\$198.00		■	■	
4.905-013.0	Disc brush, black - very aggressive	\$351.00		■	■	
4.762-446.0	Pad driver	\$209.00		■	■	
6.369-003.0	Red disc pads, set of 5	\$78.50		■	■	
6.369-002.0	Green disc pads, medium soft, green, set of 5	\$78.50		■	■	
6.369-001.0	Black disc pads, hard, set of 5	\$78.50		■	■	
6.369-959.0	Disc microfiber pad, for daily cleaning of delicate surfaces including LVT and stone tile	\$206.00		■	■	

## D 75 | 30-INCH DISC SCRUB DECK

PART NO.	DESCRIPTION	LIST PRICE	B 40	B 60	B 80	B 150
2.763-005.0	D 75 brush head, disc head, 30-inch	\$3,330.00			■	■
4.905-019.0	Disc brush, white - soft	\$209.00			■	■
4.905-020.0	Disc brush, natural bristles	\$269.00			■	■
4.905-018.0	Disc brush, red, standard with D 75 head	\$253.00			■	■
4.905-021.0	Disc brush, black - very aggressive	\$472.00			■	■
4.762-447.0	Pad driver	\$267.00			■	■
6.369-791.0	Disc pad, red (soft)	\$77.50			■	■
6.369-790.0	Disc pad, green (medium)	\$85.50			■	■
6.369-789.0	Disc pad, black (hard)	\$85.50			■	■
6.371-078.0	Disc microfiber pad, for daily cleaning of delicate surfaces including LVT and stone tile	\$231.00			■	■

## D 90 | 36-INCH DISC SCRUB DECK

PART NO.	DESCRIPTION	LIST PRICE	B 40	B 60	B 80	B 150
2.763-008.0	D 90 brush head, disc, 36-inch	\$5,100.00				■
4.905-003.0	Disc brush, red, standard with D 90 head	\$269.00				■
4.905-004.0	Disc brush, natural bristles	\$280.00				■
4.905-005.0	Disc brush, white - soft	\$341.00				■
4.905-006.0	Disc brush, black - very aggressive	\$549.00				■
4.762-493.0	Pad driver	\$254.00				■
6.369-022.0	Disc pad, black - hard	\$95.00				■
6.369-023.0	Disc pad, green - medium	\$95.00				■
6.369-024.0	Disc pad, red - soft	\$95.00				■

## R 45 | 18-INCH CYLINDRICAL SCRUB DECK

PART NO.	DESCRIPTION	LIST PRICE	B 40	B 60	B 80	B 150
2.763-020.0	R 45 head, 18-inch scrub deck for non-traction drive machines (for C Units)	\$1,460.00	■			
2.763-019.0	R 45 head, 18-inch scrub deck for traction drive machines (for W Units)	\$1,975.00	■			
4.762-392.0	Cylindrical red brush, medium stiff bristles for all-around cleaning on smooth and textured floors	\$132.00	■			
4.762-405.0	Cylindrical white brush, soft bristles for gentle cleaning on all-surface floors	\$198.00	■			
4.762-406.0	Cylindrical orange brush, high-low bristles for cleaning all grouted surface floors	\$214.00	■			
4.762-407.0	Cylindrical green brush, stiff bristles for aggressive cleaning on irregular surface floors	\$385.00	■			
4.762-408.0	Cylindrical black brush, extremely stiff bristles for stubborn dirt on rugged floors	\$390.00	■			
4.762-413.0	Cylindrical pad shaft (required for all brushes below)	\$450.00	■			
4.114-009.0	Cylindrical microfiber pad, for daily cleaning of delicate surfaces including LVT and stone tile	\$258.00	■			
6.367-105.0	Cylindrical pad, yellow (soft)	\$247.00	■			
6.367-107.0	Cylindrical pads, red, general purpose	\$247.00	■			
6.367-108.0	Cylindrical pad, white, (very soft) for high-gloss floors	\$241.00	■			
6.367-106.0	Cylindrical pad, green (hard & aggressive)	\$247.00	■			

# CLEANING HEADS & BRUSHES

R 55   22-INCH CYLINDRICAL SCRUB DECK						
PART NO.	DESCRIPTION	LIST PRICE	B 40	B 60	B 80	B 150
2.763-013.0	R 55 head, 22-inch scrub deck for non-traction drive machines (for B 40 C units)	\$2,020.00	■			
2.763-011.0	R 55 head, 22-inch scrub deck for traction drive machines (for B 40 W, B 60 & B 90 units)	\$1,750.00	■	■		
4.035-184.0	Roller brush complete for replacement BR	\$113.00	■			
4.762-409.0	Cylindrical white brush, 22-inch, soft	\$258.00	■			
4.762-410.0	Cylindrical orange brush, 22-inch, high/low bristles for uneven floors	\$275.00	■			
4.762-411.0	Cylindrical green brush, 22-inch, hard bristles	\$456.00	■			
4.762-412.0	Cylindrical brush black 22-inch	\$521.00	■			
4.762-415.0	Cylindrical pad shaft, 22-inch, 2 required	\$366.00	■			
8.635-692.0	Cylindrical, stripping 22-inch	\$126.00	■			
4.114-010.0	Cylindrical microfiber pad, 22-inch, for daily cleaning of delicate surfaces including LVT and stone tile	\$295.00	■			
6.369-732.0	Yellow pad, 22-inch	\$181.00	■			
6.369-734.0	Red pad, 22-inch, medium grit for all-around cleaning on smooth and textured floors	\$137.00	■			
6.369-735.0	White pad, includes sleeve, 22-inch	\$180.00	■			
6.369-733.0	Green pad, 22-inch	\$143.00	■			
2.763-002.0	R 55 head, cylindrical, 22-inch	\$3,145.00		■		
6.906-977.0	Cylindrical brush, white, soft	\$258.00		■		
4.035-193.0	Roller brush red for replacement BR 55	\$86.00		■		
6.906-978.0	Cylindrical brush, orange, hi-lo grout brush	\$236.00		■		
6.906-979.0	Cylindrical brush, green, hard	\$428.00		■		
6.906-980.0	Cylindrical brush, black, very aggressive	\$494.00		■		
8.635-692.0	Cylindrical, stripping 22-inch	\$126.00		■		
4.762-432.0	Cylindrical brush, red (2 required)	\$466.00		■		
6.369-389.0	White cylindrical pad, extra soft, set of 20	\$88.50		■		
6.369-454.0	Yellow cylindrical pad, soft, set of 20	\$88.50		■		
6.369-455.0	Green cylindrical pad, hard, set of 20	\$86.50		■		

R 65   26-INCH CYLINDRICAL SCRUB DECK						
PART NO.	DESCRIPTION	LIST PRICE	B 40	B 60	B 80	B 150
2.763-004.0	R 65 brush head, cylindrical, 26-inch	\$2,190.00		■	■	
6.906-981.0	Cylindrical white brush, soft	\$307.00		■	■	
4.035-187.0	Roller brush red for replacement BR65	\$88.00		■	■	
6.906-982.0	Cylindrical orange brush, high-low for grout	\$280.00		■	■	
6.906-983.0	Cylindrical green brush, hard	\$488.00		■	■	
6.906-984.0	Cylindrical black brush, very aggressive	\$538.00		■	■	
4.762-433.0	Cylindrical Pad Shaft	\$510.00		■	■	
6.369-389.0	White cylindrical pad, extra soft, set of 20	\$88.50		■	■	
6.369-454.0	Yellow cylindrical pad, soft, set of 20	\$88.50		■	■	
6.369-455.0	Green cylindrical pad, hard, set of 20	\$86.50		■	■	
6.369-456.0	Red cylindrical pad, medium, set of 20	\$86.50		■	■	

R 75   30-INCH CYLINDRICAL SCRUB DECK						
PART NO.	DESCRIPTION	LIST PRICE	B 40	B 60	B 80	B 150
2.763-006.0	R 75 brush head, cylindrical, 30-inch	\$3,055.00			■	■
6.906-985.0	Cylindrical brush, white, soft	\$385.00			■	■
4.035-190.0	Roller brush red for replacement BR 75	\$187.00			■	■
6.906-986.0	Cylindrical brush, orange, hi-lo grout brush	\$346.00			■	■
6.906-987.0	Cylindrical brush, green, hard	\$614.00			■	■
6.906-988.0	Cylindrical brush, black, very aggressive	\$631.00			■	■
4.762-434.0	Cylindrical pad shaft	\$516.00			■	■
6.369-389.0	White cylindrical pad, extra soft, set of 20	\$88.50			■	■
6.369-454.0	Yellow cylindrical pad, soft, set of 20	\$88.50			■	■
6.369-455.0	Green cylindrical pad, hard, set of 20	\$86.50			■	■
6.369-456.0	Red cylindrical pad, medium, set of 20	\$86.50			■	■



# CLEANING HEADS & BRUSHES

**R 90 | 36-INCH CYLINDRICAL SCRUB DECK**

PART NO.	DESCRIPTION	LIST PRICE	B 40	B 60	B 80	B 150
2.763-007.0	R 90 brush head, cylindrical, 36-inch	\$4,500.00				■
6.906-989.0	Cylindrical white brush, soft, 36-inch	\$532.00				■
6.907-377.0	Cylindrical red brush, 36-inch	\$378.00				■
6.906-990.0	Cylindrical orange brush, high-low for grout, 36-inch	\$472.00				■
6.906-991.0	Cylindrical green brush, hard, 36-inch	\$719.00				■
6.906-992.0	Cylindrical black brush, very aggressive, 36-inch	\$763.00				■
4.762-189.0	Cylindrical pad shaft	\$560.00				■
6.369-389.0	White cylindrical pad, extra soft, set of 20	\$88.50				■
6.369-454.0	Yellow cylindrical pad, soft, set of 20	\$88.50				■
6.369-455.0	Green cylindrical pad, hard, set of 20	\$86.50				■
6.369-456.0	Red cylindrical pad, medium, set of 20	\$86.50				■

**S 65 | 26-INCH VIBRATION SCRUB DECK**

PART NO.	DESCRIPTION	LIST PRICE	B 40	B 60	B 80	B 150
2.763-030.0	S 65 brush head, oscillating scrub deck, 26-inch	\$3,590.00		■	■	
4.036-063.0	S 65 orbital head connection kit, required for connecting S 65 orbital, B 60 and B 80 units (required)	\$395.00		■	■	
4.036-061.0	S 65 orbital head connection kit, required for connecting S 65 orbital, B 90 units (required)	\$516.00		■	■	
8.635-789.0	Pad, S 65 surface prep, package of 5	\$203.00		■	■	
8.635-788.0	Pad, S 65, red, package of 5	\$154.00		■	■	
8.635-836.0	Pad, S 65, white, package of 5	\$154.00		■	■	

# BDS 51/175 C

The BDS 51/175 C floor machine is a high quality, durable unit that offers power and versatility for scrubbing and stripping. It features an adjustable handle to accommodate various user heights and five inch non-marking wheels to allow easy transportation. This machine is available in single-speed or dual-speed.

- Robust motor for everyday reliability
- Separate start and run capacitors for durability
- Cord strain relief to keep cord from breaking or tearing
- Strong and solid handle housing for trouble free operation



BDS 51/175 C

TECHNICAL SPECIFICATIONS		
Pad size	in	20
Pad speed	rpm	175
Theoretical / practical productivity	sq. ft / hr	2,222
Operating noise level	dba	63
Voltage	V	115
Motor	hp	1.5
Wheel diameter	in	5 x 1.25
Power cord length	ft	50
Weight	lbs	118
Dimensions (LxWxH)	in	24.5 x 21 x 47

PART NO.	DESCRIPTION	LIST PRICE
1.009-095.0	BDS 51/175 C, twenty-inch	\$1,425.00

ACCESSORIES		
PART NO.	DESCRIPTION	LIST PRICE
■ 8.628-430.0	Pad driver, 20-inch with clutch plate	\$192.00
□ 8.600-062.0	Solution tank 4 gallon	\$356.00
□ 8.600-507.0	Center lock	\$30.70
□ 8.628-369.0	20-inch aggressive grit brush with clutch plate	\$385.00
□ 8.628-378.0	20-inch mild grit brush with clutch plate	\$385.00
□ 8.628-379.0	20-inch nylon polish brush with clutch plate	\$187.00
□ 8.628-377.0	20-inch nylon scrub brush with clutch plate	\$187.00
□ 8.628-370.0	20-inch polypropylene brush with clutch plate	\$126.00
□ 8.625-259.0	20-inch sanding disc	\$527.00

■ Included   □ Optional



# SGV 6/5

The easy-to-use SGV 6/5 steam vacuum cleaner offers hygienic cleanliness. A single machine that is a steam cleaner and wet vacuum cleaner in one. With EASY Operation switch, secure accessory integration and hand tool for controlling the steam/vacuum function.

- *One easy-to-use switch controls all operation*
- *Self-explanatory symbols means less training required*
- *Our unique design allows you to refill the water while in use*
- *The included hand tool features an adjustment knob that allows you to adjust the water/steam regulation and turn the vacuum on and off*


**SGV 6/5**
**TECHNICAL SPECIFICATIONS**

<b>Voltage</b>	<b>V</b>	110-120
<b>Steam temp / pressure</b>	<b>oF / psi</b>	327 / 87
<b>Tank capacity</b>	<b>gal</b>	1.3
<b>Cable length</b>	<b>in</b>	24.5
<b>Weight without accessories</b>	<b>lbs</b>	86
<b>Dimensions (LxWxH)</b>	<b>in</b>	25 x 19 x 38

PART NO.	DESCRIPTION	LIST PRICE
1.092-003.0	SGV 6/5, commercial steam cleaner and wet vacuum	\$5,010.00

**ACCESSORIES**

PART NO.	DESCRIPTION	LIST PRICE
■ 2.863-011.0	Round brush set, 3 Brushes	\$18.10
■ 2.889-005.0	Floor Nozzle, 12 inches	\$45.30
■ 2.889-006.0	Brush strips for floor nozzle 2.889-005.0	\$11.80
■ 2.889-007.0	Rubber Strip, 12 inches for floor nozzle 2.889-005.0	\$11.50
■ 2.889-008.0	Hand Nozzle	\$25.40
■ 2.889-009.0	Brush Strip, 6 inches for hand nozzle 2.889-008.0	\$9.85
■ 2.889-010.0	Rubber Strip, 6 inches for hand nozzle 2.889-008.0	\$11.20
■ 2.889-011.0	Adapter	\$29.50
■ 2.889-028.0	Crevice Nozzle	\$11.40
■ 2.889-052.0	Adapter for attaching round brushes	\$7.60
■ 4.440-009.0	Steam suction hose	\$929.00
■ 2.889-004.0	Extension tube set	\$131.00
□ 2.889-053.0	Triangular floor nozzle	\$60.00
□ 2.863-007.0	Round brush stainless steel (very hard bristles) set, 3 Nozzles	\$8.80
□ 2.863-008.0	Round Brass Brush (hard bristles) Set, 3 Nozzles	\$15.20
□ 2.863-009.0	Pekalon round brush (medium-hard bristles) set	\$9.65

■ Included   □ Optional

# SG 4/4

Time is money—particularly in commercial cleaning. The SG 4/4 steamer has an ingenious two-tank filling system allowing for continuous use. Steam cleaning can impressively remove up to 99.999% of bacteria without chemical. It is also ideal for cleaning kitchens and grout.

- *Our unique two-tank system allows for continuous use*
- *Very little time is needed to heat up the unit*
- *Control the level of steam*
- *Switch to pressurized hot water to remove stubborn dirt*
- *Only water is used by the SG 4/4 to save you money and to improve the health of users and guests*



## SG 4/4

### TECHNICAL SPECIFICATIONS

<b>Voltage</b>	<b>V</b>	110
<b>Steam temp / pressure</b>	<b>oF / psi</b>	248 / 58
<b>Tank capacity</b>	<b>gal</b>	1.06
<b>Cable length</b>	<b>in</b>	24.5
<b>Weight without accessories</b>	<b>lbs</b>	17.6
<b>Dimensions (LxWxH)</b>	<b>in</b>	19 x 12.6 x 10.8

PART NO.	DESCRIPTION	LIST PRICE
1.092-805.0	SG 4/4, commercial steam cleaner	\$1,685.00
9.841-414.0	SG 4/4, commercial steam cleaner with transport cart	\$2,165.00

### ACCESSORIES

PART NO.	DESCRIPTION	LIST PRICE
■ 4.322-046.0	Steam Hose	\$203.00
■ 4.127-024.0	Extension Tube	\$4.00
■ 2.884-280.0	Hand Tool	\$22.00
■ 6.906-185.0	Floor Nozzle	\$86.00
■ 2.863-263.0	Power Nozzle Set	\$10.00
■ 2.884-281.0	Point Jet Nozzle	\$17.00
■ 4.013-030.0	Funnel	\$55.00
■ 2.863-264.0	Round Brush Set	\$14.00
□ 2.863-025.0	Window Nozzle Special Accessories	\$14.99
□ 6.273-140.0	Wiper Blade (window)	\$28.90
□ 2.863-062.0	Wallpaper Stripper	\$110.00
□ 2.863-171.0	Steam+Clean Microfiber Cloth Set for Bathrooms (Includes 4 different clothes)	\$121.00
□ 2.863-172.0	Steam+Clean Microfiber Cloth Set for Kitchens (Includes 4 different clothes)	\$121.00
□ 2.863-173.0	Steam+Clean Microfiber Velour Floor Cloth Set (Includes 2 cloths)	\$79.50
□ 2.863-174.0	Steam+Clean Microfiber Velour Cloth Covers for the Hand Tool (Includes 2 cloths)	\$79.50
□ 6.962-097.0	Filling Funnel	\$11.50
□ 2.885-465.0	Floor Tool Replacement	\$65.00
□ 6.962-239.0	Two Wheel Transport Cart	\$488.00

■ Included □ Optional



# HD 2.0/1000 DUAL MISTER & DUAL MISTER CART AN ALL-IN-ONE MISTER AND PRESSURE WASHER

## HD 2.0/1000 Dual Mister and Dual Mister Cart

Kärcher's cold water, corrosion-resistant aluminum Dual Mister easily converts from a pressure washer to a mister for dispensing sanitizer or disinfectants, such as Vital Oxide®.¹ This reliable electric powered pressure washer comes standard with a humidifying nozzle and an Easy!Valve that allows the operator to easily switch from pressure washing to misting mode. The Dual Mister Cart is easy-to-manuever with flat-free tires, two mounted hose reels, and provides a bypass loop for additional pump protection. In short, this unit is designed to combat viruses and bacteria in directional sprayer mode, or it can be used as a high pressure washer to clean surfaces. Your choice.

**HIGH PRESSURE MODE****SPRAYER MODE**

TECHNICAL SPECIFICATIONS			
Pressure	psi	1000	107-480
Solution spray rate	gpm	2.0	0.023-0.06
Drive		Direct	Direct
Voltage	V	120 / 1ph	120 / 1ph
Pump	RPM	1725	1725
Amps		13.6	6.5 - 8.0
HP		1.5	1.5
Shipping Weight	lbs	161 / Cart - 285	161 / Cart - 285
Dimensions (L x W x H)	in	41 x 22 x 25 / Cart - 41 x 36 x 50	41 x 22 x 25 / Cart - 41 x 36 x 50

**EQUIPMENT**

PART NO.	DESCRIPTION	LIST PRICE
1.106-160.0	HD 2.0/1000 Dual Mister	\$ 2,325.00
1.106-161.0	HD 2.0/1000 Dual Mister Cart	\$ 3,905.00

**ACCESSORIES**

PART NO.	DESCRIPTION	
■ 8.750-247.0*	Gun, M407 (2 for dual gun system)	\$35.50
■ 8.925-393.0*	Hose, 1/4" X 75', R1, 4000 PSI, SW X SW	\$122.00
■ 8.783-040.0	Lance, 44", zinc-plated, handle and coupler	\$25.50
■ 8.712-338.0	Nozzle, yellow, 035	\$6.20
■ 8.712-339.0	Nozzle, green, 035	\$6.20
■ 8.712-340.0	Nozzle, white, 035	\$6.20
■ 8.929-512.0*	Misting Nozzle Assembly with 1/4" Quick Connect	\$51.50
■ 8.709-175.0	Filter High Pressure 1/4"	\$29.20
□ 8.902-421.0*	Two-Gun Tee Coupler	\$53.00

■ Included □ Optional

**ACCESSORIES**

PART NO.	DESCRIPTION	
□ 8.710-620.0	Legacy Superlite stainless steel wand, 72" - 56.0	\$120.00
□ 9.807-750.0	37.5" long handle	\$30.00
□ 9.807-753.0	Lance holder	\$67.50
□ 9.807-752.0	Hose storage hook	\$77.00
□ 9.807-751.0	Handle with hose reel (mild steel anthracite handle)	\$344.00
□ 9.802-166.0*	3/8" Socket, Female, Brass	\$6.95
□ 9.802-169.0*	3/8" Socket, Male, Brass	\$6.75
□ 8.707-140.0*	1/4" Nipple, Male, Stainless Steel	\$3.95
□ 8.707-144.0*	3/8" Nipple, Female, Stainless Steel	\$4.90

¹ Corrosive sanitizers or disinfectants will void the warranty.

\*Must order for dual gun misting system / two gun coupler for 1.106-160.0.

# PS 4/7 BP MISTER

## VITAL OXIDE® HOSPITAL DISINFECTANT

### PS 4/7 Bp Mister

Achieve a higher level of efficacy with the Kärcher PS 4/7 Bp Mister. This hospital-grade misting system is specifically designed for use with Vital Oxide® disinfectant. Reduce the risks of Health Care Acquired Infections by killing virus, bacteria and mold faster, safer and quieter.

### PS 4/7 Electrostatic Sprayer

NEW – our Electrostatic PS 4/7 sprayer adds the static charge to the particles to allow them to “wrap around” objects and provide even better coverage.

### Vital Oxide

- No rinse sanitizer for food contact surfaces (D2).
- Kills harmful bacteria, mold and mildew, deodorizes and eliminates allergens.
- Registered as a carpet disinfectant and recognized by CRI to be safe on carpets. EPA Reg. No. 82972-1 EPA Est. No. 85804-NC-1 EPA Est. No. 29909-CA-1 (See batch code for actual (establishment number)
- Represented in Canada by Halifax International Trading Inc. S1394 Pineway Court, Oakville Ontario L6M 2H3 (DIN 24422654)



	PS 4/7 BP OBC MISTER		PS 4/7 ELECTROSTATIC SPRAYER
<b>TECHNICAL SPECIFICATIONS</b>			
Pressure	psi	100	100
Solution spray rate	gpm	0.05	0.05
Chemical Tank	gal	1	1
Continuous spray on one battery charge	hrs	8	8
Voltage	v	12	12
Wheels	in	3	3
Compact height for storage/transport	in	20	20
Sound level	dba	45	45
Continuous spray time (electrostatic)	hrs	N/A	40
Lithium battery	v	N/A	3.6, AA size
Weight (including battery)	lbs	40	40
Dimensions (L x W x H)	in	20 x 15 x 38	20 x 15 x 38

### EQUIPMENT

PART NO.	DESCRIPTION	LIST PRICE
1.007-084.0	PS 4/7 Bp OBC, mister	\$ 2,365.00
1.007-090.0	PS 4/7 Electrostatic sprayer with lithium battery	\$ 3,915.00

### ACCESSORIES

PART NO.	DESCRIPTION	LIST PRICE
8.639-048.0	Charger	\$ 439.00
8.637-980.0	12V AGM battery	\$ 95.00
8.704-694.0	Chemical pail pump	\$ 11.50
8.644-738.0	Electrostatic sprayer kit (to be retrofitted on previously purchased PS 4/7 machines)	\$ 1,675.00

### DETERGENTS

PART NO.	DESCRIPTION	LIST PRICE
<input type="checkbox"/> 8.698-112.0	Vitaloxide® 55 Gal (US Only)	\$ 1,770.00
<input type="checkbox"/> 8.756-449.0	Vitaloxide® 55 Gal (Can Only)	\$ 1,770.00
<input type="checkbox"/> 8.642-823.0	Vitaloxide® 15 Gal (US Only)	\$ 521.00
<input type="checkbox"/> 8.644-292.0	Vitaloxide® 5 Gal (US Only)	\$ 237.00
<input type="checkbox"/> 8.758-937.0	Vitaloxide® 5 Gal (Can Only)	\$ 237.00
<input type="checkbox"/> 8.639-558.0	Vitaloxide® Qty 4, 1 Gal (US Only)	\$ 198.00
<input type="checkbox"/> 8.639-560.0	Vitaloxide® Qty 6, 1 Qt (US Only)	\$ 96.00
<input type="checkbox"/> 8.639-559.0	Vitaloxide® Qty 4, 1 Gal (Can Only)	\$ 198.00

- Included  Optional



# AB 84 CUL

Enjoy the convenience that the AB 84 CUL offers in this easily transportable three speed air blower. Time is king in the cleaning industry. If you have wet hard floors or carpet, rely on the AB 84 CUL to dry your facility faster so you can resume to business-as-usual sooner. This unit features transport wheels and an upright handle for easy transport from job to job. The powerful 3,000 cfm air movement promotes rapid drying in no time.

- Upright handle and transport wheels for safety and convenience
- Three speeds of air movement for every type of job
- Maximum air movement of 3,000 cfm for rapid drying of carpeted and hard floors
- Sturdy four point motor mount to withstand heavy use and rough handling
- Built-in carpet clip for flood restoration jobs



AB 84 CUL

TECHNICAL SPECIFICATIONS	
Air flow rate - level 1, 2, 3	cfm 3000 / 2500 / 2000
Fan speed - level 1, 2, 3	rpm 1600 / 1350 / 1050
Power cord length	ft 25
Motor rating	hp 0.5
Voltage	V 115
Weight	lbs 39
Dimensions (LxWxH)	in 22.8 x 16 x 21.5

PART NO.	DESCRIPTION	LIST PRICE
1.004-053.0	AB 84 CUL, three-speed commercial air blower with upright handle	\$400.00



# SG BP GUM REMOVER

The Kärcher SG1 C Bp is a portable gum remover. Powered by a single lithium ion battery, this gum remover is quiet and offers up to 4 hours of uninterrupted operation. It removes gum in 4-6 seconds and is safe to use on stone, concrete and even carpet. Great for maintaining shopping malls, schools, train stations, airports, hotels, hospitals, restaurants and supermarkets.

- *Low pressure fuel canisters are designed to ensure delivery of proper fuel volume and safe operation*
- *No cords ensures safety and convenience*
- *No harsh residue—safe on all surfaces*



SG1 C BP

## TECHNICAL SPECIFICATIONS

Run time	hrs	4
Weight	lbs	11
Dimensions (LxWxH)	in	4.5 x 13 x 20.5

PART NO.	DESCRIPTION	LIST PRICE
1.013-104.0	SG1 C Bp, backpack gum remover	\$3,520.00

## ACCESSORIES

PART NO.	DESCRIPTION	LIST PRICE
<input type="checkbox"/> 8.639-871.0	Service pack: 2 LPG cartridges, 4 bottles of solution and 2 black stainless steel brushes, 1 green brush. Expect 8-9 hours run time.	\$185.00
<input type="checkbox"/> 8.642-880.0	Brush hard black 2 pack replacement stainless steel brushes	\$47.10
<input type="checkbox"/> 8.640-136.0	Polypropylene brushes: 2 pack polypropylene brushes (green), for carpet and material	\$23.60
<input type="checkbox"/> 8.638-579.0	12-Pack of gas bottles	\$390.00
<input type="checkbox"/> 8.638-580.0	24 liters of gum remover solution	\$557.00
<input type="checkbox"/> 8.639-828.0	Charger	\$543.00
<input type="checkbox"/> 8.641-465.0	Battery	\$1,230.00

- Included    □ Optional

# WVP 10 WINDOW VAC

Achieve streak-free cleaning results with the lightweight and handheld machines in every position, even overhead if necessary – what's more you can get right up to the edges thanks to the manually adjustable holder.

- *Cordless for easy operation and storage.*
- *6.7 ounce dirty water tank that's easy to empty and can be cleaned in the dishwasher.*




PART NO.	DESCRIPTION	LIST PRICE
1.633-551.0	WVP 10, includes battery, cleaning solution, battery charger, spray bottle and micro fiber cloth	\$ 207.00

## ACCESSORIES

PART NO.	DESCRIPTION	LIST PRICE
■ 2.633-123.0	WVP replacement battery	\$ 25.99
■ 2.633-005.0	WVP replacement squeegee blades - 280mm (2)	\$ 10.99
■ 9.013-530.3	280mm complete nozzle	\$ 27.99
■ 6.654-353.0	Wall charger	\$ 9.99
■ 4.633-153.0	WVP spray bottle set with indoor pad	\$ 10.99
■ 2.633-130.0	WVP microfiber pad for indoor use	\$ 12.99
□ 2.633-131.0	WVP microfiber pad for outdoor use	\$ 12.99
□ 2.633-144.0	WVP extension pole	\$ 44.99
□ 2.633-104.0	Replacement squeegee blades 170mm	\$ 9.99
□ 9.013-535.3	170mm complete nozzle	\$ 22.99

- Included    □ Optional



Scan with QR code reader to watch the Hotsy Dealer video

# NOTHING CLEANS LIKE A HOTSY

**AT HOTSY WE MAKE THE BEST PRESSURE WASHERS.** They come with the best warranties in the industry and are backed with expert service, great parts and detergents made specifically for your cleaning needs. Hotsy delivers one of the most rugged and durable lines of industrial pressure washers on the market. We are proud of our network of authorized Hotsy dealers throughout North America who will help you select the best equipment and accessories for your cleaning job. Our dealers provide on-site cleaning evaluations and next day service calls by factory certified technicians. Excellent warranties, superior performance and ETL safety certified. Buy a Hotsy and you'll have peace of mind knowing you have a product built to last.



**HOTSY.COM**

 [facebook.com/HotsyCleaningSystems](https://facebook.com/HotsyCleaningSystems)

 [twitter.com/TheHotsyMan](https://twitter.com/TheHotsyMan)

 [youtube.com/user/HotsyCleaningSystems](https://youtube.com/user/HotsyCleaningSystems)

Prices effective January 1, 2021  
HOT\_PriceList\_2021  
Rev. 01/21  
© 2021 Kärcher North America

NOTE: We are constantly improving and updating our products. Consequently, pictures, features & specifications in this brochure may differ from current models. Flow rates & pressure ratings may vary due to variances allowed by manufacturers of our machine components. We meet the CETA testing specs for machine performance at ± 10% and in some cases are tighter within ± 5% of listed specifications.