



When you step into your workplace you need the right footwear: safety toe caps and midsoles, heat-resistant outsoles, superb grip and supreme comfort.

This is footwear for people who are on their feet, on the move and on top of their job.



FOOTWEAR

Providing comfort and durability for optimum performance



nt
nt

ty

FOOTWEAR

Dickies	526
Work-Guard by Result	534
Delta Plus	537
Catering Footwear	538



FC9533
Andover Safety Boot

Weight: Product: 636g
Fabric: Leather & Mesh
 • EN ISO 20345:2011 S3 SRC
 • Composite toe cap to EN ISO 20345 (200 Joules)
 • Non-metallic, anti-penetration underfoot protection

3 4 5 5.5 6 7 8 9 10 11 11.5 12 13 14



FA12350A
Oxford II Safety Shoe

Weight: 598g
Fabric: Full Grain Leather
 • EN ISO 20345:2011 S1-P SRA
 • Steel toe cap
 • Steel anti-penetration underfoot protection

6 7 8 9 10 11 11.5 12



FD9218
Trenton Pro Safety Boot

Weight: Product: 873g
Fabric: Leather
 • Steel toe-cap to EN ISO 20345(200 Joules)
 • Steel anti-penetration underfoot protection
 • Anti-static

5.5 6 7 8 9 10 11 11.5 12



FOOTWEAR

Footwear Overview

	SAFETY FOOTWEAR	PROTECTIVE FOOTWEAR	OCCUPATIONAL SHOES
CLASS 1 OR 2	EN345-1 / EN ISO 20345	EN346-1 / EN ISO 20346	EN347-1 / EN ISO 20347
ALL MATERIALS	SB: basic properties	PB: basic properties	
CLASS 1 ALL MATERIALS EXCEPT FOR NATURAL OR SYNTHETIC	S1: basic properties plus - closed back - anti-static - energy absorbing heel	P1: basic properties plus - closed back - anti-static - energy absorbing heel	O1: basic properties plus - closed back - anti-static - energy absorbing heel
	S2: the same as S1 plus - water resistant upper leather	P2: the same as P1 plus - water resistant upper leather	O2: the same as O1 plus - water resistant upper leather
	S3: the same as S2 plus - penetration resistant midsole - cleated outsole	P3: the same as P2 plus - penetration resistant midsole - cleated outsole	O3: the same as O2 plus - penetration resistant midsole - cleated outsole
CLASS 2 NATURAL AND SYNTHETIC POLYMERS	S4: basic properties plus - anti-static - energy absorbing heel	P4: basic properties plus - anti-static - energy absorbing heel	O4: basic properties plus - anti-static - energy absorbing heel
	S5: the same as S4 plus - penetration resistant midsole - cleated outsole	P5: the same as P4 plus - penetration resistant midsole - cleated outsole	O5: the same as O4 plus - penetration resistant midsole - cleated outsole



FA13310A
Clifton II Safety Shoe

Weight: 650g
Fabric: Leather
• EN ISO 20345:2011 S1-P SRC
• Steel toe cap
• Steel anti-penetration underfoot protection

6 7 8 9 10 11 11.5 12



FA23330A
Redland II Safety Boot

Weight: 700g
Fabric: Leather
• EN ISO 20345:2011 S1-P SRC
• Steel toe cap
• Steel anti-penetration underfoot protection

6 7 8 9 10 11 11.5 12



FA23350S
Dixon Lined Boot

Weight: 844g
Fabric: Leather
• EN ISO 20345:2011 S3 SRC
• Steel toe cap
• Steel anti-penetration underfoot protection

6 7 8 9 10 11 11.5 12



FA23385S
Storm II Safety Boot

Weight: 732g
Fabric: Suede & Mesh
• EN ISO 20345:2011 S1-P SRC
• Steel toe cap
• Steel anti-penetration underfoot protection

6 7 8 9 10 11 11.5 12





DTC
SOLE TECHNOLOGY

DICKIES TECHNOLOGY CEMENTED SOLE

Designed and developed by Dickies to provide supreme grip on smoother surfaces, DTC has a two colour abrasion resistant outsole, moulded using premium rubber, bonded to a light weight cushioning EVA (Ethylene-vinyl acetate) midsole.

The rubber outsole has an effective substance of 6mm, meaning that there is sufficient material to prevent wear through to the midsole during the life of the product. This can't be said for many of its competitors! It also includes a toe bumper for additional protection and the low profile gives it a sporty look.

The geometric tread pattern efficiently disperses liquid and eliminates the effects of aquaplaning, providing constant ground contact in wet conditions. Deeper cleats around the perimeter of the tread design provide traction on more uneven surfaces.

DTC performs to the highest slip resistance standards, well above SRC minimums. Flexibility is provided by ergonomically designed flex grooves.



FC9526 & FC9527 PHOENIX BOOT & TRAINER



Black/Green

Grey/White



NEW
STYLE



FC9526
Phoenix Safety Boot

- Weight:** Product: 621g
Fabric: See features
- EN ISO 20345:2011 S3 SRC
 - Composite toe cap to EN ISO 20345 (200 Joules)
 - Non-metallic, anti-penetration underfoot protection

5.5 6 7 8 9 10 11 11.5 12 13 14

Grey	Black
White	Lime

NEW
STYLE



FC9527
Phoenix Safety Trainer

- Weight:** Product: 543g
Fabric: See features
- EN ISO 20345:2011 S3 SRC
 - Composite toe cap to EN ISO 20345 (200 Joules)
 - Non-metallic, anti-penetration underfoot protection

5.5 6 7 8 9 10 11 11.5 12 13 14

Grey	Black
White	Lime



FC9536
Elora Ladies' Safety Trainer

Weight: Product: 519g
Fabric: Nubuck & mesh
 • EN ISO 20345:2011 S3 SRC
 • Composite toe cap
 • Non-metallic anti-penetration underfoot protection


3 4 5 5.5 6 7 8



FD9214A
Fife II Safety Boot

Weight: 875g
Fabric: Full grain leather
 • EN ISO 20345:2011 SB P HRO SRA
 • Steel toe cap
 • Steel anti-penetration underfoot protection

6 7 8 9 10 11 11.5 12



FA90055
Davant II Safety Boot

Weight: 716g
Fabric: Crazy horse leather
 • EN ISO 20345:2011 S3 SRC
 • Steel toe cap
 • Steel anti-penetration underfoot protection

6 7 8 9 10 11 11.5 12



FC9523
Women's Safety Boot

Weight: 570g
Fabric: Nubuck
 • EN ISO 20345:2011 S3 SRC
 • Composite toe cap
 • Non-metallic antipenetration underfoot protection
 • Anti-static

3 4 5 5.5 6 7 8



FA247B
Everyday Safety Boot

Weight: 751g
Fabric: Suede & Mesh
 • EN ISO 20345:2011 S1-P SRC
 • Steel toe cap
 • Steel anti-penetration, Anti-static

3 4 5 5.5 6 7 8 9 10 11 11.5 12 13 14





FA13335
Stockton Super Safety Trainer

- Fabric:** Leather and Mesh
- EN ISO 20345: 2011 S1-P SRA
 - Padded collar and tongue
 - Dual density Polyurethane/Polyurethane outsole

6 7 8 9 10 11 11.5 12



FA9007
Trenton Safety Boot

- Weight:** 660g
- Fabric:** Leather
- EN ISO 20345:2011 S1-P SRC
 - Steel toe cap
 - Steel anti-penetration, Anti-static

6 7 8 9 10 11 11.5 12



FA9001
Donegal Boot

- Fabric:** Nubuck Leather
- EN ISO 20345: 2011 S1-P SRA
 - Steel toe-cap to EN20345 (200 Joules)

6 7 8 9 10 11 11.5 12



FA23345
Super Safety Dealer Boot

- Fabric:** Leather
- EN ISO 20345: 2011 S1-P SRA
 - Antistatic plus shock absorbent heel
 - Dual density Polyurethane/Polyurethane outsole

6 7 8 9 10 11 11.5 12



FC23530
Tiber Safety Trainer

- Fabric:** Mesh and Microfibre
- EN ISO 20345: 2011 S3 SRC
 - Water resistant upper
 - Composite toe-cap to EN20345 (200 joules)

6 7 8 9 10 11 11.5 12





FD9209
Canton Boot

Fabric: Nubuck Leather

- EN ISO 20345:2011 SB-P HRO SRA
- Steel toe-cap to EN20345 (200 Joules)
- Steel midsole for underfoot protection

6 7 8 9 10 11 12



Honey



FA23333
Antrim Super Safety Boot

Fabric: Leather

- EN ISO 20345:2011 S1-P SRA
- 6" Leather workboot
- 7 eyelets

6 7 8 9 10 11 12



Black

Brown



FA23200
Cleveland Super Safety Boot

Fabric: Leather

- EN ISO 20345:2011 SB-P HRO SRC
- Quality Leather ankle boot
- Padded collar and tongue

6 7 8 9 10 11 12



Black

Honey

Dark Brown Greasy Leather



FD23310
Medway Super Safety S3 Boot

Fabric: Full grain waxy cow Leather

- EN ISO 20345:2011 S3 SRC
- Steel toe cap to EN 20345 (200 joules)
- Steel midsole for underfoot protection

6 7 8 9 10 11 12



Black

Brown



FD23375
Quebec Super Safety Lined Boot

- Fabric:** Full grain leather
- EN ISO 20345: 2011 S1-P SRA
 - Steel toe-cap to EN 20345 (200 joules)
 - Steel midsole for underfoot protection

6 7 8 9 10 11 12



FD13905
Ohio Ladies' Safety Trainer

- Fabric:** Microfibre
- EN ISO 20345:2011 SB HRO SRA
 - Padded collar and tongue
 - Heat resistant sole

3 4 5 6 7 8



FA23380A
Fury Super Safety Hiker Boot

- Fabric:** Leather and Mesh
- EN ISO 20345:2011 S1P SRA
 - Breathable lining
 - Anti-static plus shock absorbent heel

6 7 8 9 10 11 12



FW13105
Super Safety Wellington

- Fabric:** 65% Spandex, 35% Polyester
- EN ISO 20345:2011 S5 SRA
 - General industrial quality
 - Waterproof

6 7 8 9 10 11 12



NEW
STYLE



WORK-GUARD
by **Result**®

R456X
Unisex All Black Safety Trainer

- Fabric:** See features
- CE EN 20345:2011 SRA SB; Breathable, Durable
 - Upper: Thermoplastic PU w/water resistant leather trim
 - Sole: Double density PU/PU

3 4 5 6 6.5 7 8 9 10 11 12



R457X
Unisex Hardy Safety Trainer

- Fabric:** See features
- CE EN 20345:2011 SRA SB; Breathable, Durable
 - Upper: Flyknit polyester mesh with suede trim
 - Sole: double density PU/PU

3 4 5 6 6.5 7 8 9 10 11 12



NEW
STYLE



NEW
STYLE



R458X
Hicks Safety Trainer

- Fabric:** See features
- CE EN 20345:2011 SRA SB; Breathable, Durable
 - Upper: Thermoplastic PU with water resistant leather trim
 - Sole: Double density PU/PU

7 8 9 10 11 12





R337X
Spark Safety Trainer

- Black
- White

Fabric: Upper: Nubuck leather
 • Kevlar midsole for underfoot protection
 • Energy absorption heel
 • SRC slip resistance

- 6
- 7
- 8
- 9
- 10
- 11
- 12



R339X
Blackwatch Safety Boot

- Black
- Silver

Fabric: Upper: Nubuck leather & mesh
 • Breathable
 • Water resistant
 • Kevlar midsole for underfoot protection

- 6
- 7
- 8
- 9
- 10
- 11
- 12



R340X
Defence Safety Boot

- Black
- Orange

Fabric: Water resistant leather
 • Steel toe-cap
 • Steel midsole for underfoot protection
 • Padded collar and tongue

- 6
- 7
- 8
- 9
- 10
- 11
- 12



R342M
Men's Reflect Safety Boot

- Black
- White
- Red

Fabric: See Features
 • Steel toe-cap
 • Mid-sole underfoot protection
 • 360° ankle support, padded collar and tongue

- 7
- 8
- 9
- 10
- 11
- 12

WORK-GUARD
by **Result**®

**R342F**

Women's Reflect Safety Boot

- Steel toe-cap
- Mid-sole underfoot protection
- 360° ankle support, padded collar and tongue



4 5 6 7 8

**R346X**

Carrick Shoe

- Steel toe-cap
- Midsole underfoot protection
- Ankle support, padded cuff and tongue



7 8 9 10 11 12

**R348X**

Lightweight Safety Trainer

- Composite toe-cap
- Midsole underfoot protection
- Lightweight, low cut sports look



7 8 9 10 11 12

**R347X**

Shield Lightweight Safety Trainer

- Breathable
- Kevlar midsole for underfoot protection
- Lightweight composite toecap



6 7 8 9 10 11 12

**R349F**

Women's Safety Trainer

- Composite toe-cap
- Midsole underfoot protection
- Lightweight, low cut sports look



3 4 5 6 7 8



TW400

Leather Composite Boot

Fabric: See features

- S3 HRO HI CI SRC
- Upper: full grain Leather, S3 water resistant treatment
- Lining: Polyamide cambrelle

6
7
8
9
10
11
12

Black



PHOENIXS3

Phoenix S3 Composite Safety Boot

Weight: Product: 620g

Fabric: See features

- Upper: pigmented split Leather, S3 water resistant treatment
- Lining: Polyamide mesh
- Insole: removable preformed - Polyamide on EVA

6
7
8
9
10
11
12

Black



PHOCEAS3

Phoecea S3 Composite Safety Shoe

Weight: Product: 600g

Fabric: See features

- Upper: pigmented split Leather, S3 water resistant treatment
- Lining: Polyamide mesh
- Insole: removable preformed - Polyamide on EVA

6
7
8
9
10
11
12

Black



SAULT

Sault Safety Boot S3

Fabric: Full grain quality Leather

- Water resistant padded boot
- Anti-static
- Heat resistant to 200 degrees

6
7
8
9
10
11
12
13

Black



6
7
8
9
10
11
12

DELTA-LH840SM

Nubuck Leather Safety Boot

Weight: See features

Fabric: See features

- EN ISO 20345:2004/A1:2007
- Upper: Cow Nubuck
- Lining: Polyester

Tan



6
7
8
9
10
11
12

DELTA-LH842SM

Nubuck Leather Safety Boot

Weight: See features

Fabric: See features

- EN ISO 20345:2004/A1:2007
- Upper: Cow Nubuck
- Lining: Polyester

Black



- 3
- 4
- 5 **MAUBEC**
Hygiene Non Slip Clog
- 6 **Fabric:** See features
- 7 • Upper: Microfibre
- 8 • Lining: Polyamide
- 9 • Footbed: preformed removable Polyamide on EVA
- 10
- 11
- 12

White

- 3
- 4
- 5 **ROBION**
Hygiene Non Slip Shoe
- 6 **Fabric:** See features
- 7 • Upper: Microfibre
- 8 • Lining: Polyamide
- 9 • Footbed: preformed removable Polyamide on EVA
- 10
- 11
- 12

White



DK96
Comfort Grip Ladies Slip-On

- Fabric:** Breathable microfibre
- SRA Certified
 - Water resistant
 - Sole resistant to oils and fuels



Black

- 1 34
- 2 35
- 3 36
- 4 37
- 5 38
- 6 39
- 7 41
- 8 42



DK122
AFD Non Slip Trainer

- Fabric:** Microfibre
- Non-Slip sole
 - SRC tested
 - Anti-Slip sole



- 3 36
- 4 37
- 5 38
- 6 39
- 7 41
- 8 42
- 9 43
- 10 44
- 11 46
- 12 47
- 13 48

Black

DK40
Comfort Grip Slip-On Safety Shoe

- Fabric:** Breathable microfibre upper
- Slip on safety shoe
 - Breathable microfibre upper
 - Slip resistant



- 35 2.5
- 36 3-3.5
- 37 4-4.5
- 38 5
- 39 5.5
- 40 6-6.5
- 41 7
- 42 7.5-8
- 43 8.5-9
- 44 9.5-10
- 45 10.5
- 46 11-11.5
- 47 12
- 48 12.5

Black

Dennys
LONDON®

DK83
Comfort Grip Managers Safety Shoe

- Fabric:** Lightweight Black Leather
- Lightweight Leather safety shoe
 - Smooth Leather upper
 - Standard fitting, slim fit toe shape



Black

6	39
7	40.5
8	42
9	43
10	44.5
11	46
12	47



35	2.5
36	3-3.5
37	4-4.5
38	5
39	5.5
40	6-6.5
41	7
42	7.5-8
43	8.5-9
44	9.5-10
45	10.5
46	11-11.5
47	12

DK41
Comfort Grip Safety Sandal

- Fabric:** Breathable microfibre upper, perforated
- Safety sandal with heel strap
 - SRC Slip resistant sole
 - Antibacterial lining

Black



36	3-3.5
37	4-4.5
38	5
39	5.5
40	6-6.5
41	7
42	7.5-8
43	8.5-9
44	9.5-10
45	10.5
46	11-11.5
47	12
48	13

DK42
Comfort Grip Lace up Safety Shoe

- Fabric:** Breathable microfibre upper
- Lace up safety shoe
 - Slip resistant
 - Antibacterial lining

Black



DCK-00010
Industrial Work Sock (2 Pack)

- Fabric:** 76% Cotton, 22% Polyester, 2% Elastane
- Extra support in sole with reinforced heel and toe
 - Soft Lycra used in leg for comfortable wearing
 - Extra high comfort top

O/S

Black



DCK-00009
Strong Work Sock (3 Pack)

- Fabric:** 67% Cotton, 32% Polyester, 1% Elastane
- Fully cushioned socks
 - Reinforced heel and toe
 - Comfort top

O/S

Black