

## **SAFETY DATA SHEET**

## Identification Of The Substance/Mixture and of the Company/Undertaking

**Product identifier** Sgreen Adhesive

Other means of identification

Product code CMEV-SA Pallet Adhesive Recommended use None known. **Recommended restrictions** 

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Website

Company name Ryonet

12303 NE 56<sup>th</sup> St **Address** 

Vancouver, WA 98682

**United States** 

**Product Stewardship Telephone** 800 314 6390 **Transportation** 800 314 6390

Screenprinting.com

E-mail success@ryonet.com

**Emergency phone number INFOTRAC** 800-535-5053 **Emergency Phone** +352-323-3500

International

**Supplier** Refer to Manufacturer

Hazard(s) identification

**GHS Clasification** 

Skin Sensitization : Category 1

**GHS Label Elements** 

Hazardous Pictograms



Signal Word : Warning

**Hazard Statement** : May causes an allergic skin reaction.

:Prevention **Precautionary Statement** 

Obtain special instructions before use.

**Emergency Overview** 

Appearance: liquid, white

NOTICE: WHILE THIS MATERIAL HAS A LOW LEVEL OF TOXICITY, GOOD INDUSTRIAL HYGIENE

PRACTICES ARE ENCOURAGED TO MINIMIZE EXPOSURE.

**Potential Health Effects** 

**Exposure routes** 

Inhalation, Skin absorption, Skin contact, Eye Contact, Ingestion

Material name: Sgreen Adhesive 

#### Eye contact

Unlikely to cause eye irritation or injury.

#### Skin contact

Unlikely to cause skin irritation or injury.

## Ingestion

Swallowing small amounts of this material during normal handling is not likely to cause harmful effects. Swallowing large amounts may be harmful.

#### Inhalation

Breathing of vapor or mist is possible. Symptoms are not expected at air concentrations below the recommended exposure limits, if applicable (see Section 8.).

### **Aggravated Medical Condition**

Preexisting disorders of the following organs (or organ systems) may be aggravated by exposure to this material:, Upper respiratory tract, Skin, lung (for example, asthma-like conditions)

### **Symptoms**

Signs and symptoms of exposure to this material through breathing, swallowing, and/or passage of the material through the skin may include:, stomach or intestinal upset (nausea, vomiting, diarrhea), irritation (nose, throat, airways),

#### **Target Organs**

Overexposure to this material (or its components) has been suggested as a cause of the following effects in laboratory animals:, mild, reversible liver effects, blood abnormalities, reversible respiratory tract damage (nose, throat, and airways)

#### 3. COMPOSITION/INFORMATION ON INGREDENTS

Hazardous Components	CAS-No. / Trade Secret No.	Concentration
Acrylic Polymer Compound	N/A	65%

The identity and concentration of one or more component(s) is being withheld under business confidentiality.

#### 4. FIRST AID MEASURES

#### **Eves**

If symptoms develop, move individual away from exposure and into fresh air. Flush eyes gently with water while holding eyelids apart. If symptoms persist or there is any visual difficulty, seek medical attention.

## Skin

First aid is not normally required. However, it is recommended that exposed areas be cleaned by washing with soap and water.

#### Ingestion

Seek medical attention. If individual is drowsy or unconscious, do not give anything by mouth; place individual on the left side with the head down. Contact a physician, medical facility, or poison control center for advice about whether to induce vomiting. If possible, do not leave individual unattended.

#### Inhalation

If symptoms develop, move individual away from exposure and into fresh air. If symptoms persist, seek medical attention. If breathing is difficult, administer oxygen. Keep person warm and quiet; seek immediate medical attention.

#### Notes to physician

**Hazards**: No information available. **Treatment**: No information available

#### 5. FIREFIGHTING MEASURES

## Suitable extinguishing media

Dry chemical, Carbon dioxide (CO2), Water spray

#### **Hazardous combustion products**

Carbon dioxide and carbon monoxide, Hydrocarbons

## **Precautions for fire-fighting**

Wear full firefighting turn-out gear (full Bunker gear), and respiratory protection (SCBA). Use water spray to cool fire exposed containers and structures until fire is out if it can be done with minimal risk. Avoid spreading burning material with water used for cooling purposes.

## NFPA Flammable and Combustible Liquids Classification

Combustible Liquid Class IIIB

#### 6. ACCIDENTAL RELEASE MEASURES

## **Personal precautions**

For personal protection see section 8. Persons not wearing protective equipment should be excluded from area of spill until clean-up has been completed.

## **Environmental precautions**

Prevent spreading over a wide area (e.g. by containment or oil barriers). Do not let product enter drains. Do not flush into surface water or sanitary sewer system.

## Methods for cleaning up

Keep in suitable, closed containers for disposal. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).

## Other information

Comply with all applicable federal, state, and local regulations.

#### 7. HANDLING AND STORAGE

#### Handling

Containers of this material may be hazardous when emptied. Since emptied containers retain product residues (vapor, liquid, and/or solid), all hazard precautions given in the data sheet must be observed.

#### Storage

Store in a cool, dry, ventilated area. Store in a cool, dry, ventilated area. Store in a cool, dry, ventilated area.

#### 8. EXPOSURE CONTROL/PERSONAL PROTECTION

#### **Exposure Guidelines**

Contains no substances with occupational exposure limit values.

## Hazardous components without workplace control parameters

Components	CAS -No
Halogenated Hydrocarbon	8000986-5736P

#### General advice

These recommendations provide general guidance for handling this product. Personal protective equipment should be selected for individual applications and should consider factors which affect exposure potential, such as handling practices, chemical concentrations and ventilation. It is ultimately the responsibility of the employer to follow regulatory guidelines established by local authorities.

## **Exposure controls**

Provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known, suspected or apparent adverse effects.

### Eye protection

Not required under normal conditions of use. Wear splash-proof safety goggles if material could be misted or splashed into eyes.

## Skin and body protection

Wear resistant gloves (consult your safety equipment supplier).

#### Respiratory protection

A NIOSH-approved air-purifying respirator with an appropriate cartridge and/or filter may be permissible under certain circumstances where airborne concentrations are expected to exceed exposure limits (if applicable) or if overexposure has otherwise been determined. Protection provided by air-purifying respirators is limited. Use a positive pressure, air-supplied respirator if there is any potential for uncontrolled release, exposure levels are not known or any other circumstances where an air-purifying respirator may not provide adequate protection.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

Odour	No data available
Odour threshold	No data available
рН	No data available
Melting point/freezing point	No data available
Boiling point/boiling range	No data available
Flash point	> 200.1 °F / > 93.4 °C
Evaporation rate	No data available
Flammability (solid, gas)	No data available
Upper explosion limit	No data available
Lower explosion limit	No data available
Vapor pressure	(>)24.660 hPa @ 70 °F / 21 °C
Relative vapour density	No data available

Relative density	1.02 g/cm3 @ 70 °F / 21 °C
Solubilty(ies) Water solubility	dispersible
Solubilty in other solvents	No data available
Partition coefficient: noctanol/water	No data available
Auto-ignition temperature	No data available
Thermal decomposition	No data available
Viscocity	
Dynamic	No data available
Kinematic	No data available
Oxidizing properties	No data available

#### 10. STABILITY AND REACTIVITY

## Reactivity

No decomposition if stored and applied as directed

## Stability

Stable.

## Conditions to avoid

Heat, flames and sparks., Exposure to sunlight.

## Incompatible products

aluminum, Amines, Ammonia, Bases, Copper alloys, galvanized metals, strong mineral acids, strong organic acids, Strong oxidizing agents, silica, peroxides, UV light., Zinc

## **Hazardous decomposition products**

Carbon dioxide and carbon monoxide, Hydrocarbons

#### **Hazardous reactions**

Product will not undergo hazardous polymerization.

### 11. TOXICOLOGICAL INFORMATION

## Information on likely routes of exposure

Inhalation

Skin Conatct

**Eye Contatct** 

Ingestion

## **Acute oral toxicity**

Acute oral toxicity - Product	Assessment: The component/mixture is classified as
	acute oral toxicity, category 3.

#### Acute inhalation toxicity

	<b>,</b>
Acute inhalation toxicity - Product	Assessment: The component/mixture is classified as
·	acute inhalation toxicity, category 3.

## **Acute dermal toxicity**

Acute dermal toxicity - Product	Assessment: The component/mixture is classified as
_	acute dermal toxicity, category 3

#### Skin corrosion/irritation

Not classified based on available information. Halogenated Hydrocarbon Components:

Results: Corrosive to Skin

## Serious eye damage/eye irritation

**Product:** 

Remarks: Unlikely to cause eye irritation

#### **Components:**

HALOGENATED HYDROCARBON:

Result: Corrosive

#### Respiratory or skin sensitization

Skin sensitisation: May cause an allergic skin reaction.

Respiratory sensitisation: Not classified based on available information

#### **Components:**

HALOGENATED HYDROCARBON:

Assessment: May cause sensitisation by skin contact.

#### 12. ECOLOGICAL INFORMATION

**Biodegradability** 

Biodegradability- Product	no data available

## **Bioaccumulation**

Bioaccumulation - Product	no data available
---------------------------	-------------------

## **Ecotoxicity effects**

## Toxicity to fish

Toxicity to fish - Product	no data available

## Toxicity to daphnia and other aquatic invertebrates

Toxicity to daphnia and other	no data available
aquatic invertebrates	

## Toxicity to daphnia and other aquatic invertebrates

Toxicity to daphnia and other	no data available
aquatic invertebrates	

## Toxicity to algae

Toxicity to algae-product	no data available

## Toxicity to bacteria

Toxicity to algae-product no data avai	lable
--	-------

#### 13. **DISPOSAL CONSIDERATIONS**

Material name: Sgreen Adhesive SDS US

#### Waste disposal methods

Dispose of in accordance with all applicable local, state and federal regulations. For assistance with your waste management needs - including disposal, recycling and waste stream reduction.

# 14. TRANSPORTATION INFORMATION REGULATION

ID NUMBER	PROPER	*HAZARD	SUBSIDIARY	PACKING	MARINE
	SHIPPING	CLASS	HAZARDS	GROUP	POLLUTANT /
	NAME				LTD. QTY

U.S. DOT - ROAD: Not Dangerous Goods

**U.S. DOT – RAIL:** Not Dangerous Goods

U.S. DOT – INLAND WATERWAYS: Not Dangerous Goods

TRANSPORT CANADA - ROAD: Not Dangerous Goods

TRANSPORT CANADA - RAIL: Not Dangerous Goods

TRANSPORT CANADA - INLAND WATERWAY: Not Dangerous Goods

INTERNATIONAL MARITIME DANGEROUS GOODS: Not Dangerous Goods

INTERNATIONAL AIR TRANSPORT ASSOCIATION - CARGO: Not Dangerous Goods

INTERNATIONAL AIR TRANSPORT ASSOCIATION - PASSENGER: Not Dangerous Goods

#### MEXICAN REGULATION FOR THE LAND TRANSPORT OF HAZARDOUS MATERIALS AND WASTES:

Not Dangerous Goods

#### \*ORM = ORM-D, CBL = COMBUSTIBLE LIQUID

Dangerous goods descriptions (if indicated above) may not reflect quantity, end-use or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

#### 15. REGULATORY INFORMATION

SARA Hazard C	lassification	
SARA 311/312	Classification	
Chronic Health H	<del>l</del> azard	

#### **Notification status**

Canada. Canadian Environmental Protection Act (CEPA).	y (positive listing)
Domestic Substances List (DSL). (Can. Gaz. Part II, Vol. 133)	
Australia. Industrial Chemical (Notification and Assessment) Act	n (Negative listing)

New Zealand. Inventory of Chemicals (NZIoC), as published by	n (Negative listing)
ERMA New Zealand	
Japan. Kashin-Hou Law List	n (Negative listing)
Korea. Toxic Chemical Control Law (TCCL) List	n (Negative listing)
Philippines. The Toxic Substances and Hazardous and Nuclear	n (Negative listing)
Waste Control Act	
China. Inventory of Existing Chemical Substances	n (Negative listing)

HEALTH:	1	
FLAMMABILITY:	0	
PHYSICAL HAZARD:	0	
PERSONAL PROTECTION:	SEE SEC. 8	

## HMIS RATING NFPA CODES

HEALTH	1
FLAMMABILTY	0
REACTIVITY	0

MANUFACTURER DISCLAIMER: Information given herein is offered in good faith as accurate, but without guarantee. Conditions of use and suitability of the product for particular uses are beyond our control; all risks of use of the product are therefore assumed by the user. Nothing is intended as a recommendation for uses which infringe valid patents or as extending license under valid patents. Appropriate warnings and safe handling procedures should be provided to handlers and users

Material name: Sgreen Adhesive Version #: 01 Issue date: 08-01-2020