



# ROD / LINE RECOMMENDATIONS FOR:

- UPDATED** -DRIFT NYMPH ROD
- UPDATED** -BVK SPEY RODS
- NEW FOR 2019** -AXIOM II SWITCH RODS
- NEW FOR 2019** -PROFESSIONAL II TH RODS
- DEER CREEK SWITCH RODS
- DEER CREEK SPEY 5 PIECE RODS
- DEER CREEK SPEY 4 PIECE RODS

**PLEASE NOTE:** TFO CANADA DOES NOT SELL ANY OF THE LISTED SKAGIT, SCANDI, TWO-HANDED OVERHEAD, MID-BELLY, LONG-BELLY AND OTHER NOTED LINES IN THE CHART BELOW. PLEASE CONTACT YOUR LOCAL DEALER FOR LINE PURCHASES.

TFO DRIFT NYMPH ROD 3Wt., 4 - 6pc., 9'0" - 12'3"						
	Single-hand Standard	Euro Nymphing	*Single-Hand Micro Spey	*Single-Hand Micro Spey	*	Other
<b>TFO DRIFT ROD</b>			9'	10' & UP		11'3" & UP
<b>9'0" 3-weight</b>	TFO Special Delivery WF3F	Rio EURO Nymph 2-5wt.	OPST Commando	OPST Commando		Wulff Ambush Short 200
		Airflo Euro Nymph	150 grains, 12'	175-200 grains, 12'		
			OPST 5' Sink Tip	OPST 5' Sink Tip		
			OPST Float Tips	OPST Float Tips		
			5', 7.5', 10'	5', 7.5', 10'		

\*OPST line recommendations for 3Wt. Rods.

BVK SPEY RODS						
	Skagit	Scandi	Two-handed overhead	Mid-belly	Long-belly	Other
<b>11'6" 5-weight</b> (200-400 grains)	225-325 grains 11-18 foot heads OPST Commando OPST Commando Smooth Airflo SCOUT SA Spey Lite Skagit Rio Skagit Max Trout	200-300 grains 28-31 foot heads RIO Scandi Short Airflo Scandi Compact	225-275 grains 11-18 foot heads OPST Commando Airflo SCOUT SA Spey Lite Rio Skagit TroutMax	*	*	*
<b>12'8" 6-weight</b> (400-600 grains)	425-510 grains 18-26 foot heads Intouch Game Changer 6/7 RIO Skagit Max Airflo Skagit Compact OPST Commando Airflo SCOUT SA Freightliner Skagit	400-480 grains 28-31 foot heads RIO Scandi Short Airflo Scandi Compact Nextcast WA 35 Gaelforce Equalizer ESS 7/8 Intouch Scandi 3D	425-500 grains 18-22 foot heads RIO Skagit Max Short RIO Skagit IFlight RIO Skagit IShort SA Skagit Freightliner		*	*
<b>13'0" 7-weight</b> (450-650 grains)	475-575 grains 20-28 foot heads RIO Skagit Max Nextcast Coastal/Zone Airflo Skagit Compact/G2 SA Freightliner Skagit Intouch Game Changer 7/8	450-525 grains 28-39 foot heads RIO Scandi Short Airflo Scandi Compact Loop GDC (#7) Gaelforce Equalizer ESS (8/9) Intouch Scandi 3D	450-525 grains 18-28 foot heads RIO Skagit Max Short RIO Skagit IFlight SA Skagit Freightliner	480-525 40-48.5 feet Intouch Short Head Spey Nextcast WA 45/55 Cortland SH Spey (7)		*
<b>13'4" 8-weight</b> (500-700 grains)	550-650 grains RIO Skagit Max Nextcast Coastal/Zone Airflo Skagit Compact/G2 Airflo Rage Compact Intouch Game Changer 8/9 SA Skagit Freightliner	480-600 grains Airflo Scandi Compact Airflo Scandi Long Loop GDC (#8) RIO Scandi Intouch Scandi 3D	525-600 grains RIO Skagit Max Airflo Skagit Compact/G2 SA Skagit Freightliner	525-625 grains 42-50 feet SA Spey Evolution Intouch Short Head Spey Ballistic Vector (8/9) Nextcast WA 45/55 Cortland SH Spey (8)	*	*



# ROD / LINE RECOMMENDATIONS FOR:

- UPDATED** -DRIFT NYMPH ROD
- UPDATED** -BVK SPEY RODS
- NEW FOR 2019** -AXIOM II SWITCH RODS
- NEW FOR 2019** -PROFESSIONAL II TH RODS
- DEER CREEK SWITCH RODS
- DEER CREEK SPEY 5 PIECE RODS
- DEER CREEK SPEY 4 PIECE RODS

## AXIOM II SWITCH RODS

	Skagit	Scandi	Two-handed overhead	Mid-belly	Long-belly	Other
<b>11'0 6WT 4PC</b> (300-500 grains)	350-430 grains 18-25 foot heads	325-400 grains 29-33 foot heads	350-400 grains 17-20 foot heads	*	*	*
	SA Freightliner Skagit	RIO Scandi Short	SA Spey Lite Skagit			
	RIO Skagit Max Short	Airflo Scandi Compact	SA Freightliner Skagit			
	OPST Commando	Ballistic Express (6/7)	RIO Skagit Max Short			
	Airflo SCOUT	SA Spey Lite Scandi	OPST Comando			
	SA Spey Lite Skagit	Gaelforce Equalizer ESS (6/7)	Airflo SCOUT			
<b>11'0 7WT 4PC</b> (350-550 grains)	400-480 grains 17-25 foot heads	375-450 grains 29-35 foot heads	400-450 grains 17-23 foot heads	*	*	*
	SA Freightliner Skagit	RIO Scandi Short	Gaelforce Equalizer ESS (7/8)			
	Airflo Skagit Compact G2	Airflo Scandi Compact	SA Spey Lite Skagit			
	RIO Skagit Max Short	SA Spey Lite Scandi	RIO Skagit Max Short			
	SA Spey Lite Skagit	Ballistic Express (7/8)	OPST Commando			
	OPST Commando	Gaelforce Equalizer ESS (7/8)	SA Freightliner Skagit			
	Airflo SCOUT					
<b>11'0 8WT 4PC</b> (400-600 grains)	450-530 grains 17-25 foot heads	425-500 grains 29-35 foot heads	450-500 grains 17-23 foot heads	*	*	*
	SA Freightliner Skagit	RIO Scandi Short	Gaelforce Equalizer ESS (8/9)			
	Airflo Skagit Compact G2	Airflo Scandi Compact	SA Spey Lite Skagit			
	RIO Skagit Max Short	SA Spey Lite Scandi	RIO Skagit Max Short			
	OPST Commando	Ballistic Express (7/8)	OPST Commando			
		Gaelforce Equalizer ESS (8/9)				

## PROFESSIONAL II TH RODS

	Skagit	Scandi	Two-handed overhead	Mid-belly	Long-belly	Other
<b>11'0" 2/3WT</b> (180- 270 grains)	180-250 grains 11-18 foot heads	180-225 28-31 foot heads	180-250 grains 11-18 foot heads	*	*	*
	RIO Skagit Max Trout	SA Spey Lite Scandi	RIO Skagit Max Trout			
	OPST Commando	Airflo Scandi Compact	OPST Commando			
	OPST Commando Smooth	RIO SCANDI SHORT	OPST Commando Smooth			
	Airflo SCOUT		Airflo SCOUT			
	SA Spey Lite Skagit		SA Spey Lite Skagit			
<b>11'0" 6/7WT</b> (400-600 grains)	330-430 grains 11-25 foot heads	300-400 grains 29-33 foot heads	330-400 grains 11-25 foot heads	*	*	*
	SA Freightliner Skagit	RIO Scandi Short	SA Freightliner Skagit			
	RIO Skagit Max Short	Airflo Scandi Compact	RIO Skagit Max Short			
	OPST Commando	SA Spey Lite Scandi	OPST Commando			
	Airflo SCOUT		Airflo SCOUT			
	SA Spey Lite Skagit		SA Spey Lite Skagit			
	Airflo SCOUT		Airflo SCOUT			
<b>11'6" 7/8WT</b> (450-650 grains)	500-600 grains 18-28 foot heads	480-550 grains 33-38 foot heads	500-575 grains 18-28 foot heads	*	*	*
	RIO Skagit Max	RIO Scandi Short	RIO Skagit Max			
	Airflo Skagit Compact/G2	Airflo Scandi Compact	Airflo Skagit Compact/G2			
	Nextcast Coastal/Zone	Gaelforce Equalizer ESS (7/8)	Nextcast Coastal/Zone			
	SA Freightliner Skagit	INTOUCH SCANDI 3D	SA Freightliner Skagit			
<b>12'6" 6/7WT</b> (400- 600 grains)	450-520 grains 18-28 foot heads	425-480 grains 28-35 foot heads	450-500 grains 18-28 foot heads	*	*	*
	RIO Skagit Max	RIO Scandi Short	RIO Skagit Max			
	SA Freightliner Skagit	Airflo Scandi Compact	SA Freightliner Skagit			
	Airflo Skagit Compact/G2	Gaelforce Equalizer ESS (6/7)	Airflo Skagit Compact/G2			
	Nextcast Coastal/Zone	INTOUCH SCANDI 3D	Nextcast Coastal/Zone			
<b>13'0" 7/8WT</b> (450- 650 grains)	500-625 grains 18-28 foot heads	480-550 grains 33-38 foot heads	500-600 grains 18-28 foot heads	*	*	*
	RIO Skagit Max	RIO Scandi Short	RIO Skagit Max			
	Airflo Skagit Compact/G2	Airflo Scandi Compact	Airflo Skagit Compact/G2			
	Nextcast Coastal/Zone	Gaelforce Equalizer ESS (8/9)	Nextcast Coastal/Zone			
	SA Freightliner Skagit	INTOUCH SCANDI 3D	SA Freightliner Skagit			



# ROD / LINE RECOMMENDATIONS FOR:

- UPDATED** -DRIFT NYMPH ROD
- UPDATED** -BVK SPEY RODS
- NEW FOR 2019** -AXIOM II SWITCH RODS
- NEW FOR 2019** -PROFESSIONAL II TH RODS
- DEER CREEK SWITCH RODS
- DEER CREEK SPEY 5 PIECE RODS
- DEER CREEK SPEY 4 PIECE RODS

## DEER CREEK SWITCH RODS

	Skagit	Scandi	Two-handed overhead	Mid-belly	Long-belly	Other
<b>11'0 4WT 4PC</b> (200-400 grains)	275-350 grains	230-300 grains	250-325 grains	*	*	*
	17-20 foot heads	29-33 foot heads	17-20 foot heads			
	SA Skagit Extreme	RIO Scandi Short				
	Airflo SCOUT	Airflo Scandi Compact	SA Skagit Extreme			
	RIO Skagit Max Short	Ballistic Express (3/4) and (4/5)	RIO Skagit Max Short			
	OPST Commando		OPST			
	Airflo SCOUT					
<b>11'0 5WT 4PC</b> (250-450 grains)	300-375 grains	250-325 grains	280-350 grains	*	*	Rio Switch Chucker (#4, 325-grains)
	17-20 foot heads	29-33 foot heads	17-20 foot heads			
	SA Skagit Extreme	RIO Scandi Short				
	RIO Skagit Max Short	Airflo Scandi Compact	SA Skagit Extreme			
	RIO Skagit IShort	Ballistic Express (3/4) and (4/5)	RIO Skagit Max Short			
	OPST Commando		OPST			
	Airflo SCOUT					
<b>11'0 6WT 4PC</b> (300-500 grains)	350-400 grains	330-425 grains	380-450 grains	*	*	Rio Switch Chucker (#6, 420-grains)
	18-25 foot heads	29-33 foot heads	17-20 foot heads			
	SA Skagit Extreme	RIO Scandi Short	RIO Skagit IShort			Cortland Compact Switch (#7, 425 grains)
	Airflo Skagit Switch	Airflo Scandi Compact	SA Skagit Extreme			
	RIO Skagit Max Short	Ballistic Express (6/7)	RIO Skagit Max Short			
	RIO Skagit IShort		Airflo Skagit Switch			
	OPST Commando		OPST			
<b>11'0 7WT 4PC</b> (350-550 grains)	400-480 grains	400-450 grains	400-450 grains	*	*	Rio Switch Chucker (#7, 460-grains)
	17-25 foot heads	29-35 foot heads	17-23 foot heads			
	SA Skagit Extreme	RIO Scandi Short	RIO Skagit IShort			Cortland Compact Switch (#8, 485 grains)
	Airflo Skagit Compact	Airflo Scandi Compact	SA Skagit Extreme		*	
	Airflo Skagit Switch		RIO Skagit Max Short			
	RIO Skagit Max Short	Ballistic Express (7/8)	OPST			
	RIO Skagit IShort					
<b>11'0 8WT 4PC</b> (400-600 grains)	450-500 grains	425-475 grains	425-500 grains	*	*	
	17-25 foot heads	29-35 foot heads	17-23 foot heads			
	SA Skagit Extreme	RIO Scandi Short	RIO Skagit IShort			
	Airflo Skagit Compact	Airflo Scandi Compact	SA Skagit Extreme			
	RIO Skagit Max Short		RIO Skagit Max Short			
	RIO Skagit IShort	Ballistic Express (7/8)	OPST			
	Airflo SCOUT					
<b>11'0 9WT 4PC</b> (450-700 grains)	*	425-500 grains	450-525 grains	*	*	*
	Airflo SCOUT	29-35 foot heads	17-23 foot heads			
	OPST Commando	RIO Scandi Short	RIO Skagit IShort			
		Airflo Scandi Compact	SA Skagit Extreme			
			RIO Skagit Max Short			
			OPST			



# ROD / LINE RECOMMENDATIONS FOR:

- UPDATED** -DRIFT NYMPH ROD
- UPDATED** -BVK SPEY RODS
- NEW FOR 2019** -AXIOM II SWITCH RODS
- NEW FOR 2019** -PROFESSIONAL II TH RODS
- DEER CREEK SWITCH RODS
- DEER CREEK SPEY 5 PIECE RODS
- DEER CREEK SPEY 4 PIECE RODS

## DEER CREEK SPEY 5 PIECE RODS

	Skagit	Scandi	Two-handed overhead	Mid-belly	Long-belly	Other
<b>12'6" 5/6 - 5PC</b> (350-550 grains)	350-450 grains 11-26 foot heads	310-410 grains 28-34 foot heads	350-425 grains 18-22 foot heads	400-425 grains 34-48 foot heads		
	RIO Skagit Max	RIO Scandi Short	RIO Skagit Max Short	SA Spey Evolution	*	Rio Switch Chucker (#5, 370-grains)
	RIO Skagit IFlight	Airflo Scandi Compact	RIO Skagit IFlight	RIO Short Head Spey		
	Airflo Skagit Compact/G2		RIO Skagit IShort			
	SA Skagit Extreme	Ballistic Express (5/6)	SA Skagit Extreme			
	OPST	Loop GDC (#6)	OPST	Ballistic Vector (4/5) and (5/6)		
	Airflo SCOUT					
	Skagit	Scandi	Two-handed overhead	Mid-belly	Long-belly	Other
<b>13'0" 6/7 - 5PC</b> (400-650 grains)	450-525 grains 15-26 foot heads	375-440 grains 28-34 foot heads	400-450 grains 18-22 foot heads	400-425 grains 36-49 foot heads	*	*
	RIO Skagit Max	RIO Scandi	RIO Skagit Max Short	SA Spey Evolution		
	RIO Skagit IFlight	Airflo Scandi Compact	RIO Skagit IFlight	RIO Short Head Spey		
	Airflo Skagit Compact/G2	Ballistic Express (6/7)	RIO Skagit IShort			
	SA Skagit Extreme	Airflo Rage Compact	SA Skagit Extreme	Cortland SH Spey (7)		
	OPST	Loop GDC (#7)	OPST	Ballistic Vector (6/7)		
	Airflo SCOUT					
	Airflo Skagit Switch (7/8)					
	Skagit	Scandi	Two-handed overhead	Mid-belly	Long-belly	Other
<b>13'0" 7/8 - 5PC</b> (450-700 grains)	500-575 grains 15-28 foot heads	440-500 grains 28-35 foot heads	450-525 grains 18-25 foot heads	450-500 grains 36-49 foot heads	530-575 grains 49-55 foot heads	*
	RIO Skagit Max	RIO Scandi	RIO Skagit Max Short	SA Spey Evolution		
	RIO Skagit IFlight	Airflo Scandi Compact	RIO Skagit IFlight	RIO Short Head Spey	RIO UniSpey (8/9)	
	Airflo Skagit Compact/G2	Ballistic Express (6/7) and (7/8)	RIO Skagit IShort	Ballistic Vector (7/8)		
	SA Skagit Extreme	Airflo Rage Compact	SA Skagit Extreme	Nextcast WA 35		
	Nextcast Steelhead Finder 45	Loop GDC (#8)		Cortland SH Spey (8)		
	Airflo SCOUT					
	Skagit	Scandi	Two-handed overhead	Mid-belly	Long-belly	Other
<b>13'6" 8/9 - 5PC</b> (550-800 grains)	535-650 grains 22-28 foot heads	500-600 grains 28-35 foot heads	525-600 grains 20-28 foot heads	550-640 grains 36-55 foot heads	530-600 grains 55+ foot heads	*
	RIO Skagit Max	RIO Scandi	RIO Skagit Max Short	SA Spey Evolution		
	RIO Skagit IFlight	Airflo Scandi Compact	RIO Skagit IFlight	RIO Short Head Spey	RIO UniSpey (8/9)	
	Airflo Skagit Compact/G2	Ballistic Express (8/9)	RIO Skagit IShort	Ballistic Vector (8/9)		
	SA Skagit Extreme	Airflo Rage Compact	SA Skagit Extreme	Nextcast WA 45/55		
	Nextcast Steelhead Finder 45	Loop GDC (#9)		Airflo Ultra Spey (8/9)		
				Cortland SH Spey (9)		



# ROD / LINE RECOMMENDATIONS FOR:

- UPDATED** -DRIFT NYMPH ROD
- UPDATED** -BVK SPEY RODS
- NEW FOR 2019** -AXIOM II SWITCH RODS
- NEW FOR 2019** -PROFESSIONAL II TH RODS
- DEER CREEK SWITCH RODS
- DEER CREEK SPEY 5 PIECE RODS
- DEER CREEK SPEY 4 PIECE RODS

## DEER CREEK SPEY 4 PIECE RODS

	Skagit	Scandi	Two-handed overhead	Mid-belly	Long-belly	Other
<b>12'6" 4/5 4pc</b> (250-450 grains)	280-375 grains	250-325 grains	*	300-350 grains	*	Rio Switch Chucker (#4, 325-grains)
	17-23 foot heads	29-33 foot heads		34-41 feet		
	SA Skagit Extreme	RIO Scandi Short		SA Spey Evolution		
	Airflo Skagit Compact	Airflo Scandi Compact		RIO Short Head Spey		
	RIO Skagit Max Short			Ballistic Express (4/5)		
	RIO Skagit IShort			Ballistic Vector (4/5)		
	OPST					
<b>12'6" 5/6 4PC</b> (350-550 grains)	300-425 grains	310-350 grains	*	300-425 grains	*	Rio Switch Chucker (#5, 370-grains)
	19-24 foot heads	28-34 foot heads		34-48 foot heads		
	RIO Skagit Max	RIO Scandi Short		SA Spey Evolution		
	RIO Skagit IFlight	Airflo Scandi Compact		RIO Short Head Spey		
	Airflo Skagit Compact			Ballistic Express (5/6)		
	SA Skagit Extreme			Ballistic Vector (4/5) and (5/6)		
	OPST					
<b>13'0" 6/7 4PC</b> (400-650 grains)	425-500 grains	420-440 grains	*	400-525 grains	*	*
	19-26 foot heads	28-34 foot heads		36-49 foot heads		
	RIO Skagit Max	RIO Scandi		SA Spey Evolution		
	RIO Skagit IFlight	Airflo Scandi Compact		RIO Short Head Spey		
	Airflo Skagit Compact			Ballistic Express (6/7)		
	SA Skagit Extreme			Ballistic Vector (6/7)		
	OPST					
<b>13'0" 7/8 4PC</b> (450-700 grains) <b>SOLD OUT, NOW AVAILABLE IN 5 PIECE MODEL</b>	500-570 grains	480-525 grains	*	500-550 grains	*	*
	19-28 foot heads	28-35 foot heads		36-49 foot heads		
	RIO Skagit Max	RIO Scandi		SA Spey Evolution		
	RIO Skagit IFlight	Airflo Scandi Compact		RIO Short Head Spey		
	Airflo Skagit Compact			Ballistic Express (6/7) and (7/8)		
	SA Skagit Extreme			Ballistic Vector (7/8)		
	OPST					
<b>TF 7/8 14'0 4 DC</b> (450-700 grains)	500-570 grains	480-525 grains	*	500-550 grains	*	*
	19-28 foot heads	28-35 foot heads		36-49 foot heads		
	RIO Skagit Max	RIO Scandi		SA Spey Evolution		
	RIO Skagit IFlight	Airflo Scandi Compact		RIO Short Head Spey		
	Airflo Skagit Compact			Ballistic Express (7/8) and (8/9)		
	SA Skagit Extreme			Ballistic Vector (7/8)		
	OPST					
<b>13'6" 8/9 4PC</b> (550-800 grains)	535-600 grains	500-540 grains	*	550-625 grains	*	*
	22-28 foot heads	28-35 foot heads		36-55 foot heads		
	RIO Skagit Max	RIO Scandi		SA Spey Evolution		
	RIO Skagit IFlight	Airflo Scandi Compact		RIO Short Head Spey		
	Airflo Skagit Compact			Ballistic Express (8/9)		
	SA Skagit Extreme			Ballistic Vector (8/9)		
	OPST					
<b>15'0" 8/9 4PC</b> (600-850 grains)	550-650 grains	500-540 grains	*	600-680 grains	*	*
	25-30 foot heads	28-35 foot heads		41-55 foot heads		
	RIO Skagit Max	RIO Scandi		SA Spey Evolution		
	RIO Skagit Max Long	Airflo Scandi Compact		RIO Short Head Spey		
	RIO Skagit IFlight			Ballistic Express (8/9)		
	Airflo Skagit Compact			Ballistic Vector (8/9)		
	OPST					
<b>14'0" 9/10 4PC</b> (650-900 grains)	660-750 grains	580-640 grains	*	625-690 grains	*	*
	25-30 foot heads	28-35 foot heads		41-55 foot heads		
	RIO Skagit Max	RIO Scandi		SA Spey Evolution		
	RIO Skagit Max Long	Airflo Scandi Compact		RIO Short Head Spey		
	RIO Skagit IFlight					
	Airflo Skagit Compact					
	OPST					
	SA Skagit Extreme					