

Material Safety Data Sheet

1. Chemical Product and Company Identification

1.1 Product: Putty Adhesive standard formulation

1.2 Main usage: Attaching posters to wall; cleaning fluff from clothes; holding frames straight, etc.

1.3 Company: FPC Corporation

355 Hollow Hill Dr

Wauconda, IL 60084

Phone: +1 (847) 487-4583

Fax: +1 (847) 487-0174

E-mail: sales@surebonder.com

1.4 In emergencies: tel + 27 823880713

1.5 Items:

StikkiTack 10 ST-10W

StikkiTack 80 ST-80W

2. Identification of danger

There are no immediate dangers for the environment or user of the product

3. Composition, Information on components

Product does not contain solvents; is nontoxic and PH neutral

| | | |
|----------------------------|----------------|-------|
| Isobutylene copolymer | CAS 9003-29.6 | 7.3% |
| Polybutenes (polymers) | CAS 9003-29.6 | 1 % |
| Propylene based elastomers | CAS 9010-79-1 | 0.9 % |
| Calcium carbonates | CAS 471-34-1 | 76.6% |
| Paraffinic oils | CAS 64742-56.8 | 5.3 % |
| Resins | CAS 28514-92-3 | 0.3 % |
| Kaolin | CAS 1332-58-7 | 8.5 % |
| | | |

4. First Aid

Non-hazardous in case of contact with skin or inhalation

Ingestion: no health risks if small quantities are ingested

Although product is not toxic and contains no solvent, it is advised not to be handled or use by unattended children this for risk of choking

5. Fire explosion data:

Product is non-flammable

No special storage conditions are required

Auto ignition temperature: not applicable

6. Spill treatment

Not applicable

7. Handling and storage

Shelf life: indefinite (if kept in ambient temperatures)

Storage: avoid storage temperature above 45 degrees centigrade. No specific handling or storage precautions must be taken

8. Exposure to product; protection

Exposure of product to hands, eyes, skin or inhaling does not create a risk or danger. Although product is not toxic and contains no solvent, it is advised not to be handled or used by unattended children this for risk of choking.

9. Chemical and physical properties

See paragraph 3

10. Stability and reactivity

Product is stable and non-corrosive

Good resistance to alcohols, poor to solvents and oils

Chemical resistance: good to mineral and organic acids, alkalis and salts.

11. Toxicologic information

Product is not toxic

12. Ecological information

Product does not create any pollution or environmental risk when disposed off.

13. Elimination

Not applicable

14. Transport

Custom tariff code: 3506-10

No specific precautions to be made. Product is not flammable and does not contain solvents.

15. Test/Standards approved

FHSA 16 CFR toxicity risk assessment (TRA) Toy safety
USP 61/ASTM and EN 71 approved
REACH compliant ; REACH 1907/2006 94/62/CE HAP
EN 71.3 GPSD EN 71 part 1 ; 2 ; 3 -9

16. Other information:

Cleaning instruction: Remove as much as possible mechanically. Remove residue with mineral terps or lighter fuel.

For safety reason: keep away from children below age of 3

Date: March 2022
