


ARTICULATING


PREMIUM POA 64

32" - 65"
66 lbs
10.6" - 1.5"
15° to -15°



PREMIUM SAL

37" - 70"
80 lbs
19.1" - 1.9"
15° to -5°




PREMIUM SAM

30" - 60"
80 lbs
19.1" - 1.9"
15° to -3°



PREMIUM UA-PRO 110

13" - 43"
40 lbs
11.82" - 1.78"
15° to -5°



FLAT

PREMIUM UF-PRO 640

37" - 75"
143 lbs
1.5"




UF-PRO 400

47" - 90"
200 lbs
1.2"




UF-PRO 310

47" - 90"
200 lbs
0.87"



UF-PRO 210

37" - 60"
176 lbs
0.87"



TILT

PREMIUM UT-PRO 640

37" - 75"
143 lbs
2.4"
6° to -9°



UT-PRO 410

60" - 100"
200 lbs
3.3"
5° to -10°



UT-PRO 310

47" - 90"
200 lbs
2.1"
5° to -10°



UT-PRO 210

30" - 60"
55 lbs
2.1"
5° to -10°



UT-PRO 100

23" - 42"
77 lbs
1.54"
10° to -15°



CEILING

UC-PRO 310

37" - 80"
110 lbs
22" - 35.8"
0° to -25°



UC-PRO 210

24" - 55"
110 lbs
22" - 35.8"
0° to -25°



UC-PRO 100

23" - 42"
110 lbs
22" - 35.8"
0° to -25°



PROJECTOR

UPR-PRO 200

18 lbs
22.4" - 32"
20° to -20°



UPR-PRO 150


176 lbs
7"
20° to -20°



ACCESSORIES

CT-PRO 210

Size: 2x 1'



CT-PRO 210X

Size: 2' x 2'



CEILING TILE REPLACEMENTS

- SUPPORTS UP TO 60 LBS
- LIGHT WEIGHT, HEAT DISSIPATING SURFACE
- MULTIPLE MOUNTING POINTS FOR ALIGNMENT



Supports Flat and Curved TVs




Post-Installation Leveling




Secure Locking System

Flat



FF22

13"-47" / 55 lbs
200x200
1" Depth




FF44

32"-60" / 100 lbs
400x400
1.1" Depth



FF64


42"-80" / 143 lbs
600x400
1.1" Depth



FF84

50"-80" / 165 lbs
800x400
1.4" Depth

Tilt




FT22

13"-47" / 44 lbs
200x200
0.8" Depth
-8° to 0° Tilt



FT44

32"-60" / 165 lbs
400x400
1.8" Depth
-10° to 0° Tilt



FT64

42"-80" / 165 lbs
600x400
1.8" Depth
-10° to 0° Tilt



FT84

50"-80" / 165 lbs
600x400
1.8" Depth
-10° to 0° Tilt

Articulating



FSA22

17"-42" / 77 lbs
200x200
1.8" - 20"
-15° to 5° Tilt



FSA44


32"-60" / 80 lbs
400x400
2.5" - 24.3"
-15° to 5° Tilt



FSA64

42"-65" / 90 lbs
600x400
2.6" - 24.3"
-15° to 5° Tilt

Specialty



FSH1

18 lbs
Height: 8.5"
Shelf: 14.8" x 9.8"



FSH2

36 lbs
Height: 15.8"
Shelf: 14.8" x 9.8"

All Mounts Include:

Hardware Kits
Installation Manuals
Limited Warranties

Wall Taps

<p>PWS121</p> 	<p>PWS221</p> 	<p>PWS321</p> 	<p>OPWS322</p> 	<p>PWS621</p> 
<p>1 Outlet 2 USB 450 Joules</p>	<p>2 Outlet 2 USB 450 Joules</p>	<p>3 Outlets 2 USB 900 Joules</p>	<p>3 Outlet 2 USB 300 Joules</p>	<p>6 Outlet 2 USB 900 Joules</p>

Surge Strips

<p>PSS421</p> 	<p>PSS641</p> 	<p>PSS841</p> 	<p>PSS102</p> 	<p>PSS122</p> 
<p>4 Outlets 2 USB 450 Joules</p>	<p>6 Outlets 4 USB 1800 Joules</p>	<p>8 Outlets 4 USB 1800 Joules</p>	<p>10 Outlets 2 USB 2200 Joules</p>	<p>12 Outlets 2 USB 2200 Joules</p>

Braided Cables

<p>OPSS221-BC</p> 	<p>OPSS221-G</p> 	<p>OPSS221-NG</p> 	<p>OPSS221-WG</p> 
<p>2 Outlets 2 USB 300 Joules</p>	<p>2 Outlets 2 USB 300 Joules</p>	<p>2 Outlets 2 USB 300 Joules</p>	<p>2 Outlets 2 USB 300 Joules</p>

Home and Office

<p>PSS321</p> 	<p>PTS641</p> 	<p>OPTS531</p> 	<p>OPUS621</p> 
<p>3 Outlets 2 USB 450 Joules</p>	<p>6 Outlets 4 USB 1800 Joules</p>	<p>5 Outlets 3 USB 900 Joules</p>	<p>6 Outlets 2 USB-A 1 USB-C 1080 Joules</p>

Power Strips

PS401

4 Outlets 

0 USB 



PS601

6 Outlets 

0 USB 



Smart Power

OPSO101 Compatible with
Amazon's Alexa





1
Outlet


0
USB


OPLB091



Wattage: 9W
Lumens: 806LM
Color: White
Temperature: RGB +W

OPLB092

Compatible with
Amazon's Alexa
and the
Google Assistant





Wattage: 9W
Lumens: 806LM
Color: White
Temperature: RGB +CCT


Additional
Smart Products
Coming 2019

Outlet Adapters

OPAT421

4 Outlet
Types 

2 USB 



Additional
Outlet Adapters
Coming 2019

Illumination

OPFL331

Lumens:
50LM Max

Temp.: CCT

Charge Time:
4-6 Hours



Additional
Lighting Solutions
Coming 2019

The Surge
OA115



Featuring



Battery Power
Option



TWS
Pairing



30 Watt
Power Supply



USB
Compatible



SD Card
Reader



Bluetooth
Connectivity

Included in the Kit



15" LED
Speaker



Speaker
Stand



Wireless
Microphone



Remote
Control



Power
Cable



Manual

OCHDMI001-8, OCHDMI001-12
OCHDMI001-25, OCHDMI001-50



Extra Strength
Dual Grip

Cable Length Guide

Best length for:
Single Device
6ft/8ft



Best length for:
Entertainment Centers
12ft/16ft



Best length for:
Home Theater System
25ft/50ft



Available in 8 Foot, 12 Foot, 25 Foot, and 50 Foot Options

8-16
Bit Color

HDMI
Ethernet Connection

High
Speed
Video

FULL MOTION PREMIUM



MA221

17-42" 70lbs
Depth 1.8" to 20.1"
Tilt -15° to 5°



MA441

32-60" 70lbs
Depth 2.2" to 20.3"
Tilt -15° to 5°



MA641

42-75" 100lbs
Depth 2.2" to 20.4"
Tilt -8° to 5°



MOA64P

32-65" 66lbs
Depth 1.5" to 10.6"
Tilt -15° to 15°

fits

TILT PREMIUM




MT441

32-60" 70lbs
Depth 2.3"
Tilt -15° to 10°



MT641

42-75" 75lbs
Depth 2.3"
Tilt -15° to 10°



MT841


50-80" 165lbs
Depth 1.8"
Tilt -10° to 0°

FLAT PREMIUM




MF441

32-60" 70lbs
Depth 1.4"



MF641

42-75" 75lbs
Depth 1.4"



MF841

50-80" 165lbs
Depth 1.4"

All Mounts Include: Hardware Kits, Installation Manuals, Limited Warranties

FULL MOTION



MP222

13-43" 40lbs
Depth 1.8" to 11.8"
Tilt -5° to 15°



MP442

32-60" 70lbs
Depth 1.6" to 14.8"
Tilt -15° to 0°



MP642

42-70" 75lbs
Depth 1.6" to 14.8"
Tilt -15° to 0°



MA4402


32-55" 66lbs
Depth 3.5 to 15.7"
Tilt -20° to 20°



MA6404

37-70" 110lbs
Depth 2.3" to 18.6"
Tilt -20° to 10°

TILT



MT222

17-47" 44lbs
Depth 0.8"
Tilt -8° to 0°



MT442


30-60" 70lbs
Depth 0.8"
Tilt -8° to 0°



MT642

42-75" 75lbs
Depth 0.8"
Tilt -8° to 0°

FLAT




MF222

13-47" 44lbs
Depth 0.8"



MF442

32-60" 70lbs
Depth 0.8"



MF642

42-75" 75lbs
Depth 0.8"

All Mounts Include: Hardware Kits, Installation Manuals, Limited Warranties

KITS

Tilt Mount Kit



Kit Includes:
 MT642 Tilt Mount
 6' HDMI Cable
 Screen Cleaner
 Cleaning Cloth

MT643

42-75" 75lbs
 Depth 0.8"
 Tilt -8°

Tilt Mount Kit with Shelf



Kit Includes:
 MT642 Tilt Mount
 AV Shelf
 6' HDMI Cable
 Screen Cleaner
 Cleaning Cloth

MT644S

42-75" 75lbs
 Depth 0.8"
 Tilt -8°

AV Shelf

42-75" 75lbs
 Depth 0.8"
 Tilt -8°

Kit Customizations

- Variety of Mount Sizes
- Available in Many Different Configurations
- Customizable Based on Reseller Needs

Kits Include Combinations of:

Monster TV Mount, HDMI Cable, Screen Cleaner, Microfiber Cloth, Bubble Level, Soundbar, LED Backlight Kit, Indoor HD Antenna

TV ACCESSORIES

On-Wall Shelf System

- Audio/Video Component Shelf
- UL Certified Tempered Glass
- Integrated Cable Management



MHS1

UP TO 18lbs

On-Wall Shelf System

- Audio/Video Component Shelf
- UL Certified Tempered Glass
- Integrated Cable Management



MHS2

Up To 18lbs Each Shelf

Universal Soundbar Mount

Compatible with Most Soundbars



MSB33

Fits Most 30-90" TV
 Speaker Weight 33lbs

TV Safety Strip

- Secure your TV to Furniture or the Wall
- Compatible with Wall Mounted and Free Standing TVs
- All Hardware Included



MTS11

TVs up to 55"

Cable Management System

- Hide Unsightly Component and Power Cables
- Ready to Paint



MCM11

TV Backlight Kit

- Compatible with Mounted and Free Standing TVs
- 16 Colors and 4 Dynamic Themes
- Reduce Eye Strain



MTB02

TV Backlight Kit **New**

- Compatible with Mounted and Free Standing TVs
- 16 Colors and 4 Dynamic Themes
- Reduce Eye Strain



MTB04

REMOTE CONTROLS

Universal Remote **New**

* 6-in-1, Control up to Six Devices



MRC001U

Smart+ Remote Control **New**

*Compatible with Android and Windows 10



MRC002K



DESK MOUNTS

Single Desk Monitor Mount

- *Integrated Cable Management System
- *Compatible with Vesa Pattern Displays/ Monitors
- *360° Rotation



MM1101G

13-27" 13lbs
 Depth 3.5-16.1"
 Tilt -90° to 90°

Double Desk Monitor Mount

- *Integrated Cable Management System
- *Compatible with Vesa Pattern Displays/ Monitors
- *360° Rotation



MM1102G

13-27" 13lbs
 Depth 3.5-16.1"
 Tilt -90° to 90°

Featuring:


Monster CleanSignal Technology

Built with the Consumer in Mind

Keep Access to News and
Emergency Alerts



KATANA METRO
Urban Reception Range
Passive HD Antenna
Cable Type: Detachable




KATANA 40
40 Mile Range
Passive HD Antenna
Cable Type: Attached




EDGE 40
40 Mile Range
Passive HD Antenna
Cable Type: Attached



EDGE 40 PLUS
40 Mile Range
Passive HD Antenna
Cable Type: Detachable



KATANA 60
60 Mile Range
Amplified
Active HD Antenna
Cable Type: Attached



EDGE 60
60 Mile Range
Amplified
Passive HD Antenna
Cable Type: Attached



EDGE 60 PLUS
60 Mile Range
Externally Amplified
Active HD Antenna
Cable Type: Detachable



AEGIS 80
80 Mile Range
Amplified
Active HD Antenna
Cable Type: Detachable



TEDATE 120
120 Mile Range
Amplified
Active HD Antenna
Cable Type: Detachable