



Innovational Laboratories, LLC.
5555 W Brooks St.
Montclair, CA 91763
Tel 909-230 6210
Fax 909-230 6211
www.ilab-us.com

CoA # 19010027
CoA Date 02/08/2019
CoA Status Final

CERTIFICATE OF ANALYSIS

Customer Complete Body Daily
Address 1625 Crescent Circle #115
Carrollton TX 75006

Date Received 1/3/2019
Condition Good
Temp Ambient

Sample Name CBD X11R


PO #

Sample Lot # X11R

Remarks

Analysis	Specification	Test Result	Test Method	Test Date
Cannabidiol (CBD)	N/A	87.6%	HPLC/UPLC	01/04/2019
Cannabidiolic Acid (CBDA)	N/A	Not Detected	HPLC/UPLC	as above
Cannabigerol (CBG)	N/A	Not Detected	HPLC/UPLC	as above
Cannabinol (CBN)	N/A	Not Detected	HPLC/UPLC	as above
Tetrahydrocannabinol (THC)	N/A	Not Detected	HPLC/UPLC	as above
delta-8-Tetrahydrocannabinol	N/A	Not Detected	HPLC/UPLC	as above
Cannabichromene (CBC)	N/A	Not Detected	HPLC/UPLC	as above
Tetrahydrocannabinolic (THCA)	N/A	Not Detected	HPLC/UPLC	as above
Methanol	N/A	Pass <3000 ppm	USP 37<467>	02/06/2019
Acetonitrile	N/A	Pass <410 ppm	USP 37<467>	as above
Dichloromethane	N/A	Pass <600 ppm	USP 37<467>	as above
trans-1, 2-Dichloroethene	N/A	Pass <1870 ppm	USP 37<467>	as above
cis-1, 2-Dichloroethene	N/A	Pass <1870 ppm	USP 37<467>	as above
Tetrahydrofuran	N/A	Pass <720 ppm	USP 37<467>	as above
Cyclohexane	N/A	Pass <3880 ppm	USP 37<467>	as above
Methylcyclohexane	N/A	Pass <1180 ppm	USP 37<467>	as above
1,4-Dioxane	N/A	Pass <380 ppm	USP 37<467>	as above
Toulene	N/A	Pass <890 ppm	USP 37<467>	as above
Chlorobenzene	N/A	Pass <360 ppm	USP 37<467>	as above
Ethylbenzene	N/A	Pass <368.9 ppm	USP 37<467>	as above
m-Xylene	N/A	Pass <1302 ppm	USP 37<467>	as above
p-Xylene	N/A	Pass <368.9 ppm	USP 37	as above
o-Xylene	N/A	Pass <195.3 ppm	USP 37<467>	as above
n-Hexane	N/A	Pass <290 ppm	USP 37<467>	as above
Nitromethane	N/A	Pass <50 ppm	USP 37<467>	as above
Chloroform	N/A	Pass <60 ppm	USP 37<467>	as above
1,2-Dimethoxyethane	N/A	Pass <100 ppm	USP 37<467>	as above
Trichloroethene	N/A	Pass <80 ppm	USP 37<467>	as above
Pyridine	N/A	Pass <200 ppm	USP 37<467>	as above
2-Hexanone	N/A	Pass <50 ppm	USP 37<467>	as above
Tetraline	N/A	Pass <100 ppm	USP 37<467>	as above
Ethanol	N/A	Pass <5,000 ppm	USP 37<467>	as above
alpha-Pinene	N/A	Not Detected	GC	01/04/2019
Camphene	N/A	Not Detected	GC	as above
β-Myrcene	N/A	Not Detected	GC	as above
β-Pinene	N/A	Not Detected	GC	as above
3-Carene	N/A	1.15mg / g	GC	as above
alpha-Terpinene	N/A	Not Detected	GC	as above
Ocimene	N/A	Not Detected	GC	as above

Authorized by


Guy Weerasekera, Ph.D. / Lab Director

02/08/2019

These results apply only to the items tested. This certificate of analysis shall not be reproduced except in full without written consent of iLab.
Estimation of uncertainty of measurement is available upon request.



Innovational Laboratories, LLC.
5555 W Brooks St.
Montclair, CA 91763
Tel 909-230 6210
Fax 909-230 6211
www.ilab-us.com

CoA # 19010027
CoA Date 02/08/2019
CoA Status Final

CERTIFICATE OF ANALYSIS

Customer Complete Body Daily
Address 1625 Crescent Circle #115
Carrolton TX 75006

Date Received 1/3/2019
Condition Good
Temp Ambient

Sample Name CBD X11R


PO #

Sample Lot # X11R

Remarks

Analysis	Specification	Test Result	Test Method	Test Date
Limonen	N/A	Not Detected	GC	as above
P-Cymene	N/A	1.59mg / g	GC	as above
β-Ocimene	N/A	Not Detected	GC	as above
Eucalyptol	N/A	Not Detected	GC	as above
gamma-Terpinene	N/A	Not Detected	GC	as above
Terpinolene	N/A	Not Detected	GC	as above
Linalool	N/A	2.69mg / g	GC	as above
Isopulegol	N/A	Not Detected	GC	as above
Geraniol	N/A	Not Detected	GC	as above
β-Caryophyllene	N/A	7.75mg / g	GC	as above
alpha-Humulene	N/A	0.45mg / g	GC	as above
Nerolidol 1	N/A	Not Detected	GC	as above
Nerolidol 2	N/A	Not Detected	GC	as above
Guaiol	N/A	7.52mg / g	GC	as above
Caryophyllene oxide	N/A	7.33mg / g	GC	as above
alpha-Bisabolol	N/A	Not Detected	GC	as above
Arsenic (As)	N/A	<0.005 ppm	ICP-MS (STP-021)	01/10/2019
Cadmium (Cd)	N/A	<0.005 ppm	ICP-MS (STP-021)	as above
Mercury (Hg)	N/A	<0.005 ppm	ICP-MS (STP-021)	as above
Lead (Pb)	N/A	0.005 ppm	ICP-MS (STP-021)	as above

Authorized by


Guy Weerasekera, Ph.D. / Lab Director

These results apply only to the items tested. This certificate of analysis shall not be reproduced except in full without written consent of iLab.
Estimation of uncertainty of measurement is available upon request.