

| Name: |
|---|
| |
| Tx Start Date: Healios Start Date: |
| Instructions: Mix 1 scoop of Healios with 50-120 mL of water. Swirl and swish in mouth for 10 seconds, then swallow. Take twice a day, once in the morning and evening. For best results take 30 minutes before mealtime or 30 minutes after. |
| Week 1: Took Healios as instructed? Yes/No If no, why? |
| Patient comments: Ask about • Tolerance to Healios? • Pain level? • Use of pain meds? Increase/decrease/same? • PO intake: Increase/decrease/same? • GTF use: Increase/decrease/same? • Other: |
| Week 2: Took Healios as instructed? Yes/No If no, why? |

- Patient comments: Ask about... • Tolerance to Healios?

 - Pain level?
 - Use of pain meds? Increase/decrease/same?
 - PO intake: increase/decrease/same?
 - GTF use increase/decrease/same?
 - Other:

| Name: |
|--|
| Week 3: Took Healios as instructed? Yes/No If no, why? |
| Patient comments: Ask about • Tolerance to Healios? • Pain level? • Use of pain meds? Increase/decrease/same? • PO intake: Increase/decrease/same? • GTF use: Increase/decrease/same? • Other: |
| Week 4: Took Healios as instructed? Yes/No If no, why? |
| Patient comments: Ask about • Tolerance to Healios? • Pain level? • Use of pain meds? Increase/decrease/same? • PO intake: increase/decrease/same? • GTF use increase/decrease/same? • Other: |
| Week 5: Took Healios as instructed? Yes/No If no, why? |
| Detient comments. Ask shout |

Patient comments: Ask about...

- Tolerance to Healios?
- Pain level?
- Use of pain meds? Increase/decrease/same?
- PO intake: increase/decrease/same?
- GTF use increase/decrease/same?
- Other:

Patient comments: Ask about...

- Tolerance to Healios?
- Pain level?
- Use of pain meds? Increase/decrease/same?
- PO intake: increase/decrease/same?
- GTF use increase/decrease/same?
- Other: