

SAFETY DATA SHEET

Publishing date: 16.03.2011 Revision date: 25.01.2018 Rev.: 2.0

1. IDENTIFICATION OF THE SUBSTANCE OR MIXTURE AND OF THE **COMPANY/UNDERTAKING**

1.1. Product identifier: **Brill Bird No Fungus**

1.2. Relevant identified uses of the mixture and uses advised against:

Nail care liquid with cleansing effect for cosmetic use.

1.3. Details of the supplier of the safety data sheet:

Brillbird Europe Kft.

1066 Budapest, Ó utca 46.

tel.: 06-30/506-8820

e-mail: brbirdeurope@gmail.com

1.4. Emergency telephone number:

Country	Name	Phone No.	Availability
Hungary	Egészségügyi Toxikológiai Tájékoztató Szolgálat (ETTSZ)	+36 80201199	call around the clock
Austria	Vergiftungsinformationszentrale	+43 14064343	call around the clock
Belgium	Antigifzentrum	+32 070245245	call around the clock
Czech Republic	Toxikologického informačního střediska	+420 224919293	call around the clock
Denmark	Giftlinjen	+45 82121212	call around the clock
France	Centre Antipoison et de Toxicovigilance	+ 33 0140054848	call around the clock
Germany	Giftnotruf Berlin Institut für Toxikologie	+49 3019240	call around the clock
Ireland	National Poisons Information Centre	+353 018092566	call around the clock
Italy	S.C. Centro Antiveleni di Milano (CAV)	+39 0266101029	call around the clock
Spain	Instituto Nacional de Toxicología y Ciencias Forenses	+34 915620420	call around the clock
The Netherlands	Vergiftigingen	+31 0302748888	call around the clock



SAFETY DATA SHEET

Publishing date: 16.03.2011 Revision date: 25.01.2018 Rev.: 2.0

2. HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture:

The product is classified as hazardous according to Regulation (EC) 1272/2008 as amended.

Flam. Liq. 2 H225 H304 Asp. Tox. 1. Skin Irrit. 2 H315 Eye Irrit 2 H319

STOT SE 3 H336

H400 **Aquatic Acute 1**

Aquatic Chronic 1 H410

2.2. Labelling elements:



Signal words: Danger!

Hazard statements H225: Highly flammable liquid and vapour.

H304: May be fatal if swallowed and enters airways.

H315: Causes skin irritation.

H319: Causes serious eye irritation.

H336: May cause drowsiness or dizziness.

H400: Very toxic to aquatic life.

H410: Very toxic to aquatic life with long lasting effects.

Precautionary statements

Prevention P210: Keep away from heat / sparks / open flames / hot

surfaces and other ignition sources. — No smoking.

P241: Use explosion-proof electrical / ventilating / lighting

and all material-handling equipment.

P280: Wear protective gloves / eye protection / face





SAFETY DATA SHEET

Publishing date: 16.03.2011 Revision date: 25.01.2018 Rev.: 2.0

protection.

P273: Avoid release to the environment.

Response P304 + P340: IF INHALED: Remove victim to fresh air and

keep at rest in a position comfortable for breathing.

P303 + P361 + P353: IF ON SKIN (or hair): Remove immediately all contaminated clothing. Rinse skin with

water.

P235: Keep cool. **Storage**

P501: Dispose of contents / container in accordance with all **Disposal**

local, regional, national and international regulations.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	CAS No.	EU No.	INCI name	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Hazard statements	m%
				Flam. Liq. 2	H225	
				Skin Irrit. 2	H315	
Heptane	142-82-5	205-563-8	Heptane	Asp. Tox. 1	H304	25-
Першие	142 02 3	203 303 0	Treptane	STOT SE 3	H336	50
				Aquatic Acute 1	H400	
				Aquatic Chronic 1	H410	
			Ethyl	Flam. Liq. 2	H225	25-
Ethyl acetate	141-78-6	205-500-4	1	Eye Irrit. 2	H319	50
			acetate	STOT SE 3	H336	30
			Isopropyl	Flam. Liq. 2	H225	10-
Propan-2-ol	67-63-0	200-661-7	Isopropyl alcohol	Eye Irrit. 2	H319	25
			aiconoi	STOT SE 3	H336	23

There are no additional ingredients present which, within the current knowledge of the supplier, are classified and contribute to the classification of the substance and hence require reporting in this section.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs or vPvBs or have been assigned a workplace exposure limit and hence



SAFETY DATA SHEET

Publishing date: 16.03.2011 Revision date: 25.01.2018 Rev.: 2.0

require reporting in this section.

4. FIRST AID MEASEURE

4.1. Description of first aid measures

In case of eye contact Immediately flush eyes with plenty of water, occasionally

> lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes.

Get medical attention.

Inhalation Remove victim to fresh air and keep at rest in a position

> comfortable for breathing. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-tomouth resuscitation. Get medical attention. If necessary, call a poison center or physician. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a

collar, tie, belt or waistband.

In case of skin contact Flush contaminated skin with plenty of water. Remove

contaminated clothing and shoes. Continue to rinse for at least 10 minutes. Get medical attention. Wash clothing

before reuse. Clean shoes thoroughly before reuse.

Ingestion Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position

> comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention. If necessary, call a poison

> center or physician. Never give anything by mouth to an unconscious person. If unconscious, place in recovery





Publishing date: 16.03.2011 Revision date: 25.01.2018 Rev.: 2.0

position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt

or waistband.

Protection of first-aiders
No action shall be taken involving any personal risk or

without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

4.2. Most important symptoms and effects associated with exposure

Potential acute health

effects

In case of eye contact Causes serious eye irritation.

Inhalation Can cause central nervous system (CNS) depression. May

cause drowsiness or dizziness.

In case of skin contact Causes skin irritation.

Ingestion Can cause central nervous system (CNS) depression May be

fatal if swallowed and enters airways.

Over-exposure signs/symptoms

In case of eye contact Adverse symptoms may include the following: pain or

irritation, watering, redness.

Inhalation No specific data.

In case of skin contact Adverse symptoms may include the following: redness,

irritation.

Ingestion Nausea or vomiting.

4.3. Indication of immediate medical attention and special treatment needed

Notes to physician Treat symptomatically. Contact poison treatment specialist

immediately if large quantities have been ingested or inhaled.

Specific treatment No specific treatment.



SAFETY DATA SHEET

Publishing date: 16.03.2011 Revision date: 25.01.2018 Rev.: 2.0

5. FIREFIGHTING MEASURES

5.1. Extinguishing media

Suitable extinguishing

Use dry chemical, CO₂, water spray (fog) or foam.

media

Unsuitable extinguishing

Do not use water jet.

media

5.2. Specific hazards during fire fighting

Hazards from the substance or mixture

Highly flammable liquid and vapour. In a fire or if heated, a pressure increase will occur and the container may burst, with the risk of a subsequent explosion. Runoff to sewer may create fire or explosion hazard. This material is very toxic to aquatic life with long lasting effects. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.

Hazardous thermal decomposition products

Decomposition products may include the following materials: carbon -dioxide, carbon -monoxide.

5.3. Advice for firefighters

Special protective actions for fire-fighters

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool.

Special protective equipment for fire-fighters Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.

6. ACCIDENTAL RELEASE MEASURE

6.1. Personal precautions,



SAFETY DATA SHEET

Publishing date: 16.03.2011 Revision date: 25.01.2018 Rev.: 2.0

protective equipment and emergency procedures

For non-emergency personnel

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Shut off all ignition sources. No flares, smoking or flames in hazard area. Avoid breathing vapour or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.

For emergency responders

If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For nonemergency personnel".

6.2. Environmental precautions

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment if released in large quantities. Collect spillage.

6.3. Methods and materials for containment and cleaning up

Small spill

Stop leak if without risk. Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Large spill

Stop leak if without risk. Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows.



SAFETY DATA SHEET

Publishing date: 16.03.2011 Revision date: 25.01.2018 Rev.: 2.0

> Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations. Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product.

6.4. Reference to other sections

See Section 1 for emergency contact information. See Section 8 for information on appropriate personal protective equipment. See Section 13 for additional waste treatment information.

7. HANDLING AND STORAGE

7.1. Precautions for safe handling

Protective measures

Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapour or mist. Avoid release to the environment. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Do not enter storage areas and confined spaces unless adequately ventilated. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Store and use away from heat, sparks, open flame or any other ignition source. Use explosion-proof electrical (ventilating, lighting and material handling) equipment. Use only non-sparking tools. Take precautionary measures against electrostatic discharges. Empty containers retain product residue and can be hazardous. Do not reuse container.

Advice on general occupational hygiene Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

7.2. Conditions for safe storage







Publishing date: 16.03.2011 Revision date: 25.01.2018 Rev.: 2.0

Requirements for storage areas and containers

Shield UV light sources. Store between the following temperatures: 13 to 29°C (55.4 to 84.2°F). Store in accordance with local regulations. Store in a segregated and approved area. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Eliminate all ignition sources. Separate from oxidizing materials. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use containment appropriate to avoid environmental contamination.

7.3. Specific end uses

Recommendations Not available. Industrial sector specific Not available. solutions

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1. Occupational exposure limits

OELs (Occupational Exposure Limit values) for Hungary ¹				
Component	TWA	PC		
Component	(Time Weighted Average)	(Peak Concentration)		
Heptane	$2000 \text{ mg} / \text{m}^3$	$8000 \text{ mg} / \text{m}^3$		
Ethyl-Acetate	$1400~\mathrm{mg}~/~\mathrm{m}^3$	$1400~\text{mg}~/~\text{m}^3$		
Propan-2-ol	$500 \text{ mg} / \text{m}^3$	$2000 \text{ mg} / \text{m}^3$		

Recommended monitoring procedures

If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to

¹For other local/national OEL values visit the following website: http://www.dguv.de/ifa/fachinfos/occupational-exposure-limit-values/foreign-and-eu-limit-values/index.jsp



SAFETY DATA SHEET

Publishing date: 16.03.2011 Revision date: 25.01.2018 Rev.: 2.0

> use respiratory protective equipment. Reference should be made to monitoring standards, such as the following: European Standard EN 689 (Workplace atmospheres -Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy) European Standard EN 14042 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents) European Standard EN 482 (Workplace atmospheres - General requirements for the performance of procedures for the measurement of chemical agents) Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

8.2. Exposure controls

Engineering controls

Use only with adequate ventilation. Use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. The engineering controls also need to keep gas, vapour or dust concentrations below any lower explosive limits. Use explosion-proof ventilation equipment.

Individual protection measures

Hygiene measures

Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Eye / face protection

Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If

Page: 10 / 18



SAFETY DATA SHEET

Publishing date: 16.03.2011 Revision date: 25.01.2018 Rev.: 2.0

> contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles.

Hand protection Chemical-resistant, impervious gloves complying with an

> approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection

time of the gloves cannot be accurately estimated.

Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. When there is a risk of ignition from static electricity, wear anti-static protective clothing. For the greatest protection from static discharges, clothing should include anti-static overalls, boots and gloves. Refer to European Standard EN 1149 for further information on material and design requirements and test methods.

Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by

a specialist before handling this product.

Based on the hazard and potential for exposure, select a

respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and

other important aspects of use.

Environmental exposure Emissions from ventilation or work process equipment should be checked to ensure they comply with the

> requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering

modifications to the process equipment will be necessary to

Body protection

Other skin protection:

Respiratory protection

controls



SAFETY DATA SHEET

Publishing date: 16.03.2011 Revision date: 25.01.2018 Rev.: 2.0

reduce emissions to acceptable levels.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical state Liquid.

Colour Colourless. [Light]

Odour Fruity. Ester. [Strong]

Melting point/freezing

point

Not available.

Initial boiling point and 77°C

boiling range

Closed cup: 4.44°C Flash point

Upper/lower flammability

or explosive limits

Lower: 0.04%

Not available. Vapour pressure

Vapour density 1 [Air = 1]

Relative density 0.98

Not available. Auto-ignition temperature

Decomposition

temperature

Not available.

Kinematic: $(40 \, ^{\circ}\text{C}) < 0.205 \, \text{cm}^2/\text{s}$ Viscosity

9.2. Other information

No further information available.

10. STABILITY AND REACTIVITY

10.1. Reactivity No specific test data related to reactivity available for this

product or its ingredients.

10.2. Chemical stability The product is stable.

10.3. Possibility of Under normal conditions of storage and use, hazardous

hazardous reactions reactions will not occur.

10.4. Conditions to avoid Avoid all possible sources of ignition (spark or flame). Do

Page: 12 / 18





SAFETY DATA SHEET

Publishing date: 16.03.2011 Revision date: 25.01.2018 Rev.: 2.0

not pressurize, cut, weld, braze, solder, drill, grind or expose

containers to heat or sources of ignition.

10.5. Incompatible

materials

Reactive or incompatible with the following materials:

oxidizing materials.

10.6. Hazardous Under normal conditions of storage and use, hazardous

decomposition products should not be produced. decomposition products

11. TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Acute toxicity

Ingredient name	Result	Species	Dose	Exposure
heptane	LC50 Inhalation Gas. LC50 Inhalation Vapour	Rat Rat	48000 ppm 103 g / m ³	4 hours 4 hours
ethyl acetate	LD50 Oral	Rat	5620 mg/kg	-
nuonon 2 al	LD50 Dermal	Rabbit	12800 mg/kg	-
propan-2-ol	LD50 Oral	Rat	5000 mg/kg	-

Acute toxicity estimates: Not available.

Irritation / Corrosion

Ingredient					
name	Result	Species	Score	Exposure	Observation
	Eyes - Moderate irritant	Rabbit	-	10 mg	-
propan-2-ol	Eyes - Severe irritant	Rabbit	-	100 mg	-
	Eyes - Moderate irritant	Rabbit	-	24 hours 100 mg	-

Specific target organ toxicity (single exposure)

Ingredient		Route of	
name	Category	exposure	Target organs
heptane	Category 3	Not applicable.	Narcotic effects





Publishing date: 16.03.2011 Revision date: 25.01.2018 Rev.: 2.0

ethyl acetate	Category 3	Not applicable.	Narcotic effects
propan-2-ol	Category 3	Not applicable.	Narcotic effects

Information on the likely routes of exposure: Not available.

Aspiration hazard:

Ingredient name	Category
heptane	Aspiration Hazard - Category 1

11.2. Most important symptoms and effects associated with exposure

Potential acute health

effects

In case of eye contact Causes serious eye irritation.

Inhalation Can cause central nervous system (CNS) depression. May

cause drowsiness or dizziness.

In case of skin contact Causes skin irritation.

Ingestion Can cause central nervous system (CNS) depression May be

fatal if swallowed and enters airways.

Over-exposure signs/symptoms

In case of eye contact Adverse symptoms may include the following: pain or

irritation, watering, redness.

Inhalation No specific data.

In case of skin contact Adverse symptoms may include the following: redness,

irritation.

Ingestion Nausea or vomiting.

11.3. Delayed and immediate effects as well as chronic effects from short and long-term exposure

Short term exposure

Potential immediate effects Not available

Potential delayed effects Not available.

Page: 14 / 18





SAFETY DATA SHEET

Revision date: 25.01.2018 Publishing date: 16.03.2011 Rev.: 2.0

Long term exposure

Potential immediate effects Not available. Potential delayed effects Not available.

11.4. Potential chronic health effects: Not available.

12. ECOLOGICAL INFORMATION

12.1. Toxicity

Ingredient name	Result	Species	Exposure
	Acute EC50 2500000 μg/l Fresh water	Algae - Selenastrum sp.	96 hours
	Acute LC50 750000 μg/l Fresh water	Crustaceans - Gammarus pulex	48 hours
	Acute LC50 154000 μg/l Fresh water	Daphnia - Daphnia cucullata	48 hours
ethyl acetate	Acute LC50 212500 μg/l Fresh water	Fish - Heteropneustes fossilis	96 hours
	Chronic NOEC 2400 μg/l Fresh water	Daphnia - Daphnia magna	21 days
	Chronic NOEC 75.6 mg/l Fresh water	Fish - Pimephales promelas - Embryo	32 days
	Acute LC50 1400000 μg/l Marine water	Crustaceans - Crangon crangon	48 hours
propan-2-ol	Acute LC50 4200 mg/l Fresh water	Fish - Rasbora heteromorpha	96 hours

12.2. Persistence and

Not available.

degradability

12.3. Bioaccumulative potential

Ingredient name	LogPow	BCF	Potential



SAFETY DATA SHEET

Publishing date: 16.03.2011 Revision date: 25.01.2018 Rev.: 2.0

heptane	4.66	552	high
ethyl acetate	0.68	30	low
propan-2-ol	0.05	-	low

12.4 Mobility in soil / Soil Not available.

water partition coefficient

(Koc)

Mobility Not available.

12.5. Results of PBT and

vPvB assessment

PBT Not applicable. vPvB Not applicable.

12.6 Other adverse effects No known significant effects or critical hazards.

13. DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Product

Methods of disposal The generation of waste should be avoided or minimized

> wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.

Hazardous waste The classification of the product may meet the criteria for a

hazardous waste.

Packaging

Methods of disposal The generation of waste should be avoided or minimized

wherever possible. Waste packaging should be recycled.

Page: 16 / 18



SAFETY DATA SHEET

Publishing date: 16.03.2011 Revision date: 25.01.2018 Rev.: 2.0

Incineration or landfill should only be considered when

recycling is not feasible.

Special precautions This material and its container must be disposed of in a safe

> way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Vapour from product residues may create a highly flammable or explosive atmosphere inside the container. Do not cut, weld or grind used containers unless they have been cleaned thoroughly internally. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains

and sewers.

14. TRANSPORT INFORMATION

This product is classified as dangerous goods.

14.1. UN No. 1993

14.2. Proper shipping FLAMMABLE LIQUID, N.O.S. (ethyl acetate, heptane,

propan-2-ol)

14.3. Transport hazard

class and label

3

II. 14.4. Packing group

14.5. Environmental Yes.

hazards

name

Additional information The environmentally hazardous substance mark is not

required when transported in sizes of ≤ 5 L or ≤ 5 kg.

14.6. Special precautions Transport within user's premises: always transport in

> closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the

event of an accident or spillage.

14.7. Transport in bulk Not available.

according to Annex II of Marpol and the IBC Code

15. REGULATORY INFORMATION

Page: 17 / 18





Publishing date: 16.03.2011 Revision date: 25.01.2018 Rev.: 2.0

15.1. Other regulation 1223/2009/EEC: Regulation on cosmetic products

15.2. Chemical Safety Chemical safety assessment was prepared neither for the

Assessment ingredients, nor for the product itself.

16. OTHER INFORMATION

Note of supplier of safety data sheet:

Since the product is marketed as a cosmetic product, thus, it is out of scope of CLP regulation 1272/2008. However, in order to facilitate the chemical risk assessment of work places for professional users, the classification and labelling elements in accordance with CLP are included, but only referential.

The product is labelled in accordance with 1223/2009/EEC.

This SDS is based on data of the original safety data sheet provided by the manufacturer, using the up-to-date version of regulation 1907/2006. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product, therefore it cannot be used to verify quality compliance. Brill Bird Europe Kft. shall not be held liable for any damage resulting from handling or from contact with the above product.

Page: 18 / 18