

Pro:Centric™ Single Tuner™ LED TV with Integrated Pro:Idiom® and b-LAN

- ▶ **65LX570H**
65" Class (64.53" diagonal)
- ▶ **55LX570H**
55" Class (54.64" diagonal)
- ▶ **49LX570H**
49" Class (48.5" diagonal)
- ▶ **43LX570H**
43" Class (42.51" diagonal)
- ▶ **40LX570H**
40" Class (39.5" diagonal)
- ▶ **32LX570H**
32" Class (31.55" diagonal)



RAISING THE STANDARD OF FINE SERVICE

Whenever guests find comfortable accommodations that suit their needs, LG Hotel TVs have been a part of leaving a positive impression. LG's continuing commitment towards achieving the highest standard of excellence enables us to deliver the best solutions and products in the industry.

A TRUE DEDICATION TO MUTUAL SUCCESS

LG's focus on the success of your business and your guest's satisfaction has led to true partnerships based on reliability, trust and excellence.


MAXIMIZING THE GUEST EXPERIENCE

As hotel guests are increasingly demanding their at-home viewing experience, greater customization and flexibility of their TV service, the same needs have risen for service providers. LG hotel TVs provide the built-in capability to support customized applications and services through a wide array of system integrators and service providers.

Pro:Centric™ Application

LG's Pro:Centric® Application enhances the hotel guest experience of their in-room hotel TV. Guests can locate and enjoy available television programming, check on the daily weather and review hotel amenities - all from the comfort of their room using their LG HD TV.

Pro:Centric acts as a digital concierge – guests are presented with a branded user interface on the television and can view "electronic billboards", which present information on hotel amenities such as restaurants, bars, fitness and business centers; or use the interactive Electronic Program Guide (EPG) to select their favorite sitcom or find the premium movie channels.



Portal Welcome Page



Custom Billboards

FREE Interactive Electronic Program Guide Service for Pro:Centric® TVs!



Plan Highlights

If your property has purchased or plans to purchase LG's Pro:Centric® TVs, you qualify for a free Electronic Program Guide (EPG) that allows guests to easily navigate TV channels and programs - just like they do at home.

Participating properties must purchase and install a Pro:Centric® server and supply an internet connection for daily program updates. Properties must also contract with an LG authorized partner to install and program the server to match your Free-to-Guest (FTG)


FREE program guide service runs until Dec. 2017, replacing the current programming fee of \$1.50 per room per month.

Contact your LG sales representative or visit LG.com/us/commercial/display-discover/epg/index.jsp



Self Diagnostic

Enables service engineers to recognize technical issues in the TV quickly and easily through a USB device. The TV stores any technical issues it encounters and an output it to a USB device. Service engineers can use the information to analyze technical issues without the actual TV.



Welcome Screen

Welcome guests with a warm greeting message that includes your hotel name and logo.



Eco Friendly

LG Hotel TVs has excellent energy saving features such as Intelligent Sensor, Dynamic Power Savings, and Static Power Savings. The hotels can enjoy cost savings while supporting efforts of Green initiative.



USB Cloning

The USB Cloning feature allows you to simply copy the TV settings onto all TVs using a USB stick, a process that is fully automated to save time without having to set each TV one by one.






Multi IR




Multi IR function eliminates the remote control signal interference between TVs in multiple dwelling rooms. This system will work using the same LG TV model. (Optional 124-213-10 required)






65LX570H






55LX570H | 49LX570H



43LX570H




40LX570H | 32LX570H




Side Jack Panel

65LX570H only

Rear Jack Panel



Side Jack Panel



Anti-Theft System

The Anti-theft system provides security to prevent TVs theft. Consisting of a Kensington Lock, Mounting Holes, and Credenza Lock Down Plate.

Kensington Lock

- LG Hotel TVs are protected by the reliable solution the Kensington Lock.

Reinforced Metal Stand

- Full metal reinforced stand to improve sturdiness, durability and safety.
- Provides (±20°) Swivel out of the box
- Provides (±20/45/90°) Swivel when used with Lock Down plate. (Except 65")

Lock Down Plate with Credenza Hole

- Lock the TV firmly to the credenza for added security and help deter theft. (Except 65") (Mounting plate, security bolts, nuts and screws are included)



Pro:Centric Single Tuner LED TV with Integrated Pro:Idiom and b-LAN



65LX570H
65" Class (64.53" diagonal)

43LX570H
43" Class (42.51" diagonal)

55LX570H
55" Class (54.64" diagonal)

40LX570H
40" Class (39.5" diagonal)

49LX570H
49" Class (48.5" diagonal)

32LX570H
32" Class (31.55" diagonal)

PANEL	MODEL	65LX570H	55LX570H	49LX570H	43LX570H	40LX570H	32LX570H
Panel Size		65" Class (64.53" diagonal)	55" Class (54.64" diagonal)	49" Class (48.5" diagonal)	43" Class (42.51" diagonal)	40" Class (39.5" diagonal)	32" Class (31.55" diagonal)
Panel Technology		Edge				Direct	
Native Resolution		1920 x 1080 (FHD)					
Brightness		228cd/m ²	243cd/m ²	214cd/m ²	247cd/m ²	225cd/m ²	195cd/m ²
Dynamic Contrast Ratio		1,000,000:1					
Static Panel Contrast Ratio		1400:1	1200:1			4000:1	1200:1
Viewing Angle		178°/178°			176°/176°	178°/178°	
Response Time (G to G)		8ms	9ms	9ms	8ms	9.5ms	7ms
Frame Rate		240Hz		60Hz			
BROADCASTING SYSTEM	Analog	NTSC					
	Digital	ATSC/QAM/VSB					
VIDEO	Triple XD Engine	Yes					
	Aspect Ratio	Yes 5 modes (16:9, Just Scan, Set By Program, 4:3, Zoom)					
AUDIO	Audio Output	10W + 10W				5W + 5W	
	Sound System	2.0 ch					
	Sound Mode	Yes 6 modes (Standard, News, Music, Cinema, Sport, Game)					
	Optical Sound Sync	Yes					
	Clear Voice II	Yes					
	Sound Optimizer	Yes 3 modes (Normal, Wall-Mount Type, Stand Type)					
SPECIAL FEATURES	Pro:Centric	Yes (Single Tuner)					
	Pro:Centric Application	Yes (PCA3.0)					
	RF	Yes (1 Tuner)					
	HCAP	GEM / Flash					
	Self Diagnostics	Yes (RF/USB)					
	EzManager	Yes					
	HDMI-CEC	Yes (without ARC)					
	HTNG-CEC	Yes					
	b-LAN	Yes					
	Pro:Idiom	Yes					
	Welcome Screen	Yes (Splash Image)					
	Multicast/Unicast ready	Yes (P:C Server)					
	Installer menu	Yes					
	Instant ON	Yes					
	USB Cloning	Yes					
	IR Out	Yes (MPI Jack)					
	SI Compatible (TVLink Protocol)	Yes (MPI protocol)					
	USB	Yes (2.0)					
	Moving Picture Playback (SD/HD/Plus HD)	Divx HD					
	USB Picture	JPEG					
	Audio Codec	AC3 (Dolby Digital), EAC3, AAC, Mpeg, MP4, PCM					
	External Speaker Out	Variable/Fixed/Line Out, 3.5mm, Stereo, Single Ended Type (GND,L+,R+), 1W/1W/1W					

SPECIAL FEATURES	MODEL	65LX570H	55LX570H	49LX570H	43LX570H	40LX570H	32LX570H
RJP Compatible		Yes (RJ45,HDMI)					
RJP Interface		Teledapt (RJ45, HDMI CEC), G-Link (HDMI-CEC)					
Auto Off/ Auto Sleep		Yes					
Smart Energy Saving		Yes					
Logical Channel Map		Yes					
Multi IR Code		Yes					
Motion Eye Care		Yes					
Kensington Lock		Yes (Stand)					
Credenza/Screw Security Hole		No					Yes
Lock Down Plate		Yes					
Commercial Grade Stand		No					Yes
INTERFACE (SIDE)	HDMI In					2	
	USB (2.0)					2	
INTERFACE (REAR)	RF In					1	
	AV In					1	
	Digital Audio Out					1 (Optical)	
	RGB In					1 (D-sub 15pin)	
	PC Audio Input					1 (Sharing with AV In)	
	RS-232C (D-sub 9pin)					1 (Service Only)	
	HDMI/HDPCP Input					1	
	LAN Port					1	
	MPI Port					1 (RJ12)	
	RJP interface					1 (RJ45)	
	External Speaker Out					1 (3.5mm Phone Jack)	
	TV link Configuration					1 (phone jack type)	
	PTC Configuration					1 (Sharing with RS232C) (phone jack type)	
ACCESSORIES	Power Cord					5.9' Angel Type	
	Manual / ESG					Simple book	
POWER	Voltage					110 ~ 240V, 50/60Hz	
	Watts (Typical)	58W	43W	38W	40W	34W	27.5W
	Stand-by	0.5W					
CABINET	Bezel Width On (L/R, U, B) (mm)	16.1, 15.1, 21.8	15.1, 12.7, 17.8	15.1, 12.7, 17.8	14.9, 12.5, 17.6	15.5, 12.8, 16.3	17, 14.3, 17.6
	Bezel Width Off (L/R, U, B) (mm)	3.6, 12.6, 19.3	12.6, 10.2, 15.3			14.5, 11.8, 15.3	
	VESA™ Mount	300x300mm			200x200mm		
	Swivel (angle)	No		± 20° (Optional: 45°/90°)			
	Without Stand	57.5"x33.4"x2.3"	48.9"x28.5"x2.2"	43.5"x25.5"x2.2"	38.3"x22.6"x2.2"	35.9"x20.8"x2.2"	28.9"x17.3"x2.2"
	Weight Without Stand	63.5 lbs	39.0 lbs	31.7 lbs	22.5 lbs	16.5 lbs	11.7 lbs
	With Stand	57.5"x35.4"x11.6"	48.9"x30.7"x12.8"	43.5"x27.6"x12.8"	38.3"x24.6"x12.8"	35.9"x22.7"x11.1"	28.9"x19.3"x11.1"
	Weight With Stand	75.0 lbs	46.5 lbs	39.2 lbs	30.0 lbs	22.9 lbs	18.0 lbs
	Carton	60.9"x38.2"x6.7"	52.4"x32.0"x6.0"	47.1"x29.9"x6.4"	41.3"x25.8"x5.5"	42.1"x24.0"x6.4"	31.9"x20.0"x6.9"
	Carton Weight	90.4 lbs	55.3 lbs	46.2 lbs	35.1 lbs	27.1 lbs	20.9 lbs
REQUIRED LISTINGS	Safety Environment	UL, FCC, RoHS					
	Etc.	cUL, NOM, Energy Star 7.0					
OTHER WARRANTY	UPC	7 19192 19680 3	7 19192 19681 0	7 19192 19682 7	7 19192 19683 4	7 19192 19684 1	7 19192 19685 8
		2-Year Limited Warranty (Parts and Labor) Extended Warranties Available					

ENERGY GUIDE

The estimated annual energy cost determined in accordance with 16 CFR Part 305.5 for model 65LX570H, 55LX570H, 49LX570H, 43LX570H, 40LX570H and 32LX570H are \$12, \$10, \$9, \$9, \$8 and \$6.

"Your energy cost depends on your utility rates and use. The estimated cost is based on 11 cents per kWh and 5 hours of use per day. For more information, visit www.ftc.gov/energy/"

¹FTC Television labeling rule (18 CFR Part 305, as added by 76 Fed. Reg. 1038 (Jan 6, 2011)).



All screen images are simulated. Dimensions and weights are approximate. Design, specifications, and features are subject to change without notice.

© Copyright 2015 LG Electronics USA, Inc. All Rights Reserved. "LG Life's Good" is a registered trademark of LG Corp.

Customer Service: 866-469-7111
www.knitech.com
 E-mail: sales@knitech.com

ENERGY STAR is a registered trademark of the U.S. Environmental Protection Agency. In Plane Switching is a trademark of LG Display Co., Ltd. Java is a trademark of Oracle, Inc. Adobe and Flash are either registered trademarks or trademarks of Adobe Systems Incorporated in the United States and/or other countries. A trademark of Video Electronics Standards Association. HDMI, the HDMI logo and High-Definition Multimedia Interface are trademarks or registered trademarks of HDMI Licensing LLC.

All other product and brand names are trademarks or registered trademarks of their respective companies.

Printed in the USA. April 2015

