UX970H Premium Ultra High Definition Smart TV with Pro: Centric and b-LAN



▶ 79UX970H

79" class (80.1" diagonal)

▶ 65UX970H

65" class (64.5" diagonal)

▶ 55UX970H

55" class (54.6" diagonal)

▶ 49UX970H

49" class (48.5" diagonal)



Smart. Connected. Customizable.

Create the best in-room entertainment experience with LG's premium Pro:Centric Smart hotel IPTV. Featuring a high-end bezel-less design and an Ultra HD edge-lit LED display with integrated surround sound technology to elevate your guests' viewing experience.

- Pro:Centric Smart (webOS 2.0) Easy Customization, SDK(HTML5, Java, Flash).
- · CINEMA SCREEN & Exclusive Sound Ultra Slim & Narrow Bezel, Frontal Speaker, Ultra Surround Sound.
- Easy Management & Usability Fast Boot Time, Integrated Pro:Idiom, DIAL protocol, Bluetooth Sound Sync, EzManager, Remote Diagnostics, Magic Motion Remote option.

PREMIUM DESIGN

CINEMA SCREEN *49/55/65" ONLY

CINEMA SCREEN design brings the cinematic viewing experience through the minimized bezel. With the narrow bezel, not only your guests can enjoy immersive viewing experience, but you also convey messages in a more effective way.



FRONTAL SPEAKER *49/55/65" ONLY

With a built-in forward facing, frontal speaker system, guests will enjoy truly powerful room-filling sound for a more immersive entertainment experience.



ULTRA HD TV

4K RESOLUTION CINEMA SCREEN

ULTRA HD is the future of digital picture, possessing four times higher resolution than that of full HD. Stunning 8.3 million pixels gives a flawless picture quality and incredibly vivid detail.



4K UPSCALER

Enjoy Full HD content in 4K ULTRA HD quality. The 4K Upscaler automatically upgrades Full HD content to ULTRA HD through the six steps of the upscalling process.



4K IPS WIDE VIEWING ANGLE

One of the secret behind LG TVs outstanding viewing experience is the specially designed TV panel. IPS 4K delivers true color from any angle with 4 times the resolution of Full HD. With IPS 4K, every seat is the best for watching content in your space.



ADVANCED CONNECTIVITY

DIAL

DIAL is a simple way of enjoying portable devices' content on a TV without any physical connection to TV.



BLUETOOTH SOUND SYNC (BLUETOOTH 3.0)

By bluetooth connection between a mobile device and commercial TV, Bluetooth Sound Sync enables users to listen to music on a mobile device through TV speakers.





Pro:Idiom

Global Leading Digital Rights Management System

Pro:Idiom unlocks access to premium content to help assure rapid and broad deployment of HDTV and other high value digital content.

Pro:Idiom has been designed specifically for users of premium HDTV content from cable, satellite, or video on demand (VOD) services, and is thus designed to lower costs and reduce maintenance needs. This leading DRM system is embraced for its security solution, which prevents illegal copying of copyrighted content.

Reduced Total Cost of Ownership



Using LG's optional Pro:Centric server, you can remotely manage cloning and channel mapping for TVs in guest rooms without having to visit each room.



EzManager's auto configuration function makes installation quick and easy. EzManager guides the installer to set up the TV with simple steps without having to set up the menu manually, saving time and cost.

Effectively Manage In-Room TVs



The USB Cloning feature allows you to simply copy the TV settings onto all TVs using a USB stick, a process that is fully automated to save time without having to set each TV one by one.

FREE Interactive Electronic Program Guide Service for Pro:Centric® TVs!

Plan Highlights

If your property has purchased or plans to purchase LG's Pro:Centric® TVs, you qualify for a free Electronic Program Guide (EPG) that allows guests to easily navigate TV channels and programs - just like they do at home.

Participating properties must purchase and install a Pro:Centric® server and supply an internet connection for daily program updates. Properties must also contract with an LG authorized partner to install and program the server to match your Free-to-Guest (FTG) channel line up.



FREE program guide service runs until Dec. 2017, replacing the current programming fee of \$1.50 per room per month.

Contact your LG sales representative or visit LG.com/us/commercial/display-discover/epg/index.jsp

4K Digital Cinema



The premium commercial UX970 Series (except 79") are 3D Ultra High Definition Smart TVs that will change the guest viewing experience from standard to a cinematic exposition. It has the ability not only to display 4K resolution from 4K content, but it can also convert 1080P picture quality to 4K brilliance

Pro: Centric Applications Platform

The UX970H is the latest in the line of Pro:Centric Televisions that provides a unique and dedicated hotel application platform for hosting LG's SI (System Integrator) Partners interactive applications, enabling delivery for a wide range of custom applications tailored to both hotel management and guest needs.

The UX970H extends the choice of interactive systems available to hoteliers through the introduction of HTML5 support in addition to the current Adobe Flash-Lite and Java support. The UX970H is also a full IPTV platform with built-in IP video decoding supporting both IP and RF connectivity. Leveraging the Pro:Centric IPTV platform enables SI Partners to integrate their STB (Set Top Box) client software directly into the Television, eliminating the need for the additional STB hardware and reducing associated capital and support costs.

The UX970H $\,$ supports embedded Wi-Fi for streaming of content to the Television or back channel communications.

The UX970H platform also includes remote diagnostic tools for partners to manage their systems and monitor the TV's on the network by the head-end or cloud based server for maintenance and admin purposes. The Wake-on-LAN features allows the TV to communicate in a background mode while the TV is powered off and without disruption to the guest, providing the ability to deliver remote software updates from the head end server

The UX970H Pro:Centric Applications Platform



Portal Welcome Page



G Option Weather

Information
Visitor

Genet Services

Guest Services

How Coving

H

Custom Billboards



Weather Billboard

LG'S FREE-TO-GUEST COST EFFECTIVE SOLUTION

When using LG televisions in Free-To-Guest hotel installations, the Pro:Centric server (PCS-200R) supports remote management of TV settings such as virtual channel mapping, cloning of installer menu settings, and other settings:

Save time and labor using LG's PCS200R remote management option which eliminates the necessity of visiting individual rooms to change television settings.

Hotel Costs For Free-To-Guest Channel Management

	Estimated Labor Costs	MSRP	Total	Savings over room visit
LG Pro:Centric TV with Pro:Centric Server		\$2,499 (PCS200R)	\$2,499	\$17,501
Manual Room Updates	\$20 (est.) x 2 times per year (to update channels) x 100 rooms x 5 years		\$20,000	
LG Pro:Idiom TV with embedded b-LAN plus FMA		\$2,900 (FMA-LG102)	\$2,900	\$17,100

MSRP subject to change. Installation not included.

FMA-LG102

Free-To-Guest Management Appliance (FMA)


LG's Free-To-Guest Management Appliance delivers the FTG Channel Map to the guest rooms, via the hotel's RF distribution.



PCS200R HEAD-END SYSTEM



Remote management functions are also supported via the Pro:Centric server. The Pro:Centric Application software can be remotely added at a later date to deliver the benefits of LG's Applications features (Weather, EPG, Billboards...)



UX970H

Premium Ultra High Definition Smart TV with Pro: Centric* and b-LAN

▶ 79UX970H

79" class (80.1" diagonal)



65" class (64.5" diagonal)

▶ 55UX970H

55" class (54.6" diagonal)



49" class (48.5" diagonal)



PANEL	MODEL	79UX970H	65UX970H	55UX970H	49UX970H		
	Inch	79" class (80.1" diagonal)	65" class (64.5" diagonal)	55" class (54.6" diagonal)	49" class (48.5" diagonal)		
	Backlight Type	(oo.i diagonal)	, ,	dge	(10.5 diagonal)		
	Resolution	3840 x 2160 (UHD)					
	Contrast Ratio	1,000,000:1(TBD)					
	Static (Panel) Contrast Ratio	1,200 :1(TBD)					
	Viewing Angle Degree			78(TBD) to G)			
	Response Time Frame Rate	T240			0Hz		
ROADCASTING	Analog / Digital	124		/ Yes (ATSC)	0112		
	Terrestrial	VSB					
	Cable	Clear QAM					
IDEO	Triple XD Engine	Yes					
	Dynamic Color Enhancer	Yes					
	Real Cinema 24p (3:3 Pull Down)	Yes					
	Aspect Ratio	Yes 6 modes (16:9, Just scan, Set by program, 4:3, Zoom, Cinema zoom1)					
	UHD Stream	USB/IP/HDMI					
	Tru 4K Upsacaler	Yes					
	Audio Output	12W + 12W					
	Speaker System			l ch			
	Sound Mode	Yes 6 modes(Standard, News, Music, Cinema, Sport, Game)					
	Optical Sound Sync	Vec		'es II-Mount Type, Stand Ty	ma)		
	Sound Optimizer Clear Voice	res		iii-iviount Type, Stand Ty 'es	rpc)		
PRECIAL	Pro:Centric			Smart)			
	Hybrid Streaming (IP & RF)MultiCast/HTTP Data Carousel	Yac					
	Pro:Centric Application	Yes (PCA3.0)					
	RF(1/2Tuner)			Tuner)			
	HCAP (GEM/FLASH/HTML) Service Carousel (TLX)	GEM / Flash / HTML					
	HCAP Input device driver support	Yes(USB Mouse, USB Keyboard, Magic Remote, USB Camera, Remote App)					
	Auto Configuraiton			Mangager)			
	Remote Diagnosis	Yes					
	Multicast/Unicast ready	Yes					
	IP Streaming	Yes(RTSC, HLS, SNMP, UDP/MultiCast, USB Port/Video Streaming support (Smartshare) (IGMPv3 SSM Support)					
	Commercial Smart UX (Smart Home / Input)	Yes					
	Commercial Smart Home APP. (P:C Smart)			rcial CP/Apps)			
	Web Browser			es (Apps)			
	Remote App compatibility			'es			
	Smart Share		Y	es es			
	DLNA(Movie/Photo/Music)		Yes (Sma	art Share)			
	WiDi (PC to TV)		Υ	'es			
	Miracast (Mobile to TV)		Yes				
	WiFi Direct	Yes Yes					
	DIAL HDMI-CEC						
	HTNG-CEC	Yes Yes					
	Pro:Idiom		Yes				
	Instant ON		Y	'es			
	SI Compatible (TVLink Protocol)	Yes (MPI protocol)					
	b-LAN	Yes					
	WiFi	Yes (Built-in type)					
	3D	Yes (Except for 79")					
	Soft AP Hotel Mode / PDM / Installer	Yes Yes					
	Menu IR Out	Yes (MPI Jack)					
	External Speaker Out	Yes(Variable/Fixed/Line Out, 3.5mm, Stereo, Single ended Type(GNDL+R+), 1W with 8)					
	RJP Interface	Yes (RJ45,HDMI)					
	RJP Compatibility	Teleadapt (RJ45, HDMI CEC), G-Link(HDMI-CEC)					
	USB	Yes (USB 2.0)					
	Moving Picture Playback (SD/HD/Plus HD)	Divx HD					
	Picture	JPEG					

ERTIFICATION
DIMENSION
THER
REMOTE JACK PACK COMPATIBILITY RJP)
COMPATIBLE NTERACTIVE SYSTEMS SEPARATE SET-TOP BOX MAY BE REQUIRED)

SPRECIAL FEATURES	MODEL	79UX970H	65UX970H	55UX970H	49UX970H	
FEATURES	Audio Codec	A	C3 (Dolby Digital), EAC		M	
	USB Cloning		Y	es		
	One Channel Map / Logical Channel Map		Y	es		
	Multi IR Code	Yes				
	Welcome Screen					
	(Splash Image)	Yes				
	Auto Off / Auto Sleep	Yes				
	Smart Energy Saving	Yes				
	Motion eye care Bluetooth Sound Sync	Yes Yes				
	Alljoyn	Yes (TBD)				
3D (NOT IN 79")	3D Type	FPR (SG/FPR/AR/GPR/Non-Glass)				
	Supporting Format	S/S, T/B, C/B, F/S				
	Format Auto Detection	Yes				
	3D to 2D Convert Source 2D to 3D Convert Source	Yes Yes				
	Depth Control	0~+20 (default:10)				
	Viewpoint Control	-10~+10 (default : 0)				
	2D to 3D Mode	Yes 5 modes (Standard, Manual, Cinema, Sport, Extreme)				
	3D Depth Control			es		
	3D Viewpoint Control			default:0)		
	3D Image Correction 3D Picture Mode	Yes Yes				
	3D format	Yes				
	HDMI In		2 (2.0)		
	USB (2.0)		1 (3.0)			
		RFIn 1				
	AV In Component in (Y,Pb,Pr) + Audio	1 (Sharing with Component in) 1				
	Digital Audio Out	1 (Optical)				
	HDMI/HDCP Input	1 (2.0)				
	USB 2.0	1(2.0)				
	PC Audio Input	1 (Sharing with Component Audio in)				
	RS-232C(D-Sub 9pin) LAN Port	1 (Phone Jack) 2				
	RJ45 (RJP interface)	1				
	External Speaker Out					
	(3.5mm Phone Jack)	1				
	TV link Configuration (Phone Jack Type)	1				
	PTC Configuration (phone jack type)			1		
	MPI Jack (RJ-12)			1		
	Remote type			emote (Optional)		
	Cable			ble (5.9')		
	Manual / ESG			e book V, 50/60Hz		
	Voltage, Hz Typical (Watts)					
	(Based on Energy Star 7.0) Stand-by	105.7W	80.9W < 0.	65.8W .5W	59.7W	
TOOL DESCRIPTION	Bezel Width (Left/Riight, Upper, Bottom): On bezel	10.4mm, 15.7mm, 28.9mm	8.8mm, 8.8r	nm, 33.2mm	6.9mm, 6.9mm, 33.2mm	
	Bezel Width (Left/Riight, Upper, Bottom): Off Bezel	11.4mm, 16.7mm, 29.9mm	1mm, 1mm, 30.2mm			
	Flame Retardent		Yes			
	VESA Compatible	400mm x 600mm	300mm x 300mm UL / FCC / RoHS, cUL, NOM, Energy Star 7.0			
DIMENSION	Safety / EMC / ETC. Weight (with stand)	120.2lbs	72.3lbs	NOM, Energy Star 7.0 45lbs	46.7lbs	
	Weight (With Stand) Weight (Packing)	143.5lbs	72.5lbs 87.5lbs	57.1lbs	46.7lbs	
	WxHxD (w/o stand, mm)	69.7"x40.4"x2.3"	57.2"x33.5"x2"	48.6"x28.6"x2"	43.1"x25.6"x2"	
	WxHxD (with stand, mm)	69.7"x42.6"x12.5"		48.6"x30.7"x10.3"	43.1"x27.5"x10.3"	
	WxHxD (Packing, mm)	74.2"x45.6"x10"	63.2"x37"x6"	52.4"x31.9"x6"	47.1"x28.7x5.6"	
	Weight (W/O Stand/Packing,kg)	115.4lbs	69lbs	42.5lbs	35.7lbs	
	UPC 2 Verellieite d Mi	7 19192 91812 2		7 19192 91814 6		
REMOTE JACK	2-Year Limited Wa	arranty Marts/Labor/Ba	cklight Extended warr	are also av	ranaDle	
PACK COMPATIBILITY (RIP)	G-LINK Consed to your World Keeping Your Wil	leadapt orld Connected™				



The estimated annual energy cost determined in accordance with 16 CFR Part 305.5 for model 79UX970H, 65UX970H, 55UX970H, 49UX970H are \$27, \$22, \$16, \$15 respectively.

"Your energy cost depends on your utility rates and use. The estimated cost is based on 11 cents per kWh and 5 hours of use per day. For more information, visit www.ftc.gov/energy."

¹FTC Television labeling rule (18 CFR Part 305, as added by 76 Fed. Reg. 1038 (Jan 6, 2011)).

m-com













SONIFI



BULK











