Smart Hospitality Display HBU8000 Series (NA)

43 50 55 65 75

HIGHLIGHTS

- Quick access to leading streaming services
- Enhance content with 4K UHD Crystal Display for perfect picture quality
- Slim design that complements any interior while saving space
- Centralized management of hotel displays worldwide
- Optimize promotions and offers using personalized guest insights

Key features




Let your guests access their most loved content

Modern guests are seeking the same home amenities and comforts while choosing their next hotel. To deliver a personalized touch during guest trips, hotels are adapting new technologies to win new customers. Samsung, the industry-leading TV brand, delivers the comforts of home with the new HBU8000 series hospitality display. Featuring access to the most popular streaming services, including Netflix, in beautiful UHD quality, guests are treated to the same conveniences of their living room while traveling worldwide.



An instantly familiar UI for faster navigation

Upon turning on their room TV, guests are treated to a recognizable UI filled with the most popular entertainment applications such as Netflix and YouTube. Guests can sign-in to dive back into the latest show they're binging or find new suggestions through their apps.



Safe credentials management with LYNK Cloud

Guests credentials are safely saved for the duration of their trip, allowing them quick access anytime they're in their rooms. Upon checking out, credentials are wiped from the system using Samsung LYNK Cloud and the hotel's Property Management System, giving users added peace of mind.

Key features



Lifelike color, in its purest state with fine crystal

Elevate your hotel's entertainment experiences with Dynamic Crystal Color. With a billion shades of color, every subtlety can be seen from the comfort of the hotel room.



Sleek and slim, more than ever

Increase flexibility with ultra-slim design, enabling hotel operators to create optimized room layouts that increase quest comfort.

Hospitality Solution

LYNK Cloud



Streamlined property management


With online access that supports multiple users, Samsung LYNK Cloud is ideal for global hospitality operations with centralized management, giving users control of their hotel displays worldwide.

- * LYNK Cloud License must be purchased separately. * LYNK Cloud does not support management of properties within China.

Integrated device management

Quickly update in-room TVs from a centralized source with Samsung LYNK Cloud. Managers can modify channel maps and program guides and control basic functions, making it easier than ever to provide support and maintenance.

* Some features may not be compatible with hotel's current platforms.



Content creation and custom interactions

Curate your hotel's in-room experience with LYNK Cloud. Create and remotely deploy web-based content to each in-room TV for a tailored feel to your property. With interactive requests support, you can provide the easiest way for guests to make room service orders and book spa appointments.



Data-driven promotional planning


Samsung LYNK Cloud enables optimized promotional content delivery based on integrated quest data available through the hotel PMS, helping managers to uncover business insights.

Specifications


| | Model | 43" | 50″ | 55″ | 65" | 75" | |
|---------------|---|---|---|---|---|---|--|
| | Model | HG43BU800NFXZA | HG50BU800NFXZA | HG55BU800NFXZA | HG65BU800NFXZA | HG75BU800NFXZA | |
| Display | Product | LED 7.040 v.2140 | LED 7.040 ×2140 | LED | LED 7.040 × 2140 | LED 7.040 v.2140 | |
| | Resolution Picture Engine | 3,840 x 2,160 Quantum Processor Lite | |
| | PQI (Picture Quality Index) | 2200 | 2200 | 2200 | 2200 | 2200 | |
| Video | HDR (High Dynamic Range) | HDR | HDR | HDR | HDR | HDR | |
| | HDR10+ HLG (Hybrid Log Gamma) | Support Yes | Support Yes | Support Yes | Support Yes | Support Yes | |
| | Contrast | Mega Contrast | Mega Contrast | Mega Contrast | Mega Contrast | Mega Contrast | |
| | Color | Dynamic Crystal Color | Dynamic Crystal Color | Dynamic Crystal Color | Dynamic Crystal Color | Dynamic Crystal Color | |
| | Micro Dimming Contrast Enhancer | UHD Dimming Yes | |
| | Auto Motion Plus | Yes | Yes | Yes | Yes | Yes | |
| | Clear Motion | LED Clear Motion | LED Clear Motion | LED Clear Motion | LED Clear Motion | LED Clear Motion | |
| | Noise Reduction | Yes | Yes | Yes | Yes | Yes | |
| | Film Mode Viewing Angle (H/V) | Yes 178/178 | Yes 178/178 | Yes 178/178 | Yes 178/178 | Yes 178/178 | |
| | Filmmaker Mode | Yes | Yes | Yes | Yes | Yes | |
| | Dolby Decoder | MS12 2ch | |
| Audio | Object Tracking Sound Q-Symphony | OTS Lite Yes | |
| | Sound Output (RMS) | 20W | 20W | 20W | 20W | 20W | |
| | Speaker Type | 2CH | 2CH | 2CH | 2CH | 2CH | |
| | Bluetooth Audio | Yes | Yes | Yes | Yes | Yes | |
| | Dual Audio support (Bluetooth) Smart TV Type | Yes Smart | Yes Smart | Yes Smart | Yes Smart | Yes Smart | |
| | Operating System | Tizen™ | Tizen TM | Tizen™ | Tizen™ | Tizen™ | |
| mart Service | TV Plus | Yes | Yes | Yes | Yes | Yes | |
| | Web Browser | Yes | Yes | Yes | Yes | Yes | |
| ESA Standard | Screw Size Screw depth | M8 11-13 | M8 11-13 | M8 11-13 | M8 11-13 | M8 11-13 | |
| DJENIESIC NC | Screw depth VESA Spec | 11-13 200 x 200 | 11-13 200 x 200 | 11-15 200 x 200 | 11-15 400 x 300 | 11-15 400 x 400 | |
| | Mobile to TV - Mirroring, DLNA | Yes | Yes | Yes | Yes | Yes | |
| | Tap View | Yes | Yes | Yes | Yes | Yes | |
| | Multi View Music Wall | upto 2 videos Yes | |
| | App Casting | Yes | Yes | Yes | Yes | Yes | |
| Smart Feature | Wireless TV On - Samsung WOW | Yes | Yes | Yes | Yes | Yes | |
| | Wired TV On - Samsung WOL | Yes | Yes | Yes | Yes | Yes | |
| | WiFi Direct Sound Mirroring | Yes Yes | Yes Yes | Yes Yes | Yes Yes | Yes Yes | |
| | Ambient Mode | Ambient Mode | Ambient Mode | Ambient Mode | Ambient Mode | Ambient Mode | |
| | Workspace | Advanced | Advanced | Advanced | Advanced | Advanced | |
| | Wireless Dex | Yes | Yes | Yes | Yes | Yes | |
| | Web Service Auto Game Mode (ALLM) | Microsoft 365 Yes | |
| ame Feature | Game Motion Plus | Yes | Yes | Yes | Yes | Yes | |
| | HGiG | Yes | Yes | Yes | Yes | Yes | |
| | Instant On | Instant On Yes Yes Yes Yes Yes | | | | | |
| | Voice Guide US English, Mexico Spanish, Canada French, Finnish, German, Greek, Hungarian, Italian, Norwegian, Polish, Portugal Portuguese, Romanian, Slovak, Swedish, Czech, Danish, Dutch, Korean Others Enlgarge / High Contrast / Multi-output Audio / SeeColors / Color Inversion / Grayscale / Caption Position / Sign Language Zoom / Slow Button Repeat / Separate Closed Caption / Picture Off | | | | | | |
| | Auto Channel Search | Yes | Yes | Yes | Yes | Yes | |
| | Caption (Subtitle) | Yes | Yes | Yes | Yes | Yes | |
| | ConnectShare™ (HDD) | Yes | Yes | Yes | Yes | Yes | |
| Feature | ConnectShare™ (USB 2.0) EPG | Yes Yes | Yes Yes | Yes Yes | Yes Yes | Yes Yes | |
| | IP Control | Yes | Yes | Yes | Yes | Yes | |
| | OSD Language | | | English, Spanish, French | | | |
| | BT HID Support USB HID Support | Yes Yes | Yes Yes | Yes Yes | Yes Yes | Yes Yes | |
| | MBR Support | Yes | Yes | Yes | Yes | Yes | |
| | IPv6 Support | Yes | Yes | Yes | Yes | Yes | |
| System | Digital Broadcasting | ATSC/ClearQAM | ATSC/ClearQAM | ATSC/ClearQAM | ATSC/ClearQAM | ATSC/ClearQAM | |
| - | Analog Tuner Samsung LYNK Cloud | Yes Yes | Yes Yes | Yes Yes | Yes Yes | Yes Yes | |
| | Hospitality Home Menu | N/A | N/A | N/A | N/A | N/A | |
| | Hospitality Home Menu 2.0 | N/A | N/A | N/A | N/A | N/A | |
| | Bluetooth Music Player (Mobile → TV) | N/A | N/A | N/A | N/A | N/A | |
| | Hospitality Plug&Play(Easy Setup) Power On Mode | Yes Yes | Yes Yes | Yes Yes | Yes Yes | Yes Yes | |
| Hospitality | Hotel Channel List | Yes | Yes | Yes | Yes | Yes | |
| | Channel Menu Display | Yes | Yes | Yes | Yes | Yes | |
| Feature | Mixed Channel List (ATSC, DVB-T/T2/C/S2, Analog) My Channel | Yes Yes | Yes Yes | Yes Yes | Yes Yes | Yes Yes | |
| | My Channel Energy Saving Mode (BLU control) | Yes Yes | Yes Yes | Yes Yes | Yes Yes | Yes | |
| | USB Cloning | Yes | Yes | Yes | Yes | Yes | |
| | Alarm | Yes | Yes | Yes | Yes | Yes | |
| | Samsung LYNK™ DRM RF Samsung LYNK™ DRM IP | Yes Yes | Yes Yes | Yes Yes | Yes Yes | Yes Yes | |
| | Security Mode | Yes | Yes | Yes | Yes | Yes | |
| | WiFi | Yes (WiFi5) | |
| Connectivity | Bluetooth | Yes (BT5.2) | |
| | HDMI USB | 2 | 2 | 2 | 2 | 2 | |
| | Ethernet (LAN) | 1 | 1 | 1 | 1 | 1 | |
| | Digital Audio Out (Optical) | 1 | 1 | 1 | 1 | 1 | |
| | RF In (Terrestrial / Cable input / Satellite Input) | 1/1(Common Use for Terrestrial)/0 | 1/1(Common Use for Terrestrial)/ | |
| Design | Design Bezel Type | AirSlim 3 Bezel-less | |
| | Slim Type | Slim look | |
| | Front Color | BLACK | BLACK | BLACK | BLACK | BLACK | |
| | Stand Type | FLOAT LIFT | FLOAT LIFT | FLOAT LIFT | FLOAT LIFT | FLOATLIFT | |
| | Stand Color Eco Sensor | BLACK Yes | BLACK Yes | BLACK Yes | BLACK Yes | BLACK Yes | |
| Eco | Auto Power Saving | Yes | Yes | Yes | Yes | Yes | |
| | Auto Power Off | Yes | Yes | Yes | Yes | Yes | |
| | Power Supply (V) | AC110-120V 50/60Hz | |
| Power | Power Consumption (Max) (W) Power Consumption (Stand-by) (W) | 120 0.5 | 130 0.5 | 150 0.5 | 205 0.5 | 260 0.5 | |
| | Power Consumption (Stand-by) (W) Power Consumption (Typical) | 0.5 55 | 0.5 63 | 0.5 65 | 0.5 80 | 105 | |
| | Set Size without Stand (WxHxD)(mm) | 965.5 x 559.9 x 25.7 | 1118.3 x 644.6 x 25.7 | 1232.1 x 708.8 x 25.7 | 1450.9 x 831.9 x 25.7 | 1676.7 x 960.3 x 26.6 | |
| Dimension | Set Size with Stand (WxHxD)(mm) | 965.5 x 599.0 x 205.6 | 1118.3 x 683.6 x 228.8 | 1232.1 x 747.8 x 228.8 | 1450.9 x 869.6 x 281.8 | 1676.7 x 1005.5 x 340.4 | |
| | Package Size (WxHxD)(mm) | 1093 x 677 x 129 | 1246 x 771 x 137 | 1399 x 846 x 148 | 1612 x 950 x 164 | 1834 x 1110 x 190 | |
| Weight | Set Weight without Stand (kg) Set Weight with Stand (kg) | 8.4 8.7 | 11.5 11.8 | 15.5 15.8 | 20.9 21.3 | 31.4 32 | |
| weight | Set Weight with Stand (kg) Package Weight (kg) | 8.7 11.9 | 11.8 | 15.8 | 21.3 | 42.3 | |
| | Remote Controller Model | TM2280E | TM2280E | TM2280E | TM2280E | TM2280E | |
| Accessory | Samsung Smart Control (Included) | Yes | Yes | Yes | Yes | Yes | |
| | Slim Fit Wall-mount Support | Yes | Yes | Yes | Yes | Yes | |
| | Optional Stand Support (Y20 Studio) Mini Wall Mount Support | N/A Yes | Yes Yes | Yes Yes | Yes Yes | N/A N/A | |
| | | 162 | TES | 162 | 162 | IN/A | |
| | VESA Wall Mount Support | Yes | Yes | Yes | Yes | Yes | |

Technical drawings












50"









55"








65"








SAMSUNG

Technical drawings

75" 1676.7 1662.2 936.8 960.3 1907.1








* There are two options for the 75" stand. Customer can choose one of the two according to the situation

Connectors



About Samsung Electronics Co., Ltd.

Samsung Electronics Co., Ltd. inspires the world and shapes the future with transformative ideas and technologies. The company is redefining the worlds of TVs, smartphones, wearable devices, tablets, digital appliances, medical equipment, network systems, and semiconductor and LED solutions. For the latest news, please visit the Samsung Newsroom at news.samsung.com.

Smart Signage

For more information about Samsung Hospitality Displays, visit www.samsung.com/business or www.samsung.com/displaysolutions

Copyright © 2022 Samsung Electronics Co. Ltd. All rights reserved. Samsung is a registered trademark of Samsung Electronics Co. Ltd. Specifications and designs are subject to change without notice. Non-metric weights and measurements are approximate. All data were deemed correct at time of creation. Samsung is not liable for errors or omissions. All brand, product, service names and logos are trademarks and/or registered trademarks of their respective owners and are hereby recognized and acknowledged.

Samsung Electronics Co., Ltd.

416, Maetan 3-dong, Yeongtong-gu, Suwon-si, Gyeonggi-do 443-772, Korea

