



## **UU770H**

Provide your quests with the interactive smart solution, Pro:Centric SMART, for a superior experience. The UU770H series enables you to customize and create your own content with SDK Tools, Pre-loaded Apps, and content management software, Pro:Centric V and Direct. Also, Ultra HD picture Quality with High Dynamic Range (HDR) and quest-centric technologies increase quests' satisfaction and make a lasting impression on the hospitality properties. The UU770H models also have an embedded b-LAN module.





### **UU770H**

## **Pro:Centric Smart Application Platform**

### **Pro:Centric Hotel Management Solution**


Pro:Centric SMART is optimized for customizing hospitality services for hotel brands and guests through an IP & RF infrastructure. With its high picture quality, sophisticated design and advanced connectivity functions, it upscales in-room entertainment and increases convenience through implementation of high-end technology.


### **Pro:Centric Server Application**

You can now differentiate your hotel with our customizable templates and pages which can be specialized for your property. Pro:Centric provides you a solution that is easily customizable for your business.


#### **Pro:Centric Direct Solution**

Pro:Centric Direct is a hotel content management system that supports simple editing tools and provides various solutions such as 1-click service and IP-network-based remote management. With the solution, users enable to design UI easily and provide customized service while managing TV efficiently.









<sup>\*</sup> Actual UI may be litter different

<sup>\*</sup> Customized UI may be little different.

### **UU770H**

### **Pro:Centric V Hotel Management Solution**

Pro:Centric V provides comprehensive solutions in RF infrastructure. Through the Pro:Centric Server and App, hoteliers are able to customize their settings and deliver information on hotel facilities and wake-up call services, weather forecasts and other messages to guests, all while reinforcing the hotel's brand image.

### Multi Languages

39 languages including Hebrew, Arabic and Farsi, and language alignment are supported, making your guests' stay a more comfortable one.



Right Alignment (Hebrew, Arabic, Farsi)



Left Alignment (36 languages)

### **Basic & Easy Templates**

Pro:Centric Application (PCA) provides one Basic & Easy Template. making a total of three templates, that customers can select according to their preference.



Welcome image of PCA

### Customizable Template & Page

Choose an alternative look & feel template based on your preference, and edit multiple sections with 40 pages of billboards by yourself with the web based tool. (Max 15pages / section Available)



#### Multi Channel Spooling

Operation of up to 8 hotel channels (22 sub-channels) can offer various information and added services.



## **UU770H**

### **Value Added Features**



### New Quick Menu (2.0)

You can enjoy LG's simple home menu solution. It provides editable welcome message, date/time and other frequently used menus in the form of bar. These can be all set with a remote control or USB, and guests are able to easily access the menus they want improving satisfaction of their stay.



4 Templates

### **Voice Recognition**

New Voice Recognition feature enables guest to easily control LG TV. This Smart Interaction may be manipulated by TV native control and Server based control.



### Perfect picture quality and color

Enjoy Full HD content in 4K ULTRA HD quality by 4K Upscaler. The 4K Upscale automatically upgrades Full HD content to ULTRA HD through several steps of the upscaling processes. And also this LG TV can deliver intense highlights, vivid colors and deep black on the screen by HDR10.



- \* TV native Control
- \* Server Based control
- \* Magic Motion Remote is required(sold separately)

## **UU770H**

### **Value Added Features**



### Smart TV by LG WebOS 4.0

This is LG Smart TV with WebOS 4.0. Explore the latest LG Smart TV features, and discover TVs that deliver innovative technology, remarkable clarity, and true-to-life colors.





\* Actual In-screen image may be little different.

#### **Smart Clock**

This Visualized app-based clock provides information on current local time and times from around the world in smart way.





\* Actual In-screen image may be little different.

### **Facility Virtual View**

Guests may see the Hotel facility or room they stay through 360 VR or Panorama view contents.



\* All pictures shown below are for illustration purpose only (for a better understanding). Actual device and screen may differ.

## **UU770H**

## **Hospitality Features**



#### **SmartShare**

SmartShare allows users to share content more easily and quickly. It also searches for the content they want in order to share it more easily and accurately, there by simplifying the process of sharing between various devices.



### ScreenShare

Connect a smartphone or a laptop PC to TV via a Wi-Fi Direct connection. The TV will display the device's screen, and users can share their content and memories together.



Bluetooth Sound Sync enables users to listen to music on a mobile device through TV speakers via Bluetooth connection.







<sup>\*</sup> Support devices for Bluetooth Sound Sync : Android (above v4.4 KitKat) / iOS based Mobile Device

### **UU770H**

### **Hospitality Features**



#### **SoftAP**

SoftAP means Software enabled Access Point. This "Virtual" Wi-Fi feature executes by software working on the device to create a wireless hotspot.




### LAN out with VLAN (Virtual LAN) ID

Enhance the connectivity experience by overcoming space constraint. This feature enables users to manage a virtual LAN via LAN out Function to set ID for each device in the TV menu.



EzManager provides convenient installation function that helps to set up Pro:Centric TV settings automatically without extra effort of configuration. Auto-installation requires 1~3 minutes while manual installation requires 3~5 minutes.







- \* SoftAP should be set in installation menu after TV is on.b
- \* Smart Mirroring may not be operated at the same time.

- \* AUX LAN (LAN out) ID: Set a VLAN ID to be assigned to external devices connected to the LAN out port.

  (a AUX LAN is used for assigning a VLAN ID)
- \* VLAN ID: Create separate Virtual LAN group with ID (tagging).

## **UU770H**

## **Hospitality Features**



LG Protocal through MPI (RJ12) allows communication between TV and SI interface box, eventually giving smart service and more contents to Hotel guests.


#### Instant On

The high speed loading system enables users to enjoy content immediately after turning on the TV.

### **External Speaker Out**

Enhance the entertainment experience by adding an additional speaker. Guests listen to and control the TV audio from anywhere in the business areas, including restrooms.









\* MPI: Multiple Protocol Interface

## **UU770H**

## **Hospitality Features**



#### Multi IR

Multi IR function eliminates the remote control signal interference between TVs in multiple dwelling beds. This system will work using the same LG TV model.




#### Commercial Swivel Stand

Expand the rage of comfort for the guests with a commercial grade stand by allowing them to watch a TV from any angle.



#### Pro:Idiom


Prevent any illegal copying of content by the widely used DRM (Digital Right Management).







## Dimension (unit: mm)



## **Connectivity**



<sup>\*</sup> Dimensions & Jack Panels (Read/Side) may differ from the above image, so please reach LG salesteam to ensure before order.

Specific	cations	75UU770H	65UU770H	55UU770H	49UU770H
	Inch	75"	65"	55"	49"
	Backlight Type	LED (Edge)	LED (Edge)	LED (Edge)	LED (Edge)
	Resolution	3,840 x 2,160 (4K UHD)	3,840 x 2,160 (4K UHD)	3,840 x 2,160 (4K UHD)	3,840 x 2,160 (4K UHD)
PANEL	Brightness (cd/m²)	400	400	400	400
	Dynamic Contrast Ratio (Dynamic MCI (Hz))	10.000.000:1	10.000.000:1	10.000,000:1	10.000.000:1
	Static (Panel) Contrast Ratio	1400 : 1	1400 : 1	1400 : 1	1400 : 1
	Viewing Angle (H x V)	178 x 178	178 x 178	178 x 178	178 x 178
		5	8	8	8
DDCADCACTING	Response Time (G to G, ms)	• (NTSC)	• (NTSC)	• (NTSC)	• (NTSC)
BROADCASTING	Analog	, ,	. ,	, ,	1 7
SYSTEM	Digital	• (ATSC)	• (ATSC)	• (ATSC)	• (ATSC)
VIDEO	XD Engine	•	•	•	•
	Picture Mode	Expert / Expert (Bright Room) / Expert (Dark Room))	Effect / Expert (Bright Room) / Expert (Dark Room))	• 9 Modes (Vivid / Standard / APS / Cinema / Sports / Game / HDR Effect / Expert (Bright Room) / Expert (Dark Room))	Effect / Expert (Bright Room) / Expert (Dark Room))
	Aspect Ratio	• 5 Modes (16:9 / Original / 4:3 / Vertical Zoom / All-Direction Zoom)	• 5 Modes (16:9 / Original / 4:3 / Vertical Zoom / All-Direction Zoom)	• 5 Modes (16:9 / Original / 4:3 / Vertical Zoom / All-Direction Zoom)	• 5 Modes (16:9 / Original / 4:3 / Vertical Zoom / All-Direction Zoom
	HDR 10 / HDR Dolby Vision	HDR 10 / Dolby Vision	HDR 10	HDR 10	HDR 10
AUDIO	Audio Output	20W + 20W	10W + 10W	10W + 10W	10W + 10W
	Speaker System	2.2 Ch	2.0 Ch	2.0 Ch	2.0 Ch
	Sound Mode	6 Modes (Standard / Cinema / Clear Voice III / Sports / Music / Game)	6 Modes (Standard / Cinema / Clear Voice III / Sports / Music / Game)	• 6 Modes (Standard / Cinema / Clear Voice     / Sports / Music / Game)	6 Modes  (Standard / Cinema / Clear Voice III / Sports / Music / Game
	Clear Voice	• (Clear Voice III )	• (Clear Voice III )	• (Clear Voice III )	• (Clear Voice III )
	Dolby Vision Atoms	•	-	-	-
	Adaptive Sound Control	•	•	•	
	One Touch Sound Tuning		•		
	Audio Channel	_	_	_	_
	Solution Type	Pro:Centric (Smart, V, Direct)	Pro:Centric (Smart, V, Direct)	Pro:Centric (Smart, V, Direct)	Pro:Centric (Smart, V, Direct)
HOSPITALITY SOLUTION	Data Streaming ( IP & RF)	1 To.Centric (Smart, V, Direct)	Tro.centric (Smart, V, Direct)	1 To. Certaile (Smart, V, Direct)	1 To. Centric (Smart, V, Direct)
	RF	• (2 Tuner)	• (2 Tuner)	• (2 Tuner)	• (2 Tuner)
	HCAP (EM/FLASH/HTML)	, ,	,	` '	, ,
	Service Carousel (TLL/XML)	GEM / Flash / HTML5	GEM / Flash / HTML5	GEM / Flash / HTML5	GEM / Flash / HTML5
	Pro:Centric Application	• (PCA3.7.5)	• (PCA3.7.5)	• (PCA3.7.5)	• (PCA3.7.5)
	DRM	Pro:Idiom (S/W Type)	Pro:Idiom (S/W Type)	Pro:Idiom (S/W Type)	Pro:Idiom (S/W Type)
	Ditti			rowser, Pre-loaded App, SDP Server Compatibility, Magic Re	
SMART FEATURE				Audio Playback, LG Sound Sync / Bluetooth, Mobile Connect	
FUNCTION		Hotel	Mode, Welcome Screen, Insert Image, One Channel Map, I	external Speaker Out, Instant On, RJP Interface, RJP Compa y Saving, Motion Eye Care, Ezmanager, USB Cloning, b-LAN	tibility,
JACK INTERFACE	Set Side	HDMI 2.0 In (2), USB 2.0 (1)	HDMI 2.0 In (1), USB 2.0 (2)	HDMI 2.0 In (1), USB 2.0 (2)	HDMI 2.0 In (1), USB 2.0 (2)
	Set Rear	RF In (b-Lan), Digital Audio Out (Optical), RS-232C (Control, Phone jack), RJ45 (1), External Speaker Out, TV link Configuration, MPI Port, Debug	RF In (b-Lan), AV In, Digital Audio Out (Optical), HDMI/HDCP Input, RS-232C (Control), RJ45 (2), External Speaker Out, TV link Configuration, MPI Port, Debug	RF In (b-Lan), AV In, Digital Audio Out (Optical),	RF In (b-Lan), AV In, Digital Audio Out (Optical), HDMI/HDCP Input, RS-232C (Control), RJ45 (2), Externa Speaker Out, TV link Configuration, MPI Port, Debug
MECHANIC	Vesa	600 x 400 mm	300 x 300 mm	300 x 300 mm	300 x 300 mm
	W x H x D / Weight (with stand)	1.681 x 1.044x 350.3 mm / 41.4 kg	1,456 x 916 x 318.5 mm / 26.2 kg	1,237 x 774 x 303 mm / 19.4 kg	1.102 x 698 x 303 mm / 16.3 kg
	W x H x D / Weight (without stand)	1,681 x 973 x 35.1 mm (SPK: 65.2) / 38.8 kg	1.456 x 844 x 37.2 mm (SPK: 63.9) / 24.5 kg	1.237 x 721 x 36.6 mm (SPK: 63.3) / 16.1 kg	1.102 x 644x 36.6 mm (SPK: 63.3) / 13 kg
	W x H x D / Weight (Packing)	1,839 x 1,166 x 231 mm / 52 kg	1,600 x 1,035 x 190 mm / 33.6 kg	1,360 x 860 x 190 mm / 24.1 kg	1,296 x 770 x 171 mm / 19.6 kg
	Voltage, Hz	100 ~ 240V, 50/60Hz	100 ~ 240V, 50/60Hz	100 ~ 240V. 50/60Hz	100 ~ 240V, 50/60Hz
POWER	Max	240 W	203 W	167 W	166 W
(UNIT : WATTS)		188 W	177 W	167 W	140 W
	Typical	0.5 W↓	0.5 W↓	0.5 W↓	0.5 W↓
	Stand-by	U.5 VV↓	U.5 W↓	U.5 W↓	↓VV C.U

<sup>\*</sup> Specifications are subject to change without notice, so please reach LG salesteam to ensure before order.



www.lg.com/b2b

www.youtube.com/c/LGECommercialDisplay

www.facebook.com/LGInformationDisplay

in www.linkedin.com/company/LGInformationDisplay

LG may make changes to specifications and product descriptions without notice.

Copyright © 2018 LG Electronics Inc. All rights reserved. "LG Life's Good" is a registered trademark of LG Corp. The names of products and brands mentioned here may be the trademarks of their respective owners.

