# Mission

#### About

Chris Wiegand - President, takes extreme pride in every watch we produce. He is always available to answer questions and help customers.

We take pride in our service. With service points around the globe, you can be assured that for any repair you will have a fast turnaround time, so you can get your watch back on your wrist fast and enjoy it.

**LÜM-TEC®** takes watch manufacturing and design to a personal level. We freely communicate with our customers through email, phone, and on web forums daily. We value our customer's opinions and input. We use customer feedback to improve our products and our business. Our customers are what makes **LUM-TEC** unique and what separates us from other watch companies.

#### CONTENTS

Basic Instructions......2-4

VIC I ...... 5-6 VIC II..... 7-8 Contact.... 9

## CARE AND MAINTENANCE

A maintenance interval of between 5 and 10 years is recommended and is in addition to required battery replacement on quartz models.

Never open the watch yourself. If your watch needs repair or adjustment, take or mail it directly to a **LÜM-TEC** authorized service repair center.

**LÜM-TEC** assumes responsibility only for service performed at its authorized service centers.

#### Shock

All **LÜM-TEC** watches have shock-resistant movements, individually tested to meet international standards.

#### Dust

Dust can enter a watch if the case, crystal or crown is not intact. A small particle is enough to stop the movement. Have your watch repaired promptly if the crystal becomes loose, chipped or cracked, or if there is damage to the case or crown.

### Magnetism

The exposure of a timepiece to strong magnetic fields will affect its time-keeping and may cause it to stop. A quartz watch should resume working with its original accuracy when removed from the magnetic field. A mechanical timepiece may require demagnetization before it will operate properly again.

# Water Resistance


All **LÜM-TEC** watches are tested to meet international standards for water resistance.

To maintain water resistance, periodic maintenance is required.

The gaskets and crown which seal the case are subject to wear and deterioration under normal use. These parts should be inspected and replaced as needed each time the watch is opened for service, including battery changes.

CAUTION: **LUM-TEC** will not be responsible for any damage caused by or related to leakage origination from improper handling or damage to the case, crown, gaskets or crystal.

IMPORTANT: Do not operate the chronograph pushbutton on a chronograph model while the time piece is under water.



## 9015 INSTRUCTIONS

Pos. I Manual winding position and normal resting position (watch running)

Pos. II Quick-change correction for date

The date can also be corrected during the day-changing phase between 10 pm and midnight. The date of the following day has to be set, because no automatic date change takes place at midnight.

- Pull the crown out to position II (watch still running).
- Turn the crown until the required date appears.
- Push the crown back into position I.

Pos. III Setting the time

- Pull the crown out to position III (watch stopped).
- Turn the crown, until the current time is displayed (remember the 24-hour cycle).
- Push the crown back into position I.



## 9075 INSTRUCTIONS

- Pos. I Manual winding position and normal resting position (watch running)
- Pos. II Setting the hour hand and date to local time.
  - \*When the hour hand turns twice, the date will change by one day.
  - \*When setting the time, pay attention to AM or PM.
  - \*When setting the time anticlockwise between 21:00 and midnight, set it back until the date switches to the previous day
- Pos. III Setting the hour and minute hands to home time.

NOTE: This movement allows you to change 24 Hour hand without stopping.

Turn the crown at Pos. II to change the hour hand by one hour

### CONTACT

WIEGAND CUSTOM WATCH, LLC. 7245B INDUSTRIAL PARK BLVD MENTOR, OH 44060

T.(440)-951-1296

### INTERNET

www.Lum-Tec.com info@lum-tec.com service@lum-tec.com

## SOCIAL NETWORK

TWITTER - @LUMTECWATCHES
FACEBOOK - FACEBOOK COM/LUMTECLLC