

Material Safety Data Sheet

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

CARPET SPOTTER

Issue Date: 15th January 2017

Revision Date: 5 Years From Issuance

DISTRIBUTED IN AUSTRALIA BY:
Green Dolphin Eucalip Chemicals
77-79 Williams Road
Dandenong, Victoria. 3175
Phone: (03) 9706 9766
Fax : (03) 9706 9945 ABN 63 591 680 646

Emergency phone: (03) 9706 9766 or 000

Poisons Information Centre Australia 13 1126

Classified as **Hazardous** according to criteria of NOHSC¹ and **Dangerous Goods** according to the ADG Code²

UN NO.....:	1719	D.G. Class.:	8	Pack. Group...:	III
HAZCHEM:	2R	SUB. RISK.:	None allocated	SUSDP.....:	S5

PROPER SHIPPING NAME: CAUSTIC ALKALI LIQUID, N.O.S. (Sodium hydroxide & sodium metasilicate <10%)

PRODUCT USE: Cleaning, mopping, spray and wipe off.

2. COMPOSITION / INFORMATION ON INGREDIENTS

Component	CAS No	Weight %
Surfactant	Not hazardous	<10
2-Butoxyethanol	111-76-2	<10
Sodium hydroxide	1310-73-2	<5
Sodium metasilicate	6834-92-0	<5
Other ingredients	Not required ^a	<1
Water	Not required	70-90

See Section 8, Exposure Controls / Personal Protection

3. HAZARDS IDENTIFICATION

Causes burns.

4. FIRST AID MEASURES

Eyes: Immediately flush with water for 15 minutes. Get immediate medical attention. Continue rinsing eye until medical attention arrives. Possible caustic alkali burns.

Skin: Take off all contaminated clothing. Thoroughly wash contaminated area with water. Consult a physician if irritation develops or persists. Possible caustic alkali burns.

Inhalation: Remove to fresh air. If breathing difficulties occur give artificial respiration. Consult a physician immediately. Possible caustic alkali burns.

Ingestion: **Do not induce vomiting.** Get medical attention immediately.

First Aid: Premises handling this material should be equipped with a safety shower and eye wash facilities.

Facilities:

5. FIRE FIGHTING MEASURES

Flash Point Not applicable
 Auto-ignition Temperature Not applicable
 Lower Explosive Limit Not applicable
 Upper Explosive Limit Not applicable

Suitable Extinguishing Media:

Use foam, water spray, CO2 or dry powder as applicable to surrounding fire.

Protective Equipment for Fire Fighting:

Thermal decomposition can release hazardous fumes.

Wear self-contained breathing apparatus and protective clothing to prevent contact with skin and eyes.

6. ACCIDENTAL RELEASE MEASURES

Caution: Floor may be slippery. Provide sufficient ventilation. Wear personal protective equipment to prevent contact with skin and eyes.

Do not allow into drains or waterways. Take up with inert absorbent material (sand, universal absorbent).

Dispose of empty containers in accordance with federal, state and local laws.

7. HANDLING AND STORAGE

UN 1719 CLASS 8 CORROSIVE – Transport and store in accordance with dangerous goods requirements. Wear personal protective equipment to prevent contact with skin and eyes. Keep containers tightly closed and store in a cool, well-ventilated area. Store away from acids and other incompatible materials.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Limit Information

Ingredient	NOHSC ¹			
	TWA		STEL	
	(ppm)	(mg/m ³)	(ppm)	(mg/m ³)
Surfactant	a	-	a	-
2-Butoxyethanol	25	-	a	-
Sodium hydroxide	-	2b	-	-
Sodium metasilicate	a	-	a	-

a = not listed

b = peak limitation

TWA = Time Weighted Average

STEL= Short term Exposure Limit

¹ National Occupational Health and Safety Commission (Australia)

Respiratory Protection

If vapours and mists occur, a respiratory protection program meeting Australian and New Zealand Standards AS/NZS 1716 and AS/NZS1715 requirements must be followed whenever

workplace conditions warrant a respirator's use. None required if airborne concentrations are maintained below the exposure limit listed in "Exposure Limit Information"

Eye Protection

Use chemical splash goggles (Australian Standard AS-1337) or approved equivalent. Eye protection worn must be compatible with respiratory protection system employed.

Hand Protection

Nitrile, neoprene or other impervious and alkali resistant gloves, and protective clothing as necessary to prevent skin contact.

Engineering Controls (Ventilation)

Use local exhaust ventilation sufficient to maintain exposure levels below exposure limit concentrations. Refer to Australian Standard AS-1668.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance and colour	Reddish, purple
State	Liquid
Odour Characteristic	Slight
pH	~12 undiluted
Viscosity	Not specified
Specific Gravity (Water = 1)	~ 1.04
Vapour Density (Air = 1)	Not specified
Vapour Pressure	Not determined
Melting Point	Not determined
Boiling Point	100°C initial, water
Solubility in Water	Completely soluble
Flash Point	Not applicable

10. STABILITY AND REACTIVITY

Hazardous reactions

Violent, exothermic reaction with acids. Corrosive to non-ferrous metals.

11. TOXICOLOGICAL INFORMATION

Acute Data

Skin:	Corrosive. Causes burns.
Eyes:	Corrosive. Causes burns.
Inhalation:	Severely irritating.
Ingestion:	Corrosive. Causes burns.

12. ECOLOGICAL INFORMATION

Ecotoxicological Effects

Harmful to aquatic organisms in unneutralised form.

13. DISPOSAL CONSIDERATIONS

Dispose of empty containers in accordance with federal, state and local laws.

14. TRANSPORT INFORMATION

Classified as Dangerous Goods according to the Australian Code For The Transport Of Dangerous Goods By Road And Rail (Sixth Edition). See section 1.

15. REGULATORY INFORMATION

Labelling Requirements According to Criteria of NOHSC¹:

R34	Causes burns.
S2	Keep out of reach of children.
S24/25	Avoid contact with skin and eyes.
S26	In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
S36/37/39	Wear suitable protective clothing, gloves and eye/face protection.
S46	If swallowed, seek medical advice immediately and show this container or label.
S28	After contact with skin, wash immediately with plenty of soap-suds.
S50	Do not mix with acids.

16. OTHER INFORMATION

¹ National Occupational Health and Safety Commission – Australia

² Australian Code For The Transport Of Dangerous Goods By Road And Rail (Sixth Edition).

The advice and information contained herein is based on the original raw material supplier's information. Green Dolphin Eucalip believes the information to be accurate and reliable as at the date supplied, but no representation, guarantee or warranty, expressed or implied, is made to the accuracy, reliability, or completeness of the advice and information. Green Dolphin Eucalip urges persons receiving this advice and information to make their own determination as to the advice and information's suitability and completeness for their own particular situation."

T000604