

READYLIGHT GEN 2 INSTRUCTION MANUAL

DEAR FREESPIRIT FAMILY,

As a family owned and operated business, it is our hope that as you get out there and use the Freespirit products, you feel like a part of our extended family and also feel like we are all out there exploring this great planet together.

Our goal at Freespirit Recreation has always been to re-invent the roof top tent from the ground up and create amazing gear. We work hard to create the best designs using the best products that allow for a fast and easy set-up. We want you spending more time exploring and enjoying life.

You have asked us to be innovative, to provide the best quality, to provide great customer service, and to keep creating products that Elevate Your Adventure so stay in touch with us!

Follow us on social media and on our website, www.gofsr.com.

Have questions for us?

Reach out, we are here to help!

sales@gofsr.com

Oh, and because we have to put this in here...
PLEASE REVIEW THIS INSTRUCTION MANUAL BEFORE USING
YOUR READYLIGHT GEN 2.

From the Freespirit family to you, <u>THANK YOU</u> for your purchase of the Readylight Gen 2!

We hope that it really will *Elevate Your Adventure!*

Renee Tewes: President and Team Leader, Customer Service
Tanner Tewes, Team Leader: Sales and Product Innovation
Kristine Sewell, Team Leader: Marketing
Ben Tewes, Team Leader: Sales and Product Innovation

TABLE OF CONTENTS:

PRODUCT OVERVIEW/VIDEO RESOURCES (PAGE 4)

PACKAGE CONTENTS (PAGE 5-6)

ASSEMBLY INSTRUCTIONS (PAGE 7-8)

MAIN PANEL INFO/CHARGING/OPERATION (PAGE 9-10)

PODLIGHTS OPERATION (PAGE 10-11)

PRODUCT SPECIFICATIONS (PAGE 12)

FREESPIRIT RECREATION CONTANT INFORMATION (PAGE 13)

PRODUCT OVERVIEW:

The next generation of ReadyLight is here! The Gen2 features a telescoping base so you can make it higher or lower, wider or slimmer to fit any space. The main light comes with 4 detachable white and amber colored Lightpods. Gen2 also comes with a compact, hard shell carrying case with foam inserts to keep the ReadyLight safe and secure when stored.

The Gen2 is the same high quality light as customers have come to expect from ReadyLight but with the new enhancements and improvements listed above. The ReadyLight has an extremely bright 550 lumens center light and 4 removable Light Pods which replace the need for flashlights, lanterns, work lights, strobe lights—you name it. Offering up to 30-hours of light, the powerful lithium batteries can be charged 3 different ways—solar, AC & DC. Plus, it's a USB charging station for your mobile devices. We like to think of it as the most versatile backyard to back country light ever designed.

Available in Black Ops and Desert Sand.

VIDEO RESOURCES:


READYLIGHT TIPS AND TRICKS BY: FREESPIRIT RECREATION SOURCE: YOUTUBE

https://www.youtube.com/watch?v=KLAz_J1sGDA


YOU WILL NEVER BUY ANOTHER CAMP LIGHT AGAIN
THE FSR GEN 2 READYLIGHT
BY: BAPTISM OVERLAND
SOURCE: YOUTUBE

https://www.youtube.com/watch?v=EsCIsABlcXQ


PACKAGE CONTENTS:



READYLIGHT HEAD








FASTENERS, LOCK WASHERS, HEX-KEY WRENCH

2 FASTENERS REQUIRED; 2 EXTRAS ARE PROVIDED




TELESCOPING TRIPOD LEGS



AC POWER ADAPTER



GROUND STAKES



DC POWER ADAPTER/ CAR CHARGER



HARD SHELL CARRYING CASE

ASSEMPLY INSTRUCTIONS:

1. Remove all parts from the hard shell carrying case.


2. Screw all three legs into the center hub to make the tri-pod

base.





3. Assemble the Readylight head.

a. Using two of the supplied fasteners, two lock washers, and the hex key wrench, secure tripod swivel clamp to ReadyLight head as shown.




b. Release locking lever on swivel clamp ...





MAIN PANEL:



Master ON/OFF switch

Place in ON position to use or charge light. is charging; Move to OFF position when finished using light.

Charge indicator light

Glows RED when light glows GREEN when light is fully charged.


Power supply input

Allows light to be charged with supplied A/C and D/C charging adapters.

Full size **USB** power output

1 AMP power supply for cell phones, speakers, cameras, etc. Turns off when light experiences low power.

CHARGING:




Place master ON/OFF switch in ON position. This allows your ReadyLight to receive a charge.


Charging source: Connect to the A/C or D/C adapter, OR position your ReadyLight in direct Solar24 hours sunlight and it will automatically begin solar charging.

Give your ReadyLight time to charge:


AC/DC..... 6 hours

MAIN LIGHT OPERATION:






PODLIGHTS:



PODLIGHTS OPERATION:



SPECIFICATIONS:

MAIN LIGHT	
BATTERY TYPE	Lithium-Ion
BATTERY CAPACITY	7.4V 7800mAH
DC POWER	12V CLA charger
AC/DC CHARGE TIME	6 hours
SOLAR CHARGE TIME	up to 24 hours
RUN TIME	
MAXIMUM POWER	15W
BRIGHTNESS SETTINGS	5W/2.5W
LUMENS	350lm/175lm
CHARGING TEMPERATURE, CELSIUS	0°-50°
DISCHARGE TEMPERATURE, CELSIUS	20°–50°
EXTERNAL USB POWER SUPPLY	5V 1A
PORTABLE LIGHTS	
BATTERY TYPE	Lithium-Ion
BATTERY CAPACITY	3.7V 1800mAH
WATTAGE, SINGLE UNIT	1W
WATTAGE, ALL 4 UNITS	4W
LUMENS, SINGLE UNIT	80lm
LUMENS, ALL 4 UNITS	320lm
RUN TIME, SINGLE UNIT	8 hours
CHARGE TIME	8 hours
WORKING TEMPERATURE, CELSIUS	20°—60°
TOTAL LIGHT SPECIFICATIONS	
LUMENS	500lm
RENDERING INDEX	Ra80
CCT	6500K
SERVICE LIFE	20,000 hours
WORKING HUMIDITY	≤95%
SHELL MATERIAL	Flame-retardant ABS
INGRESS PROTECTION	IP63



Freespirit Denver 120 Capital Drive Golden, CO 80410

Freespirit Bend 2453 NE 4th Street Suite 110 Bend, OR 97701

WWW.GOFSR.COM

Have Questions? Please reach out to sales@gofsr.com.

#gofsr