



<b>C</b> €	<b>V</b> PA		USER WEIGHT	to ensure correct configuration	kç
Part no: 05300001			Max. user wei	ght:	140 kg <sup>(1)</sup>
□ Order □ Calculation	□ Built 4 me	0	= No cost option	• = Standard	□ = Cost option
Purchase order: Number required:			Sunrise order no:		
Order date:			Marked for:		
Tel: Fa	X:		Tel:	Fax:	
E-Mail:			E-Mail:	_	
	stal code:		Town:	Postal cod	le:
Street:			Street:		
Name:			Name:		
Deliver to:			Invoice to:		

# **CLIENT MEASUREMENTS** (all measurements without cushion)

**SEAT WIDTH SELECTION** - measured from outside frame tube to outside frame tube

30 cm	32 cm	34 cm	36 cm	38 cm	40 cm	42 cm	44 cm	46 cm	48 cm	50 cm
0	0	0	0	0	0	0	0	0	0	0
							Includes ont	ion NSW010	602.	

includes option Novvoio

User weight 140 kg

## **SEAT DEPTH SELECTION**

34 cm	36 cm	38 cm	40 cm	42 cm	44 cm	46 cm	48 cm	50 cm
0	0	0	0	0	0	0	0	0

<sup>(1)</sup> Max user weight 140kg only with option NSW010602 or with SW 44-50cm; Standard maximum user weight: 120kg.

•	= Standard	O = No cost option	= Cost option	

# FRONT SEAT HEIGHT SELECTION: independent of front castors, forks and frame versions

### Front seat height in cm

					LIOI	nt se	at ne	eignt	in c	m																
_		Frame	Fork (length)	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57
			111 mm								0	0	0	0	0											
			123 mm* (1)										0	0	0	0										
		Std	138 mm (1)											0	0	0	0									
	3"		174 mm (1)														0	0	0	0	0					
	٠		One Arm (1)								0	0	0	0	0											
			111 mm* (1)	0	0	0																				
		Hemi	138 mm* (1)		0	0	0	0																		
			174 mm* (1)					0	0	0	0	0														
			111 mm									0	0	0	0	0										
			123 mm* (1)											0	0	0	0									
		Std	138 mm (1)												0	0	0	0	0							
	4"		174 mm (1)														0	0	0	0	0	0				
	4		One Arm (1)									0	0	0	0	0										
			111 mm* (1)	0	0	0	0																			
		Hemi	138 mm* (1)			0	0	0	0	0																
. L			174 mm* (1)					0	0	0	0	0	0													
ᅙᇎ			111 mm												0	0	0	0								
cas			123 mm* (1)												0	0	0	0								
ž		Std	138 mm (1)													0	0	0	0	0						
Front castor	5"		174 mm (1)															0	0	0	0	0	0			
٦.	٦		One Arm (1)												0	0	0	0								
			111 mm* (1)			0	0	0	0																	
		Hemi	138 mm* (1)				0	0	0	0	0															
L			174 mm* (1)						0	0	0	0	0	0												
			111 mm														0	0								
			123 mm* (1)														0	0	0							
		Std	138 mm (1)														0	0	0	0	0					
	6"		174 mm (1)																0	0	0	0	0	0		
	١		One Arm (1)														0	0								
			111 mm* (1)					0	0																	
		Hemi	138 mm* (1)					0	0	0	0	0														
			174 mm* (1)							0	0	0	0	0	0											
			123 mm* (1)																0	0						
			138 mm (1)																	0	0	0				
			174 mm (1)																		0	0	0	0	0	0
		Hemi	174 mm* (1)									0	0	0	0	0	0									
-		_												_		_										

<sup>\*</sup> only available in black

## **REAR SEAT HEIGHT SELECTION:** independent of rear wheel size

# Rear seat height in cm

Rear wheels	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53
22"	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0					
24"				0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
25"					0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
26"						0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

The rear seat height can only be between 0 cm and 11 cm below the selected front seat height.

<sup>(1)</sup> Compatible with power add on devices. For 123mm fork, please also choose option NSW090093 "Fork for power add ons".

	<u>•</u>	= Standard U = No cost option □ = Cost option	t.
		SEAT	
		Seat sling	
NSW020002	0	Seat sling, nylon, tension adjustable, 1 utility bag	
NSW020003		Seat sling, nylon, tension adjustable, 2 utility bags (only from SW 38 cm)	43
NSW020004		Seat sling, nylon, tension adjustable, 1 utility bag, 1 catheter bag (only from SW 34 cm)	97
NSW020000	0	Without seat sling	
Seat cushic	on, co	ver with zipper, black	
Foam (med	lium-s	oft) Thickness: NSW020101   3 cm NSW020102   5 cm	57
Latex (very		Thickness: NSW020103 □ 5 cm NSW020104 □ 8 cm	57
( )			
Seat cushic	on. cl	matic membrane water-resistant, cover with zipper, black	
Foam (med			110
Latex (very		Thickness: NSW020107 □ 5 cm NSW020108 □ 8 cm	110
Latex (very	3011)	Mindredd. Montechni L ddin Montechni L ddin	110
NSW020150		Replacement cover for seat cushion, cover with zipper, black	43
14344020130		Replacement cover for seat cushion, cover with zipper, black	70
		Continuous	
1/014/00 0050		Seat accessories	1.10
NSW020050		Additional padding for seat upholstery, removable	149
NSW090018		Lap belt with buckle, metal	37
		JAY Cushions - for complete product range see JAY order forms	
JAY020002		JAY Basic	55
JAY020003		JAY Soft Combi P	77
JAY020001		JAY Easy Visco, Curved Base	132
JAY020004		JAY Lite	215
JAY020007		JAY Easy Fluid, Curved Base	308
		BACKREST	
Back heigh	nt ran	ge (cm) 25 - 30 30 - 35 35 - 40 40 - 45 45 - 47.5	
Choose bac	ck hei	ht factory setting.	
Height adjus	stmen	ts of 5 cm in total are possible. O 27.5 O 32.5 O 37.5 O 42.5 O 47.5	
		0 30 0 35 0 40 0 45	
NSW030010	0	Backrest, fixed (90°)	
NSW030031		□ Backrest, fold-down (to the front) (1)	64
NSW030012	0	Backrest, angle-adjustable (75° to 103°)	
NSW030031		□ Backrest, fold-down (to the front) (1)	64
		Push handles	
NSW030200	0	Without push handles	
NSW030201	0	Push handles, long	
NSW030203		Push handles, fold-down (available from back height 32,5 cm)	116
NSW030205		Push handles, height-adjustable for JAY backs  (available from back height 20 cm)	154
NSW030204			154
14377030204		Push handles, height-adjustable (available from back height 30 cm)	104
		Produces unbalatory.	
110111000010		Backrest upholstery	
NSW030316	0	EXO Backrest sling, synthetic fibre, padded, adjustable, 1 accessory bag, black	
		Colour, binding tape: O Black O Orange O Silver O Red O Blue	
NSW030317		EXO PRO Backrest, synthetic fibre, padded, adj., breathable spacer fabric, 1 accessory bag, black	136
		Colour, binding tape: O Black O Orange O Silver O Red O Blue	
NSW030300	0	Without backrest upholstery	
		Accessories for backrest	
NSW030402		Stabilising bar, automatic folding (only available from SW 36- 48 cm)	119
NSW030401		Stabilising bar, swing-away	80
NSW030412		□ Headrest, medium, height, depth and angle-adjustable	188
1		☐ Headrest, tall, height, depth and angle-adjustable, 20x11 cm	188
NSW030410		= Troductor, tail, froight, dopth and anglo adjustable, 2007 Form	

<sup>(1)</sup> Not with height adjustable push handles, JAY backs, stabilising bar or headrest. Please note folding-Matrix on next page. If push handles long are chosen, only back heights 30 cm and above are available; if push handles fold-down are chosen, only back heights 35 cm and above are available

	•	= Standard
		JAY J3 BACKS
IAV I2 Da	-l. C	ellow Contour
Mid Thorac		nallow Contour  □ JAY030010 Medium - 34 cm □ JAY030033 Tall - 38 cm 50
Upper Thor		□ JAY030012 Short - 42 cm □ JAY030019 Medium - 46 cm □ JAY030025 Tall - 50 cm 57
Shoulder H		□ JAY030015 Short - 53 cm □ JAY030022 Medium - 57 cm □ JAY030028 Tall - 61 cm 57
		d Contour
Mid Thorac		□ JAY030011 Medium - 34 cm □ JAY030018 Tall - 38 cm □ 50
Jpper Thor		□ JAY030013 Short - 42 cm □ JAY030020 Medium - 46 cm □ JAY030026 Tall - 50 cm 57
Shoulder H		□ JAY030016 Short - 53 cm □ JAY030023 Medium - 57 cm □ JAY030029 Tall - 61 cm 57
		rack - Shallow Contour
ower Thor		□ JAY060001 Short - 17 cm □ JAY060002 Tall - 24 cm 60
Mid Thorati		□ JAY060003 Short - 30 cm □ JAY060004 Tall - 38 cm 60
_	_	
Accessorie AY030004	s for	JAY J3 backs  JAY Flip Back Headrest (J3EUHDFH & J3EUHDLSP)  (only with JAY J3 backs) 25
IAY030004		JAY Std. Headrest (J3EUHDXH & J3EUHDLSP)  (only with JAY J3 backs) 13
JAY090058		JAY Accessory bag (only with JAY J3 Carbon backs) 5
		· · · · · · · · · · · · · · · · · · ·
		ARMREST AND SIDEGUARDS
		Armrest
VSW040052	0	Single-post sideguard, armpad (33 cm), depth adjustable, height-adjustable, removable (1)
VSW040117	0	Tubular armrest, Aluminium, swing away (sideways), padded, removable (only with backrest, angle adj.)
ISW040050		Single-post sideguard, armpad (25 cm), height-adjustable, removable  (1)
ISW040051		Single-post sideguard, armpad (36 cm), height-adjustable, removable  (1)
ISW040005		Desk sideguard, flip-up, removable
ISW040001		Desk sideguard, armpad (25 cm), fixed, flip-up, removable
ISW040002		Desk sideguard, armpad (25 cm), height-adjustable, flip-up, removable
VSW040003		Desk sideguard, armpad (31 cm), fixed, flip-up, removable
NSW040004		Desk sideguard, armpad (31 cm), height-adjustable, flip-up, removable
		Accessories and options for desk sideguards
NSW040020		Release assistance for tetraplegics (only with desk sideguard) 2
NSW090012		Tray, swing-away (to the side), SW 34 - 50 cm, left-mount (only with desk sideguard)
NSW090013		Tray, swing-away (to the side), SW 34 - 50 cm, right-mount (only with desk sideguard)
VSW090011		Tray, push-fit, SW 38 - 48 cm (only with desk sideguard) 12
		Sidequards
VSW040107	0	Sideguard, composite, removable, 21 cm high (31 cm long), black
VSW040102		Sideguard, aluminium, cold weather protection (in frame colour)
VSW040103		Sideguard, aluminium, fender, cold weather protection (in frame colour)
VSW040104		Sideguard, carbon fibre, fender, cold weather protection (black)
		HANOER
VOW/05000:		HANGER
NSW050001	0	Hanger angle 80° (Not available with Hemi Frame NSW010024)
NSW050002	0	Hanger angle 70° (2)
		Hanger, aluminium, swing-away
VSW050006	0	Hanger, aluminium, swing-away, LH
NSW050007	0	Hanger, aluminium, swing-away, RH
NSW050008	0	Hanger, aluminium, swing-away, pair
		Hanger, ELR (aluminium, flip-up (0-90°)), swing-away
NSW050009		Hanger, aluminium, flip-up (0° - 90°), swing-away, LH
NSW050010		Hanger, aluminium, flip-up (0° - 90°), swing-away, RH
NSW050011		Hanger, aluminium, flip-up (0° - 90°), swing-away, pair (from SW 38cm) 38
		$\mathbf{C} = \mathbf{C} + $

<sup>(1)</sup> Only with COG Adapter Standard

<sup>(2)</sup> In combination with NSW010024 "Frame, Hemi" only 70° hangers available

	•	= Standard O = No cost optic	n		= Cost opt	ion			£
		FOOTPLATES AND FOOTBOARDS	;						
NSW050104	0	Footplates, divided, composite, flip-up, heel	loop,	black				(from SW 38 cm)	
NSW050020	0	Footplates, divided, composite, angle-adjust	able,	flip-up, heel lo	op, black			(from SW 38 cm)	
NSW050022		Footplates, divided, aluminium, angle-adjust	able,	flip-up, heel lo	op, frame	colour			133
NSW050051		Footplates, divided, aluminium, angle-adjust	able,	flip-up, high-m	ount, heel	loop, frame o	colour (1)		133
NSW050023		Footboard, platform, aluminium, angle-adjus	table	, flip-up, heel lo	op, frame	colour			136
NSW050126		O Swing-away mechanism for platform f	ootbo	ard					
NSW050059		Footboard, platform, Performance, aluminium	m, an	gle-adjustable,	flip-up, ca	If strap		(from SW 32 cm)	206
NSW050131		Footboard, platform, lightweight, plastic, and	gle & d	depth-adjustab	le flip up, c	alf strap, bla	ck		133
NSW050132		Footboard, platform, lightweight, carbon fibro	e, ang	gle & depth-adj	ustable, flip	o up, calf stra	p, black (1)		282
		Accessories for footboards							
NSW050127		Foot positioning plate					(2)		18
		LOWER LEG LENGTH (LLL)			(LLL	has to be 2,5 cn	n less than front s	seat height; measurements in cm)	
	0		25	O 26	0 27	O 28	O 29	O 30 O 31	
	0	32 0 33 0 34 0	35	O 36	0 37	○ 38	O 39	O 40 O 41	
	0	42 0 43 0 44 0	45	O 46	0 47	O 48	O 49	O 50 O 51	
	LLL be	elow approximately 32cm require high-mount footboards-	depena	ls on configuration,	please checi	k configurator for	r details		
		FRAME VERSIONS							
NSW010015	0	Standard swing away frame							
NSW010602	0	Reinforced heavy duty frame for max. user v	veight	t 140 kg		(Sizes 32-42	only. HD option	standard on all other sizes)	
NSW010024	0	Low seat frame option (Hemi)					(compare	with your choice on the first page)	
		CENTRE OF GRAVITY (COG)					( 2 cm=	very passive; 12 cm= very active)	
NSW070703		Adapter standard O 2 O	3	O 4 (Std)	0 5	0 6	0 7	0 8	
			10	0 11	0 12				
NSW070701		Adapter lightweight O 5 (Std) O	6	0 7	0 8	0 9	0 10	0 11	
		0 12							
		FRAME ACCESSORIES					(choose either	tip assist or anti- tip tube per side)	50
NSW090016		Frame protection, black							59
NSW090100		Transportation brackets - Crash test option							Std.
NSW090010		Transit wheels					(not in combinat	ion with anti-tip tubes or tip assist)	174
		Anti tin tubos awing away							
NSW090004		Anti-tip tubes, swing-away  Left NSW090005		□ Right					79
NSW090004		Pair		L Right				(no additional tip assist possible)	157
14344090000		Fall						(110 additional tip assist possible)	137
		Tip assist							
NSW090001		Left NSW090002		□ Right					28
NSW090003		Tip assist, pair					(1	no additional anti-tip tube possible)	48
NSW090009		Crutch holder, loop					-	only in combination with tip assist)	59
		отаки только, тогр						, ,	I
		FORKS					(compare	with your choice on the first page)	
NSW080013	•	Castor fork, Carbotecture ®, 111mm	0	Black			(	only for 111mm and 123mm forks)	
		Colour: □ Silver		Orange	□ Re	d (3)		,	43
NSW080029	0	Castor fork, Aluminium	0	Black		.,		23mm, 138mm and 174mm forks)	
		Colour: □ Silver		Orange			-	,	43
NSW080008		Castor fork, aluminium, one-arm		Black					156
		Colour: □ Silver		Orange	□ Re	d 🗆	Blue		43
		STANDARD CASTORS					(compare	with your choice on the first page)	
NSW080301	0	Castor, solid (hard), rim: composite, black							
NSW080302	0	Castor, solid (soft), rim: composite, black						(only 5" & 6")	
NSW080303		Castor, solid (hard), light-up, rim: composite	, blac	k				(only in 3", 4" and 5")	62
NSW080304		Castor, solid (hard), rim: aluminium		Colour, rim: S	Silver			(only 4" & 5")	73
NSW080305	0	Castor, pneumatic, rim: composite, black						(only 7")	
NSW080306		Castor, solid (soft), rim: aluminium		Silver				(only 4" & 5")	73
		Colour, rim: ☐ Black		Orange	□ Re	d 🗆	Blue		43
(1)	From	SW 34 cm available		(3)	Only with	111x45mm Ca	rbotecture fork		_

(2) Only for footboard, platform lightweight or Performance

(3) Only available in combination with castor, soft (NSW080302 or NSW08036)

	•	= Standard O = No cost option □ = Cost option	£
		REAR WHEELS (compare with your choice on the first page)	
NSW070000	0	Without rear wheel	
NSW070001	0	Rear wheel, Universal, 36 spokes (silver), cross-wise spokes (not in 25")	
NSW070002	0	Rear wheel, Design, 36 spokes (silver), straight spokes (only 24" and 26")	
NSW070003	0	Rear wheel, Lightweight, 24 spokes (silver), straight spokes (not in 26"; see colour options on last page)	
NSW070004		Rear wheel, Proton, 24 spokes (black), straight spokes (not in 26"; user weight limit 100kg)	447
NSW070005		Rear wheel, Spinergy, 18 spokes (black), straight spokes; hub: silver (not in 22")	405
NSW070006		Rear wheel, Spinergy, 12 spokes (black), straight spokes, hub: silver (only 24" & 25")	624
NSW070007		Rear wheel, Spinergy, 12 spokes (black), straight spokes, hub black (only 24" & 25")	624
NSW070008		Rear wheel, drum brakes, 36 spokes (silver), cross-wise spokes (1) (only 22" & 24")	327
NSW070009		Rear wheel, Mountain bike, 36 spokes (silver), straight spokes (only 24")	287
NSW070010		Mountain bike wheel, replacement kit incl. tyre (extra coarse profile) (only 24")	432
		Axle	
NSW070150	•	Quick-release axle	
NSW070151		Quick-release axle, designed for quads (2)	94
		TVDEO	
NSW070102	0	TYRES  Tyre, puncture proof, tread (not in 26")	
NSW070102 NSW070107		Tyre, puncture proof, tread (not in 26")  Tyre, pneumatic, slick, Schwalbe One (only 24" and 25")	83
NSW070107 NSW070101	0	Tyre, pneumatic, fine profile, Schwalbe Right Run  (only 24 and 25)  Tyre, pneumatic, fine profile, Schwalbe Right Run  (not in 25")	00
NSW070101		Tyre, pneumatic, tread, Schwalbe Downtown Two Grip (not in 23)	83
NSW070104		Tyre, pneumatic, puncture proof, tread, Schwalbe Marathon Plus Evolution	83
11011010101		Tyro, priodificato, pariotaro proof, troda, convaido Marathori 1 tao Evolution	- 00
		HANDRIMS	
NSW070202	0	Handrims, aluminium, anodised, silver	
NSW070201	0	Handrims, aluminium, powder-coated, clear	
NSW070204	0	Handrims, stainless steel, silver	
NSW070203	0	Handrims, aluminium, powder-coated, coloured (select colour on last page)	
NSW070205		Handrims, titanium, untreated (not in 22")	171
NSW070206		Handrims, titanium, powder-coated, clear (not in 22")	171
NSW070207		Handrims, Supergrip ®	206
NSW070208		Handrims, Maxgrepp ® (only 22" & 24")	206
NSW070211		Handrims, Surge ® (only 24" and 25")	164
		Handrim accessories	
NSW070250		Handrim cover, rubber (not with 25" and 26" and Surge )	83
		Hand rim mounting	
NSW070307	0	Handrim mount, super narrow (7 mm) (only with stainless steel and Surge)	
NSW070307	•	Handrim mount, narrow (17 mm)	
NSW070327	0	Handrim mount, wide (27 mm)	
		WILE CAMPER	
NSW070600	0	WHEEL CAMBER  0°	
NSW070602	0	2° (3)	
NSW070604	0	4° (3)	
		SPOKE GUARDS (coloured: only 22 & 24"; transparent: only 22", 24" & 26")	4.4=
NSW070831		Transparent	113
NSW070826		Rotation NSW070815 Graphik NSW070804 Bibbo	113
NSW070810		Fantasy NSW070813   Glaktica NSW070805   Cheese	113
NSW070823		Princess NSW070808 □ Dancing Bear NSW070818 □ Jungle Fever	113
NSW070816		Happy Lions NSW070832 □ Water World NSW070825 □ Randolf	113
NSW070819		Monkeys NSW070821 □ Pirates NSW070811 □ Feather	113
NSW070820		Oriental NSW070824  Racing NSW070809  Dirt Race	113
NSW070829		Superhero NSW070814 □ Graffiti NSW070806 □ Chrome	113
NSW070817		Hot Wheels NSW070802 □ Basketball NSW070803 □ Basketball 2	113
NSW070822		Pool NSW070812   Flying Water NSW070828   Space	113
NSW070827		Silk NSW070801 □ Abstract NSW070807 □ Creative	113
NSW070830		Tiger NSW070833 □ Zebra	113

- (1) Not with fold down push handles & not without push handles only with adapter, standard and only with 0° and 4° wheel camber
- (2) Not with rear wheels Spinergy / mountain bike/ drum brakes
- (3) Not with lightweight COG axle

	•	= Standard	O =	No cost option	□ = Cost option			Ī	£
		WHEEL LO	CKS				(choose only	one option)	
NSW060001	•	Standard brake							
NSW060002		Knee-lever brake							54
NSW060010		☐ Brake lever exte	-	•	old-down				37
NSW060015		Push to lock brake, o							146
NSW060016		Push to lock brake, o	ne-arm, rig	ht actuation					146
NSW060003		Compact brake							54
		ACCESSORIES							
NSW090000	•	Tool kit						I	
NSW090025		Air pump							13
NSW090024		High pressure pump	(0 - 11 bar)	ı					67
NSW090020		Net bag							19
NSW090030		Back pack							53
NSW090019		Caddy, flip-up bracke				(not with platfo	orm footplates h	igh-mount)	53
NSW090026		Mobile phone pocket							40
		COL OLIDO			(Diagram and annual)	-1			
		COLOURS Frame	Handrim	Hub/rim (1)	(Please consult our c	Frame	Handrim	,	<b>'1</b> )
		Fiame	£55	£154		Fiame	£55	£154	(1)
01 White RAL	<b>9</b> ∩1	0 0			26 Silver Texture	0		2134	
02 Brilliant Sil		0			27 Graphite metallic	0			
03 Silver Mat		0			28 Platinum metallic	0			
04 Silver	•	0			29 Black	0			
06 Sun Yellov	N	0			31 Matt Black	0			
07 Brilliant Lir		0		_	32 Signal White	0	_		
08 Matt Lime		0			33 Pink	0			
14 Blue		0			34 Dark Chocolate Metallic	0			
15 Brilliant Ma	arine	0			35 Sky blue	0			
16 Matt Marin	ne	0			36 Cyan-Metallic	0			
19 Brilliant Pu	ırple	0			37 Mars Red (Orange)	0			
20 Matt Purpl	•	0			39 Cappuccino	0			
21 Red Ruby		0			40 Kiwi	0			
22 Brilliant Re	ed	0			41 Flamingo-Glitter	0			
23 Matt Red		0			42 Matt Anthracite	0			
24 Tutti Frutti	Orar	nge O			43 Azure Blue	0			
(1)	only	with rear wheel, Unive							
			OR REA	<u>R WHEEL, L</u>	IGHTWEIGHT, 24"	,	m anodized, bla		
NSW100336	<u> </u>	Anodized, orange					ar wheel, lightwe		84
NSW100337 NSW100338	<u></u>	Anodized, blue					ar wheel, lightwe ar wheel, lightwe		84 84
N3W 100336		Anodized, red				(Only Willi Rea	ir wrieer, ligritwe	agrit iri 24 )	04
		COLOURS - for st	ickers ("Nec	nn²" on the fram	e and "Quickie" on sideguard)				
NSW100550	0	black	ionoro ( 1400		dia Quone on sideguara,				
NSW100551	0	silver							
NSW100552	0	orange							
NSW100553	0	red							
NSW100554	0	blue							
Comments	s for	special build - ple	ease apply	for a quote; lead	d time conditions may change.				
							DГ	uilt <mark>4</mark> r	ne
Quickie I	Neo	n² - Base Price	• • • • • • • • • • • • • • • • • • •				£1	1,645	
Option pri	се						£		
VAT.							£		
Total Price	)						£		

#### Please follow this measuring method:

The following method is recommended on the basis of extensive practical experience. Deviations are possible in individual instances.

Seat width (SW):

a) For the user: Allow space between sideguard and hip on each side of the chair

(approx. 1 - 2 cm altogether).

b) On the wheelchair: From outside frame tube to outside frame tube.

Seat depth (SD):

a) For the user: When sitting upright: leave space for 2 - 3 fingers between

front edge of the seat upholstery and back of knee.

(approx. 3 - 6 cm). Care must be taken with adj. upholstery.

b) On the wheelchair: From back tube to front of seat upholstery.

Front seat height:

b) On the wheelchair:

a) For the user: When sitting with 90° knee angle:

From back of knee to bottom of shoe sole. From front of seat tube to the ground.

(min. 3cm longer than user measurement). Remember to include the cushion height.

Rear seat height:

b) On the wheelchair: From back of seat tube to the ground.

Note: Max. seat height difference rear to front is 11 cm.

Back height:

a) For the user: From the seat, including cushion, to be no more than 1 - 2 cm below the lower shoulder blade.

b) On the wheelchair: From back of seat tube to upper edge of backrest upholstery.

Note: The user's ability to sit upright has a major influence on the

back height and it can therefore differ considerably.

Back angle: Important: The back height depends on the degree of disability.

0° is the angle 90° to the ground. Negative angles are <90°

and positive angles are >90°.

### **Technical Data Overview:**

Max. overall height:102 cmMax. overall length:115 cmMax. pivot width:70 cm

Max. safe slope: 7° (for use of parking brakes)

Wheelchair weight: from 11,5 kg
Dismantled weight: from 9,1 kg
Mass of heaviest part: 2,1 kg
Max. overall width: Camber

For 0° camber: SW + 16 cm For 2° camber: SW + 22 cm For 4° camber: SW + 27 cm

Intended use and environment - for people with limited mobility; self-propelling or being pushed by an assistant, indoor and outdoor use.

Product is **crash tested according to ISO 7176-19** and therefore approved for transportation in a vehicle in combination with option "Tie down brackets for transportation". For transport without a user, fix the chair safely in the vehicle (e.g. car or plane).

All changes in the configuration might change the seat heights.

Manufacturing tolerances of +/- 1 cm.



NSW020002 Seat sling with 1 utility bag



NSW020003 Seat sling with 2 utility bags



NSW090018 Lap belt with buckle, metal



NSW030012 Backrest, angle adjustable



NSW030201 Push handles, long



NSW030203 Push handles, fold-down



NSW030204 Push handles, height-adjustable



NSW030316 EXO backrest sling



NSW030317 EXO PRO backrest sling

Back height



NSW030412 Headrest, medium

## Folding-Matrix for NSW030031 Backrest, fold-down to the front.

Seat width

NSW030031 Backrest, fold-down

	32.5	35	37.5	40	42.5	45	47.5
32	✓	✓	✓	✓	✓	✓	✓
34	✓	✓	✓	✓	✓	✓	✓
36	✓	✓	✓	✓	✓	✓	✓
38		✓	✓	✓	✓	✓	✓
40			✓	✓	✓	✓	✓
42				✓	✓	✓	✓
44				✓	✓	✓	✓
46					✓	✓	√
48						✓	✓
50							✓



=folds 90° to the front on folded chair



=can't be folded full 90° to the front on folded chair in combination with fold-down push handles



=can't be folded full 90° to the front on folded chair



=will fold less than 45° to the front on folded chair, folds 90° on unfolded



JAY 3 Back Shallow Contour



1

JAY 3 Back Mid Contour



JAY 3 Carbon Back Shallow Contour



NSW04000x Desk sideguard, armpad, flip-up, removable



NSW040050 Single-post sideguard



NSW040052 Single-post sideguard, armpad (33 cm)



NSW040117 Tubular armrest, swing away, removable, padded



NSW040107 Sideguard, composite, removable (black)



NSW040103 Aluminium, cold weather protection, fender



NSW040104 Carbon fibre, cold weather protection, fender



NSW050011 Hanger, aluminium, flip-up (0-90°, Swing-away



NSW050022 Footboard divided, aluminium, frame colour



NSW050059 Footboard platform, Performance



NSW050132 Footboard platform, lightweight, carbon fibre



NSW050127 Adjustable side protection



NSW090010 Transit wheels



NSW090006 Anti-tip tubes, swing away



NSW090001 Tip assist



NSW080013 & NSW080306 Castor fork, Carbotecture & Castor solid (soft) aluminium



NSW080008 Castor fork, aluminium, one-arm, red



NSW070001 Universal wheel



NSW070002 Design wheel



NSW070003 Lightweight wheel



NSW070004 Proton wheel



NSW070010 Mountain bike wheel



NSW070101 Schwalbe Right Run



NSW070106 Schwalbe Down Town



NSW070107 Schwalbe One



NSW070104 Schwalbe Marathon Plus Evolution



NSW070102 Tyre, puncture proof



NSW070208 Handrims Maxgrepp



NSW070211 Handrims Surge®



NSW060001 Standard brake



NSW060002 Knee lever brake



NSW060003 Compact brake



NSW090000 Tool kit



NSW090024 High pressure pump



NSW090025 Air pump



NSW090030 Back pack



NSW090019 Caddy, flip-up bracket for bags



NSW090026 Mobile phone pocket



NSW100336 Lightweight wheel, anodized orange



NSW100337 Lightweight wheel, anodized blue



NSW100338 Lightweight wheel, anodized red