

Crometta S
Showerpipe 240 1jet EcoSmart 9 l/min Reno
 Surfaces: **chrome** Art. no. : **27270000**



Description

product features


- Consists of: overhead shower, hand shower, shower hose, slider, wall outlet
- overhead shower Crometta S 240
- Shower head size: 240 mm
- Spray pattern: Rain
- overhead shower angle adjustable
- Shower arm length: 350 mm
- slide inclination angle can be adjusted by 45°
- height-adjustable hand shower holder
- Outlet: overhead shower, hand shower
- Flow rate Rain (at 3 bar): 9 l/min
- exposed design allows easy installation, all working parts are outside of the wall
- Water connection: Isiflex shower hose 80 cm
- Connection thread 1/2"
- pipe can be shortened in height
- operating pressure: min 1.2 bar / max 10 bar
- Requires a separate exposed or concealed shower mixer with independent flow and temperature control. Choose from hansgrohe's range of one way thermostatic valves
- WRAS 1811002
- WRAS 1811002
- WRAS 1811002

Article Details

Price excl. VAT

£ 333.33

Technology




Certificates



Product image




Scale drawing



Crometta S
Showerpipe 240 1jet EcoSmart 9 l/min Reno
 Surfaces: **chrome** Art. no. : **27270000**



Flowchart



The consumption was measured in combination with the appropriate fittings (thermostat/mixer/in-wall valve) to reflect actual application in practice.

Crometta S
Showerpipe 240 1jet EcoSmart 9 l/min Reno
 Surfaces: **chrome** Art. no. : **27270000**



Installation examples

