
TECHNICAL DATA SHEET

ROXOR

Sales Code: YOR432 Description: 800 2-Door F/S Unit With Marble Top 3Th






Packaging Details

Barcode: 5056462619934

Sales Code: OLF405 **Description:** 800 2-Door Floor Standing Unit






Product Dimensions	
Height (mm):	858
Width (mm):	790
Depth (mm):	455
Nett Weight (kg):	29.5
Packaging Dimensions	
Height (mm):	895
Width (mm):	810
Depth (mm):	480
Gross Weight (kg):	29.5
Packaging Data	
Box Colour:	Brown Cardboard Box
Box Qty:	1
Label Size:	100 x 50
Label Colour:	White Label
Label Oty:	2
Outer Box Dimensions (If Appl	icable)
Height (mm):	
Width (mm):	
Depth (mm):	
Gross Weight (kg):	
Barcode:	5056211847434
Product Details	
Country of Origin:	United Kingdom
Fitting Instruction:	No
CE Certification:	N/A
FSC Certified Materials:	Yes
Colour:	Royal Grey
Construction Method:	Cam & Wood Dowel
Construction Type:	Rigid
Cabinet Finish:	MFC Textured Woodgrain
Fascia Finish:	Mdf Vinyl Textured Woodgrain
Cabinet Thickness (mm):	18
Fascia Thickness (mm):	18
Drawer Included:	No
Drawer Type:	Not Applicable
No of Shelves:	1
Hinge Type:	110 Degree Inset Clip-On S/C
Hinge Included:	Yes
Adjustable Legs:	No
Fixings Included:	Yes
Handle Style:	Traditional
Waste Shroud:	No
Handle Included:	Yes
Handle Type:	Strap

Handle Type:

Sales Code: LOM232 Description: 800 Single Bowl Marble Top 3Th





sions
268
820
463
18
ensions
310
900
550
18.5
a .
White Cardboard Box
1
100 x 50
White Label
2
ensions (If Applicable)
5056211819073
: China
: No
CE: N/A WRAS: N/A WRAS No: N/A
Vitreous China, Natural Marble
No
Trap Style: Not Applicable Includes Seat: Not Applicable
Seat Type: Not Applicable Material: Not Applicable
Function: Not Applicable Hinge Type: Not Applicable
Hinge Material: Not Applicable
O C T Not Acclinite Title Not A Political
Operating Type: Not Applicable Fittings: Not Applicable
Lever Type: Not Applicable
Tap Hole: Three Tapholes Chain Stay Hole: No
Template: Not Applicable Waste Type Req: Slotted
Overflow Inc: Yes Overflow Cover: Yes
Inner Bowl Depth (mm): 160mm