




26 508 AL0 SHOWER SYSTEM WITH THERMOSTAT FOR WALL MOUNTING




PRODUCT DESCRIPTION

- Consisting of:
 - horizontal 450 mm shower arm
 - upper bracket adjustable for minimal adaption to existing drilling holes
 - exposed SmartControl thermostat
 - allows change between:
 - head shower Rainshower SmartActive 310 Cube
 - GROHE PureRain and Centered Jet spray
 - hand shower Euphoria Cube Stick
 - adjustable height via gliding element
 - Silverflex shower hose 1750 mm (28 388 000)
- **GROHE DreamSpray** perfect spray pattern
- **GROHE CoolTouch** prevents scalding on hot surfaces
- **GROHE TurboStat** compact cartridge with wax thermoelement
- **GROHE EcoJoy** technology for less water and perfect flow
- **GROHE StarLight** finish
- - GROHE SafeStop at 38°C
- **GROHE SafeStop Plus** optional temperature limiter at 43°C included
-
- **GROHE SmartControl** push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
- integrated **GROHE EasyReach** shower tray
- **SpeedClean** anti-limescale system
- **Inner WaterGuide** for a longer life
- **Twistfree** preventing the hose from twisting
- suitable for instantaneous heaters from 18 kW/h
- minimum flow rate 7 l/min.

26 508 AL0 SHOWER SYSTEM WITH THERMOSTAT FOR WALL MOUNTING



26 508 AL0 SHOWER SYSTEM WITH THERMOSTAT FOR WALL MOUNTING



SPARE PARTS

- 1: Thermostatic compact cartridge 1/2" (Order-nr. 47439000)
 - 2: Cartridge (Order-nr. 48297000)
 - 3: Non-return valve (Order-nr. 49069000)
 - 4: Non-return valve (Order-nr. 08565000)
 - 5: Sliding piece (Order-nr. 48177AL0)
 - 6: Strainer (Order-nr. 0700200M)
 - 7: Outlet shower holder (Order-nr. 48279AL0)
 - 9: GROHE TurboStat cartridge 1/2" (Order-nr. 47175000)*
 - 10: Socket Spanner (Order-nr. 49059000)*
- * Optional accessories