


400505

Parts Breakdown



Parts Breakdown

| # | PART # | DESCRIPTION | QTY | Note |
|----|---------|-------------------------------------|---------|------|
| 1 | 70467 | KIT, HOUSING, MAIN | 1 | |
| | | HOUSING , MAIN | 1 | |
| | | BUSHING .865 X .985 X .790 | 1 | |
| | | PIN, STANDARD HEADLESS | 2 | |
| 2 | 70483 | KIT, HOUSING, SIDE | 1 | |
| | | HOUSING, SIDE | 1 | |
| | | BUSHING .865 X .985 X .790 | 1 | |
| | | BUSHING , .624 X .719 X .562 | 1 | |
| 3 | 70477 | KIT, CENTER SECTION | 1 | |
| | | CENTER SECTION (5 - PISTON) | 1 | |
| | | BUSHING .707 X .788 X .591 | 1 | |
| 4 | 51048 | TRUNNION, SWASHPLATE | 1 | |
| 5 | 70331 | KIT, BLOCK, 10CC CYLINDER | 2 | |
| | | BLOCK , CYLINDER | 1 | |
| | | PISTON | 5 | |
| | | SPRING, COMPRESSION | 5 | |
| | | WASHER, THRUST | 5 | |
| 6 | 50928 | SEALANT TUBE | 10.1 OZ | |
| 7 | 53246 | SCREW 1/4-20 X 1.125 HEX WASHER | 14 | |
| 9 | 51062 | SHAFT INPUT | 1 | |
| 10 | 2000022 | RING RET 67 EXT WIRE | 1 | |
| 11 | 50951 | WASHER 1.23 X 1.57 X .04 | 1 | |
| 12 | 50329 | RING RET 156 INT | 3 | |
| 13 | 51161 | SEAL 17 X 40 X 7 LIP | 1 | |
| 14 | 50315 | BEARING 17X40X12 BALL OPEN 6203 | 1 | |
| 16 | 51064 | BOLT 5/16-24 X .94 HF (PATCH) | 1 | |
| 17 | 51140 | SEAL 18 X 32 X 7 LIP | 1 | |
| 18 | 51420 | ARM, CNTRL | 1 | |
| 19 | 50551 | BEARING 30X52X13 BALL THRUST | 2 | |
| 24 | 50966 | SHAFT MOTOR | 1 | |
| 27 | 51130 | GEAR, 13T PINNION | 1 | |
| 28 | 51129 | GEAR, 10T/48T | 1 | |
| 29 | 51043 | GEAR, 10T JACKSHAFT | 1 | |
| 31 | 51088 | BUSHING, SLEEVE (INBOARD) | 2 | |
| 32 | 51089 | BUSHING, SLEEVE .752 X 1.571 X .625 | 2 | |
| 33 | 44875 | WASHER .77 X 1.5 X .10 FLAT | 2 | |
| 34 | 51066 | SEAL .750 X 1.577 X .250 LIP | 2 | |
| 35 | 51068 | SHAFT, AXLE .75 X 11.39 (KEY, R.H.) | 1 | |
| 36 | 51067 | SHAFT, AXLE .75 X 16.99 (KEY, L.H.) | 1 | |
| 37 | 51769 | GEAR, MITER 12T (SPLINED) | 2 | |
| 38 | 51768 | GEAR, MITER 12T (.50 ID) | 2 | |
| 40 | 44871 | RING RET 62 EXT SPIRAL | 2 | |
| 41 | 51083 | JACK SHAFT (PIN) | 1 | |
| 42 | 51100 | MAGNET, RING | 1 | |
| 44 | 50016 | SCREW 3/8-24 X 2.5 HF W/PATCH | 2 | |
| 48 | 51098 | ROD ACTUATOR BYPASS | 1 | |

Parts Breakdown

Parts Breakdown

| # | PART # | DESCRIPTION | QTY | Note |
|-----|--------------|------------------------------------|---------|------|
| 49 | 52223 | ARM, BYPASS | 1 | |
| 50 | 51116 | RING RET 25 EXT PUSH | 1 | |
| 51 | 51081 | SEAL .25 X .75 X .25 LIP TC | 1 | |
| 52 | 44371 | WASHER .63 X 1.0 X .05 FLAT | 1 | |
| 53 | 44145 | RETAINING RING, MOTOR SHAFT | 1 | |
| 54 | 51071 | BUSHING, CENTER BLOCK | 1 | |
| 55 | 2003014 | SPRING, BLOCK | 1 | |
| 56 | 2003017 | WASHER .59 X .79 X .04 FLAT | 1 | |
| 57 | | OIL, 20W50 | 76.3 OZ | |
| 58 | 62589 | KIT, BRAKE YOKE | 1 | |
| | | YOKE, BRAKE | 1 | |
| | | BOLT, SQ.HD. 5/16 - 24 RIBBED | 1 | |
| 59 | 51072 | ROTOR, BRAKE | 1 | |
| 60 | 44132 | PUCK, BRAKE | 2 | |
| 61 | 44134 | PLATE, PUCK | 1 | |
| 62 | 44127 | PIN BRAKE ACTUATING | 2 | |
| 63 | 51146 | SCREW .250-20 X 2.0 HFS PATCH | 2 | |
| 65 | 23711 | SPACER .26X.57X.87 | 2 | |
| 66 | 51529 | SPRING EXT .53 X 1.55 | 1 | |
| 68 | 52374 | ARM, BRAKE | 1 | |
| 69 | 44142 | CASTLE NUT, 5/16-24 | 1 | |
| 70 | 44101 | PIN 3/32 X 3/4 COTTER | 1 | |
| 71 | 50919 | SPRING COMPRESSION BRAKE ANTI-DRAG | 1 | |
| 72 | 50132 | WASHER .51 X 1.10 X .03 FLAT | 3 | |
| 73 | 44130 | WASHER .34 X .88 X .06 | 2 | |
| 74 | 70719 | KIT, SEAL | 1 | |
| | | SEAL, LIP .625 X 1.0 X .25 | 1 | |
| | | RING, RET - STAR WASHER | 1 | |
| | | BULLETIN, SHAFT SEAL | 1 | |
| 84 | 51143 | FITTING 5/16 SAE, 5/32 TUBE | 1 | |
| 85 | 51147 | HOSE EXPANSION TANK 7.56 IN | 1 | |
| 88 | 50653 | BOLT 10-32 X 1/2 SELF TAPPING | 1 | |
| 93 | 51118 | SPRING CLIP-HOUSING THRUST | 2 | |
| 94 | 44147 | BEARING .62X1.38X.44 BALL | 1 | |
| 95 | 50837 | SCREW 5/16-24 X 1.5 SHC | 1 | |
| 96 | 51200 | SPACER, LOCATING | 1 | |
| 97 | 50870 | SCREW 5/16-18 X 1 SHC W/PATCH | 1 | |
| 99 | 51097 | PUCK, ADJUSTING | 1 | |
| 100 | 52493 | WASHER, .3165 ID X 1.50 OD | 1 | |
| 101 | 51131 | SPRING EXT .82 X 1.96 | 1 | |
| 103 | 52349 | BRACKET, TORQUE 0610 | 1 | |
| 108 | 51069 | WASHER .71 X 1.16 X .04 FLAT | 1 | |
| 109 | 9005110-5600 | PLUG 9/16-18 METAL | 1 | |
| 110 | 50868 | SCREW 5/16-18 X 1.5 TH | 1 | |
| 111 | 51144 | O-RING -109 .103 X .299 | 1 | |
| 117 | 51124 | PIN SPRING 5/16 X .75 | 1 | |

Parts Breakdown

| # | PART # | DESCRIPTION | QTY | Note |
|-----|--------|--|-----|------|
| 119 | 70579 | KIT, FAN-WASHER-NUT | 1 | |
| | | NUT , HEX LOCK 1/2- 20 W/NYLON INSERT | 1 | |
| | | WASHER, OD SLOTTED, .53 X 1.63 X .06 | 1 | |
| | | FAN, 7 .0 IN (10 BLADE) | 1 | |
| 123 | 52348 | BRACKET, BELT KEEPER, ANGLED | 1 | |
| 124 | 70759 | KIT, CENTER SECTION, FILTER-BYPASS | 1 | |
| | | CENTER SECTION (5-PISTON) | 1 | |
| | | BASE, FILTER W/POPPET | 1 | |
| | | CHECK PLUG ASSEMBLY, .027 BLEED , WASHER | 2 | |
| | | SPRING, BYPASS .50 IN | 1 | |
| | | ACTUATOR, BYPASS | 1 | |
| | | DEFLECTOR | 1 | |
| | | BOTTOM, FILTER | 1 | |
| | | BUSHING, .707 X .788 X .591 | 1 | |
| 125 | 70756 | ASSY, FILTER | 1 | |
| | | BASE, FILTER W/POPPET | 1 | |
| | | SPRING, BYPASS .50 IN | 1 | |
| | | ACTUATOR, BYPASS | 1 | |
| | | DEFLECTOR | 1 | |
| | | BOTTOM, FILTER | 1 | |
| 126 | 70460 | KIT, FAN/PULLEY | 1 | |
| | | NUT, HEX LOCK 1/2 - 20 W/NYLON INSERT | 1 | |
| | | WASHER, OD SLOTTED, .53 X 1. 63 X . 06 | 1 | |
| | | FAN, 7.0 IN (10 BLADE) | 1 | |
| | | PULLEY, 3.86 IN | 1 | |
| 127 | 70463 | KIT, O-RING & SEAL | 1 | |
| | | SEAL, LIP 17 X 40 X 7 | 1 | |
| | | SEAL, LIP 18 X 32 X 7 | 1 | |
| | | SEAL, LIP .750 X 1.577 X .250 | 2 | |
| | | SEAL, LIP .250 X .750 X .250 TC | 1 | |
| | | SEAL, LIP .625 X .750 X .25 | 1 | |
| | | O-RING .299 X .505 X .103 | 1 | |
| 128 | 71376 | KIT, EXPANSION TANK | 1 | |
| | | TANK, EXPANSION ASSEMBLY | 1 | |
| | | CAP, BARBED VENT | 1 | |
| | | BOLT, SELFTAPPING 10- 32 X . 5 | 1 | |
| | | BRACKET, EXPANSION TANK | 1 | |
| | | HOSE 7. 56 IN EXPANSION TANK | 1 | |
| 131 | 51421 | BRACKET, CRUISE/DAMPER | 1 | |
| 141 | 71401 | KIT, LT RCS | 1 | |
| | | ARM, RETURN | 1 | |
| | | SPRING, GUIDE | 1 | |
| | | SWITCH ROS | 1 | |
| | | ACTIVATOR, ROS SWITCH | 1 | |
| | | SPRING, ROS SWITCH | 1 | |
| | | RETAINER, ROS SWITCH | 1 | |

400505

Parts Breakdown

| # | PART # | DESCRIPTION | QTY | Note |
|-----|--------|-----------------------------|-----|------|
| 200 | 71829 | RIVET, 5/32 | 2 | |
| | | KIT 60T BULL GEAR DIFF PINS | 1 | |
| | | GEAR, 60T | 1 | |
| | | PIN, 0 .5 OD | 2 | |
| | | BULLETIN, BULL GEAR | 1 | |