



**Report Date:** 02/03/2021  
**Lot Number:** B238  
**Manufacture Date:** 09/04/20  
**Expiration date:** 09/04/21  
**Product Name:** BrocElite Plus 60 capsule bottle  
**Manufacturer Address:** Epiceutical Labs  
 435 Merchant Walk Square, Suite 300-161  
 Charlottesville, VA 22902  
**Sample Received:** 01/22/2021



BrocElite™ Plus is the only broccoli supplement on the market offering Stabilized Sulforaphane™ in the capsule (as opposed to the precursor, glucoraphanin).

**SUGGESTED USE:** Take 1 capsule twice a day or as directed by your healthcare practitioner. Refrigerate after opening. Take with food.



**TAMPER EVIDENT:** Use only if bottle is sealed. Keep Refrigerated.  
**CAUTION:** If you are pregnant, consult a healthcare professional before using this product.

\*These statements have not been evaluated by the Food and Drug Administration. This product is not intended to diagnose, treat, cure or prevent any disease.

<b>Supplement Facts</b>	
Serving Size:	2 Capsules
Servings Per Container:	30
Amount per serving	%DV
Stabilized Sulforaphane™	10 mg*
Broccoli Seed complex (including PEITC, Iberin, BITC & ATIC)	700 mg
*Daily Value not established.	

**Quantitative Analysis of Sulforaphane**

Sulforaphane Concentration	Sulforaphane per capsule (mg)
2.13%	10.74

*Jack He*  
 Jack He (Mar 2, 2021 15:41 EST)

Mar 2, 2021

*J Scott Lowman*  
 J Scott Lowman (Mar 2, 2021 15:45 EST)

Mar 2, 2021

Yimeng (Jack) He (Sr. Analytical Chemist)

Date

Dr. Scott Lowman (Director of Research)

Date



# PERRY JOHNSON LABORATORY ACCREDITATION, INC.

## Certificate of Accreditation

*Perry Johnson Laboratory Accreditation, Inc. has assessed the Laboratory of:*

***Institute for Advanced Learning and Research***  
***150 Slayton Avenue, Danville, VA 24540***

*(Hereinafter called the Organization) and hereby declares that Organization is accredited  
in accordance with the recognized International Standard:*

**ISO/IEC 17025:2017**

This accreditation demonstrates technical competence for a defined scope and the  
operation of a laboratory quality management system  
(as outlined by the joint ISO-ILAC-IAF Communiqué dated April 2017):

***Chemical Analysis of Cannabis and Related Products***  
***(As detailed in the supplement)***

Accreditation claims for such testing and/or calibration services shall only be made from addresses referenced within this certificate. This Accreditation is granted subject to the system rules governing the Accreditation referred to above, and the Organization hereby covenants with the Accreditation body's duty to observe and comply with the said rules.

For PJLA:

Tracy Szerszen  
President

Perry Johnson Laboratory  
Accreditation, Inc. (PJLA)  
755 W. Big Beaver, Suite 1325  
Troy, Michigan 48084

*Initial Accreditation Date:*

October 10, 2020

*Issue Date:*

October 10, 2020

*Expiration Date:*

November 30, 2022

*Accreditation No.:*

94824

*Certificate No.:*

L20-617

*The validity of this certificate is maintained through ongoing assessments based on a  
continuous accreditation cycle. The validity of this certificate should be  
confirmed through the PJLA website: [www.pjilabs.com](http://www.pjilabs.com)*



# Certificate of Accreditation: Supplement

## The Institute for Advanced Learning and Research

150 Slayton Avenue, Danville, VA 24541

Contact Name: Samantha Smith-Herndon Phone: 434-766-6622

Accreditation is granted to the facility to perform the following testing:

FIELD OF TEST	ITEMS, MATERIALS OR PRODUCTS TESTED	SPECIFIC TESTS OR PROPERTIES MEASURED	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED	RANGE (WHERE APPROPRIATE) AND DETECTION LIMIT
Chemical <sup>F</sup>	Medical Cannabis and Industrial Hemp (Raw material, extracts and finished products)	Cannabidiol (CBD) Cannabidiolic acid (CBDA) Cannabinol (CBN) Delta 9 tetrahydrocannabinol (9-THC) Delta 8 tetrahydrocannabinol (8-THC) Tetrahydrocannabinolic acid (THCA) Cannabigerol (CBG) Cannabichromene (CBC) Tetrahydrocannabivarin (THCV)	HPLC	0.5 µg/mL to 50µg/mL LoD: 0.25µg/mL

1. The presence of a superscript F means that the laboratory performs testing of the indicated parameter at its fixed location. Example: Outside Micrometer<sup>F</sup> would mean that the laboratory performs this testing at its fixed location.