



All Australian Candle Making supplies and kits

PO Box 113, Galston NSW 2159
Phone: 02 9653 3600
Mail: sales@candlemaking.com.au
Web: www.candlemaking.com.au
facebook: www.facebook.com/candlemaking-supplies

IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

PRODUCT IDENTIFIER

Product Name BABY POWDER
REACH Reg No Not registered

RELEVANT IDENTIFIED USES OF THE SUBSTANCE OR MIXTURE AND USES ADVISED AGAINST
Concentrated material for manufacturing purposes only

DETAILS OF THE SUPPLIER OF THE SAFETY DATA SHEET

All Australian Candle Making supplies and kits

3 Geelans Rd, Arcadia 2159

Australia ABN:71083221461

Telephone Number +612 96533600

Email Address sales@candlemaking.com.au

Emergency Tel No Emergency No. [13 11 26](tel:131126)

HAZARD IDENTIFICATION

CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

FL 4 Flammable liquid, category 4
ATO 5 Acute toxicity, oral, category 5
ATD 5 Acute toxicity, dermal, category 5
SCI 2 Skin corrosion/irritation, category 2
SS 1 Skin sensitisation, category 1
EDI 2A Eye damage/irritation, category 2A
CAR 2 Carcinogenicity, category 2
REP 2 Reproductive toxicity, category 2
EH A2 Aquatic hazard, acute, category 2
EH C2 Aquatic hazard, chronic, category 2

LABEL ELEMENTS

GHS classification according to Regulation (EC) No 1272/2008

All Australian Candle Making
PO Box 113, Galston NSW 2159
Phone: 02 9653 3600
Mail: sales@candlemaking.com.au
Web: www.candlemaking.com.au
facebook: www.facebook.com/candlemakingsupplies



All Australian Candle Making supplies and kits

PO Box 113, Galston NSW 2159

Phone: 02 9653 3600

Mail: sales@candlemaking.com.au

Web: www.candlemaking.com.au

facebook: www.facebook.com/candlemaking

[supplies](http://www.facebook.com/candlemaking)

HAZARD PICTOGRAMS



SIGNAL WORD: Warning

HAZARD STATEMENTS

H227 Combustible liquid

H303 May be harmful if swallowed

H313 May be harmful in contact with skin

H315 Causes skin irritation

H317 May cause an allergic skin reaction

H319 Causes serious eye irritation

H351 Suspected of causing cancer

H361 Suspected of damaging fertility or the unborn child

H401 Toxic to aquatic life

H411 Toxic to aquatic life with long lasting effects

PRECAUTIONARY STATEMENTS

P202 Do not handle until all safety precautions have been read and understood.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P261 Avoid breathing fumes.

P264 Wash hands thoroughly after handling

P273 Avoid release to the environment.

P280 Wear protective gloves and eye protection

P302+P352 IF ON SKIN: Wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P333+P313 If skin irritation or rash occurs: Get medical advice.

P337+P313 If eye irritation persists: Get medical attention.

P403+P235 Store in a well-ventilated place. Keep cool.

P501 Dispose of contents and container in accordance with local regulation.

OTHER HAZARDS

Contains Benzyl Alcohol, Benzyl Benzoate, Benzyl Cinnamate, Benzyl Salicylate,
Butylphenyl Methylpropional (Lilial), Cinnamal, Cinnamyl Alcohol, Citral, Citronellol,

All Australian Candle Making

PO Box 113, Galston NSW 2159

Phone: 02 9653 3600

Mail: sales@candlemaking.com.au

Web: www.candlemaking.com.au

facebook: www.facebook.com/candlemakingsupplies



All Australian Candle Making supplies and kits

PO Box 113, Galston NSW 2159

Phone: 02 9653 3600

Mail: sales@candlemaking.com.au

Web: www.candlemaking.com.au

facebook: www.facebook.com/candlemaking

[supplies](http://www.facebook.com/candlemakingsupplies)

Coumarin, Eugenol, Farnesol, Geraniol, Hexyl Cinnamal, Hydroxyisohexyl 3-Cyclohexene Carboxaldehyde (Lyril), Isoeugenol, Limonene and Linalool which may produce an allergic reaction

No further information available at this time

COMPOSITION / INFORMATION ON INGREDIENTS

Any percentage values listed here for hazardous components are for illustrative purposes only

MIXTURES

Complex mixture of fragrance ingredients

HAZARDOUS COMPONENTS

ID Numbers	Chemical Name, Classification and Hazards	Conc (%)
CAS 60-12-8 EINECS 200-456-2 REACH	2-phenylethanol ATO 4(1600);ATD 3;SCI 2;EDI 2A H302,H311,H315,H319	10% - 30%
CAS 1335-46-2 EINECS 215-635-0 REACH	Ionone, methyl- SCI 2;EDI 2A;EH A2,C2 H315,H319,H401,H411	10% - 30%
CAS 6259-76-3 EINECS 228-408-6 REACH	hexyl salicylate SCI 2;SS 1;EDI 2A;EH A1,C1 H315,H317,H319,H400,H410	<10%
CAS 16409-43-1 EINECS 240-457-5 REACH	tetrahydro-4-methyl-2-(2-methylprop-1-enyl)pyran FL 4;ATO 5(4300);SCI 2;EDI 2A;REP 2;EH A3 H227,H303,H315,H319,H361,H402	<10%
CAS 32388-55-9 EINECS 251-020-3 REACH	[3R-(3a,3a8,7b,8aa)]-1-(2,3,4,7,8,8a-hexahydro-3,6,8,8-tetra SCI 3;SS 1B;EH A1,C1 H316,H317,H400,H410	<10%

All Australian Candle Making

PO Box 113, Galston NSW 2159

Phone: 02 9653 3600

Mail: sales@candlemaking.com.au

Web: www.candlemaking.com.au

facebook: www.facebook.com/candlemakingsupplies



All Australian Candle Making supplies and kits

PO Box 113, Galston NSW 2159

Phone: 02 9653 3600

Mail: sales@candlemaking.com.au

Web: www.candlemaking.com.au

facebook: www.facebook.com/candlemaking-supplies

CAS 97-54-1 EINECS 202-590-7 REACH	Isoeugenol ATO 4(1500);ATD 4(1900);SCI 2;SS 1A;EDI 2A H302,H312,H315,H317,H319	<10%
CAS 87-20-7 EINECS 201-730-4 REACH	Isopentyl salicylate SCI 3;EH A2,C2 H316,H401,H411	<10%
CAS 18871-14-2 EINECS 242-640-5 REACH	tetrahydro-3-pentyl-2H-pyran-4-yl acetate SCI 3;EH A3,C3 H316,H402,H412	<10%
CAS 121-32-4 EINECS 204-464-7 REACH	3-ethoxy-4-hydroxybenzaldehyde ATO 5(3000);SCI 2;EDI 2A;STO-SE 3(RI);EH A3 H303,H315,H319,H335,H402	<10%
CAS 106-22-9 EINECS 203-375-0 REACH	citronellol ATO 5(3450);ATD 5(2650);SCI 2;SS 1B;EDI 2A;EH A2 H303,H313,H315,H317,H319,H401	<10%
CAS 104-54-1 EINECS 203-212-3 REACH	cinnamyl alcohol ATO 5(2500);SS 1B H303,H317	<10%
CAS 80-54-6 EINECS 201-289-8 REACH	2-(4-tert-butylbenzyl)propionaldehyde ATO 4(1390);SCI 2;SS 1;REP 2;EH A2,C2 H302,H315,H317,H361,H401,H411	<10%
CAS 128-37-0 EINECS 204-881-4 REACH	2,6-di-tert-butyl-p-cresol SCI 3;EH A1,C1 H316,H400,H410	<10%
CAS 21145-77-7 EINECS 244-240-6 REACH	1-(5,6,7,8-tetrahydro-3,5,5,6,8,8-hexamethyl-2-naphthyl)etha ATO 4(1000);EH A1,C1 H302,H400,H410	<10%
CAS 121-33-5 EINECS 204-465-2 REACH	Vanillin ATO 5(3500);EDI 2A H303,H319	<10%
CAS 91-64-5 EINECS 202-086-7 REACH	Coumarin ATO 4(500);SS 1B;EH A3 H302,H317,H402	<10%
CAS 104-93-8 EINECS 203-253-7 REACH	para-Cresyl methyl ether (para-Methyl anisole) FL 4;ATO 4(1900);SCI 2;EDI 2A;REP 2;EH A3,C3 H227,H302,H315,H319,H361,H402,H412	<10%
CAS 115-95-7 EINECS 204-116-4 REACH	Linalyl acetate FL 4;SCI 2;EDI 2A;EH A3 H227,H315,H319,H402	<10%
CAS 78-70-6 EINECS 201-134-4 REACH	Linalool FL 4;ATO 5(3000);EDI 2A;SCI 2;EH A3 H227,H303,H315,H319,H402	<10%

All Australian Candle Making

PO Box 113, Galston NSW 2159

Phone: 02 9653 3600

Mail: sales@candlemaking.com.au

Web: www.candlemaking.com.au

facebook: www.facebook.com/candlemakingsupplies



All Australian Candle Making supplies and kits

PO Box 113, Galston NSW 2159

Phone: 02 9653 3600

Mail: sales@candlemaking.com.au

Web: www.candlemaking.com.au

facebook: www.facebook.com/candlemaking-supplies

CAS 105-87-3 EINECS 203-341-5 REACH	Geranyl acetate SCI 2;SS 1;EH A2,C3 H315,H317,H401,H412	<10%
CAS 106-24-1 EINECS 203-377-1 REACH	Geraniol ATO 5(4200);SCI 2;EDI 1;SS 1;EH A2 H303,H315,H317,H318,H401	<10%
CAS 5989-27-5 EINECS 227-813-5 REACH	d-Limonene (p-Mentha-1,8-diene) FL 3;SCI 2;SS 1B;AH 1;EH A1,C1 H226,H304,H315,H317,H400,H410	<10%
CAS 3407-42-9 EINECS 222-294-1 REACH	3-(5,5,6-trimethylbicyclo[2.2.1]hept-2-yl)cyclohexan-1-ol SCI 2;EDI 2A;EH A3,C3 H315,H319,H402,H412	<10%
CAS 104-55-2 EINECS 203-213-9 REACH	Cinnamic aldehyde ATD 4(1100);ATO 5(2500);EDI 2A;SCI 2;SS 1A;EH A2 H303,H312,H315,H317,H319,H401	<10%
CAS 120-51-4 EINECS 204-402-9 REACH	Benzyl benzoate ATD 5(4000);ATO 4(1500);EH C2 H302,H313,H411	<10%
CAS 140-11-4 EINECS 205-399-7 REACH	Benzyl acetate FL 4;ATO 5(2490);SCI 3;EH A2 H227,H303,H316,H401	<10%
CAS 1222-05-5 EINECS 214-946-9 REACH	1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran EH A1,C1 H400,H410	<10%
CAS 81-14-1 EINECS 201-328-9 REACH	4'-tert-butyl-2',6'-dimethyl-3',5'-dinitroacetophenone CAR 2;EH A1,C1 H351,H400,H410	<10%
CAS 31906-04-4 EINECS 250-863-4 REACH	4-(4-hydroxy-4-methylpentyl)cyclohex-3-enecarbaldehyde SS 1;EH C3 H317,H412	<10%

FIRST AID MEASURES

DESCRIPTION OF FIRST AID MEASURES

AFTER INHALATION: Remove from the exposure area to fresh air, lay patient on back until breathing returns to normal. Contact a doctor if necessary.

AFTER SKIN CONTACT: Remove contaminated clothing. Wash thoroughly with soap and water. Seek medical advice if irritation persists or there is any sign of tissue damage.

AFTER EYE CONTACT: Flush with plenty of water for 15 minutes including under eyelid and seek medical advice if necessary.

AFTER INGESTION: Do NOT induce vomiting. Position to avoid aspiration should vomiting occur. Wash mouth with plenty of water and obtain medical advice immediately.

MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED

All Australian Candle Making

PO Box 113, Galston NSW 2159

Phone: 02 9653 3600

Mail: sales@candlemaking.com.au

Web: www.candlemaking.com.au

facebook: www.facebook.com/candlemakingsupplies



All Australian Candle Making supplies and kits

PO Box 113, Galston NSW 2159

Phone: 02 9653 3600

Mail: sales@candlemaking.com.au

Web: www.candlemaking.com.au

facebook: [www.facebook.com/candlemaking
supplies](http://www.facebook.com/candlemaking_supplies)

No further information available at this time

INDICATION OF IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED

No further information available at this time

FIRE-FIGHTING MEASURES

EXTINGUISHING MEDIA: Carbon dioxide, foam or dry powder. DO NOT USE A DIRECT WATER JET.

SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE: May produce Carbon dioxide and unidentified organic compounds.

ADVICE FOR FIRE-FIGHTERS: Wear Self-Contained Breathing Apparatus (S.C.B.A.) and full protective clothing to minimise skin exposure. Avoid inhalation of vapours. Keep containers cool with water spray. Do not use direct water jet on burning material. Do not allow spillage of fire to enter drains or watercourses.

ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

Remove all sources of ignition. Avoid inhalation, skin and eye contact. Ensure proper ventilation. Evacuate all unnecessary personnel. If possible contain the spill.

ENVIRONMENTAL PRECAUTIONS

Do not discharge directly into drains or the soil. Keep away from surface and ground
Water

METHODS AND MATERIAL FOR CONTAINMENT AND CLEANING UP

Soak up spillage with sand or other inert absorbent material such as earth or vermiculite; transfer used material to a suitable waste container and dispose in accordance with regulations. If large quantities of this material enter the waterways, contact the EPA or your local Waste Management Group.

HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING

Maintain good occupational and personal hygiene. Avoid inhalation and contact with skin and eyes. Wear protective clothing and use safety glasses. Keep in original container or an alternative made from a compatible material.

CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES

All Australian Candle Making

PO Box 113, Galston NSW 2159

Phone: 02 9653 3600

Mail: sales@candlemaking.com.au

Web: www.candlemaking.com.au

facebook: www.facebook.com/candlemakingsupplies



All Australian Candle Making supplies and kits

PO Box 113, Galston NSW 2159
Phone: 02 9653 3600
Mail: sales@candlemaking.com.au
Web: www.candlemaking.com.au
facebook: www.facebook.com/candlemaking-supplies

Store in tightly sealed original containers away from ignition sources and in a cool place. Avoid contact with incompatible materials that support combustion, such as strong oxidising agents.

SPECIFIC END USE(S)

No further information available

EXPOSURE CONTROLS / PERSONAL PROTECTION

CONTROL PARAMETERS

No exposure standards have been established for this material by Work safe Australia. However as a matter of course avoid repeated or prolonged contact with the skin. Keep out of eyes. Do not ingest. Use with good ventilation, do not breathe vapour. Sensitive individuals may develop an allergic response.

EXPOSURE CONTROLS

ENGINEERING CONTROLS: Natural ventilation should be sufficient, however where vapours of mists are generated the use of a grounded mechanical exhaust ventilation system is recommended.

INDIVIDUAL PROTECTION MEASURES: Refer to specific fire/chemical personal protective equipment advice. Always wash routinely before breaks, meals and at the end of the work period.

EYE/FACE PROTECTION: Use splash-proof safety glasses and face shield where splashing is possible.

HAND PROTECTION: Wear chemically resistant disposable gloves.

OTHER SKIN PROTECTION: Wear overalls. Depending on conditions in the workplace, additional body protection should be considered. Always wash routinely before breaks, meals and at the end of the work period.

RESPIRATORY PROTECTION: Not generally required. Use inhalation protection in poorly ventilated areas

THERMAL HAZARDS: No information

ENVIRONMENTAL EXPOSURE CONTROLS: Emissions from ventilation and process equipment should be checked to ensure compliance with environmental protection legislation.

PHYSICAL AND CHEMICAL PROPERTIES

INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

FLASH POINT (°C) 93

All Australian Candle Making
PO Box 113, Galston NSW 2159
Phone: 02 9653 3600
Mail: sales@candlemaking.com.au
Web: www.candlemaking.com.au
facebook: www.facebook.com/candlemakingsupplies



All Australian Candle Making supplies and kits

PO Box 113, Galston NSW 2159
Phone: 02 9653 3600
Mail: sales@candlemaking.com.au
Web: www.candlemaking.com.au
facebook: [www.facebook.com/candlemaking
supplies](http://www.facebook.com/candlemaking_supplies)

APPEARANCE Mobile liquid
COLOUR Yellow to golden yellow
ODOUR Floral, powdery, rose, woody, musky, sweet
ODOUR THRESHOLD Not available
pH @20 DEG C Not available
MELTING/FREEZING POINT Not available
INITIAL BOILING POINT AND RANGE Not available
EVAPORATION RATE Not available
FLAMMABILITY (SOLID/GAS) Not available
UPPER/LOWER FLAMMABILITY LIMITS Not available
VAPOUR PRESSURE Not available
VAPOUR DENSITY Not available
SPECIFIC GRAVITY @ 20 deg C 0.98 to 1.01
SOLUBILITIES Insoluble in water
PARTITION COEFF N-OCTANAL/WATER Not available
AUTO-IGNITION TEMPERATURE Not available
DECOMPOSITION TEMPERATURE Not available
VISCOSITY @ 20 DEG C Not available
EXPLOSIVE PROPERTIES Not available
OXIDISING PROPERTIES Not available

OTHER INFORMATION: No further information available

STABILITY AND REACTIVITY

REACTIVITY: Not determined
CHEMICAL STABILITY: Stable under the recommended storage conditions
POSSIBILITY OF HAZARDOUS REACTIONS: No hazardous reactions if stored under suitable storage conditions.
CONDITIONS TO AVOID: Avoid exposure to heat, sources of ignition, and open flame. Avoid exposure to air.
INCOMPATIBLE MATERIALS: Keep away from oxidising agents and from highly alkaline or acidic material.
HAZARDOUS DECOMPOSITION PRODUCTS: During combustion may form carbon monoxide, carbon dioxide and unidentified organic compounds.

TOXICOLOGICAL INFORMATION

INFORMATION ON TOXICOLOGICAL EFFECTS

ACUTE TOXICITY: May be harmful if swallowed. May be harmful in contact with skin.
SKIN CORROSION / IRRITATION: Causes skin irritation.
SERIOUS EYE DAMAGE / IRRITATION: Causes serious eye damage.
RESPIRATORY OR SKIN SENSITISATION: May cause an allergic skin reaction.

All Australian Candle Making
PO Box 113, Galston NSW 2159
Phone: 02 9653 3600
Mail: sales@candlemaking.com.au
Web: www.candlemaking.com.au
facebook: www.facebook.com/candlemakingsupplies



All Australian Candle Making supplies and kits

PO Box 113, Galston NSW 2159
Phone: 02 9653 3600
Mail: sales@candlemaking.com.au
Web: www.candlemaking.com.au
facebook: [www.facebook.com/candlemaking
supplies](http://www.facebook.com/candlemaking_supplies)

GERM CELL MUTAGENICITY: No data
CARCINOGENICITY: Suspected of causing cancer.
REPRODUCTIVE TOXICITY: Suspected of damaging fertility or the unborn child.
STO-SINGLE EXPOSURE: No data
STO-REPEATED EXPOSURE: No data
ASPIRATION HAZARD: No data
INFORMATION ON LIKELY ROUTES OF EXPOSURE: No data
SYMPTOMS RELATED TO THE PHYSICAL, CHEMICAL AND TOXICOLOGICAL CHARACTERISTICS: No data
DELAYED AND IMMEDIATE EFFECTS AS WELL AS CHRONIC EFFECTS FROM SHORT AND LONG-TERM EXPOSURE: No data
INTERACTIVE EFFECTS: No data
OTHER INFORMATION: No data

ECOLOGICAL INFORMATION

TOXICITY: Toxic to aquatic life with long lasting effects. Avoid contaminating waterways.
PERSISTENCE AND DEGRADABILITY: No data
BIOACCUMULATIVE POTENTIAL: No data
MOBILITY IN SOIL: Prevent contamination of soil, ground and surface water.
RESULTS OF PBT AND VPVB ASSESSMENT: No data

DISPOSAL CONSIDERATIONS

Please refer to the information in Exposure controls and personal protection

WASTE TREATMENT METHODS: Dispose in accordance with the law and local regulations. Treat as trade effluent.

TRANSPORT INFORMATION

UN NUMBER : Not Regulated
UN PROPER SHIPPING NAME: Not Restricted
TRANSPORT HAZARD CLASS(ES)
PACKING GROUP: Tunnel Code
ENVIRONMENTAL HAZARDS: No relevant information available
SPECIAL PRECAUTIONS FOR USER: No relevant information available
TRANSPORT IN BULK ACCORDING TO ANNEX II OF MARPOL73/78 AND THE IBC CODE: Not applicable

REGULATORY INFORMATION

SAFETY, HEALTH AND ENVIRONMENTAL REGULATIONS/LEGISLATION SPECIFIC FOR THE SUBSTANCE OR MIXTURE

Poison Schedule: Not applicable

CHEMICAL SAFETY ASSESSMENT: A chemical safety assessment has not been carried out

All Australian Candle Making
PO Box 113, Galston NSW 2159
Phone: 02 9653 3600
Mail: sales@candlemaking.com.au
Web: www.candlemaking.com.au
facebook: www.facebook.com/candlemakingsupplies



All Australian Candle Making supplies and kits

PO Box 113, Galston NSW 2159

Phone: 02 9653 3600

Mail: sales@candlemaking.com.au

Web: www.candlemaking.com.au

facebook: www.facebook.com/candlemaking-supplies

OTHER INFORMATION

FULL LIST OF PRECAUTIONARY PHRASES

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P261 Avoid breathing fumes.

P264 Wash hands thoroughly after handling

P272 Contaminated work clothing should not be allowed out of the workplace

P273 Avoid release to the environment.

P280 Wear protective gloves and eye protection

P302+P352 IF ON SKIN: Wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P308+P313 IF exposed or concerned: Get medical advice.

P312 Call a POISON CENTRE if you feel unwell.

P333+P313 If skin irritation or rash occurs: Get medical advice.

P337+P313 If eye irritation persists: Get medical attention.

P351 Rinse cautiously with water for several minutes.

P362+P364 Take off all contaminated clothing and wash it before reuse.

P391 Collect spillage.

P403+P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

P501 Dispose of contents and container in accordance with local regulation.

WORDING OF ANY HAZARD CLASSES LISTED

FL 3 Flammable liquid, category 3

FL 4 Flammable liquid, category 4

ATO 4 Acute toxicity, oral, category 4

ATO 5 Acute toxicity, oral, category 5

AH 1 Aspiration hazard, category 1

ATD 3 Acute toxicity, dermal, category 3

ATD 4 Acute toxicity, dermal, category 4

ATD 5 Acute toxicity, dermal, category 5

SCI 2 Skin corrosion/irritation, category 2

SCI 3 Skin corrosion/irritation, category 3

SS 1 Skin sensitisation, category 1

SS 1A Skin sensitisation, category 1A

SS 1B Skin sensitisation, category 1B

EDI 1 Eye damage/irritation, category 1

EDI 2A Eye damage/irritation, category 2A

STO-SE 3(RI) Specific target organ, single exposure, respiratory irritation

CAR 2 Carcinogenicity, category 2

All Australian Candle Making

PO Box 113, Galston NSW 2159

Phone: 02 9653 3600

Mail: sales@candlemaking.com.au

Web: www.candlemaking.com.au

facebook: www.facebook.com/candlemakingsupplies



All Australian Candle Making supplies and kits

PO Box 113, Galston NSW 2159

Phone: 02 9653 3600

Mail: sales@candlemaking.com.au

Web: www.candlemaking.com.au

facebook: www.facebook.com/candlemaking

[supplies](http://www.facebook.com/candlemaking)

REP 2 Reproductive toxicity, category 2
EH A1 Aquatic hazard, acute, category 1
EH A2 Aquatic hazard, acute, category 2
EH A3 Aquatic hazard, acute, category 3
EH C1 Aquatic hazard, chronic, category 1
EH C2 Aquatic hazard, chronic, category 2
EH C3 Aquatic hazard, chronic, category 3

WORDING OF ANY HAZARD STATEMENTS

H226 Flammable liquid and vapour
H227 Combustible liquid
H302 Harmful if swallowed
H303 May be harmful if swallowed
H304 May be fatal if swallowed and enters airways
H311 Toxic in contact with skin
H312 Harmful in contact with skin
H313 May be harmful in contact with skin
H315 Causes skin irritation
H316 Causes mild skin irritation
H317 May cause an allergic skin reaction
H318 Causes serious eye damage
H319 Causes serious eye irritation
H335 May cause respiratory irritation
H351 Suspected of causing cancer
H361 Suspected of damaging fertility or the unborn child
H400 Very toxic to aquatic life
H401 Toxic to aquatic life
H402 Harmful to aquatic life
H410 Very toxic to aquatic life with long lasting effects
H411 Toxic to aquatic life with long lasting effects
H412 Harmful to aquatic life with long lasting effects

All Australian Candle Making

PO Box 113, Galston NSW 2159

Phone: 02 9653 3600

Mail: sales@candlemaking.com.au

Web: www.candlemaking.com.au

facebook: www.facebook.com/candlemakingsupplies