

# Black Liquid Dye #D1972

## Safety Data Sheet

according to the Work Health and Safety (WHS) Regulations  
Issue date: 6/9/2022

### SECTION 1: Product identifier

#### 1.1. GHS product identifier

Product form : Mixture  
Product name : Black Liquid Dye #D1972  
Product code : D1972

#### 1.2. Other means of identification

No additional information available

#### 1.3. Recommended use of the chemical and restrictions on use

Recommended use : colorants

#### 1.4. Details of manufacturer or importer

Candlemaking  
Unit A3, 26 Powers Road  
Seven Hills , NSW 2147  
Australia  
T +61 96533600  
[Sales@CandleMaking.com.au](mailto:Sales@CandleMaking.com.au) [candlemaking.com.au](http://candlemaking.com.au)

#### 1.5. Emergency phone number

Emergency number : 1-800-255-3924; +01-813-248-0585; China:+400-120-0751; Mexico:+01-800-099-0731;  
Brazil: +0-800-591-6042; India: +000-800-100-4086

### SECTION 2: Hazard identification

#### 2.1. Classification of the hazardous chemical

##### Classification according to the model Work Health and Safety Regulations (WHS Regulations)

Acute toxicity (inhalation:dust,mist) Category 4	H332
Skin corrosion/irritation, Category 2	H315
Carcinogenicity, Category 1B	H350
Reproductive toxicity, Category 2	H361

#### 2.2. GHS Label elements, including precautionary statements

Hazard pictograms (GHS AU) :



Exclamation Health hazard mark

Signal word (GHS AU) : Danger  
Contains : Distillates, petroleum, hydrotreated light naphthenic ( $\leq 65.5\%$ )  
Hazard statements (GHS AU) : H315 - Causes skin irritation  
H332 - Harmful if inhaled  
H350 - May cause cancer  
H361 - Suspected of damaging fertility or the unborn child

# Black Liquid Dye #D1972

## Safety Data Sheet

according to the Work Health and Safety (WHS) Regulations

Precautionary statements (GHS AU) : P201 - Obtain special instructions before use.  
P202 - Do not handle until all safety precautions have been read and understood.  
P264 - Wash hands, forearms and face thoroughly after handling.  
P271 - Use only outdoors or in a well-ventilated area.  
P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.  
P281 - Use personal protective equipment as required.

6/9/2022 (Issue date)

P302+P352 - IF ON SKIN: Wash with plenty of water.  
P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
P312 - Call a POISON CENTER or doctor if you feel unwell.  
P332+P313 - If skin irritation occurs: Get medical advice/attention.  
P405 - Store locked up.  
P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

### 2.3. Other hazards which do not result in classification

No additional information available

## SECTION 3: Composition and information on ingredients

Name	CAS-No.	%	Classification according to the model Work Health and Safety Regulations (WHS Regulations)
Distillates, petroleum, hydrotreated light naphthenic	64742-53-6	32.75 - 65.5	Acute Tox. 4 (Inhalation), H332 Carc. 1B, H350 Repr. 2, H361 Skin Irrit. 2, H315
Other substances (not contributing to the classification of this product)	-	17.25 - 34.5	-

## SECTION 4: First aid measures

### 4.1. Description of necessary first-aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). Call a physician immediately.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Allow affected person to breathe fresh air. Allow the victim to rest. Call a poison center/doctor/physician if you feel unwell.

First-aid measures after skin contact : Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. If skin irritation or rash occurs: Get medical advice/attention. Specific treatment (see Get medical advice/attention. on this label). If skin irritation occurs: Get medical advice/attention. Wash skin with plenty of water. Take off contaminated clothing. If skin irritation occurs: Get medical advice/attention.

First-aid measures after eye contact : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists. Rinse eyes with water as a precaution.

First-aid measures after ingestion : Immediately call a poison center or doctor/physician. Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention. Do not induce vomiting. Call a physician immediately.

### 4.2. Symptoms caused by exposure

Symptoms/effects : Not expected to present a significant hazard under anticipated conditions of normal use.

Symptoms/effects after skin contact : Irritation.

Symptoms/effects after ingestion : May be fatal if swallowed and enters airways. Risk of lung edema.

### 4.3. Medical attention and special treatment

6/9/2022 (Issue date)

EN (English US)

2/9

# Black Liquid Dye #D1972

## Safety Data Sheet

according to the Work Health and Safety (WHS) Regulations

Other medical advice or treatment : Treat symptomatically.

### SECTION 5: Fire-fighting measures

#### 5.1. Extinguishing media

Suitable extinguishing media : Sand. Water spray. Dry powder. Foam. Carbon dioxide.  
Unsuitable extinguishing media : Do not use a heavy water stream.

#### 5.2. Specific hazards arising from the chemical

Hazardous decomposition products in case of fire : Toxic fumes may be released.

#### 5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment.  
Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection. Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

##### 6.1.1. For non-emergency personnel

Emergency procedures

:

Ventilate spillage area. Evacuate unnecessary personnel. Avoid breathing dust/fume/gas/mist/vapors/spray. Only qualified personnel equipped with suitable protective equipment may intervene.

##### 6.1.2. For emergency responders

Protective equipment

:

Do not attempt to take action without suitable protective equipment. Equip cleanup crew with proper protection. For further information refer to section 8: "Exposure controls/personal protection".

Emergency procedures

: Ventilate area.

#### 6.2. Environmental precautions

Avoid release to the environment. Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters. Notify authorities if product enters sewers or public waters.

#### 6.3. Methods and materials for containment and cleaning up

Methods for cleaning up

: Take up liquid spill into absorbent material. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials. Notify authorities if product enters sewers or public waters.

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Precautions for safe handling

:

Wear personal protective equipment. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor. Use only outdoors or in a wellventilated area. Avoid breathing dust/fume/gas/mist/vapors/spray. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Take all necessary technical measures to avoid or minimize the release of the product on the workplace. Limit quantities of product at the minimum necessary for handling and limit the number of exposed workers. Provide local exhaust or general room ventilation. Floors, walls and other surfaces in the hazard area must be cleaned regularly. Avoid contact with skin and eyes.

# Black Liquid Dye #D1972

## Safety Data Sheet

according to the Work Health and Safety (WHS) Regulations

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product. Separate working clothes from town clothes. Launder separately. Wash contaminated clothing before reuse.

### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Prior to use, shake well to restore the suspension.  
Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container closed when not in use. Store locked up. Store in a well-ventilated place. Keep cool.  
Incompatible products : Strong bases. Strong acids.

6/9/2022 (Issue date)

Incompatible materials : Sources of ignition. Direct sunlight.  
Maximum storage period : 1 year  
Storage temperature : 25 °C  
Storage area : Store in a well-ventilated place. Store away from heat.  
Special rules on packaging : Store in a closed container.  
Packaging materials : Do not store in corrodable metal.

## SECTION 8: Exposure controls and personal protection

### 8.1. Control parameters - exposure standards

No additional information available

### 8.2. Biological Monitoring

No additional information available

### 8.3. Engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.

### 8.4. Individual protection measures, such as personal protective equipment (PPE)

Personal protective equipment : Avoid all unnecessary exposure.  
Hand protection : Wear protective gloves.  
Eye protection : Chemical goggles or safety glasses. Safety glasses  
Skin and body protection : Wear suitable protective clothing  
Respiratory protection : Wear appropriate mask. Wear respiratory protection.

#### Personal protective equipment symbol(s)



Environmental exposure controls : Avoid release to the environment.  
Other information : Do not eat, drink or smoke during use.

## SECTION 9: Physical and chemical properties

Physical state : Liquid  
Appearance : No data available  
Color : Conforms to standard

6/9/2022 (Issue date)

EN (English US)

4/9

# Black Liquid Dye #D1972

## Safety Data Sheet

according to the Work Health and Safety (WHS) Regulations

---

Odor	: characteristic
Odor threshold	: No data available
pH	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Melting point / Freezing point	: Melting point: Not applicable
Boiling point	: No data available
Flash point	: > 94 °C
Auto-ignition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapor pressure	: No data available
Relative density	: No data available
Density	: No data available
Solubility	: No data available
Partition coefficient n-octanol/water (Log Pow)	: No data available
Explosive properties	: No data available
Explosion limits	: No data available
Minimum ignition energy	: No data available
Fat solubility	: No data available

---

# Black Liquid Dye #D1972

## Safety Data Sheet

according to the Work Health and Safety (WHS) Regulations

### SECTION 10: Stability and reactivity

Reactivity	: The product is non-reactive under normal conditions of use, storage and transport.
Chemical stability	: Not established.
Possibility of hazardous reactions	: Not established.
Conditions to avoid	: Direct sunlight. Extremely high or low temperatures.
Incompatible materials	: Strong acids. Strong bases.
Hazardous decomposition products	: fume. Carbon monoxide. Carbon dioxide.

### SECTION 11: Transport hazard class(es)

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Harmful if inhaled.

ATE AU (dust,mist)	4.36 mg/l/4h
--------------------	--------------

### Distillates, petroleum, hydrotreated light naphthenic (64742-53-6)

LD50 oral rat	> 5000 mg/kg
LD50 dermal rabbit	> 2000 mg/kg
LC50 Inhalation - Rat	2180 mg/m <sup>3</sup> (Exposure time: 4 h)

Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: May cause cancer.
Reproductive toxicity	: Suspected of damaging fertility or the unborn child.
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified
Potential Adverse human health effects and symptoms	: Based on available data, the classification criteria are not met

### SECTION 12: Document changes control

According to the National Code of Practice for the Preparation of Material Safety Data Sheets, Environmental classification information is not mandatory. Information relevant for GHS classification is available on request

#### 12.1. Ecotoxicity

Ecology - general	: The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.
Hazardous to the aquatic environment, short-term (acute)	: Not classified
Hazardous to the aquatic environment, long-term (chronic)	: Not classified
Other information	: Avoid release to the environment.

### Distillates, petroleum, hydrotreated light naphthenic (64742-53-6)

# Black Liquid Dye #D1972

## Safety Data Sheet

according to the Work Health and Safety (WHS) Regulations

LC50 - Fish [1]	> 5000 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss)
EC50 - Crustacea [1]	> 1000 mg/l (Exposure time: 48 h - Species: Daphnia magna)

### 12.2. Persistence and degradability

Black Liquid Dye #D1972	
Persistence and degradability	Not established.

### 12.3. Bioaccumulative potential

Black Liquid Dye #D1972	
Bioaccumulative potential	Not established.

### 12.4. Mobility in soil

No additional information available

### 12.5. Other adverse effects

Ozone : Not classified  
Other adverse effects : No additional information available

Black Liquid Dye #D1972	
Fluorinated greenhouse gases	False

### Distillates, petroleum, hydrotreated light naphthenic (64742-53-6)

Fluorinated greenhouse gases	False
------------------------------	-------

## SECTION 13: Disposal considerations

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.  
Product/Packaging disposal recommendations : Dispose of contents/container in accordance with local/national laws and regulations.  
Dispose in a safe manner in accordance with local/national regulations.  
Ecology - waste materials : Hazardous waste due to toxicity. Avoid release to the environment.

## SECTION 14: Transport information

ADG	IMDG	IATA
<b>14.1. UN number</b>		
Not applicable	Not applicable	Not applicable
<b>14.2. UN proper shipping name</b>		
Not applicable	Not applicable	Not applicable
<b>14.3. Transport hazard class(es)</b>		
Not applicable	Not applicable	Not applicable
<b>14.4. Packing group</b>		

# Black Liquid Dye #D1972

## Safety Data Sheet

according to the Work Health and Safety (WHS) Regulations

Not applicable	Not applicable	Not applicable
----------------	----------------	----------------

### 14.5. Environmental hazards

Not applicable	Dangerous for the environment: No Marine pollutant: No	Dangerous for the environment: No
----------------	-----------------------------------------------------------	-----------------------------------

### 14.6. Special precautions for user

Specific storage requirement : No data available  
Shock sensitivity : No data available

### 14.7. Additional information

Other information : No supplementary information available

#### Transport by road and rail

Not applicable

#### Transport by sea

No data available

#### Air transport

No data available

### 14.8. Hazchem or Emergency Action Code

Hazchem Code : Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

No additional information available

### 15.2. International agreements

No additional information available

## SECTION 16: Other information

Other information : None.

Classification	
Acute Tox. 4 (Inhalation:dust,mist)	H332
Skin Irrit. 2	H315
Carc. 1B	H350
Repr. 2	H361

Full text of H-phrases	
Acute Tox. 4 (Inhalation)	Acute toxicity (inhalation) Category 4
Acute Tox. 4 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 4



# Black Liquid Dye #D1972

## Safety Data Sheet

according to the Work Health and Safety (WHS) Regulations

Carc. 1B	Carcinogenicity Category 1B
Repr. 2	Reproductive toxicity Category 2
Skin Irrit. 2	Skin corrosion/irritation Category 2
H315	Causes skin irritation
H332	Harmful if inhaled
H350	May cause cancer
H361	Suspected of damaging fertility or the unborn child

Safety Data Sheet (SDS), Australia

The data contained in this Safety Data Sheet is accurate to the best knowledge of French Color & Fragrance Co., applies to the product as supplied by French Color & Fragrance Co. and does not relate to use in combination with any other material or in any process. Data and information is furnished without warranty expressed or implied, nor does French Color & Fragrance Co. assume responsibility for use or reliance upon this data.

This SDS is current to the date listed above. However, the GHS classifications may change due to hazard communication updates by the overseeing governing body. For the most current SDS information please contact [SDS@frenchcolor.com](mailto:SDS@frenchcolor.com)